- Create a database named college
- Create a table name student in college database with following structure
- roll,name,class,marks,age with respective datatypes.



Insert at least 5 rows in the table.

```
| Deter the control of mamber 4 | maysql > insert into student (roll, name, the control of mamber 4 | maysql > insert into student (roll, name, the control of mamber 4 | maysql > insert into student (roll, name, class, marks, age) with substituting a ', 75.56, 8), (104, 'Katrina', 84.20, 9), (104, 'Matrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (103, 'Mam', 6, 45.63, 15), (102, 'Laxman', 6, 89.32, 15), (103, 'Deepik a', 4, 75.56, 8), (104, 'Katrina', 10, 84.20, 9), (105, 'Yogesh', 6, 78.36, 15); (103, 'Mam', 6, 45.63, 15), (102, 'Laxman', 6, 89.32, 15), (103, 'Mam', 6, 45.63, 15); (103, '
```

• Delete the entry of roll number 4

```
mysql> delete from student where roll=104;
Query OK, 1 row affected (0.09 sec)
mysql> select *from student;
  roll
                    class
                             marks
                                     age
         name
                             45.63
  101 I
                                       15
         Ram
                         6 |
                             89.32
                                        15
   102 I
                         6
         Laxman
         Deepika
   103
                             75.56
         Yogesh
   105
                             78.36
                                        15
                         6
  rows in set (0.00 sec)
mysql>
```

• Update the marks of roll number 3

```
mysql> select *from student;
                                                 roll,name,class,marks,age
                                                 Insert at least 5 rows in the
  roll
           name
                        class
                                  marks
                                             age Delete the entry of roll nun
                                                Update the marks of roll nu
                                               1 Give additional grace mark
                                  45.63
    101
           Ram
                                                 Truncate the table
    102
           Laxman
                                  89.32
                                               1 hsert the data again using
           Deepika
                                  75.56
    103
           Yogesh
                                  78.36
    105
                                               15
  rows in set (0.00 sec)
mysql> update student set marks=marks+5 where roll=
Query OK, 1 row affected (0.07 sec)
Rows matched: 1 Changed: 1 Warnings: 0
mysql> select *from student;
  roll
                        class
                                  marks
                                            age
           name
                                  45.63
    101
                                               15
           Ram
    102
                                               15
           Laxman
                                  89.32
           Deepika
                                  80.56
    103
           Yogesh
                                  78.36
    105
```

• Give additional grace marks of 0.5 to all students.

```
mysql> select *from student;
  roll
                    class
                             marks
         name
                                      age Delete
                                         Update
                             45.63
   101
         Ram
                         6
                             89.32
   102
         Laxman
                         6
         Deepika
                             80.56
   103
         Yogesh
                             78.36
   105
                         6
 rows in set (0.00 sec)
mysql> update student set marks=marks+0.5;
Query OK, 4 rows affected (0.07 sec)
Rows matched: 4 Changed: 4 Warnings: 0
mysql> select *from student;
  roll
                    class
                             marks
                                      age
         name
                             46.13
   101
         Ram
                                        15
                         6
                             89.82
                                        15
   102
         Laxman
                         6 |
                             81.06
         Deepika
   103
                         4
                                        8
         Yogesh
                             78.86
   105
                         6
                                        15
 rows in set (0.00 sec)
mysql>
```

Truncate the table

```
roll,name,class,marks,age with respe
mysql> select *from student;
                                                    Insert at least 5 rows in the table.
   roll
                          class
            name
                                     marks
                                                age Delete the entry of roll number 4
                                                    Update the marks of roll number 3
                                                   1 Give additional grace marks of 0.5 to
    101
                                     46.13
            Ram
                                                     Truncate the table
    102
                                     89.82
            Laxman
                                                   1\,\mathrm{fb}sert the data again using multi-inse
                                     81.06
            Deepika
    103
            Yogesh
    105
                                     78.86
                                                   15
  rows in set (0.00 sec)
mysql> truncate student;
Query OK, 0 rows affected (0.70 sec)
mysql> desc student;
  Field
             Type
                                           Key
                                                   Default
                                                                 Extra
  roll
             int
                                 YES
                                                   NULL
  name
              varchar (10)
                                 YES
                                                   NULL
  class
             int
                                 YES
                                                   NULL
  marks
              float
                                 YES
                                                   NULL
  age
              int
                                 YES
                                                   NULL
  rows in set (0.00 sec)
                                                                         Page
mysql>
```

• Insert the data again using multi-insert statement.