

CallHippo provides integration with third-party services through two approaches, namely: (1) **A Chrome extension** and (2) **An Embedded integration**.

(1) Chrome Extension

- To enable this integration, agents are required to install the Chrome extension through the following link:
<https://chrome.google.com/webstore/detail/callhippo-virtual-phone-s/gbiddodjfedcfaomleolekbgkidagkci?hl=en>

Note: Before making a call, agents must first log in to the Callhippo Dialer Chrome extension.

(2) Embedded Java script

- To integrate CallHippo, you must include this JavaScript in the index file of your third-party code. This will allow you to access the CallHippo Dialer on any webpage within that portal.
- To proceed, you must obtain an API token from the CallHippo web application and then replace "<apiToken>" with your token in the JavaScript code:
You will find the token in the submodule of RestAPI under Integrations Section.


Below is the Javascript code:

```
<script type="text/javascript">

    window.onload = (event) => {
        (function () {
            var chWidgetDiv = document.createElement('div');
            chWidgetDiv.id = 'ch-dialer-container';
            document.getElementsByTagName('body')[0].appendChild(chWidgetDiv)
            window.TOKEN = <apiToken>;
            window.EMAIL = <LOGGEDIN USER EMAIL>;
            (function () {
                var callhippoScript = document.createElement('script');
                callhippoScript.type = 'text/javascript';
                callhippoScript.async = true;
                callhippoScript.src =
'https://d1x9dsge91xf6g.cloudfront.net/callhippo/files/ch-dialer.js';
                var s = document.getElementsByTagName('script')[0];
                s.parentNode.insertBefore(callhippoScript, s);
            })();
        })();
    }();
```

}
</script>

Attached is the reference to get API Token. You can the token from "REST API" module under Integrations section



- To ensure that the user is automatically logged in to the CallHippo Dialer when they log in to the third-party software, you must pass the dynamically generated email ID as the value for "window.EMAIL = <LOGGEDIN USER EMAIL> ;". This will eliminate the need for the user to log in to CallHippo separately
- To ensure that only authorized users have access, please place the following script above the "</HEAD>" tag on your CRM pages. You may also add your own custom code to this script:
- To enable click-to-call functionality, please wrap the phone number with the following HTML tag on your webpage:

```
<span  
onclick="chCall(<PHONE_NUMBER>,<CUSTOM_PARAMS>)"><PHONE_NUMBER></span  
>
```

Replace the placeholder <PHONE_NUMBER> with the real phone number that you wish to activate click-to-call for.

You can specify multiple parameters separated by commas in the <CUSTOM_PARAMS> field. This field is not mandatory.

Example:

```
<span onclick="chCall("+919601747251",  
"campaignId=123camp456,agentId=1ef0ea5eae6932131,crmUniqueld=1234567");">  
+919601747251</span>
```

- To log out the user from the CallHippo Dialer, you must synchronize it with your third-party software. Please call the following API when a user logs out from your software:

URL: <https://dialer-api.callhippo.com/api/v3/logoutSSO>

Method: POST

Header: {

apiToken: <apiToken>

}

Body: {

email: <LOGGEDIN USER EMAIL>

}

Note 1- If you require a more in-depth integration, you can add users to CallHippo through the API. For further details on how to add users via the API, please refer to the documentation.

- <https://web.callhippo.com/api-docs>

Note 2- To receive call notifications and call details after a call is hung up on your server, you can set up a webhook. For more information and clarification on how to set up a webhook, please refer to the documentation.

- <https://support.callhippo.com/support/solutions/articles/10000002969-how-to-integrate-callhippo-with-custom-application-custom-integration->
- You can set the webhooks in Webhooks under the Integrations section by entering the URL for the required activity.

Enter URL for Webhook

☒ Calling activity

https://example.com/api/Vx

☒ SMS activity

https://example.com/api/V

SAVE

Here is a sample response data for call and SMS activities that will be sent via the webhook:

1. Calling activity- To get the complete call log on webhook url.

```
{  
  "activityType": "call",  
  "from": "+9323243432", //deprecated  
  "to": "+41232132131", //deprecated  
  "fromNumber": "+9323243432",  
  "toNumber": "+41232132131",  
  "dialCode": "41",  
  "callType": "Outgoing",  
  "duration": "08:10",  
  "status": "Completed",  
}
```

```
"time": "2020-05-12T00:53:57.688+0000",

"callCharge": "0.040",

"email": "test@example.com", //optional

"callerName": "Demo User", //optional

"adminEmail": "admin@example.com",

"callSid": "CA5fcabcd366fac3fe8c00c111f135e123",

"startTime": "2020-05-12T00:53:57.688+0000",

"endTime": "2020-05-12T01:01:05.688+0000",

"note": "Call notes goes here", //optional

"recordingUrl": "https://recording.XXX.mp3", //optional

"countryName": "United Stated",

"answeredDevice": "web",

"ringAnswerDuration": "00:02",

"billedMinutes": 9,

"hangupBy": "Agent",

"tags": ["Tag1", "Tag2"], //optional

"callQueue": false,

"reason": "User not available",

}
```

2. SMS Activity- To get the complete log of SMS on webhook URL.

```
{

"activityType": "sms",
```

```
"content": "SMS text goes here",  
"from": "+9323243432", //deprecated  
"to": "+41232132131", //deprecated  
"fromNumber": "+9323243432",  
"toNumber": "+41232132131",  
"smsType": "Outgoing",  
"status": "Completed",  
"time": "2020-05-12T00:53:57.688+0000",  
"smsCharge": "0.040",  
"email": "test@example.com", //optional  
"smsSendBy": "Demo User", //optional  
"adminEmail": "admin@example.com",  
}
```