

ReyDesk — Launch QA Test Plan

Manual + automated regression guide for go-live sign-off · Remote support, helpdesk, portal & storage

BUILD

master @ latest deployed SHA

SCOPE

Full product — end to end

AUTOMATED

npm test (API · 468 tests) + npx playwright test (E2E · 68 tests)

PRIORITY KEY

P0 launch blocker · **P1** must pass · **P2** should pass

Before you start: open the app in an incognito window, have 2 devices (one Windows with the helper, one mac/tablet for portal), and 2 people available: a **technician** and a **requester**. Every test below names the actor. Record failures with console (F12), the build hash, and the time.

1 · Sign-up, sign-in & session reliability

ID	TEST	STEPS	EXPECTED	PRI
A1	First-run tenant setup	Open / — create an org — invite the owner	Tenant dashboard loads; welcome state guides setup	P0
A2	Sign-in + MFA	Sign in with email/password — enter a TOTP code	Session persists across reload; wrong TOTP is rejected	P0
A3	Idle-resume reload	Stay idle 10+ min, resume, sign in, click into any page	No "dynamic import" crash — app updates and reloads cleanly	P0
A4	Password reset	Request reset → follow emailed link → set new password	Old password rejected, new one works	P0
A5	Lock screen	Configurable idle lock — set 10 min — wait	Locks at ~10 min (not earlier); fresh tab honours lock	P1
A6	Role gates	Log in as end-user vs technician vs admin	Each sees only their permitted nav items	P1

2 · Remote support (helper → session)

ID	TEST	STEPS	EXPECTED	PRI
R1	Code claim notification	Technician opens support page — helper enters the code on the client PC	Bell badge updates immediately (no need to click the bell)	P0
R2	Consent & session start	Client accepts consent dialog — technician approves in console	Session starts; both sides see connected state	P0

R3	Primary display default	Connect to a multi-screen PC	Primary display loads immediately — no "switch to 2 then back" dance	P0
R4	Mouse precision (multi-monitor)	Click icons/edges across both screens, incl. different resolutions	Click lands exactly where pointed on every display	P0
R5	Single pointer	Move technician mouse, then client mouse, then click	One pointer controls both; no ghost/second pointer	P0
R6	Screen switcher	Open switcher — names, tiles, primary marker	Shows "Display 1/2" (no <code>///.</code> prefixes); switch is seamless	P1
R7	Keyboard & scroll	Type in a remote app; scroll a long page / wheel	Input lands in the focused remote window; scroll gestures transfer	P1
R8	File transfer	Drag a file into the session	Transfers to <code>Downloads\ReyDesk</code> ; no false "unknown/oversized" error	P1
R9	Session recording	Record 1 min of a session → stop → open listing	Recording available, playable, downloadable	P1
R10	Reconnect after refresh	Technician refreshes the browser tab mid-session	Returns to the live session (no orphan session)	P1
R11	Unattended access	Connect to a device while nobody is at it (policy permitting)	Policy applies; session secure	P2

3 • Tickets & CSAT

ID	TEST	STEPS	EXPECTED	PRI
T1	Raise a ticket	Portal user submits a request (subject + body + attachment)	Ticket appears in the staff queue with attachment	P0
T2	Assign & reply	Technician assigns self, replies; requester replies back	Thread visible to both; requester gets notification	P0
T3	Resolve → CSAT prompt	Mark resolved → open portal ticket as requester	1–5 star survey appears; submit works once; repeat blocked	P0
T4	CSAT visible to staff	After rating, open the ticket as technician → Reports → Satisfaction	Rating badge on ticket; reports show avg, distribution, per-technician	P1
T5	SLA timers	Create ticket with 4h SLA; wait past deadline (or adjust setting)	Queue shows SLA breach state; escalation fires	P1
T6	Attachments round-trip	Upload image + zip; download from both sides; delete one	Files stored (S3/local) and retrievable; deletion reflected	P1

4 • Customer portal & knowledge base

ID	TEST	STEPS	EXPECTED	PRI
----	------	-------	----------	-----

P1	Portal address & branding	Open portal URL; change portal id/branding in settings	Old id no longer serves; new branding applied	P0
P2	Registration & invite	Self-register with a work email; also send a staff invite via email (magic link)	Both sign-in paths work; invitation history records the send	P0
P3	KB visibility	Publish one "Public" and one "Internal" article	Public article readable without sign-in; internal hidden	P1
P4	Portal toggles	Toggle each portal setting in Settings → Customer portal (lock, device context, self-resolution)	Each toggle changes portal behaviour immediately	P1

5 · Team chat (real-time)

ID	TEST	STEPS	EXPECTED	PRI
C1	Instant delivery	Two technicians; one sends a message + file	Arrives without refresh (WebSocket); file downloads	P1
C2	Reconnect	Kill network 5 s, reconnect	Chat reconnects automatically, missed messages delivered	P2

6 · Devices, monitoring & agents

ID	TEST	STEPS	EXPECTED	PRI
D1	Agent enrollment	Install the helper on a PC; enrol with a device token	Device appears with heartbeat; offline detection trips within configured window	P1
D2	Monitoring alert → ticket	Trigger a threshold (CPU/disk) in Monitoring settings	Alert fires; ticket auto-created if configured; notification sent	P1
D3	Storage quota	Set a small quota in tenant settings; upload past it	Upload blocked with clear message; usage endpoint reflects usage	P2

7 · Billing & operations settings

ID	TEST	STEPS	EXPECTED	PRI
B1	Stripe checkout	Billing → choose card → complete test checkout (Stripe test card)	Redirects to hosted Stripe; payment succeeds; invoice/status updates	P0
B2	Region ↔ currency sync	Change billing region in Settings → Overview	Billing region & currency follow the overview default	P0
B3	Operational settings	Edit each group: Remote support, Devices, Monitoring, Integrations, Data retention	Settings save, persist, and re-open with saved values	P1

8 · Storage (S3) & profile

ID	TEST	STEPS	EXPECTED	PRI
S1	Profile avatar	Profile → upload a photo (JPG/PNG/WebP <2 MB)	Avatar shows everywhere; reload preserves it	P1
S2	Object storage path	Upload a ticket attachment; check the configured storage driver	File lands in the S3-compatible bucket (or local dir) with correct key	P1

9 · Reliability & security gates

ID	TEST	STEPS	EXPECTED	PRI
X1	Chunk-load recovery	Deploy while a tab is open → navigate 10 min later	"App update" banner or auto-reload; never a crash screen	P0
X2	Tenant isolation	Sign in as two tenants; cross-open each other's ticket URLs	404/forbidden — no data leaks between tenants	P0
X3	Audit trail	Perform sensitive actions (rating, resolution, settings changes)	Each appears in Reports → Compliance audit log	P1
X4	Mobile layout	Open app and portal at 320/375/768 px widths	No horizontal scroll; nav collapses; controls usable	P1

10 · Automated coverage you already have

- **API unit/integration:** `npm test --workspace @deskos/api` → 71 files / 468 tests (auth, tenants, tickets, portal, remote, chat, storage, billing, notifications, reports).
- **Browser E2E:** `npx playwright test` → auth+lock (incl. MFA & lock screen), layout audit at 320→1280 px, connect route, authenticated console.
- **Staging journeys** (credentials required): `PLAYWRIGHT_TARGET=staging` → real API auth, MFA setup, password-reset email, full remote-support journey.
- **CI gate:** every push runs lint, typecheck, API tests, web build, Playwright, Windows helper build, then auto-deploys to the VPS only when all pass.

Sign-off

AREA	TESTER	DATE	PASS / FAIL	NOTES
1 · Auth & sessions				
2 · Remote support				
3 · Tickets & CSAT				
4 · Portal & KB				
5 · Chat				
6 · Devices & monitoring				
7 · Billing				

8 · Storage				
9 · Reliability				

ReyDesk Launch QA · generated from the live automated suites (API 468/468, E2E 68/68 green at the time of writing) + manual sign-off matrix. Report failures to the team with the build hash and a console dump.