

ReyDesk — Comprehensive QA & UAT Test Script

End-to-end manual test guide covering every product surface · for go-live sign-off

BUILD

master @ latest deployed SHA

SCOPE

Full product — every feature, every role

AUTOMATED

npm test (API · 472+ tests) + npx playwright test (E2E · 68+ tests)

PRIORITY KEY

P0 launch blocker · **P1** must pass · **P2** should pass

Before you start: Open the app in an incognito window. Have ready: (1) a Windows PC with the helper agent installed, (2) a Mac or tablet for the portal, (3) two people — a **technician** and a **requester**, (4) a Stripe/Paystack test mode account, (5) an S3-compatible bucket or local storage configured. Record failures with console (F12), the build hash, and the timestamp.

0 · Pre-flight environment checklist

#	CHECK	HOW	PASS?
PF1	API server is reachable	<code>curl https://reydesk.com/healthz</code> → 200	☐
PF2	Relay server is reachable	<code>curl https://reydesk.com:3478/healthz</code> or relay health endpoint	☐
PF3	TURN probe passes	Navigate to <code>/diagnostics/turn</code> → Run TURN probe → must say relay candidate gathered	☐
PF4	S3 storage configured	Upload a profile photo; verify it persists across reload	☐
PF5	SMTP configured	Trigger a password reset or staff invite; verify email arrives	☐
PF6	Stripe/Paystack test mode	Open Billing page; verify plans load	☐
PF7	Web Push configured	Open Settings → Notifications; subscribe; verify browser shows VAPID key	☐
PF8	Windows helper agent installed	Agent appears on Devices page with heartbeat	☐
PF9	Two browser sessions available	Technician and requester each have their own login	☐
PF10	Multi-monitor device available	Test machine has at least 2 displays for display-switching tests	☐

1 · Sign-up, sign-in & session reliability

ID	TEST	STEPS	EXPECTED	PRI	PASS
A1	First-run tenant setup	Open / — create an org — invite the owner	Tenant dashboard loads; welcome state guides setup	P0	☐
A2	Sign-in with email/password	Enter valid credentials → Submit	Redirects to dashboard; session cookie set; user identity correct	P0	☐
A3	MFA (TOTP)	Enable MFA in settings → sign in → enter TOTP code	Wrong TOTP rejected; correct TOTP grants access; session persists across reload	P0	☐
A4	Idle-resume reload (chunk error fix)	Stay idle 10+ min, resume, sign in, click into any page	No "dynamic import" crash — app updates and reloads cleanly via ErrorBoundary	P0	☐
A5	Password reset flow	Click "Forgot password" → enter email → follow emailed link → set new password	Old password rejected; new one works; email arrives within 2 min	P0	☐
A6	Invalid password rejection	Enter wrong password 5 times	Account locked or rate-limited with clear message	P0	☐
A7	Lock screen — idle timeout	Configure idle lock to 10 min in settings → wait 10 min without interaction	Locks at ~10 min (not earlier, not much later); fresh tab honours the same lock	P1	☐
A8	Lock screen — manual lock	Press Ctrl+L or click the lock button in the top bar	Screen locks immediately; unlock requires password	P1	☐
A9	Lock screen — cross-tab sync	Lock in tab A → check tab B	Tab B also shows lock screen	P1	☐
A10	Lock screen — unlock goes to login	Lock screen → click "Go to login"	Clears session, redirects to login page	P1	☐
A11	Role-based access control	Log in as each role: end-user, technician, admin	Each sees only their permitted nav items and pages	P1	☐
A12	Staff invitation via email	Admin → Staff → Invite by email → recipient follows link	Magic link works; invited user joins as the correct role; invitation history records it	P0	☐
A13	Accept invitation page	Open /accept-invitation?token=... with a valid token	Signup form pre-fills; user can set password and join	P1	☐
A14	Expired invitation	Open an expired invitation link	Clear error message; option to request a new invite	P1	☐

A15	Logout	Click sign out	Session destroyed; redirect to login; protected pages return 401	P1	☐
-----	--------	----------------	--	----	--------------------------

2 • Dashboard & home

ID	TEST	STEPS	EXPECTED	PRI	PASS
H1	Dashboard loads for signed-in user	Sign in → land on /	Home page renders with summary widgets (open tickets, active sessions, device status)	P1	☐
H2	Admin dashboard	Sign in as admin → navigate to /admin	Admin dashboard shows tenant stats, user counts, billing summary	P1	☐
H3	Dashboard widgets load without errors	Open browser console → load dashboard	No JS errors; all widgets render data or show empty states	P2	☐
H4	Landing page (anonymous)	Open / without signing in	Marketing landing page renders; CTA links to signup/login	P2	☐

3 • Tickets & CSAT

ID	TEST	STEPS	EXPECTED	PRI	PASS
T1	Create a ticket (staff)	Technician → New Ticket → fill subject, body, attach file → Submit	Ticket appears in queue with correct number, attachment, and timestamp	P0	☐
T2	Create a ticket (portal user)	Portal user → New Request → fill form → Submit	Ticket created; requester sees it in their portal; staff see it in queue	P0	☐
T3	Assign technician & reply	Technician assigns self → sends a reply; requester replies back	Thread visible to both; requester gets notification; internal notes hidden from requester	P0	☐
T4	Resolve → CSAT prompt	Technician marks resolved → requester opens portal ticket	1–5 star survey appears; submit works once; repeat submission blocked	P0	☐
T5	CSAT visible to staff	After rating, open ticket as technician → check Reports → Satisfaction	Rating badge on ticket; reports show average, distribution, per-technician breakdown	P1	☐
T6	SLA timers & breach	Create ticket with 4h SLA; wait past deadline (or adjust clock)	Queue shows SLA breach state; escalation fires; SLA badge turns red	P1	☐
T7	Attachments round-trip	Upload image + zip to a ticket; download from both sides; delete one	Files stored (S3/local) and retrievable; deletion reflected in the thread	P1	☐

T8	Canned responses	Open Settings → Canned Responses → create one → use it in a ticket reply	Canned response inserts the template text into the reply box	P1	☐
T9	Ticket settings (SLA, auto-assign)	Settings → Tickets → change SLA defaults and auto-assign rules	New tickets pick up the updated settings; existing tickets unchanged	P1	☐
T10	Ticket search & filter	Use the ticket queue search bar; filter by status, priority, assignee	Results update correctly; filters persist in URL	P2	☐
T11	Ticket priority & status changes	Change priority from Low → Urgent; change status from Open → In Progress	Changes reflect in queue and ticket detail; audit trail updated	P2	☐
T12	Bulk ticket operations	Select multiple tickets → bulk assign / bulk close	All selected tickets updated; no partial failures	P2	☐
T13	Notes (internal)	Create an internal note on a ticket	Note visible to staff only; hidden from portal users	P2	☐

4 · Remote support sessions

This section requires a Windows PC with the helper agent installed and a multi-monitor setup for display tests.

4.1 · Session creation & lifecycle

4.2 · WebRTC & media

4.3 · File transfer

4.4 · Session recording

4.5 · Reconnect & resilience

4.6 · Session permissions & elevation

4.7 · Session participants & transfer

4.8 · Unattended access

4.9 · In-session chat

4.10 · ICE diagnostics

ID	TEST	STEPS	EXPECTED	PRI	PASS
R1	Create attended session	Technician → Sessions → New Session → select device → choose "Attended" → Request	Session created with consent_pending state; join token issued	P0	☐

R2	Consent granted → session starts	Client accepts consent dialog → technician approves in console	Session transitions to connecting → active; both sides see connected state	P0	☐
R3	Consent denied → session ends	Client declines consent	Session state → denied; technician sees denial; session is no longer joinable	P0	☐
R4	End session (technician)	Technician clicks "End session" in console	Session state → ended; both sides see disconnection; session history preserved	P1	☐
R5	End session (agent)	Client clicks "Disconnect" on the helper	Session ends; technician sees disconnection; event recorded	P1	☐
R6	Session list & filtering	Open Sessions page → filter by state (active, ended), by device	Correct sessions shown; pagination works; total count accurate	P1	☐
R7	Session events timeline	Open a session detail → view events	Timeline shows created, consent_granted, ended events with timestamps and actor	P1	☐
R8	Primary display loads by default	Connect to a multi-screen PC	Primary display (Display 1) loads immediately — no "switch to 2 then back" workaround	P0	☐
R9	Mouse precision (multi-monitor)	Click icons, edges, and corners across both screens with different resolutions	Click lands exactly where pointed on every display — no offset	P0	☐
R10	Single pointer (no ghost cursor)	Move technician mouse, then client mouse, then click	One pointer controls both; no duplicate/ghost pointer visible	P0	☐
R11	Display switcher — names & switching	Open display picker → verify display names → switch between displays	Shows "Display 1", "Display 2" (no <code>///.</code> paths); switch is seamless and fast	P1	☐
R12	Display switcher — stays visible during negotiation	Connect to session → observe display picker during "negotiating" state	Display picker remains visible and functional during WebRTC negotiation	P1	☐
R13	Video playback starts automatically	Connect → wait for remote screen	Video starts playing without requiring a manual click (or shows "Click to start" fallback)	P1	☐
R14	Video playback — manual click fallback	If browser blocks autoplay → click the video area	Video starts playing on click	P1	☐
R15	Keyboard input	Type in a remote application (Notepad, browser)	All keystrokes land in the focused remote window; special keys (Tab, Enter, Esc) work	P1	☐

R16	Mouse wheel / scroll	Scroll a long page in the remote session	Scroll gestures transfer correctly; no jitter or lag	P1	☐
R17	Right-click	Right-click on a remote desktop element	Context menu opens at the correct location	P1	☐
R18	File upload (technician → client)	Drag a file into the session or use file transfer button	File transfers to Downloads\ReyDesk on the remote machine; no false "unknown/oversized" error	P1	☐
R19	File download (client → technician)	Download a file from the remote machine	File arrives on the technician's machine; integrity preserved	P2	☐
R20	File size limit enforcement	Attempt to transfer a file exceeding the configured size limit	Clear error message; file not transferred; no crash	P2	☐
R21	Start / stop recording	Start recording → perform actions → stop after 1 min	Recording indicator visible; recording available in session history after stop	P1	☐
R22	Recording playback & download	Open a completed session → play recording → download	Recording plays back smoothly; downloadable as video file	P2	☐
R23	Recording retention policy	Set recording retention to 1 day → wait or manually expire	Recordings older than retention period are auto-purged	P2	☐
R24	Technician browser refresh mid-session	Refresh the browser tab during an active session	Returns to the live session; no orphan session; video resumes	P0	☐
R25	Agent reconnect after network blip	Temporarily disconnect the client's network for 5 seconds	Session enters reconnecting state; reconnects automatically when network returns	P1	☐
R26	Reboot reconnect	Reboot the remote machine during a session with reboot_reconnect permission	Session reconnects after the machine comes back online	P2	☐
R27	Permission negotiation	Create session with terminal + file_transfer + control_input permissions	Agent receives the correct permission list; unauthorized actions are blocked	P1	☐
R28	Elevation (JIT grant)	Request elevation on a session → admin approves via Grants page	Elevation granted; terminal/process management becomes available	P1	☐

R29	Partial consent (elevation denied)	Client grants screen sharing but declines elevation	Screen works; terminal/process actions are blocked; session continues	P2	☐
R30	Invite participant to session	Technician A → invite Technician B to an active session	Technician B receives notification; can join and see the remote screen	P2	☐
R31	Transfer session ownership	Owner transfers session to another technician	New owner has full control; previous owner becomes observer	P2	☐
R32	Unattended session (policy permitting)	Connect to a device while nobody is at it	Policy applies; session connects without consent prompt; reason is required	P1	☐
R33	Inspection session	Create an inspection session (view-only)	Technician can view screen but not control input	P2	☐
R34	Send message during session	Technician sends a chat message during a remote session	Message appears in session chat; linked to ticket timeline if ticket exists	P2	☐
R35	Session chat history	Open an existing session → view chat history	All messages displayed in chronological order; sender names shown	P2	☐
R36	ICE diagnostics recorded in session events	Start a session → check session events timeline	WebRTC ICE events (ice_candidate, ice_connection_state, ice_failed if applicable) appear in the event timeline	P1	☐
R37	TURN probe endpoint	Navigate to /diagnostics/turn → Run probe	Probe reports whether TURN is configured, whether relay candidate was gathered, and credential expiry	P2	☐

5 · Connect page (end-user side)

ID	TEST	STEPS	EXPECTED	PRI	PASS
CN1	Enter support code	Open /connect → enter a valid 6-digit code	Code validated; device info shown; consent dialog appears	P0	☐
CN2	Invalid code	Enter an expired or wrong code	Clear error message; option to retry	P0	☐
CN3	Consent dialog permissions	Review the consent dialog → selectively grant/deny permissions	User can choose which permissions to grant; partial consent works	P1	☐

CN4	Platform detection on Connect	Open <code>/connect</code> from Windows, Mac, Linux, Android	Correct download option shown for each platform (Windows helper, macOS agent, Android agent)	P1	☐
CN5	Deep link enrollment	Click a <code>reydesk://enrol?token=...</code> deep link	Opens the agent app and starts enrollment	P2	☐

6 · Team chat (real-time)

ID	TEST	STEPS	EXPECTED	PRI	PASS
CH1	Send a message	Open Chat page → select a channel → type and send a message	Message appears instantly for all channel members (WebSocket delivery)	P1	☐
CH2	File sharing in chat	Drag and drop or attach a file to a chat message	File uploads and displays as a downloadable attachment	P1	☐
CH3	Chat reconnection	Kill network for 5 seconds → reconnect	Chat reconnects automatically; missed messages are delivered	P2	☐
CH4	Chat history	Open a channel with existing messages	Previous messages load; scroll back works	P2	☐
CH5	Voice calls	Navigate to <code>/calls</code> → initiate a call	Call interface loads; connection established; audio works	P2	☐

7 · Customer portal & knowledge base

ID	TEST	STEPS	EXPECTED	PRI	PASS
P1	Portal branding & slug	Settings → Customer Portal → change portal ID and branding → open portal URL	New slug serves the portal; branding applied; old slug returns 404	P0	☐
P2	Portal self-registration	Open portal URL → register with a work email	Account created; user can log in and submit tickets	P0	☐
P3	Portal ticket submission	Portal user → New Request → fill form → submit	Ticket created; appears in staff queue; requester can track it	P0	☐
P4	Portal ticket detail	Portal user → click an existing ticket	Full conversation thread visible; attachments downloadable; reply works	P1	☐
P5	Portal toggles	Settings → Customer Portal → toggle lock, device context, self-resolution	Each toggle changes portal behaviour immediately	P1	☐

P6	KB — public article	Create a KB article with "Public" visibility → open portal without sign-in	Public article readable by anonymous users	P1	☐
P7	KB — internal article	Create a KB article with "Internal" visibility → open portal without sign-in	Internal article not visible to anonymous users	P1	☐
P8	KB — article search	Use the KB search bar in the portal	Results match article titles and content	P2	☐
P9	Portal public KB article via slug URL	Open /portal/:slug/kb/:articleId	Article renders without authentication	P2	☐

8 · Devices, agent & monitoring

ID	TEST	STEPS	EXPECTED	PRI	PASS
D1	Agent enrollment	Install helper on PC → enrol with device token	Device appears on Devices page with heartbeat; OS/version info populated	P1	☐
D2	Device heartbeat	Wait 30+ seconds after enrollment	Device status shows "Online"; last seen timestamp updates	P1	☐
D3	Offline detection	Shut down the helper agent	Device goes "Offline" within the configured window	P1	☐
D4	Device detail page	Click a device → view detail page	Shows OS, IP, agent version, heartbeat, group, last session	P1	☐
D5	Device groups	Create a group → assign devices → filter by group	Devices appear under the group; group filter works	P2	☐
D6	Monitoring alert → notification	Configure CPU/disk threshold in Settings → Monitoring → trigger threshold	Alert fires; notification sent to configured channels	P1	☐
D7	Monitoring alert → auto-ticket	Enable auto-ticket creation for monitoring alerts → trigger threshold	Ticket auto-created with device context; linked to the device	P1	☐
D8	Monitoring rules CRUD	Create / edit / delete monitoring rules	Rules persist; deleted rules stop generating alerts	P2	☐
D9	Agent update check	Agent polls /agent/update → verify health endpoint	Returns current version, channel status, offer details; audit event recorded	P1	☐
D10	Storage quota enforcement	Set a small tenant storage quota → upload past it	Upload blocked with clear message; usage endpoint reflects actual usage	P2	☐
D11	Patch management	Navigate to /patches → view available patches	Patch list loads; patch status and details shown	P2	☐

D12	RMM dashboard	Navigate to <code>/rmm</code>	RMM overview loads with device health, alerts, and policy status	P2	☐
-----	---------------	-------------------------------	--	----	--------------------------

9 • AI agent & AI workers

ID	TEST	STEPS	EXPECTED	PRI	PASS
AI1	AI agent page loads	Navigate to <code>/ai-agent</code>	AI agent interface loads; shows available tools and configuration	P1	☐
AI2	AI settings configuration	Settings → AI → configure provider (OpenAI/Anthropic/etc.) and API key	Settings save; test connection button works; provider status shows connected	P1	☐
AI3	AI workers page	Navigate to <code>/ai-workers</code>	Workers list loads; shows active/paused workers with run history	P1	☐
AI4	AI worker metrics endpoint	Call <code>GET /api/v1/ai-worker/metrics</code>	Returns trigger counts, resolution rates, escalation counts, avg duration	P1	☐
AI5	Alert auto-trigger (opt-in)	Enable <code>alertAutoStart</code> in tenant settings → trigger a device alert	AI worker automatically starts investigating the alert; creates a run	P1	☐
AI6	AI worker run history	Open AI Workers page → view past runs	Each run shows trigger source, duration, outcome, escalation reason if applicable	P2	☐
AI7	Knowledge graph context	Trigger an AI worker on a device linked to assets/services	Worker receives full context: device, assets, services, related users	P2	☐
AI8	AI worker disabled by default	Create a new tenant → check AI worker settings	Alert auto-trigger is OFF by default; no automatic worker runs without opt-in	P2	☐

10 • Reports & analytics

ID	TEST	STEPS	EXPECTED	PRI	PASS
RP1	Reports overview	Navigate to <code>/reports</code>	Overview loads with ticket stats, session stats, device counts, CSAT, AI worker metrics	P1	☐
RP2	CSAT report	Open Reports → Satisfaction tab	Average rating, distribution chart, per-technician breakdown	P1	☐

RP3	Compliance audit log	Open Reports → Compliance	Audit events listed with timestamp, actor, action, and details	P1	☐
RP4	AI worker metrics in reports	Open Reports → check AI worker section	Shows health-check count, offers checked, successful updates, failed updates, resolution rate	P1	☐
RP5	Report date range filtering	Change the date range filter on a report	Data updates to reflect selected range	P2	☐
RP6	Report export	Click export/download on a report	CSV/PDF file downloads with correct data	P2	☐

11 · Billing & payments

ID	TEST	STEPS	EXPECTED	PRI	PASS
B1	Billing page loads	Navigate to /billing	Current plan, usage, invoices, and payment methods displayed	P0	☐
B2	Stripe checkout	Billing → choose card payment → complete test checkout (Stripe test card 4242...)	Redirects to hosted Stripe page; payment succeeds; invoice/status updates	P0	☐
B3	Paystack checkout	Billing → choose Paystack payment → complete test checkout	Paystack modal opens; payment succeeds; status updates	P0	☐
B4	Region ↔ currency sync	Settings → Overview → change billing region	Billing page reflects the correct currency and payment options for the region	P0	☐
B5	Invoice history	Open Billing → Invoices tab	Past invoices listed with amounts, dates, and download links	P1	☐
B6	Plan upgrade	Upgrade from Free to a paid plan	Plan changes immediately; new limits apply; invoice generated	P1	☐
B7	Plan downgrade	Downgrade from a paid plan	Downgrade takes effect at end of billing cycle; no immediate loss of access	P1	☐
B8	Webhook delivery (Stripe)	Trigger a Stripe webhook event (payment_intent.succeeded)	API processes the webhook; invoice status updates in the database	P2	☐
B9	Webhook delivery (Paystack)	Trigger a Paystack webhook event	API processes the webhook; payment status updates	P2	☐

B10	Failed payment handling	Use a declined test card	Clear error message; no plan change; retry option available	P2	☐
-----	-------------------------	--------------------------	---	----	--------------------------

12 · Staff, teams & RBAC

ID	TEST	STEPS	EXPECTED	PRI	PASS
ST1	Staff list	Navigate to /staff	List of all staff members with roles, status, and last active	P1	☐
ST2	Invite staff by email	Staff → Invite → enter email + role → send	Invitation email sent; invitee can join via magic link	P1	☐
ST3	Change staff role	Admin → edit a staff member's role	Role changes; permissions update immediately	P1	☐
ST4	Deactivate staff member	Admin → deactivate a staff member	Member cannot log in; their sessions end; data preserved	P1	☐
ST5	Teams CRUD	Navigate to /teams → create / edit / delete teams	Teams persist; members can be added/removed	P1	☐
ST6	RBAC — end-user cannot access admin pages	Log in as end-user → try /admin , /settings , /staff	403/redirect; no admin data exposed	P1	☐
ST7	RBAC — technician cannot access billing	Log in as technician (non-admin) → try /billing	Access denied or read-only view depending on permissions	P1	☐
ST8	Grants (JIT elevation)	Navigate to /grants → create a temporary elevation grant	Grant appears; user gains elevated permissions for the specified duration; auto-expires	P2	☐
ST9	Approvals workflow	Navigate to /approvals → approve/deny a pending request	Approval recorded; requester notified; action taken if applicable	P2	☐

13 · Settings (all sections)

13.1 · Overview & general

13.2 · Customer portal settings

13.3 · Notifications

13.4 · Remote support settings

13.5 · Device settings

13.6 · Monitoring settings

13.7 · Integration settings

13.8 · AI settings

13.9 · Security & compliance

13.10 · Email settings

ID	TEST	STEPS	EXPECTED	PRI	PASS
SG1	Settings page loads	Navigate to /settings	All settings sections visible in sidebar; current values loaded	P1	☐
SG2	Overview — company name & region	Settings → Overview → change company name and region	Changes persist; region default syncs to billing payment region	P1	☐
SG3	Branding — logo upload	Settings → Branding → upload logo	Logo appears in sidebar, emails, and portal	P1	☐
SP1	Portal — "How staff use it" section border	Settings → Customer Portal → inspect the "How staff use it" section	Section has a visible border around it, visually distinct from other sections	P1	☐
SP2	Portal — "Invite staff by email" section border	Settings → Customer Portal → inspect the "Invite staff by email" section	Section has a visible border around it, visually distinct	P1	☐
SP3	Portal — Welcome text input width	Settings → Customer Portal → try the Welcome text input	Input box is wide enough for comfortable text entry (full width or near-full)	P1	☐
SN1	Notification preferences	Settings → Notifications → toggle notification kinds on/off	Preferences save; notifications respect the toggles	P1	☐
SN2	Push notification subscription	Settings → Notifications → Subscribe to push	Browser shows permission prompt; after granting, subscription registered	P1	☐

SN3	Push notification delivery	Trigger an event that sends a push (e.g., ticket assigned)	Push notification arrives on the subscribed device	P1	☐
SR1	Remote support defaults	Settings → Remote → change default recording mode, session duration, inactivity timeout	New sessions pick up the updated defaults	P1	☐
SR2	Unattended access policy	Settings → Remote → configure unattended access policy	Policy applies to new unattended sessions	P2	☐
SR3	File transfer size limit	Settings → Remote → set file transfer size limit	Transfers exceeding the limit are blocked with a clear error	P2	☐
SR4	Elevated-action re-consent	Settings → Remote → enable re-consent for elevated actions	Each elevated action prompts the endpoint user for consent	P2	☐
SD1	Enrollment approval	Settings → Devices → enable enrollment approval	New device enrollments require admin approval before going online	P2	☐
SD2	Automatic updates policy	Settings → Devices → configure auto-update and minimum version	Agents below minimum version are flagged; auto-update policy applied	P2	☐
SD3	Personal device policy	Settings → Devices → configure personal device policy	Policy applied to newly enrolled devices	P2	☐
SD4	Device retirement	Settings → Devices → configure retirement policy	Retired devices are removed from active inventory	P2	☐
SM1	Maintenance windows	Settings → Monitoring → define a maintenance window	Alerts suppressed during the window	P2	☐
SM2	Alert routing	Settings → Monitoring → configure alert routing (email, webhook, Slack)	Alerts delivered to configured channels	P2	☐
SM3	Escalation delays	Settings → Monitoring → set escalation delay	Escalation fires after the configured delay if unacknowledged	P2	☐
SI1	Webhook event subscriptions	Settings → Integrations → configure webhook URL and events	Webhooks fire for the selected events; payload correct	P1	☐
SI2	OAuth settings	Settings → Integrations → configure OAuth provider	OAuth flow completes; tokens stored and refreshed	P2	☐
SI3	Entra ID (Azure AD) settings	Settings → Integrations → configure Entra ID	Directory sync works; users imported from Entra	P2	☐

SI4	Public API settings	Settings → Integrations → view API key management	API keys can be created, listed, and revoked	P2	☐
SA1	AI provider configuration	Settings → AI → select provider → enter API key → test	Connection test passes; provider status shows connected	P1	☐
SA2	AI model selection	Settings → AI → change the AI model	Model selection persists; AI features use the new model	P2	☐
SX1	Security settings page	Settings → Security	Page loads; shows MFA enforcement, session timeout, password policy options	P1	☐
SX2	Data retention settings	Settings → Data → configure retention policies	Policies save; auto-purge runs on schedule	P2	☐
SX3	Legal hold	Settings → Data → enable legal hold	Data subject to retention purge is preserved while legal hold is active	P2	☐
SE1	Email settings page	Settings → Email	SMTP configuration visible; test email can be sent	P1	☐
SE2	Email template preview	Settings → Email → preview notification templates	Templates render with sample data	P2	☐

14 • Profile & avatar

ID	TEST	STEPS	EXPECTED	PRI	PASS
PF1	Profile page loads	Navigate to <code>/profile</code>	Profile shows name, email, role, avatar	P1	☐
PF2	Upload profile avatar	Profile → upload a photo (JPG/PNG/WebP < 2 MB)	Avatar shows everywhere (sidebar, tickets, chat); persists across reload	P1	☐
PF3	Avatar stored in S3	Upload avatar → check S3 bucket	File lands in the configured S3 bucket with correct key	P1	☐
PF4	Avatar invalid file type	Try uploading a .exe or .pdf as avatar	Rejected with clear error message; no file uploaded	P2	☐
PF5	Edit profile details	Change name and display preferences	Changes save; reflected across the app	P2	☐

15 • Automation

ID	TEST	STEPS	EXPECTED	PRI	PASS
AU1	Automation page loads	Navigate to <code>/automations</code>	List of automation rules displayed; create/edit/delete options available	P1	☐

AU2	Create automation rule	Create a rule: "When ticket created with priority Urgent → assign to Group X"	Rule saves; test with a matching ticket; assignment happens automatically	P1	☐
AU3	Edit automation rule	Modify an existing rule's trigger or action	Changes take effect for new events; existing tickets unchanged	P2	☐
AU4	Delete automation rule	Delete an automation rule	Rule removed; no longer triggers	P2	☐
AU5	Enable/disable automation rule	Toggle a rule off → trigger its condition → toggle on	Disabled rule does not fire; re-enabled rule fires again	P2	☐

16 · Scripts

ID	TEST	STEPS	EXPECTED	PRI	PASS
SC1	Scripts page loads	Navigate to /scripts	List of saved scripts displayed	P2	☐
SC2	Create a script	Create a new script with name, description, and content	Script saves; appears in the list	P2	☐
SC3	Execute a script on a device	Select a device → run a script	Script executes; output visible in the console; exit code reported	P2	☐
SC4	Script library sharing	Share a script with the team	Script visible to other technicians	P2	☐

17 · Incidents, assets & services

ID	TEST	STEPS	EXPECTED	PRI	PASS
IN1	Incidents page loads	Navigate to /incidents	Incident list displayed; create/edit options available	P1	☐
IN2	Create an incident	Create an incident → link to affected devices/services	Incident created; linked entities visible; status tracks correctly	P1	☐
IN3	Incident → resolve	Mark incident as resolved	Status updated; resolution timestamp recorded	P2	☐
AS1	Assets page loads	Navigate to /assets	Asset inventory displayed with device, user, and service links	P1	☐
AS2	Create an asset	Create a new asset → link to a device and service	Asset persists; linked entities show the relationship	P2	☐
SV1	Services page loads	Navigate to /services	Service catalog displayed	P1	☐

SV2	Create a service	Create a new service → link to assets	Service persists; relationships visible in the knowledge graph	P2	☐
-----	------------------	---------------------------------------	--	----	--------------------------

18 · Marketplace & MSP

ID	TEST	STEPS	EXPECTED	PRI	PASS
MK1	Marketplace page loads	Navigate to /marketplace	Available integrations/plugins displayed	P2	☐
MK2	Install a marketplace integration	Click install on an integration	Integration installs; appears in Settings → Integrations	P2	☐
MS1	MSP page loads	Navigate to /msp	MSP overview loads with tenant management, billing aggregation	P2	☐
MS2	MSP — manage sub-tenants	MSP → view sub-tenants → create/edit a sub-tenant	Sub-tenant created; can log in independently	P2	☐

19 · Developer tools & public API

ID	TEST	STEPS	EXPECTED	PRI	PASS
DV1	Developer page	Navigate to /developer	Developer tools page loads; API key management, webhook config visible	P2	☐
DV2	API docs page	Navigate to /api-docs	OpenAPI/Swagger docs render; endpoints documented	P2	☐
DV3	Create API key	Developer → create a new API key	Key generated once; can be used for API authentication	P2	☐
DV4	Revoke API key	Developer → revoke an API key	Key immediately invalid; API calls with old key return 401	P2	☐
DV5	Webhook test delivery	Developer → test a webhook endpoint	Test payload delivered; response logged	P2	☐

20 · Compliance & notes

ID	TEST	STEPS	EXPECTED	PRI	PASS
CM1	Compliance page	Navigate to /compliance	Compliance dashboard loads; audit events, data retention status shown	P1	☐
CM2	Audit log entries	Perform various actions (login, ticket create, settings change)	Each action appears in the audit log with correct timestamp and actor	P2	☐
NT1	Notes page	Navigate to /notes	Notes list displayed; create/edit/delete works	P2	☐

NT2	Create a note	Create a note with title and body	Note saves; appears in the list; content preserved	P2	☐
-----	---------------	-----------------------------------	--	----	--------------------------

21 · Public marketing pages

ID	TEST	STEPS	EXPECTED	PRI	PASS
MK1	Landing page	Open / (not signed in)	Marketing landing page renders with CTA, features, pricing links	P2	☐
MK2	Features page	Open /features	Feature descriptions render correctly	P2	☐
MK3	Pricing page	Open /pricing	Pricing tiers and plan details displayed	P2	☐
MK4	About page	Open /about	Company information rendered	P2	☐
MK5	Contact page	Open /contact	Contact form renders; submission works (if implemented)	P2	☐
MK6	Terms page	Open /terms	Terms of service rendered	P2	☐
MK7	Privacy page	Open /privacy	Privacy policy rendered	P2	☐
MK8	Use Cases page	Open /use-cases	Use case content rendered	P2	☐
MK9	Learn page	Open /learn	Knowledge base / help articles displayed	P2	☐
MK10	Support page	Open /support	Support options displayed	P2	☐
MK11	404 page	Open /nonexistent-page	Custom 404 page renders; links back to home	P2	☐

22 · Mobile responsiveness

ID	TEST	STEPS	EXPECTED	PRI	PASS
MR1	Dashboard at 320px	Resize browser to 320px width → navigate through dashboard	No horizontal scroll; nav collapses; content readable	P1	☐
MR2	Tickets at 375px	Resize to 375px → open ticket queue and detail	Ticket list stacks; detail page usable; reply box accessible	P1	☐
MR3	Session console at 414px	Resize to 414px → open a session console	Remote screen scales; controls accessible; display picker usable	P1	☐
MR4	Settings at 768px	Resize to 768px → navigate through settings sections	Sidebar collapses; forms usable; save works	P1	☐
MR5	Portal at mobile widths	Open the customer portal at 375px	Portal renders correctly; ticket submission works	P2	☐

MR6	Chat at mobile widths	Open chat at 375px	Messages readable; send button accessible	P2	☐
-----	-----------------------	--------------------	---	----	--------------------------

23 · Security & tenant isolation

ID	TEST	STEPS	EXPECTED	PRI	PASS
X1	Chunk-load recovery	Deploy while a tab is open → navigate 10 min later	"App update" banner or auto-reload; never a crash screen	P0	☐
X2	Tenant isolation	Sign in as Tenant A → cross-open Tenant B's ticket URL	404 / forbidden — no data leaks between tenants	P0	☐
X3	API authentication enforcement	Call any protected API endpoint without a token	401 returned; no data exposed	P0	☐
X4	CSRF protection	Attempt a state-changing request from a different origin	Request rejected	P0	☐
X5	SQL injection attempt	Enter ' OR 1=1 -- in a search field	Treated as literal text; no data leak	P1	☐
X6	XSS attempt	Enter <script>alert(1)</script> in a ticket body	Rendered as text, not executed	P1	☐
X7	Rate limiting on auth endpoints	Rapidly attempt 20+ logins with wrong password	Rate limit kicks in; accounts temporarily locked	P1	☐
X8	HTTPS enforcement	Attempt HTTP access to the app	Redirects to HTTPS	P2	☐

24 · Notifications & email

ID	TEST	STEPS	EXPECTED	PRI	PASS
NF1	In-app notification bell	Trigger an event (ticket assigned, session consent) → check the bell icon	Badge count updates immediately; clicking shows notification list	P1	☐
NF2	Push notification for session consent	Create a session → device user accepts consent	Technician receives push notification with link to session	P1	☐
NF3	Email notification for staff invite	Admin → invite staff by email	Invitation email arrives within 2 min with working magic link	P1	☐
NF4	Email notification for ticket update	Technician replies to a ticket → requester's notification preferences	Email sent if requester has email notifications enabled	P1	☐

NF5	Notification preferences respected	Disable email notifications for ticket updates → trigger an update	No email sent; in-app notification still appears	P2	☐
-----	------------------------------------	--	--	----	--------------------------

25 · Knowledge base (staff side)

ID	TEST	STEPS	EXPECTED	PRI	PASS
KB1	KB page loads	Navigate to /kb	Article list displayed; create/edit options available	P1	☐
KB2	Create a KB article	Create an article with title, body, category, visibility	Article saves; appears in the list; content renders correctly	P1	☐
KB3	Edit a KB article	Edit an existing article's content and visibility	Changes persist; visibility change is immediate	P1	☐
KB4	KB article categories	Create categories; assign articles to categories	Category filter works; articles grouped correctly	P2	☐
KB5	KB article search (staff)	Search for an article by keyword	Results match article titles and content	P2	☐
KB6	Delete a KB article	Delete an article	Article removed from list; no longer accessible via direct URL	P2	☐

26 · End-to-end journeys (multi-role)

These tests span multiple features and roles in sequence. They simulate real-world workflows.

ID	TEST	STEPS	EXPECTED	PRI	PASS
E2E1	Full remote support journey	1. End-user opens /connect and enters a code 2. Helper agent receives consent dialog → user accepts 3. Technician opens session console → sees remote screen 4. Technician switches displays → controls mouse/keyboard 5. Technician sends a file → file arrives on remote machine 6. Technician ends session 7. Check session events timeline	Complete journey works; events recorded; session ends cleanly	P0	☐

E2E2	Full ticket lifecycle	1. Portal user creates a ticket with attachment 2. Staff sees the ticket in queue 3. Technician assigns self → replies → links a remote session 4. Requester replies from portal 5. Technician resolves the ticket 6. Requester rates 5 stars (CSAT) 7. Check Reports → Satisfaction for the rating	Complete lifecycle works; CSAT captured; reports updated	P0	☐
E2E3	New tenant onboarding	1. Sign up as a new organization 2. Complete setup wizard 3. Invite a technician 4. Technician accepts invitation 5. Enrol a device 6. Create first ticket 7. Run first remote session	Full onboarding flow works without errors	P1	☐
E2E4	Billing cycle	1. Start on Free plan 2. Upgrade to paid plan via Stripe 3. Verify plan limits update 4. Check invoice in Billing → Invoices 5. Downgrade plan 6. Verify downgrade applies at cycle end	Complete billing cycle works correctly	P1	☐
E2E5	Device monitoring → AI worker → ticket	1. Configure monitoring threshold 2. Trigger threshold on a device 3. Alert fires 4. AI worker auto-starts (if enabled) 5. Worker investigates and records outcome 6. Check AI worker metrics in Reports	Alert → worker → metrics pipeline works end-to-end	P1	☐
E2E6	Knowledge graph context	1. Create an asset linked to a device and service 2. Link a user to the device 3. Trigger an AI worker run on that device 4. Verify the worker received full context (device + assets + services + users)	Worker resolves with full graph context	P2	☐

27 · Automated test coverage

- **API unit/integration:** `npm test --workspace @deskos/api` → 472+ tests (auth, tenants, tickets, portal, remote, chat, storage, billing, notifications, reports, AI workers, automation, monitoring, devices, scripts, grants, approvals, knowledge graph).
- **Browser E2E:** `npx playwright test` → 68+ tests (auth + lock screen incl. MFA, layout audit at 320→1280 px, connect route, authenticated console).
- **Staging journeys** (credentials required): `PLAYWRIGHT_TARGET=staging` → real API auth, MFA setup, password-reset email, full remote-support journey.
- **CI gate:** every push runs lint, typecheck, API tests, web build, Playwright, Windows helper build, then auto-deploys to the VPS only when all pass.

28 · Sign-off matrix

AREA	TESTER	DATE	PASS / FAIL	NOTES
0 · Pre-flight				
1 · Auth & sessions				
2 · Dashboard				
3 · Tickets & CSAT				
4 · Remote support				
5 · Connect page				
6 · Team chat				
7 · Portal & KB				
8 · Devices & monitoring				
9 · AI agent & workers				
10 · Reports				
11 · Billing				
12 · Staff & teams				
13 · Settings (all)				
14 · Profile & avatar				
15 · Automation				
16 · Scripts				
17 · Incidents & assets				
18 · Marketplace & MSP				
19 · Developer & API				
20 · Compliance				

21 · Marketing pages				
22 · Mobile responsive				
23 · Security				
24 · Notifications				
25 · Knowledge base				
26 · E2E journeys				

ReyDesk Comprehensive QA & UAT Test Script · Generated from the live codebase (472+ API tests, 68+ E2E tests, full route & module audit) · Report failures to the team with the build hash, console dump, and section ID.