

Softmax Activation

ML For Nerds


Softmax Activation

ML For Nerds


Softmax Activation

ML For Nerds


Multi-class classification



Multi-class classification



Multi-class classification




Requirements

- Range - [0,1]
- Sum of outputs = 1

Requirements

- Range - [0,1]
- Sum of outputs = 1



Requirements

- Range - [0,1]
- Sum of outputs = 1



Requirements

- Range - [0,1]
- Sum of outputs = 1



Requirements

- Range - [0,1]
- Sum of outputs = 1



Requirements

- Range - [0,1]
- Sum of outputs = 1



Requirements

- Range - $[0,1]$
- Sum of outputs = 1

x_0 to x_n
↓




Requirements


- Range - $[0,1]$
- Sum of outputs = 1


\dots
 $\begin{matrix} \infty & \rightarrow & \infty \\ \downarrow & & \downarrow \\ 0 & \rightarrow & 0 \end{matrix}$
 $\infty \rightarrow \infty$




X	-inf	0	inf
$\exp(x)$	0	1	inf











Sum = 1

Sum = 178.588



Sum = 1

Sum = 178.588



Sum = 1


7.38 0.041

20.08 0.1124

148.41 0.831

2.718 0.0152

Sum = 178.588



Sum = 1

7.38 0.041

20.08 0.1124


148.41 0.831

2.718 0.0152

Sum = 178.588


$$\sigma(\vec{z})_i = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

K - number of classes




$$\sigma(\vec{z})_i = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

K - number of classes




$$\sigma(\vec{z})_i = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

K - number of classes



$$\sigma(\vec{z})_i = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

K - number of classes



Derivative

$S(z)$

$$z_1 \longrightarrow S(z_1) = \frac{e^{z_1}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

$$z_2 \longrightarrow S(z_2) = \frac{e^{z_2}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

$$z_3 \longrightarrow S(z_3) = \frac{e^{z_3}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

Derivative

$$\frac{S(z)}{z}$$

$$z1 \longrightarrow S(z1) = \frac{e^{z1}}{e^{z1} + e^{z2} + e^{z3}}$$

$$z2 \longrightarrow S(z2) = \frac{e^{z2}}{e^{z1} + e^{z2} + e^{z3}}$$

$$z3 \longrightarrow S(z3) = \frac{e^{z3}}{e^{z1} + e^{z2} + e^{z3}}$$

Derivative

$$\frac{S(z)}{z}$$

$$z_1 \rightarrow \underline{S(z_1)} = \frac{e^{z_1}}{e^{z_1} + e^{z_2} + e^{z_3}}$$
$$\frac{\partial S(z_1)}{\partial z_1} \quad \frac{\partial S(z_1)}{\partial z_2} \quad \frac{\partial S(z_1)}{\partial z_3}$$

$$z_2 \rightarrow S(z_2) = \frac{e^{z_2}}{e^{z_1} + e^{z_2} + e^{z_3}}$$
$$\frac{\partial S(z_2)}{\partial z_1} \quad \frac{\partial S(z_2)}{\partial z_2} \quad \frac{\partial S(z_2)}{\partial z_3}$$

$$z_3 \rightarrow S(z_3) = \frac{e^{z_3}}{e^{z_1} + e^{z_2} + e^{z_3}}$$
$$\frac{\partial S(z_3)}{\partial z_1} \quad \frac{\partial S(z_3)}{\partial z_2} \quad \frac{\partial S(z_3)}{\partial z_3}$$

Derivative

$$\frac{S(z)}{z}$$

$$z_1 \rightarrow S(z_1) = \frac{e^{z_1}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

$$\frac{\partial S(z_1)}{\partial z_1} \quad \frac{\partial S(z_1)}{\partial z_2} \quad \frac{\partial S(z_1)}{\partial z_3}$$

$$z_2 \rightarrow S(z_2) = \frac{e^{z_2}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

$$\frac{\partial S(z_2)}{\partial z_1} \quad \frac{\partial S(z_2)}{\partial z_2} \quad \frac{\partial S(z_2)}{\partial z_3}$$

$$z_3 \rightarrow S(z_3) = \frac{e^{z_3}}{e^{z_1} + e^{z_2} + e^{z_3}}$$

$$\frac{\partial S(z_3)}{\partial z_1} \quad \frac{\partial S(z_3)}{\partial z_2} \quad \frac{\partial S(z_3)}{\partial z_3}$$

Derivative

$$\frac{\partial S(z1)}{\partial z1} = S(z1) \cdot (1 - S(z1))$$

.

$$\frac{\partial S(z2)}{\partial z1} = -S(z1) \cdot S(z2)$$

$$\frac{\partial S(z3)}{\partial z1} = -S(z1) \cdot S(z3)$$

Derivative

$$\frac{\partial S(z1)}{\partial z1} = S(z1) \cdot (1 - S(z1))$$

$$\frac{\partial S(z2)}{\partial z1} = -S(z1) \cdot S(z2)$$

$$\frac{\partial S(z3)}{\partial z1} = -S(z1) \cdot S(z3)$$

Derivative

$$\frac{\partial S(z1)}{\partial z1} = \underbrace{S(z1) \cdot (1 - S(z1))}$$

$$\frac{\partial S(z2)}{\partial z1} = - \underbrace{S(z1) \cdot S(z2)}$$

$$\frac{\partial S(z3)}{\partial z1} = - \underbrace{S(z1) \cdot S(z3)}$$

.

Derivative

$$\frac{\partial S(z1)}{\partial z1} = \underbrace{S(z1) \cdot (1 - S(z1))}$$

$$\frac{\partial S(z2)}{\partial z1} = -\underbrace{S(z1) \cdot S(z2)}$$

$$\frac{\partial S(z3)}{\partial z1} = -S(z1) \cdot \underbrace{S(z3)}$$

$$\frac{\partial S(z_i)}{\partial z_j} = \begin{cases} S(z_i) \times (1 - S(z_i)) & \text{if } i = j \\ -S(z_i) \times S(z_j) & \text{if } i \neq j \end{cases}$$

Derivative

$$\frac{\partial S(z1)}{\partial z1} = \underbrace{S(z1) \cdot (1 - S(z1))}$$

$$\frac{\partial S(z2)}{\partial z1} = -\underbrace{S(z1) \cdot S(z2)}$$

$$\frac{\partial S(z3)}{\partial z1} = -S(z1) \cdot S(z3)$$

$$\frac{\partial S(z_i)}{\partial z_j} = \begin{cases} S(z_i) \times (1 - S(z_i)) & \text{if } i = j \\ -S(z_i) \times S(z_j) & \text{if } i \neq j \end{cases}$$

Derivative


$$\frac{S(z)}{z}$$

 $\rightarrow S(z1) = \frac{e^{z1}}{e^{z1} + e^{z2} + e^{z3}}$

$$\frac{\partial S(z1)}{\partial z1} \quad \frac{\partial S(z1)}{\partial z2} \quad \frac{\partial S(z1)}{\partial z3}$$

 $\rightarrow S(z2) = \frac{e^{z2}}{e^{z1} + e^{z2} + e^{z3}}$

$$\frac{\partial S(z2)}{\partial z1} \cdot \frac{\partial S(z2)}{\partial z2} \quad \frac{\partial S(z2)}{\partial z3}$$

 $\rightarrow S(z3) = \frac{e^{z3}}{e^{z1} + e^{z2} + e^{z3}}$

$$\frac{\partial S(z3)}{\partial z1} \quad \frac{\partial S(z3)}{\partial z2} \quad \frac{\partial S(z3)}{\partial z3}$$

Drawbacks

- Computationally expensive ✓
- Used for only output layers
- Not 0-centered function – **not a drawback**

Drawbacks

- Computationally expensive ✓
- Used for only output layers .
- Not 0-centered function – **not a drawback**

Drawbacks

- Computationally expensive ✓
- Used for only output layers ↗
- Not 0-centered function – **not a drawback**

Drawbacks

- Computationally expensive 
- Used for only output layers 
- Not 0-centered function – **not a drawback**

Drawbacks

- Computationally expensive 
- Used for only output layers 
- Not 0-centered function – **not a drawback**

Drawbacks


- Computationally expensive ✓
- Used for only output layers ↗
- Not 0-centered function – **not a drawback**

Python Implementation

```
def softmax_function(x):
    z = np.exp(x)
    z_ = z/z.sum()
    return z_
```

Python Implementation

```
def softmax_function(x):    x=[2, 3, 5, 1]
    z = np.exp(x)
    z_ = z/z.sum()
    return z_
```



Python Implementation

```
def softmax_function(x):  
    z = np.exp(x)  
    z_ = z/z.sum()  
    return z_
```

X = [2, 3, 5, 1]

Z= [7.38, 20.08, 148.41, 2.718]




Python Implementation

```
def softmax_function(x):  
    z = np.exp(x)  
    z_ = z/z.sum()  
    return z_
```

X = [2, 3, 5, 1]

Z = [7.38, 20.08, 148.41, 2.718]

Z_ = [0.041, 0.1124, 0.831, 0.0152]



Python Implementation

```
def softmax_function(x):  
    z = np.exp(x)  
    z_ = z/z.sum()  
    return z_
```

X = [2, 3, 5, 1]

Z = [7.38, 20.08, 148.41, 2.718]

Z_ = [0.041, 0.1124, 0.831, 0.0152]

