

# SRM INSTITUTE OF SCIENCE AND TECHNOLOGY

## FACULTY OF SCIENCE AND TECHNOLOGY

(Formerly SRM University, Under section 3 of UGC Act, 1956)

S.R.M NAGAR, KATTANKULATHUR - 603 203,

KANCHEEPURAM DISTRICT

**SCHOOL OF COMPUTING** 

### DEPARTMENT OF NETWORKING AND COMMUNICATIONS

Course Code: 18CSE305J

**Course Name:** Artificial Intelligence

**Course Project** 

Title: Plagiarism Checker

#### **Team Members:**

- 1. RA1911030010069 Praveen Kumar
- 2. RA1911030010090 Tejas Ashok
- 3. RA1911030010103 Vinoth S

**Date:** 18-04-2022

**<u>Title:</u>** Plagiarism Checker - Python

### **Problem Statement:**

We all know that computers are good at numbers, so in order to compute the similarity between on two text documents, the textual raw data is transformed into vectors => arrays of numbers and then from that we are going to use a basic knowledge vector to compute the similarity between them.

This python application identifies similarities between a test.txt file that can be created in the local directory and a website. The link to the website can be provided at the start of the program and the application scrapes the website using requests and beautifulsoup. The driver code then compares the scraped data and test.txt for similarities and produces the results.

### **Working:**

The Plagiarism Checker uses the request module to send requests to a website (Wikipedia currently supported), to receive all the html data from the website.

Beautifulsoup then parses the raw html and organizes the data so that it could be manipulated.

The data is then split according to headings on the website and then are stored in sperate text files according to their headings.

The data of all the files are then compared with each other by converting the data to vectors and then comparing it with cosine\_similarity.

The output is then displayed. The files with similarity close to 1 are considered copied.

#### **Code:**

import os

 $from \ sklearn. feature\_extraction. text \ import \ TfidfVectorizer$ 

from sklearn.metrics.pairwise import cosine\_similarity

import requests

```
from bs4 import BeautifulSoup as bs
# Directory of the files
DIR = "files"
# URL and Headers
url = input("Enter the URL (Wikipedia Only): ")
headers = {
  "Host": "en.wikipedia.org",
  "User-Agent": "Mozilla/5.0 (Windows NT 10.0; Win64; x64; rv:99.0)
Gecko/20100101 Firefox/99.0"
# Request the url with headers and convert to text
r = requests.get(url, headers=headers).text
# Creates a bs object to perform parsing
soup = bs(r, 'lxml')
TITLE = soup.find('h1').get text()
# Dictionary to store parsed string
parsed_dic = {}
# Parsing
para = soup.find('p', class_=None)
for d in para.find_all('sup'):
```

```
d.decompose()
parsed dic["Introduction"] = para.get text()
for tag in soup.find all('h2'):
  sib = tag.find next sibling('p')
  if sib is None:
     continue
  p = ""
  while(sib is not None and
sib.find previous sibling('h2').find('span').get text() ==
tag.find('span').get text()):
     for d in sib.find all('sup'):
       d.decompose()
     p += sib.get text()
     sib = sib.find next sibling('p')
  parsed_dic[tag.find('span').get_text()] = p
# Creates seperate txt files for every heading in Wikipedia
for key, value in parsed dic.items():
  with open(DIR + os.sep + key + '.txt', 'w', encoding="utf-8") as f:
     f.write(value)
# Creates a list of files and its data
student files = [doc for doc in os.listdir(DIR) if doc.endswith('.txt')]
student notes = [open(DIR + os.sep + file, encoding='utf-8').read()
           for file in student files]
```

```
# Creates vectors of the data of each file
def vectorize(Text): return TfidfVectorizer().fit transform(Text).toarray()
def similarity(doc1, doc2): return cosine similarity([doc1, doc2])
# Compares every files vector with each other
vectors = vectorize(student notes)
s vectors = list(zip(student files, vectors))
plagiarism results = set()
# Function to compare the vectors
def check plagiarism():
  global s_vectors
  for student a, text vector a in s vectors:
     new vectors = s vectors.copy()
     current index = new vectors.index((student a, text vector a))
     del new vectors[current index]
     for student_b, text_vector_b in new vectors:
       sim_score = similarity(text_vector_a, text_vector_b)[0][1]
       student pair = sorted((student_a, student_b))
       score = (student pair[0], student pair[1], sim score)
       plagiarism results.add(score)
  return plagiarism results
# Print the result
print("Not very Similar:")
for data in check plagiarism():
```

```
if data[1].split('.')[0] == 'test' and data[2] <= 0.5:
    print(data)

print()

print("Are kind of Similar:")

for data in check_plagiarism():
    if data[1].split('.')[0] == 'test' and data[2] > 0.5 and data[2] <= 0.75:
        print(data)


print()

print("A lot Similar:")


for data in check_plagiarism():
    if data[1].split('.')[0] == 'test' and data[2] > 0.75:
        print(data)
```

# **Test Case #1:**


# **Directory**



# Webpage



#### Input



# Output


```
D:\Docs\AI\Mini Project> d: && cd "d:\Docs\AI\Mini Project" && cmd /C "C:\Users\tejas\AppData\Local\Programs\Python\Python310\python.exe c:\Users\tejas\.vscode\extensions\ms-python.python-2022.4.1\pythonFiles\lib\python\debugpy\launcher 49190 -- "d:\Docs\AI\Mini Project\app.py" "
Enter the URL (wikipedia Only): https://en.wikipedia.org/wiki/Glaive_(musician)
Not very similar:
('Musical style.txt', 'test.txt', 0.2268437455072957)

Are kind of Similar:
('Early life and career.txt', 'test.txt', 0.5875652106204279)

A lot Similar:
('Introduction.txt', 'test.txt', 1.0)
```

## Test Case #2:

### **Directory**



# Webpage

Character design [edit]

Initial concept [edit]





Hideo Kojima created Raiden while Yoji Shinkawa

Aliases Jack The Ripper
Mr. Lightning Bolt
White Devil
Snake (MGS2)


Affiliation Pseudo-FOXHOUND operative
unknowingly employed by The
Patriots (MGS2)
Free agent (MGS4, PostMGRR)
Mavenick private military
contractor (MGRR)

Family Solidus Snake (guardian)
Spouse Rosemary
Children John
Nationality Liberian-American<sup>[1]</sup>

experiences; their names, Jack and Rose, are a reference to Leonardo DiCaprio and Kate Winslet's lead characters in the film *Titanic.*<sup>[5]</sup> In *Metal Gear Solid 2*, Raiden is considered to be a representation of the player through the experiences between the player and the character during the game. <sup>[6]</sup>

Kojima received much fan mail; one letter from a girl stated she did not want to play a game with an old man. Kojima took this into consideration; he and his team designed Raiden to be more appealing to women. Designer Yoji Shinkawa said he and the other character designers took much inspiration for Raiden's appearance from the bishonen archetype. The Because Raiden was a new character, the staff designed him carefully, giving him white hair to symbolize his introduction. Shinkawa also said Raiden had an overall feminine appearance. He skull Sult—was difficult to design until the staff decided on a "bonelike" concept. Shinkawa wanted to make Raiden sexually appealing, emphasizing the tightness of his clothing. He design of Raiden's aqua-mask was inspired by ancient mystical ninjutsu, where the ninja bites a scroll in the mouth during magic transformations. Raiden's final duel with the boss Solidus Snake was revised in the making of the game. Originally, to defeat Solidus, Raiden must cut off both his mechanical snake-like arms, then he must attack Solidus' back and sever the backbone vertebra connection, rendering Solidus no longer mobile. Following this, Raiden would finish Solidus by decapitating him similar to samural fashion. The scene was rejected and instead, Raiden would slice Solidus' stomach, another idea taken from samurals. However, this concept was also scrapped to simply Raiden slicing Solidus' vertebral column with the boss falling from the area to give the idea he could not accept his defeat. He is the staff of the properties of the staff of the staf

### Input



### Output

```
D:\Docs\AI\Mini Project> d: && cd "d:\Docs\AI\Mini Project" && cmd /C "C:\Users\tejas\AppData\Local\Programs\Python\Python310\python.exe c:\Users\tejas\.vscode\extensions\ms-python.python-2022.4.1\pythonFiles\lib\python\debugpy\launcher 63057 -- "d:\Docs\AI\Mini Project\app.py" "
Enter the URL (Wikipedia Only): https://en.wikipedia.org/wiki/Raiden_(Metal_Gear)
Not very Similar:
Are kind of Similar:
('Appearances.txt', 'test.txt', 0.6586665764859713)
('Introduction.txt', 'test.txt', 0.5420019893587391)
('Reception.txt', 'test.txt', 0.7153509287625127)

A lot Similar:
('Character design.txt', 'test.txt', 0.8122056394899948)
```