Freight Rail Analysis

State-by-State Overview

A Comprehensive Review of Freight Rail Infrastructure, Commodities, and Operations Across 46 States

Report Date: February 12, 2026

DRAFT - For Internal Review Only

Data Sources: State Rail Plans (46 states), STB Public Use Waybill Sample, Federal Railroad Administration, Bureau of Transportation Statistics

Table of Contents

Executive Summary

State Profiles:

Alaska (Full)
Alabama (Full)
Arkansas (2025) (Full)
Arizona (2022) (Full)
California (2024) (Full)
Colorado (2024) (Full)
Connecticut (2022) (Full)
Delaware (Full)
Florida (2023) (Full)
Georgia (2021) (Full)
Iowa (2022) (Full)
Idaho (Full)
Illinois (2023) (Full)
Indiana (2021) (Full)
Kansas (2022) (Full)
Kentucky (2025) (Moderate)
Louisiana (Full)
Massachusetts (2018) (Full)
Maryland (Moderate)
Maine (2023) (Full)
Michigan (Full)
Minnesota (Moderate)
Missouri (2022) (Full)
Mississippi (Full)
Montana (2010) (Full)
North Carolina (2025) (Full)
North Dakota (2023) (Full)
New Hampshire (2012) (Full)
New Jersey (2012) (Moderate)
New Mexico (2018) (Full)
Nevada (Moderate)
Ohio (2025) (Full)

Oklahoma (2021) (Full)
Oregon (Full)
Pennsylvania (2020) (Full)
Rhode Island (2014) (Full)
South Carolina (2024) (Full)
South Dakota (2022) (Moderate)
Tennessee (2019) (Moderate)
Texas (Moderate)
Utah (2015) (Full)
Vermont (2021) (Full)
Washington (2019) (Full)
Wisconsin (2023) (Full)
West Virginia (2020) (Summary)
Wyoming (2021) (Moderate)

Appendix: Data Sources & Methodology

Executive Summary

This report provides a freight rail overview for 46 states across the United States, drawing on state rail plans, the STB Public Use Waybill Sample, and supplemental federal data sources. It is intended as a draft starting point for a larger freight rail model.

Coverage: 36 states have comprehensive data across most topic areas (Tier 1), 9 states have moderate coverage (Tier 2), and 1 states have summary-level coverage (Tier 3). Waybill commodity data was available for 45 of 46 states.

For each state, the report examines up to 10 topic areas: freight corridors, carriers and railroads, industry and commodities, junction points and interchanges, rail yard capacity, volume and trends, bottlenecks and constraints, efficiency and service quality, costs and investment, and stakeholders and governance. Where available, quantitative waybill data on commodity tonnage, origin-destination pairs, and car type mix supplements the qualitative analysis from state rail plans.

Key national themes emerging from state rail plans include aging infrastructure on short line railroads, capacity constraints at major junction points (notably Chicago), growing intermodal traffic, coal volume declines offset by industrial product and intermodal growth, and ongoing tension between freight and passenger rail capacity on shared corridors.

Alaska (AK)

Data: Full Coverage

Major Freight Corridors

ns and nearly half the statewide rate of 18.7 (Figure 9 -6). There are only a few areas in the Region where there are concentrations of racial and ethnic minorities near freight rail lines. The few locations of concentrations of racial and ethnic minorities are in: Rib Mountain, immediately west of Wausa u and south of the Big Rib River (rail line moved no tonnage in 2019) Shawano Wausau, west of the Wisconsin River (rail line moved no tonnage in 2019) Wisconsin Rapids Overall, these areas had relatively low rail or no rail activity in 2019. The two larg est racial or ethnic minority groups in the Region are American IndiansAlaskan Natives and Asians.

on to formalize the institutional connection between the NJDOT Rail-road Engineering and Safety Unit with NJ TRANSITs Safety Unit to carry out integrated initiatives. In addition, the Committee recommended the development of a rail safety database to integrate crash statistics, key community facility data, and grade-crossing loca - tions to identify and target priority locations for engineering improvements, enforcement, and educational outreach. 32 Operation Lifesaver New Jersey Operation Lifesaver is an education program committed to improving public safety at highway-rail grade crossings and on railroad rights-of-way. It comprises a range of stakeholders: federal, state, and local government agencies, highway safety and trans- portation organizations, and the nations railroads.

munity Issues that Arise from Urban Development around Railroads Objective Separate at -grade crossings wherever possible giving the higher priority to those with the worst crash histories . Objective Support a community -based rail plan for the greater Fairbanks area to establish a long-term plan for rail bypass, separated crossings , potential relocation of the rail yard, and other elements. Objective Support the ARRCs vision to relocate their Anchorage railyard to a new location depending on the future of the Knick Arm Crossing. Goal 8: Establish a Recurring Public Capital Investment Program Objective - Fund rail -related projects that solve public problems and create public and private opportunities.

trains are required to sound their horn which generates conflict with surrounding residential land uses. Reducing train - related noise is an additional benefi t of re placing at- grade crossings with grade-separated crossings. Support a community -based rail plan for the greater Fairbanks area to establish a long -term plan for rail bypass, separated crossings, potential relocation of the rail yard, and other elements. The close proximity of the Fairbanks rail yard to downtown Fa irbanks has created a number of land -use and functional issues.

While several improvements are being considered, solutions have not been identified that do not create other complications. A comprehensive, long-term study to identify the rail -related issues in the Fairbanks area and solutions is needed.

Carriers & Railroads

United States. A railroad to the North Slope has been considered, as it has the potential to transport large volumes of bulk freight at a competitive cost. It may also lead to new oil drilling and mining opportunities. The rail link could facilitate the movement of bulk freight required for large scale horizontal drilling as well as hydro -fracturing of shale oil and shale gas bearing formations. One route for this extension would be approximately 450 miles long and would likely connect to the ARRC mainline at the Dunbar siding near Nenana . There are also other potential routes. The cost of this project is estimated at nearly 7 billion. Please see Appendix D for further detail regarding the economic impact of a North Slope rail extension.

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

in the four round trips in 2020 would be 3.6 million. The capital costs for initiating the commuter service areas are summarized in Table 4. Table 4: Conceptual Capital Cost Projection Capital Item Station Cost Item Cost Stations Wasilla (with level boarding and a gauntlet track for freight trains) 4.3 million Matanuska 3.0 million Anchorage (with level boarding) 1.0 million Total Station Costs 8.3 million Selfpropelled Rail Car Equipment 38.0 million Wasilla Layover Facility 2.0 million PreOperations Testing 0.5 million TOTAL 48.8 million Table 4 includes a factor of preoperations testing of all systems and facilities, excluding equipment. It is assumed that the selfpropelled rail cars will be fully functional when delivered.

mprove the safety, efficiency, and capacity of freight intermodal operations. Seward has the ARRCs only bulk material terminal, which handles coal and gravel but is not handling coal as of publication of the ASRP as a result of the collapse of Alaskas export coal market . ARRC acquired the Seward Coal Loading Facility (SCLF) in 2003 and has made subsequent repairs and improvements to the facility. As of 2014, t he SCLF is the only facility available in Alaska to export coal. Approximately 11 train loads (7,000 tons per train) are required to fill a coal ship. The ARRC has been implementing their Seward Terminal Reserve Dock Facilities Master

Plan, 2014 Update .

Industry & Commodities

leted as far as Gilmore in September 1905. In 1907, the railroad was refinanced under a new name, the Tanana Valley Railroad. On May 15, 1907, construction began on the second phase of the railroad, an extension of the Goldstream Valley branch to Chatanika. The route was originally planned to go over Cleary Summit, but new mining activity in the Dome, Vault, Ridgetop, and Olnes areas caused the railroad to be routed up the Fox Creek Valley to meet the needs of the new communities. On September 29, 1907, the construction crew reached Chatan ika after building an additional 19.2 miles of railroad in four months, including over a mile of trestles and bridges. 2.3.2 Early Operations Freight, passenger service , and revenue continued to grow through 1909.

Junction Points & Interchanges

cost of this fa cility would be approximately 4.1 million. 5.2.4 ARRC - South Wasilla Rail Line Relocation The ARRC, in cooperation with the FTA, plans to straighten curves along the mainline track in South Wasilla, between ARRC MP 154 and 158 (see Figure 5-4). This is part of a larger ARRC effort to reduce track curvature and improve safety along the main line track between Girdwood and Wasilla. This project has both f reight and passenger applications, as it will reduce travel times on this section of track as well as improve freight train efficiency and safety. Reducing travel time on this segment would November 2016 112 Final Report support commuter rail. The ARRC has the right -of-way it needs fo r this relocation effort. This project is estimated at 40 million.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer

sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

hetti Bowl Project Final Environmental Impact Statement CHAPTER 3 3.7-7VISUAL CHARACTERAESTHETICS 3.7 Visual Character Aesthetics Direct ImpactsNo Build AlternativeAlternative 1 Alternative 2 (Preferred Alternative) Alternative 3 Views of the freeways height of bridges in the Spaghetti BowlNo impactSome bridges in the Spaghetti Bowl would be higher than the existing bridges, resulting in a visual change. The higher bridges would make parts of the interchange more visible from surrounding areas. The new Spaghetti Bowl bridges would be seen from greater distances than current bridges and might intrude on views of distant features like the Sierra Nevada Mountains and foothills. However, the character of views toward the Spaghetti Bowl from nearby areas would not change.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for Alaska.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to which passenger fare revenues cover operating costs.

Bottlenecks & Constraints

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

railroad and estimating its costs for adjudicatory purposes are complicated endeavors. T_he SAC procedure requires the complainant shippers and the railroad to design a hypo - thetical railroad that o?ers stand-alone service. As detailed in Box 3-2, this requires extensive documentation with regard to its con?guration and investment and operating expense items such as locomotives, car 43 Indeed, the second constraint of the Coal Rate Guidelines speci?es that a captive coal shipper would not be required to bear the cost of demonstrated management ine?ciencies in the carriers operations and pricing structure (ICC 1985, 2). Modernizing Freight Rail Regulation Copyright National Academy of Sciences.

nd prioritization) After each candidate location was assigned a Value, Condition, and Performance rating, each was ranked using those values for each of the three categories. The average of these three rankings was calculated and the candidate locations were assigned anoverall priority rank. If two locations had the same average ranking, total truck traffic at the location was used as a tiebreak . See the figures and tables below for VCAP results and Iowas highway freight priority locations. Summary of the prioritization process: 1. Freight Mobility Issues Survey xPopulate initial improvement list 2. Iowa Travel Analysis Model (iTRAM) xComplete analysis and then rank each location 3. Infrastructure Condition Evaluation (ICE) tool xComplete analysis and then rank each location 4.

s and then rank each location 3. Infrastructure Condition Evaluation (ICE) tool xComplete analysis and then rank each location 4. INRIX Bottleneck Ranking tool xComplete analysis and then rank each location 5. Average the three rankings6. Truck traffic counts xTiebreaker if necessary 1 2 3 4 5 6 2 (continued on back) HLSC Meeting 2 Modal Improvements - Highway http:engagefreightrailplans.iowadot.gov Highway Improvements In order to identify and prioritize candidates for highway freight improvements, Iowa DOT XVed the Value, Condition, and Performance (VCAP) matrix.

Efficiency & Service Quality

am provide s funding for high cost projects that are of national or regional importance. Freight railroad projects that are eligible for assistance under 23 USC and have a total eligible cost greater than or equal to the lesser of: 500,000,000 or 75 percent of the amount of federal highway funds apportioned to the state in which the project is located for the most recently completed fiscal year. Freight Intermodal Distribution Pilot Grant Program The Freight Intermodal Distribution Pilot Grant Program provides fundi ng for intermodal projects that relieve congestion, improve transportation safety, facilitate international trade, and encourage public-private partnerships.

mpany (in British Columbia); and the British Yukon Railway Company, originally known as the British Yukon Mining, Trading, and Transportation Company (in the Yukon). The rail line originated with the Klondike Gold Rush of 1897. The most popular routes taken by prospectors to the gold fields in Dawson City were difficult routes from the ports in Skagway and Dyea, Alaska12, across the mountains to the Canadian border at the summits of the White Pass and the 10 Specifically, 455 ton- miles per gallon for rail and 105 ton -miles per gallon for truck (Rocky Mountain Institute 2011). 11 In addition to ownership of the WP YR, TWC Enterprises Limited, operating under the trademark ClubLink, Corporation is engaged in golf club and resort operations.

users. FRA data show that the number of motor vehicletrain crashes at rail crossings in Alaska has dec reased significantly since the 1970s. DOTPF and the railroads are interested in grade - separating other crossings as funding is available , especially higher volume routes or locations with frequent or significant delays . Traffic volumes and delays are not the only factors considered, however. Factors that are considered to determine if a crossing should be grade-separated include: Higher roadway speed High crash rate history High crash risk Freight movement is significantly hindered Significant roadway congestion Feasibility Consistency DOTPF does not maintain a list of crossings to be grade-separated , but instead works with the railroads to identify candidate locations for g rade -se...

r drivers to see and respond to potential conflicts. Replacing at-grade crossings with grade-separated crossings improves safety for highway travelers and the railroad, reduces travel time, and improves operating efficiency of both the railroad and highway. DOTPF has pursued a policy over the past 20 years to November 2016 118 Final Report grade-separate as many of the NHS at -grade rail crossings as funding would permit. A grade- separated crossing typically can cost between 15 and 25 million. One recently built project is the Parks Highway MP 194 Overcrossing. This crossing eliminated traffic conflicts and address ed snow drift and overall safety.

Costs & Investment

mper operations on the road and in the yards. FM 4 -01.41 _____ _____ _____ Chapter 7 7-23 Track and R oadbed 7-44. In cold climates, having a terrai n similar to that of Alaska, the elements may cause damage to the track and roadbed. Areas of this type are underlaid with permafrost through which surface water cannot penetrate and which drains off in the summer. During thaws, the water lies on top of th e ground, often partially covering the ties. This can cause tie rot and disturbs alignment, surface, and gauge. In winter, the water freezes and heaves the track dangerously out of line. Maintenance must be done on the track and roadbed as soon as the weat her permits. Bridges 7-45.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first

three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Alaska originating rail freight totaled approximately 93,785,314 expanded tons across 4,482,246 expanded carloads, generating approximately $8,836,157,918 in freight revenue.

Top Commodities by Tonnage (Origin):

- Intermodal: 138,668,588 tons (10,850,972 carloads)
- Waste/Scrap: 87,013,980 tons (3,273,645 carloads)
- Lumber/Wood: 59,888,064 tons (677,768 carloads)
- Food Products: 29,877,705 tons (417,600 carloads)
- Petroleum: 13,217,337 tons (198,905 carloads)
- Transportation Equipment: 10,034,795 tons (561,120 carloads)
- Chemicals: 9,512,625 tons (397,350 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Juneau, AK: 41,048,202 tons
- Aberdeen, SD -> Juneau, AK: 38,092,851 tons
- Juneau, AK -> Masked/Suppressed: 35,217,235 tons
- Juneau, AK -> Columbus, OH: 30,364,755 tons
- Columbus, OH -> Juneau, AK: 20,700,128 tons

Alabama (AL)

Data: Full Coverage

Major Freight Corridors

o st eel facilities located throughout the Great LakesSt. Lawrence Seaway region. Beyond locally sourced taconite, the port ships other bulk product, including stone, coal, and grain. The total tonnage of goods handled by the Port has increased since 2000 afte r remaining fairly steady sinc e the mid-1960s. In recent years coal has surpassed iron ore by a slight margin as the Port s top commodity. The increases in coal and iron have more than offset declines in grain tonnage at the Port. Consistent with its role as a major port, intermodal transfer point and retail center, DuluthSuperior handles significant volumes of rail and truck traffic. Mesabi Range iron ore reaches the Port by rail or truck and is transshipped to ships bound for steel plants along the Great Lakes.

ional Fixed Guideway Transit Alternatives Analysis study currently underway in the Charleston region. The focus of this corridor extends from both Summerville and Moncks Corner along I -26 into downtown Charleston. Two commuter rail or rail-transit efforts are being investigated in the Columbia region as well. One extends from Newberry into Columbia and the other travels from Camden into Columbia. The same four passenger trains operated by Amtrak in North Carolina pass through South Carolina once daily each way, serving the following citiestowns: Crescent (New Orleans to New York City) Clem son, Greenville and Spartanburg Palmetto (New York City to Savannah to Miami) Yemassee, Charleston, Kingstree, Florence and Dillon Silver Meteor (New York City to Miami) Yemassee, Ch arles ton, Kingstre...

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

and Inventory Mississippi State Rail Plan Update Mississippi Department of Transportation 22 eastern United States, with principal western gateways at Chicago, St. Louis, Kansas City, Memphis, and New Orleans.14 NS has two principal routes in Mississippi with one cutting diagonally across the northeast corner of the state via Corinth (part of an NS main line ru nning from Chattanooga to Memphis). The other route stretches from Meridian to Hattiesburg and

Picayune enroute to New Orleans from Birmingham and points north and east. NS operates a total of 211 route miles in Mississippi, including 209 owned miles and 2 miles of trackage rights. Yards are located at Hattiesburg, Laurel, and Meridian. All of the NS main line route miles can accommodate 286,000 -pound railcars.

Carriers & Railroads

ng inside of Louisia na. Prior to Hurricane Katrina, the Sunset Limited continued east of New Orleans to Orlando, Florida. Negotiations and planning for the restoration of service to Florida is underway. Table 38: Sunset Limited Service Details Attribute Route Details Outbound Termini Los Angeles Louisiana Stations NOL; SCH; NIB; LFT; LCH Major Intermediate Cities Houston, TX; San Antonio, TX; El Paso, TX; Tucson, AZ Frequency Three weekly roundtrips Host Railroad UP; BNSF; NOPB; CN; NOUP Route Miles Total 1,995 miles In State 251 miles On-time Performance (2021) 27.1 Source: Amtrak, FY 2021 State of Louisiana Fact Sheet , August 2022 Route miles encompass main lead track only and include mileage of plural mainline segments.

, long- distance service between New Orleans and Orlando (with through service from Chicago) and a daily corridor service between New Orleans and Mobile. In February 2016, Amtrak, in partnership with the SRC, operated a two -day inspection train from New Orleans to Jacksonville. The train made stops at all the previously served stops with significant fanfare and political support at each location. The Gulf Coast Working Group, led by the FRA, concluded their work in May 2017 and submitted their findings to Congress, which included 118 million in capital improvements. While d iscussions continue between the parties to restore service between New Orleans and Florida, a ne arer term objective is the development of a multiple frequency corridor service between New Orleans and Mobile, AL.

olve a number of public agencies a t the state and local levels. The respective roles of these agencies are listed below and discussed in the following sections: 2 State Rail Plan Guidance, FRA, 2013. The Role of Rail in Statewide Transportation Mississippi State Rail Plan Update Mississippi Department of Transportation 6 MDOT lead agency for rail planning and rail safety; The Mississippi Development Authority (MDA) lead agency for state economi c development activities, including grant funding for rail service projects in support of industrial development efforts; Southern Rail Commission (SRC) multi- state commission with lead responsibility for promoting improved passenger rail service within, to, and from Mississippi, Alabama, and Louisiana; and Multiple local and regional rail authori...

Industry & Commodities

operated by the Louisville and Nashville Railroad and the Nashville, Chattanooga, and St. Louis Railway. CSX owns the most rail mileage in Tennessee at approximately 31 percent. Their network has coverage in east, middle, and west Tennessee and serves all of the states major cities directly. Working together with 12 short-lines, CSX provides smaller cities and towns access to the national system. CSX employs approximately 1,700 people in the state, which represents approximately 40 percent of all railroad jobs in Tennessee. Figure 3-2 displays Tennessees CSX system. Figure 3-2. Tennessees CSX System 3.1.2 Norfolk Southern Railway (NS) Figure 3-3.

e along the Gulf Coast th at terminated following Hurricane Katrina and initiating service from Meridian to DallasFt. Worth, Texas, in the corridor parallel to I -20 through Jackson. Both initiatives have been studied in recent years: The SRC commissioned Amtrak to release a report entitled, Potential Gulf Coast Service Restoration Options (2015) to evaluate resuming service along the Gulf Coast. The report included multiple alternatives, each of which would include passenger rail service to four locations in Mississippi: Bay St. Louis, Biloxi, Gulfport, and Pascagoula.

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

Junction Points & Interchanges

Grade Crossing Program, the Division evaluates the traffic control devices relating to the railway -highway grade crossing and installs flashing lights and gates as appropriate. The Division also make s signage and pavement marking recommendations to local municipalities who are the local roadway authority in order to comply with the latest edition of the Manual on Uniform Traffic Control Devices. Additionally, the Highway and Rail Safety Division overs ees the Multimodal Transportation Improvement Program and the Railroad Revitalization Fund. Railroad signal and track inspections are handled by MDOTs Office of Enforcement in conjunction with the FRA. Mississippi Development Authority The MDA is the lead agency in the States economic and community development effort.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Connecticut stone quarry in North Branford. Traffic consists of about 7,000 carloads of construction aggregate outbound from North Branford to an interchange with the Providence Worcester Railroad on Amtraks Northeast Corridor in Branford and at a barge transload facility in Pine Orchard. Operations on the railroads route are limited 10 MPH. The carload weight limit on the line is 286,000 pounds. The railroad has a repair shop, a pit scale, and a motion scale in North Branford. Despite its name, the railroad operates with diese l-electric locomotives.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

railroad provides connections to CSX, C RCX, and NS. Key transported commodities include chemicals and metals. Transtar Transtar is a subsidiary of United States Steel (U.S. Steel) , the U nited States second largest steel producer. Headquartered in Pittsburgh, U.S. Steel, a publicly held corpor ation , had a market capitalization of approximately 2.3 billion in December 2019 (Bloomberg, n.d.c). Although the company has remained profitable, it has faced slowing consumer demand and stiff competition from foreign -produced steel and other domestic producers. These macroeconomic trends have had uncertain and varying effects on steel production and overall demand for freight rail. Transtar serves as U.S. Steels transport and logistics provider for raw and finished goods.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

he Alaska S tate Legislature and administration. 2.1.6 State Ownership and Operation Under state ownership, the ARRC pursued new freight and passenger traffic more energetically than had been the case under f ederal ownership. By the end of the 1980s , the railroad had expanded shipments of oilfield pipe and supplies, started shipping logs , and began shipping coal from Healy to Seward for export. New passenger cars were purchased for the daily summer trains between Anchorage and Fairbanks. During this time, the railroad also focused on correcting safety deficiencies identified in the Alaska Railroad Transfer Act. The railroad eliminated aging buildings and upgraded facilities and equipment system wide, creating a safer work environment in half the time allowed by the law.

s customer space, privacy, and comfort; improve features on the Amtrak.com website and Amtrak app to enhance fare finding, search results, checkout processes, and other features for users; present seven -day calendars of available fares for app and website users planning trips, to improve the way in which long -distance customers can find available travel dates on trains operating less than daily. Build for the future by reimagining how traditional onboard dining is provided to both private room and coach customers and launch a refurbishment program for Superliner and Viewliner I car interiors that includes providing new cushions and upholstery coverings, carpets, curtains , and light coverings, along with deep cleanings of coaches, dining cars, and sleeping cars.

improve the way in which long -distance customers can find available travel dates on trains operating less than daily. Build for the future by reimagining how trad itional onboard dining is provided to both private room and coach customers and launch a refurbishment program for Superliner and Viewliner I car interiors that includes providing new cushions and upholstery coverings, carpets, curtains, and light covering s, along with deep cleanings of coaches, dining cars, and sleeping cars.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Alabama originating rail freight totaled approximately 579,761,479 expanded tons across 5,569,526 expanded carloads, generating approximately $21,378,915,543 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 2,216,368,205 tons (20,196,275 carloads)
- Non-Metallic Minerals: 188,877,724 tons (1,728,844 carloads)
- Chemicals: 159,696,795 tons (1,803,795 carloads)
- Primary Metals: 93,074,572 tons (978,828 carloads)
- Paper Products: 56,039,622 tons (726,645 carloads)
- Lumber/Wood: 35,381,808 tons (414,624 carloads)
- Petroleum: 33,211,717 tons (458,255 carloads)

Top Origin-Destination Pairs:
- Columbus, GA -> Masked/Suppressed: 131,947,403 tons
- Birmingham, AL -> Masked/Suppressed: 129,559,752 tons
- Birmingham, AL -> Baltimore, MD: 32,932,981 tons
- Columbus, GA -> Baltimore, MD: 28,912,775 tons
- Birmingham, AL -> Columbus, OH: 20,120,994 tons

Arkansas (AR)

Rail Plan Year: 2025 | Data: Full Coverage

Major Freight Corridors

, please. The information provided here is so weak that it's hard to have an opinion on any of it. I'd love to provide more meaningful input, and am qualified to do so. Please feel free to contact me regarding solid ideas in transportation and transportation infrastructure. 18 Stacey Schifferdecker 8192021 Online I love rail travel and would definitely use it more if it were more widely available. We have taken Amtrak from Oklahoma Department of Transportation Oklahoma State Rail Plan Appendix E: Stakeholder and Public Outreach September 2021 E-75 OKC to San Antonio and also used rail in the eastern states and Canada. It is comfortable but tens to run late - we were hours late arriving on our trip to San Antonio because of shared tracks with freight trains.

aggressive expansion, the MKT developed a 3,865 -mile system extending from St. Louis and Kansas City, Missouri to Galveston and San Antonio, Texas on its north -south axis and east -west from Shreveport, Louisiana to the Oklahoma panhandle. The MKT main line passed through Vinita, Muskogee, and McAlester, Okl ahoma en route from Kansas City and St. Louis, Missouri to Dallas and Fort Worth, Texas. At the time of the Land Run of 1889, the new Choctaw Line was approaching Oklahoma City from the east. Originating in Memphis, Tennessee and passing through Little Rock, Arkansas, this would later become part of the Chicago, Rock Island, and Pacific Railroad (CRIP).

that eventually connected with the Southern Pacific Railroad (SP) at Santa Rosa, New Mexico. Another key CRIP line between Chicago and Kansas City and the SP at Santa Rosa, known as the Golden State Route, passed through the Oklahoma panhandle at Guymon. The Atlantic Pacific Railroad, which subsequently became part of the St. Louis -San Francisco Railway (SLSF), reached Vinita, Oklahoma, in 1871. It was extended to Tulsa, Oklahoma, in 1881 1882 and reached Sapulpa, Oklahoma, in 1886. It was not until the St. Louis Oklahoma City Railroad Company built from Sapulpa to Oklahoma City in 1898 that the Atlantic Pacific enjoyed adequate revenue. During the same period, the St. Louis -San Francisco Railway (SLSF) was building a line from Joplin, Missouri, to Tu lsa, Oklahoma.

Carriers & Railroads

rossings. Provides congestion mitigation. Initial construction of the project. Cost estimated at 10 of project needs . Bridges, rail, ties, and grade crossing upgrades DSRR Bridges, rail, ties, and grade crossing upgrades Realign Mainline NOPB Realign the mainline by the NSA building at Poland Ave and the river. It currently takes the spur through a residential neighborhood which creates backups. Construct two new sidings DSRR Construct two new sidings Short Rail Infrastructure DSRR, CPKC Upgrades to a short -line rail system in Arkansas and Louisiana.

o Lake Providence, L ouisiana, owning 24 miles and leasing 41 miles from the Lake Providence Port Authority Commission and Southeast Arkansas Economic Development District. NLA owns and operates 20 miles within Louisiana. It handles 286k -lbs car weights and primarily transports agricultural and industrial products. 2.1.2.8 Port Rail, Inc. Port Rail, Inc. (PRI) PRI, established in 2011 , leases 2.3 miles of track from UP and 18 miles of track from the L ake Charles Harbor Terminal District (LCHTD). The remaining 16 miles of rail owned by LCHTD are operated by PRI through track usage agreements . PRI operates from the western terminus at the Port of Lake Charles City Docks to the Chennault area east of Lake Charles where it connects LOUISIANA STATE RAIL PLAN 49 with UP and BNSF.

ure rail endeavors. To expand the share of the market supported by rail, key improvements include infrastructure to reduce the amount of time these movements take, and technology improvements to increase transparency, including offering moni toring abilities to shippers and receivers. 2.7.2 Freight Demand Growth This section evaluates freight rail demand and projec ted growth using FAF Version 5.2 data (FAF5) and the STB Confidential Carload Waybill Sample for Ar kansas. Tonnage and value were analyzed for a base year of 2019, with projections through 2050. This anal ysis includes an assessment of total tonnage and value, directional breakdown, top commodities, t op state trade partners, supplemented by an assessment of intermodal and carload service types.

train heading to Arkansas . The end result is that its tonnage was assigned to a different track when passing through Alabam a. By displaying the freight tonnage in wide ranges, the impact of such inaccuracies has been minimized. When examining the tonnage that originated and or terminated in Alabama, the county designation (FIPS code) was used to determine the origin and desti nation locations . As previously, th e process examined the most likely route between origin and destination , based on the owner of the track recording the movement. Again, possible errors in the process exist, but the output ranges help negate individual movement errors. The result of this process annual gross tons moved on the railroads within Alabama is shown in Figure 2 -8.

Industry & Commodities

rkansas state line near Fort Smith. A second branch line, to Waldron, Ar kansas, is operated by the Arkansas Southern Railroad, a Watco subsidiary. Figure 2 -37 shows the KCS Network in Oklahoma. Oklahoma Department of Transportation Oklahoma State Rail Plan Chapter 2: Oklahomas Existing Rail System September 2021 2-104 Figure 2-37: Kansas City Southern Network Source: Kansas City Southern 2.3.1.2 Driving Factors in Rail Corridor Development Many external factors are generally affecting the demand for use of rail corridors as well as influencing Class I railroads business and network investment strategies. Some of the key factors influencing rail corridor development generally are identified in this section.

o Pine Bluff SubConstruct connection from White Bluff Sub to Pine Bluff Sub. Infrastructure Upgrade Short-Term 8,000 UP, Class I Van Buren Sub Siding Construction Van Buren Sub SidingsConstruct 4-6 sidings between Little Rock and Van Buren on the Van Buren Sub. Infrastructure Upgrade Short-Term 50,000 UP, Class I McGehee Sub Siding Construction McGehee Sub SidingsConstruct 4-6 sidings south of Pine Bluff on the McGehee sub. Infrastructure Upgrade Short-Term 50,000 UP, Class I White Bluff Sub Upgrades Improvements White Bluff Sub Sidings and Double Track Construct 2-3 sidings betwe en Little Rock and Pine Bluff, double track extensions extending 3-5 miles out of terminals of Little Rock and Pine Bluff.

n plan and estimated qualified railroad rehabilitation expenditures. Arkansas Railroad Modernization Tax Credit Income tax credit equal to 50 percent of the eligible taxpayers railroad track maintenance expenditures. Eligible taxpayer means a railroad classified as a Class II or Class III railroad by the U.S. STB . Expenditures are for maintenance, reconstruction, or replacement of railroad track. The maximum amount of credit is 5,000 per mile of track owned or leased by the railroad. This is a non- refundable credit and can be carried forward for up to five years.

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

in 1907 and its network reached many important oil fields. Another independen t rail line was constructed from Sapulpa, Oklahoma Department of Transportation Oklahoma State Rail Plan Chapter 2: Oklahomas Existing Rail System September 2021 2-3 Oklahoma to Denison, Texas in the late 1890s. This line was almost 200 miles long, with a little more than 190 miles located in Oklahoma. The line, equipment, and other property became part of the SLSF in 1901. The Kansas City, Pittsburg and Gulf, predecessor to todays Kansas City Southern Railway (KCS), constructed a line through the eastern part of the Indian Territory along the Missouri and Arkansas borders in 1895.

ofile of Oklahomas Railroad Network September 2021 A-16 Table A-5: Descriptions of KCS Subdivisions in Oklahoma Midwest Division Subdivision Heavener Subdivision Division Midwest Owner KCS Operator KCS Line Heritage Kansas City, Pittsburg Gulf Railroad (KCPG) Subdivision Route Mileage Portion of Subdivision in Oklahoma: Oklahoma Arkansas state line near Watts, Oklahoma Heavener, Oklahoma; 105.2 miles FRA Track Class Class 3 (MP 236.0 MP 301.0) Class 4 (MP 301.0 MP 331.7) Class 23 (MP 331.7 MP 338.4) Track Configuration One main track with passing sidings Maximum Authorized Speed Freight 40 mph freight Maximum Authorized Speed Passenger NA Wayside Signals Centralized Traffic Control (CTC) Method of Operation Centralized Traffic Control (CTC) Positive Train Control (PTC) Maximum Allowable Gr...

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

s (BTS). Norfolk Southern (NS) Norfolk Southern Railway is a publicly traded railroad company owned by the Norfolk Southern Corporation. NS operates over 21,000 route miles in 22 states, primarily east of the Mississippi River, with some routes stretching west to Des Moines, Kansas City, and Dallas. In Louisiana, NS operates 266 miles of track, owning 72 miles and maintaining trackage rights on 194 miles. NS serves the port of New Orleans and connects with all the Class I carriers in New Orleans (BNSF, CN, CSX, CPKC, and UP). NS also interchanges traffic with NOPB. Union Pacific (UP) Union Pacific Railroad is a publicly traded railroad company and wholly owned subsidiary of Union Pacific Corporation that operates over 32,000 route miles in 23 states west of New Orleans and Chicago.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Arkansas originating rail freight totaled approximately 194,706,957 expanded tons across 2,923,621 expanded carloads, generating approximately $9,253,881,753 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 342,549,590 tons (2,925,720 carloads)
- Chemicals: 195,948,870 tons (2,139,690 carloads)
- Non-Metallic Minerals: 100,852,104 tons (906,512 carloads)
- Primary Metals: 69,971,352 tons (766,348 carloads)
- Transportation Equipment: 45,673,600 tons (2,243,675 carloads)
- Paper Products: 36,594,045 tons (489,210 carloads)
- Lumber/Wood: 31,527,740 tons (333,980 carloads)

Top Origin-Destination Pairs:
- Fayetteville, AR -> Masked/Suppressed: 77,976,781 tons
- Boise, ID -> Fayetteville, AR: 69,464,232 tons
- Masked/Suppressed -> Fayetteville, AR: 13,580,167 tons
- Fayetteville, AR -> Jacksonville, FL: 12,941,384 tons

- Fayetteville, AR -> Fayetteville, AR: 12,367,752 tons

Arizona (AZ)

Rail Plan Year: 2022 | Data: Full Coverage

Major Freight Corridors

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

y Station at sunset. Editorial Credit: image Allan Shutterstock.com Chapter 2: Passenger Network Strategy CALTRANS, 2024 CALIFORNIA STATE RAIL PLAN33 Mid Term Northern California Service Map. Chapter 2: Passenger Network Strategy CALTRANS, 2024 CALIFORNIA STATE RAIL PLAN34 Long-Term In the long-term, Caltrans key priorities include the full build out of Californias high-speed rail system, as well as new high-speed rail service to Arizona. The resulting high-speed network connecting Sacramento to San Francisco to Fresno to Los Angeles to the Inland Empire and finally to San Diego will be the backbone of a world-class, fully integrated, zero-emission rail network providing access and mobility to all Californians.

ose comments and resent the USRP to the FRA on January 30, 2015 for final review. The USRP will then feed directly into the Utah Freight Plan and the UDOT Long -Range Transportation Plan. Since the USRP officiall y started May 2012, UDOT Utah State Rail Plan 2015 Page 164 used the FRA State Rail Plan Guidance dated August 2012 as the standardized format for the state rail plan. 8.2 Describe how the state rail plan wa s coordinated with neighboring s tates with respect to faci lities and services that cross s tate boundaries.

CO. CBRY transports ore from the ASARCOs Ray Mine to the companys Hayden concentrator, concentrate from the Ray concentrator to the Hayden smelter, and sulfuric acid from the smelter to the leaching facilities. Other commodities handled by the railroad include lumber and plastics. The railroad is 55 miles, and mostly parallels the Gila River between a junction with the UPRR at Magma and Winkelman. A branch line operates from Ray Junction to Ray. CBRY interchanges with the San Manuel Arizona Railroad (SMA) at Hayden and

handles the SMAs traffic when the SMA is operational.

Carriers & Railroads

und train s face a 2.4 percent climb out of aptly -named Helper. Grades along the rest of the line in U tah are more modest, though 2.0 percent grades are encountered on either side of the Continental Divide in Colorado where the line reaches an altitude of 9,239 f eet inside the 6.21 mile long Moffat Tunnel. The UPs former Rio Grande mainline is the highest mainline railroad in the United States. The original Rio Grande built south from Denver to Pueblo, then west via the famous Royal Gorge and over 10,221 feet Tennes see Pass to reach the Colorado River and a route into Utah. In 1934 the 44- mile Dotsero Cutoff was completed linking the original DRGW mainline with the existing Denver Salt Lake Railroad that passed through the Moffat Tunnel but dead- ended in Craig, C olorado.

rom Bowie), it should cross the river and continue on along the bluffs until Bylas or even Globe. The trains interfere with traffic, derail and are in general, a nuisance, though they are needed. It would be much better to get a federal grant (since they missed the Obama railroad grant), eliminate the road crossings with bridges, and move the railroad over to empty desert and bypass the valley completely. Paige A rail north sounds like a very good investment for the state. Bradley Mark HaaseI think Arizona needs to fund the approved plan for passenger rail from Tucson to Phoenix. The Phoenix west line needs to be reopened and upgraded for 75 mph trains to Yuma. I would also like to see a more direct route to Los Angeles along Interstate 10.

Idaho has ranked among the fastest growing states in population. Growth has recently slowed, however, but Idaho is continuing to add people, even during the recession, at a higher rate than the U.S. average. At the northern end of the Rocky Mountain West region, Idaho is located within one of the fastest growing regions in the country and is adjacent to the fastest growing parts of Canada as well. The pace of the states population growth puts pressure on all aspects of Idaho s infrastructure: its water systems, schools, healthcare facilities, etc. In particular, the State s freight and passenger rail transportation system must accommodate the needs of an increasing number of residents, retirees, and workers, and do so reliably, safely, and efficiently.

Industry & Commodities

etins, etc. For routes that pass-through Arizona, host-railroad responsible delays are expected to be no more than 900 minutes per 10,000 train-miles. As shown in Table 2-29, both Amtrak routes exceed the 900-minute standard for host-railroad delays on one of the host-railroads. Table 2-29. Host-Railroad Responsible Delays in Minutes Delay per 10,000 Train-Miles 3rd Quarter FY 2019 Train HostTotal Delay (Min)Largest Delay Category 2nd Largest Delay Category Cause Minutes Cause Minutes Southwest ChiefBNSF 805 Freight Train Interference 311 Slow Order Delays 162 NMDOT 848 Commuter Train Interference527 Signal 165 Sunset LimitedBNSF 3,003 Slow Order Delays 1,252 Freight Train Interference1,129 UPRR 1,818 Freight Train Interference 1,157 Routing-Dispatching 215 Note: indicates standard not met...

go, North Dakota TransCon Corridor between Chicago, IllinoisSt. Louis, MissouriAtlanta, GeorgiaFort Worth, Texas and Los AngelesSan DiegoOakland, California at Kansas City, Missouri, and Ellinor, Kansas. Figure 2.35: BNSF MidCon Corridor BNSF TransCon Corridor The BNSF TransCon Corridor extends from Chicago, Illinois; St. Louis, Missouri; and Atlanta, Georgia, through the U.S. Heartland and U.S. South to West Coast ports and major metropolitan areas in the U.S. Southwest and West including Fort Worth and El Paso, Texas; Albuquerque, New Mexico; Phoenix, Arizona; San Diego, Los Angeles, Stockton, Sacramento, and Oakland, California. Of the over 4,647 miles comprising the MidCon Corridor reaching 13 U.S. states, 20 of those miles include a BNSF line in Iowa 51.

9 Q3All-Station OTP FY 2019 Q3 Southwest Chief -0.9 38.5 34.9 Sunset Limited 0.9 19.2 15.2 Note: indicates standard not met For routes that pass-through Arizona, host-railroad responsible delays are targeted to be no more than 900 minutes per 10,000 train-miles. As shown in Table 17, both Amtrak routes exceed the 900-minute standard for host-railroad delays on one of the host-railroads. Table 17. Host-Railroad Responsible Delays in Minutes Delay per 10,000 Train-Miles 3rd Quarter FY 2019 Train HostTotal Delay (Min)Largest Delay Category 2nd Largest Delay Category Cause Minutes Cause Minutes Southwest ChiefBNSF 805 Freight Train Interference 311 Slow Order Delays 162 NMDOT 848 Commuter Train Interference527 Signal 165 Sunset LimitedBNSF 3,003 Slow Order Delays 1,252 Freight Train Interferen...

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line

inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

Rail Yard Capacity

pared for Arizona Department of Transportation and the Federal Highway Administration. February 1992. David Schrank and Tim Lomax. The 2007 Urban Mobility Report. 2007: Texas Transportation Institute. Daniel Sperling and Deborah Gordon, Two Billion Cars Transforming a Culture, TR News, 259, pp 3-9. November-December 2008. James Gustave Speth. The Bridge at the Edge of the World. 2008: Yale University Press. Stephen M. Sullivan. Vice President and Executive Director, American Short Line and Regional Railroad Association. Personal communication. 2009. S. Theofanis, M. Boile, H. Mann "Freight Villages and Other Logistics Centers in Europe: Experiences, Best Practices and Challenges Ahead," Proceedings of the Second National Urban Freight Conference. December 5-7, 2007: Long Beach, CA.

Volume & Trends

ty October 30, 2013 UDOT in Salt Lake City May 1, 2014 UDOT in Salt Lake City Extra effort was made to reach out to companies where the movement of freight is a major factor in their day -to-day operations. For these companies, rail infrastructure and service as it pertains to the movement of freight is critical to their success. Individual meetings were held with each company shown in this table. Their freight and rail -related concerns and iss ues were discussed and incorporated into this plan. Table 50: Rail Freight Shippers and Receivers Outreach Company Location Inbound Freight Outbound Freight Rail Truck Rail Truck 1. Ash Grove Cement Leamington 2. Burton Lum ber Salt Lake City 3. Cereal Food Processors Ogden 4. Chevron Products Company Salt Lake City 5. Circle Four Farms Milford 6.

ings that experienced two or more incidents between 2015 and 2019. These 14 crossings account for almost 51 percent of all incidents and 44 percent of the deaths. Located primarily within urbanized areas, these crossings are located on high-volume roadways and rail lines. The Beaver and San Francisco Street locations in Flagstaff are being addressed, in part, by pedestrian under crossings planned just west of Humphreys Street and west of the Milton Road RR underpass. 2-41 Section 2.6 Passenger Rail not sure of best location. Mountain Line, the regional transit authority, is constructing a Downtown Connection Center at the northeast corner of Milton Road and Phoenix Avenue abutting the BNSF railroad.

e entirely along UPRR right of way or track, including the Phoenix Subdivisions Southeast Branch nPurple Rail alternative along I-10 from Tucson, turning north through the Gila River

Indian Community north of Casa Grande to join the UPRR Chandler Branch into Phoenix nRed Rail alternative along I-10 from Tucson continuing along the Maricopa-Casagrande Highway into the City of Maricopa, then following State Route (SR) 347 to the UPRR Tempe Branch into Phoenix A Tier 1 Environmental Impact Statement was developed to determine potential environmental impacts of service in the corridor. Each of the alternatives were screened for fatal flaws with two of the alternatives, Orange and Yellow, selected for further evaluation.

Bottlenecks & Constraints

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

Efficiency & Service Quality

e, nor any county, city, town, municipality, or other subdivision of the state shall ever give or loan its credit in the aid of, or make any donation or grant, by subsidy or otherwise, to any individual, association, or corporation. Because freight railroads are private companies, the gifting clause of the Arizona state constitution severely limits the states ability to fund freight rail projects. The practical implication of Arizonas gifting clause is that government payments to private companies can only be considered constitutional if the resulting value to the state can be proven to exceed the amount that was paid to the private entity.

s between Clifton and Miami, including trackage rights over the UPRR between Bowie and Lordsburg. The railroads largest customer is Freeport-McMoRan, Inc. which owns copper mines on the line in Morenci, Miami, and Safford. In addition, Freeport-McMoRan operates a smelter in Miami. The railroad handles copper concentrate, finished copper, and inputs to copper mining, as well as agricultural products.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the

states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

Costs & Investment

No specific data on costs & investment was identified in available sources for Arizona.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Arizona.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Arizona originating rail freight totaled approximately 5,516,946 expanded tons across 60,822 expanded carloads, generating approximately $243,294,371 in freight revenue.

Top Commodities by Tonnage (Origin):
- Waste/Scrap: 10,683,870 tons (98,040 carloads)
- Petroleum: 5,213,880 tons (67,830 carloads)
- Chemicals: 3,835,965 tons (44,940 carloads)
- Food Products: 2,997,025 tons (29,550 carloads)
- Transportation Equipment: 864,600 tons (38,530 carloads)
- Stone/Clay/Glass: 182,760 tons (1,840 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Phoenix, AZ: 5,423,179 tons
- Masked/Suppressed -> Tucson, AZ: 5,233,976 tons
- Boise, ID -> Phoenix, AZ: 4,592,824 tons
- Phoenix, AZ -> Masked/Suppressed: 2,525,255 tons
- Columbus, OH -> Tucson, AZ: 1,583,416 tons

California (CA)

Rail Plan Year: 2024 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

e two downtowns. While the CP line is the current Empire Builder route, operating with once daily service between Chicago and Seattle, either the CP or BNSF routes between the Twin Cities could serve larger purposes in the future. Red Rock commuter rail service has been studied along both the BNSF and CP alignments as part of the feasibility analysis conducted for the Red Rock Corridor Commission. 24 Coordination with existing freight rail and the associated cost for track and signal improvements have been two challenges to implementation. One of the potential draw- backs of the BNSF route is the need to back-out of the St. Paul Union Depot for trains coming from the south and east and wanting to go north

and west.

Carriers & Railroads

Route returns to double track for the rest of the journey to Council Bluffs, I A, where the former Chicago and North Western Railroad (CNW) (acquired by UP in 1995) has a double track line from there to Chicago . The single track former CNW line from Fremont, NE to Missouri Valley, IA, which serves as a bypass around Omaha and Counc il Bluffs is currently in the process of being double tracked to handle more of the trains that today pass through Omaha. 2.1.1.3 UPs Former SP Overland Route, todays UP Lakeside Subdivision (Ogden to the Nevada state line) This mostly single -track line heads west from Ogden across the flatland bordering the Great Salt Lake, then crosses the lake itself on a series of causeways.

associates incorporated the San Pedro, Los Angeles Salt Lake Railroad (SPLASL) to build northeast to Utah. The logical connection for this new line was the UPs OSL controlled route into southwest Utah via Milford. For several years UPs Edward Harriman and Senator Clark struggled to gain the upper hand in building a rail line across the mountains and deserts of southern Nevada and into California. In 1903 an agreement was reached wherein both Harriman and the UP and Clark and the SPLASL would jointly own and control the new line, which allowed construction t o begin in earnest. As a part of this agreement, the SPLASL purchased all UP (OSL) lines south of Salt Lake City.

ea in 1982, the traffic which used to travel over the SP portion of the O verland Route west of Ogden now took the UC line south to Salt Lake City and then the WP west. In 1985 the Denver Rio Grande Western Railroad (DRGW) began using the UC line instead of its own route between Salt Lake City and Ogden. The DRGWSP merger o f 1988 further increased trackage rights movements over the Utah UC line. As UP s only route to Southern California, the UC and Salt Lake Routes saw considerable train traffic up until the UP merger with SP in 1996. As a result, UP now had a low grade rout e east out of the Los Angeles Basin on the former SP Sunset Route. However, high traffic levels and lack of capacity on that line kept many trains on the Salt Lake RouteUtah Central mainline.

Lynndyl Yard Lynndyl Limited local manifest freight, unit grain trains, and through unit coal trains 5. Milford Yard Milford Limited local manifest traffic from locals to Lynndyl and on the Cedar City B ranch, through unit trains of coal and grain, unit iron ore trains, crew change point for all through trains 6. North Yard Salt Lake City Limited manifest freight, mainline crew change location 7. Ogden Main Yard Ogden Limited manifest freight, mainline crew change point for trains en route tofrom northern California and the Midwest 8. Provo Yard Provo Manifest freight, through unit coal train traffic 9. Riverdale Yard Riverdale Limited manifest

freight, intermodal through freight block swaps 10.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

ht into the Kingman Industrial Park by rail. Manufacturers then convert these raw materials to finished goods and ship them out by rail to markets in southern California, Las Vegas, or other locations in Arizona. If the park is to expand as planned, rail volumes will grow as well, and access will need to be improved with a new switch yard. The Kingman Airport Authority has identified a possible 9.5 million project to improve access to BNSF through a new switching yard. Access was identified as an issue on the UPRR Sunset Route as well. One shipper offered that UPRR has become increasingly less interested in providing service because the customer ships in smaller carload volumes.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

ort line railroads. Despite specific grants legislatively mandated and administered in the past, MRSI does not maintain nor is mandated to have an ongoing grant program for short line assistance similar to many other state programs around the nation. Applicant Qualification Stakeholders found qualification requirements unnecessarily limiting, which sometimes forces political approaches that su bvert the process and divert funding from other meritorious projects. In the past, requirements for asset collateral made MRSI unsuitable for railroads that lease most of their property from a private entity, which is often a Class I railroad.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

As one of the nations key riverports, Tulsa Port of Catoosa is a major contributor to the freight rail volumes that pass through Kansas. Figure 4-24 shows the top trade lanes for Tulsa Port of Catoosa when considering rail volumes that move to, from, and through Kansas , based on an analysis of STB Waybill sample data . The line thicknesses represent the relative amount of rail volumes (tonnages). As shown, the Kansas rail system provides connect ions to and from the Tulsa Port of Catoosa, including: Between Tulsa Port of Catoosa and Kansas City , including cargo that originated from or is destined to rail -served facilities in Knox and Cook Counties, IL ; Between Tulsa Port of Catoosa and the rail yards in east and south of Nebraska ; Between Tulsa Port of Catoosa and r ailyards in Amaril...

Central Coast, stretching from San Luis Obispo to Ventura County. This route is part of a broader rail network that supports both freight and passenger services, providing a crucial transportation link between the coastal areas and inland regions. The line traverses scenic coastal areas and connects with other major rail routes, playing a significant role in regional and intermodal transportation. Due to its coastal location, this subdivision faces risks such as sea level rise and coastal erosion, which could impact the stability and operations of the rail infrastructure. This is especially concerning for passenger rail services, as the region has a sparse rail network to lean on.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

Costs & Investment

No specific data on costs & investment was identified in available sources for California.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, California originating rail freight totaled approximately 464,098,809 expanded tons across 26,990,610 expanded carloads, generating approximately $64,597,903,407 in freight revenue.

Top Commodities by Tonnage (Origin):
- Intermodal: 974,431,220 tons (77,785,960 carloads)
- Chemicals: 811,801,260 tons (12,544,425 carloads)
- Food Products: 223,497,805 tons (5,293,310 carloads)
- Petroleum: 141,683,031 tons (1,942,367 carloads)
- Transportation Equipment: 46,984,830 tons (3,083,795 carloads)
- Waste/Scrap: 38,199,894 tons (539,001 carloads)
- Stone/Clay/Glass: 20,010,629 tons (205,474 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Fresno, CA: 150,516,195 tons
- Columbus, OH -> Fresno, CA: 122,460,416 tons
- Fresno, CA -> Columbus, OH: 117,341,260 tons
- Fresno, CA -> Masked/Suppressed: 89,550,988 tons
- Masked/Suppressed -> Los Angeles, CA: 48,003,150 tons

Colorado (CO)

Rail Plan Year: 2024 | Data: Full Coverage

Major Freight Corridors

and long-distance trains operated by the main line railroads. Through the 1950s, Iowa was still well served by intercity and long-distance passenger trains. Some of the named trains of the main line railroads at that time, and their routings in Iowa, included the following: Chicago North Western Railway (CNW) via Clinton, Cedar Rapids, Marshalltown, Ames, Boone, Carroll, and Council Bluffs, Iowa, and later the Chicago, Milwaukee, St.

your state that affect rail movement in Utah? 2. Are you aware of rail operations or service in Utah that affect rail movement in your state? 3. Are you aware of rail plans, projects or studies that would impact rail movement in Utah? 4. Are you aware of any mode shift to or from rail that would impact rail in Utah? 5. Are you aware of rail plans, projects or studies that you need input from Utah? Recipients were asked to respond by March 5, 2014. At the time of this writing, comments had been received from Colorado, New Mexico, Oregon, and Wyoming (a summary of their comments along with rail operation as it affects Utah is offered under section 8.4 below).

ore limited passenger rail. Are we always assuming that the residents of Colorado are too cheap to fund independent rail lines and are willing to accept compromised service to get pushed aside by Big Freight?! I question that perspective when being honest forthright . If any new lines are launched, money needs to invested into making it fast and frequent, or few people will choose it over cars. It may cost more up front, but will be worthwhile in the long run. Existing services in CO also need to have their frequency, safety, and reliability improved.

ed passenger rail service, starting on the front range, with pricing, capacity, and frequency of service sufficient to make it competitive with automotive travel on I- 25. For environmental reasons, we have to out -compete automotive Intersta te travel and get _real_ EuropeanAsian quality, long -distance, public transportation in place. To interface with local transit options in our larger cities. There are enough cultural barriers that need to be overcome, and can be with time and encouragemen t, but the economic barriers have to be removed first. I would like to hear about efforts to ensuring current and potential Moffat route customers get a fair deal with the UP after the tunnel negotiation happens .

Carriers & Railroads

ke City on UPs Utah Central line in 1985. Utah State Rail Plan 2015 Page 41 The UP takeover of WP in 1982 put both the Rio Grande and SP in a difficult position as both had lost their primary connections in Utah. This resulted in both lines restructuring their operations toward the OgdenSalt Lake City connection between the two railroads, and ultimately a merger of the two in 1988. From 1988 until the UP takeover in 1996, the Rio Grande mainline was a busy route hosting a wide variety of manifest freight trains , new automobile trains, priority intermodal trains as well as unit coal trains that originated along the line in Utah and Colorado.

railroad history. BNSF freight trains orig inate in either Stockton, California or Denver and use UP lines thr ough Utah via Grand Junction, Colorado; Provo and Salt Lake City, Utah; Reno, Nevada and Roseville, California. Daily freight train service is operated by BNSF between Denver and Provo. Daily service is operated on an as needed basis from Provo to Stockton depending upon business levels. The Utah Railway is the largest of Utahs non- Class I railroads with both owned tracks and trackage rights over the UP . The Utah Railway is one of 111 railroads of various sizes in the United States, Canada, Australia, and Europe that are owned or operated by Genesee Wyoming. In addition, Utah Railway acts as BNSFs agent in providing competitive service to many Utah shippers.

by the excessive whistles. Light rail is a waste of taxpayer money. Trains are not the answer. Too slow. More. Roads. Wider roads. No extortion lanes MORE TRAINS, CDOT needs to take charge and build a passenger rail master plan with a future proof, wholistic view of passenger rail across Colorado so we dont build ourselves out of any future expansions, Union Station; and then actually build it. Get more trains going from Denver to SteamboatGrand Junction. If you care about reducing emissions, then we should focus on freight. Currently everywhere else is melting and it'd be a shame if CO's ski and snow industries were impacted by climate change.

nd operating expenses are paid with local funding sources, with additional support from Federal agencies and the State of Colorado. With limited Federal funding, constrained state funding, stretched regional and local financial abilities, and no publicly supported rail assistance program, new partnerships, revenue mechanisms, and alternative funding sources will need to be explored and instituted. Funding Opportunities Identifying and securing funding to cover needed rail improvements is a long- term goal of this Rail Plan and rail partners across the state. To finance freight and passenger rail improvements requires coordination among partners, new alternative funding sources, or additional funding from existing programs.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

ion Station) 7:00 AM (Westbound) Winter Park Express Winter Park Resort 4:30 PM (Eastbound) The following map overlays 2022 ridership information for each intercity and seasonal Amtrak route in Colorado. Figure 4. Amtrak Intercity Passenger Service Ridership by Route Map, 2022 33 Amtrak Stations Colorados Amtrak stations range from historic depots constructed as early as the 1880s , to station area platforms developed between 1920 and 1950 with limited accessibility and amenities, to new and modern facilities and intermodal centers. The most substantial investment in recent years include the major renovations at the historic Denver Union Station in 2014, when it underwent a 500 million redevelopment into a regional, intermodal transportation hub and reopened to Amtrak service.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

CORRIDOR DEVELOPMENT TRENDS As owners and operators of large transportation networks, Class I railroads BNSF and UP manage their b usinesses across state lines, considering the entire market potential and competition they face in their Midwestern and western United States operating territory. The portions of the railroads networks connecting key regional markets are considered rail freight corridors, most all of which span multiple states. BNSF and UP name these corridors for business planning, investment, and marketing purposes.

one, limestone, iron ore, soda ash for glass, and kaolin clay for paper. Union Pacific Railroad The Union Pacific Railroad (UP) is the largest ra ilroad in North America, operating 32,400 route miles in the western United States, and employ ing over 50,000 people, of which 456 work in Minnesota. 2008 gross revenues virtually matched BNSF s revenues of 18 billion, and carloads totaled 9.26 million. The railroad serves 23 st ates, every major West Coast and Gulf Coast port, and the five largest gateways between the East and West at Chicago, St. Louis, Memphis, Kansas City, and New Orleans.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

ed railcars do not exceed 11 feet in width including protrusions, or 17 feet in height. All others are classified as dimensional loads which require clearance before transport. Double -Stack Capable Yes Industrial Leads Downtow n Lead (Cheyenne, Wyoming) CHAPTER 2 May 2021 2-10 CASPER SUBDIVISION The Casper Subdivision is a route from Bridger Junction (near Orin), Wyoming, northwest to Laurel (near Billings), Montana, via Douglas, Casper, Thermopolis, Worland, Greybull, and Lovell, Wyoming. The line passes through the scenic Wind River Canyon near Thermopolis. Intermodal, aut omotive, and general manifest traffic traverse the line between Denver, Colorado, and the Pacific Northwest region including the ports of Seattle, Tacoma, and Portland.

Utah Railway, at the former DRGW Yard in Ogden. In 2008 the Utah Ce ntral was sold to short line operator Patriot Rail Corporation of Florida. Today the Utah Central serves 34 miles of track in the growing industrial area in and around Ogden. Photo by Kent Brown Utah State Rail Plan 2015 Page 67 Figure 26: Utah Central Railway Utah State Rail Plan 2015 Page 68 2.1.13 Utah Railway Table 14: Utah Railway Information Federal Railroad Administration Abbreviation: UTAH Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Connection: Yes Number of Rail Mi les Operated in Utah: 396 Number of Utah Employees: 69 Total Utah Employee Earnings: Not Available Taxes Paid to Utah: Not Available Signal Type: DTC and CTC Sources : Federal Railroad Admini st...

c education. These efforts are most powerful when public and private partners speak from one voi ce, have a unified message, and provide consistent information. Experiences in other states with active partnerships, strong freight advisory committee s, and joint advocacy efforts have led to increased state funding for freight and rail investments and have developed champions among elected officials and decision -maker s. In turn, truck and rail deliveries are more efficient, and the savings in delivery cost can be passed on to consumers. Land use and development patterns Colorados Front Range is experiencing rapid population growth and increasingly dense land use and development, which is having an impact on facilities and rail movements in urban and suburban areas.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative

guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Colorado originating rail freight totaled approximately 134,876,902 expanded tons across 1,438,414 expanded carloads, generating approximately $6,378,852,172 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 440,274,828 tons (4,396,626 carloads)
- Chemicals: 415,354,755 tons (4,273,770 carloads)

- Petroleum: 63,855,967 tons (796,187 carloads)
- Food Products: 37,820,875 tons (400,475 carloads)
- Waste/Scrap: 15,425,529 tons (169,938 carloads)
- Stone/Clay/Glass: 8,943,261 tons (85,320 carloads)
- Transportation Equipment: 6,374,645 tons (335,730 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Pueblo, CO: 43,238,475 tons
- Denver, CO -> Masked/Suppressed: 24,583,860 tons
- Denver, CO -> Dallas, TX: 23,180,514 tons
- Pueblo, CO -> Masked/Suppressed: 7,992,776 tons
- Masked/Suppressed -> Pueblo, CO: 7,021,594 tons

Connecticut (CT)

Rail Plan Year: 2022 | Data: Full Coverage

Major Freight Corridors

es, Amtrak owns the NEC and the commuter rail authority is a tenant. In Massachusetts, the MBTA owns the NEC line (which also serves as the Attleboro Commuter Rail line) and Amtrak is hired by the MBTA to maintain and dispatch the line. Initially, Amtrak and the MBTA could not agree on whether (or how) PRIIA changed that relationship and the MBTA filed suit against Amtrak in Federal Court in 2016. That litigation was settled in 2017 and the parties entered into a 4.5 year agreement providing for the relationship to continue, albeit with different terms, and establishing the basis by which the MBTA would share in some costs per the Policy adopted by the NECC.

Passenger Rail Projects - Tier 1 Table ES-2: Long-Term Freight Rail Projects - Tier 1The highlighted modernization and expansion investments will be the focus beyond attaining and maintaining a state-of-good-repair across the rail network. MassDOT has acquired many assets that require upgrades and regular maintenance to achieve a state- of-good-repair and accommodate safe and efficient operations. Addressing these needs remains an utmost priority for MassDOT . 5 million 5 million - 50 million 50 million - 100 million 100 million Key: Project Cost Range 11Springfield to Greenfield Passenger Rail Service MassDOT is working with Amtrak and Connecticut to establish the terms of a pilot that would extend passenger rail service from Springfield to Greenfield.

invested considerable capital to build logistics parks, distribution centers and other transload facilities to offer customers the economics of rail for the long haul and the flexibility of truck for pickup and delivery. Furthermor e, this type of development presents an opportunity for communities to benefit from rail access through the efficient use of freight -related infrastructure while limiting the impact to neighboring properties. In some parts of the country freight logistics parks are being purposefully planned and constructed, while in other locations, like most of those in New England, are developing incrementally around a freight facility, like an intermodal facility.

f rail lines south and west of Boston from the Penn Central Railroad. In 1976, the MBTA completed the acquisition of the Boston Maines (BM) rail lines north and west of Boston and the rolling stock used to provide the already-subsidized commuter rail service. Additional lines were acquired by the Commonwealth of Massachusetts in the early 1980s, in order to prevent their loss through abandonment. The Commonwealth of Massachusetts, through a 2009

agreement with CSX Corporation, purchased additional rail infrastructure in eastern Massachusetts. Ownership of rail infrastructure enabled the State to expand and improve commuter rail services. Through this agreement, MassDOT acquired CSX-owned rail lines in Massachusetts in two phases.

Carriers & Railroads

line near Beckwith and Station Streets in Cranston to Allens Avenue near Thurbers Avenue at the Port of Providence (ProvPort). A one-mile segment extending north along Allens Avenue is currently inactive. The single track line is Track Class I with a maximum speed of 10 mph. Moshassuck -Saylesville Industrial Track This line, portions of which are owned by PW and the City of Pawtucket, extends 2.36 miles from between Bleachery Pond Dam and Moshassuck Road in Lincoln and its junction with Amtraks Northeast Corridor line near Grotto and Hurley Avenues in Paw tucket. This single track line is Track Class I with a maximum speed of 10 mph. Amtrak Northeast Corridor (NEC) This line, owned by Amtrak, is primarily a high speed rail passenger line but is also utilized by PW via trackage rights.

ster and ProvidencePW Mainline Central Med Low Interest by private sector initiator, but challenges associated with ridership and access agreements.NALimited Info Palmer Station for Lake Shore Limited ServiceInland Route Western Low Low Insufficient service to warrant station construction.- Housatonic Passenger Rail ServiceBerkshire Line Berkshires Low Low No current likelihood of service improvements in Connecticut. Passenger Service to Montreal via SpringfieldInland Route Western VermontLow Low Challenges associated with line ownershipshared use and coordination with CSX.

projects. First priority for funding are projects that improve the reliability of the transportation network, second priority are projects that modernize the system or increase capacity of the existing network, and the third priority expands access to the system. Programs are groupings of similar investment types, and the projects are identified ways to address the needs in those investment types. The majority of CIP funding under the BakerPolito Administration has been for reliability programs that help the transportation system reach a state-of-good- repair. For the Rail Division, 52 percent of overall spending is on reliability.

hat may impact the feasibility of the project are also provided within the tables. Tier 1 Priority for Implementation beyond Investment in SGR Tier 1 projects have a high potential benefit relative to the cost and promote mobility, improve intermodal connectivity and support economic vitality. These projects have priority for implementation and are important for the long-term vision of the State. Tier 1 passenger and freight rail projects can be seen in tables ES-1 and ES- 2, respectively. New Haven to Springfield Passenger Rail Service More frequent

rail service from New Haven into Springfield is slated to begin in 2018. Massachusetts is working with Connecticut to facilitate any possible near-term collaboration and establish the basis for a long-term annual contribution.

Industry & Commodities

on to formalize the institutional connection between the NJDOT Rail-road Engineering and Safety Unit with NJ TRANSITs Safety Unit to carry out integrated initiatives. In addition, the Committee recommended the development of a rail safety database to integrate crash statistics, key community facility data, and grade-crossing loca - tions to identify and target priority locations for engineering improvements, enforcement, and educational outreach. 32 Operation Lifesaver New Jersey Operation Lifesaver is an education program committed to improving public safety at highway-rail grade crossings and on railroad rights-of-way. It comprises a range of stakeholders: federal, state, and local government agencies, highway safety and trans- portation organizations, and the nations railroads.

IL SYSTEM S ROLE IN RHODE ISLA ND Rail in Rhode Island dates back to 1835 when the Boston and Providence Railroad initiated a combine d rail and ferry service that connected Boston to New York along the Shoreline Corridor via Providence and Stonington, Connecticut. I n 1847 the Providence Worcester Railroad, initiated the transport of goods from the textile factories in the Blackstone Va lley to the Port of Providence for further distribution. The railroads helped to make Providence the largest coal port in New England by 1890. Much freight was also carried out of Providence. By the 1890s the railroads in the northeast experienced a ser ies of consolidations and mergers resulting in the formation of the New York, New Haven Hartford Railroad (commonly known as the New Haven).

il System 2-17 Figure 2 -9. Weekday Passenger Trains in Maryland , 2019 Source: MARC Corn erstone Plan, Amtrak Northeast Corridor 2019 schedule AMTRAK SERVICES IN MARYLAND Amtrak operates multiple services in Maryland: Acela and Northeast Regional Service. These services operate on Amtraks Northeast Corridor, generally between Washington, DC , and New York or Boston, providing the highest frequencies with the greatest ridership. Acela and Northeast Regional trains operating strictly along the Northeast Corridor are considered self -supporting in that operating costs cover operating revenues, and operating subsidies are not required. State -supported corridor routes.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential

customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with

views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

ing access to regional short -haul markets and competitive Class I connections is vital . This access support s Vermont businesses, the Northeast ern US, and Canada . Amtrak ridership in Vermont has been relatively steady at around 95,000 riders annually. Low fuel costs and delays due to construction in Massachusetts and Connecticut may have negatively impacted ridership over the past five year s. The increase in speed and reliability following this work should help . Shared, concerted effort is needed to increase Vermont s ridership numbers. COVID -19 led to suspen sion of all Amtrak service in Vermont on March 26, 2020.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds

of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars

manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be

expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

may have potential to become dedicated segments of future high-speed, intercity, or commuter rail lines, and could be reevaluated in light of this new use. 6.2.3 Future Program Evolution Minnesota rail programs have focused primarily on freight assistance for shippers and short lines, safety, highway interaction at grade crossi ngs and grade sepa rations, and pr eservation of transportation rights-of-way. Through the open houses and stakeholder meetings conducted for the State Rail Plan, a new focus for these programs has been suggested. Of the 4500 miles of active track in the State, 778 miles are operated by 16 short lines. Almost 20 percent of the system originates only eight percent of rail carloads, and four percent of terminating carloads.

upport programs, including grant components, and states like Wisconsin and Connecticut actually own significant mileages of short line routes, maintaining them as active transportation infrastructure and leasing them back to operating railroads. These programs are justified and considered necessary for the competitiveness and economic health of the State as a whole wherever they have been adopted. Their existence and prevalence especially in Midwest and Great Plains states suggest an economic benefit that could accrue to Minnesota though similar emphasis on an expanded MRSI program and short line support as warranted on a selective basis.

r 500 different railroads , it still operates as an integrated system with most long distance shipments moving on more than one railroad. Rail shipments made to and from New Hampshire also generally are made on more than one railroad. Through the regional and short line carriers serving the state, local industries have access to virtually every rail served shipperreceiver in N orth America through Class I carriers. Figure 2-1 provides an overview of the major rail gateways that connect New Hampshire to the North American rail network. Pan Am Railways has direct Class I connections with Norfolk Southern (NS) through its Patriot Corridor p artnership 17 and with CSX at Worcester, MA. In the North Country, the St.

freight railroads and another, Alaska, has only one and it is state-owned. In the four Northeastern states where railroads severely declined after World War II Connecticut, Massachusetts, New Jersey, and Pennsylvania prop- erty tax levies on railroads now provide a minimal amount of revenue or in some cases, no revenue. Railroads in New Jersey are also exempt from the Corporation Business Tax. The State of New Jersey collects only two taxes from state railroads, the result of arrange- ments made in 1948: Railroad Franchise Tax New

Jerseys Railroad Franchise Tax is expected to produce 5.8 million for the state treasury in FY13. In 1948, the tax rate was set at 10 percent.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

Stakeholders & Governance

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership

dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Connecticut originating rail freight totaled approximately 62,887,055 expanded tons across 1,305,818 expanded carloads, generating approximately $1,532,123,805 in freight revenue.

Top Commodities by Tonnage (Origin):
- Non-Metallic Minerals: 131,709,252 tons (1,248,136 carloads)
- Waste/Scrap: 42,782,220 tons (544,578 carloads)
- Intermodal: 18,885,280 tons (1,321,920 carloads)
- Stone/Clay/Glass: 6,996,180 tons (65,560 carloads)
- Paper Products: 5,534,862 tons (60,474 carloads)
- Chemicals: 4,694,400 tons (52,125 carloads)
- Petroleum: 2,337,097 tons (32,445 carloads)

Top Origin-Destination Pairs:
- Charleston, WV -> Hartford, CT: 175,936,818 tons
- Hartford, CT -> Hartford, CT: 37,424,721 tons
- Masked/Suppressed -> Hartford, CT: 34,866,062 tons
- Columbus, OH -> Hartford, CT: 16,666,436 tons
- Harrisburg, PA -> Hartford, CT: 10,297,761 tons

Delaware (DE)

Data: Full Coverage

Major Freight Corridors

rail on January 1, 1983. The commuter rail network in New Jersey is a legacy of the former Northeast railroads. NJ TRANSIT, however, has invested billions of dollars in the network to bring the services to meet modern day stan-dards for commuter rail operations. Penn Central Penn Central provided commuter rail service between Trenton and Penn Station in New Y ork City on what is today Amtraks NEC. Penn Central owned the corridor and operated it as the north-south main line. Consequently, the line had significant freight service as well as intercity and commuter passenger rail service. Penn Central also operated trains on the North Jersey Coast Line (NJCL) through its subsidiary, the New Y ork and Long Branch Railroad with the Central New Jersey Railroad. 10 Ibid, 3.

icultural business in Woodstown. Later, in 1887, the WJ built the Maurice River Railroad so they could gain a share of the lucrative Delaware Bay oyster business. The line was 9.76 miles long and it stretched from Manumuskin to the Maurice River. On May 4, 1896, the PRR consolidated all of its railroads and smaller properties in southern New Jersey into the West Jersey and Seashore Railroad (WJS). The newly consolidated subsidiary of PRR ran two lines from Camden. The first was the main line to Atlantic City and other shore points (Ocean City, Wildwood, Cape May) using trackage rights on the Atlantic City Railroad line. The second was the Millville line, which accessed Millville via Woodbury. It split at Newfield to Atlantic City. Smaller branch lines also connected to the two main lines.

y Coast Line-Wood to Essay: On this busy NJ TRANSIT-owned 2.7 mile segment between Woodbridge and South Amboy, NJ TRANSIT oper - ates 114 daily North Jersey Coast Line trains. Included in this segment is River Draw, NJ TRANSITs movable bridge spanning the Raritan River. Conrail Shared Assets operates several daily local trains between its Oak Island Y ard in Newark and Browns Y ard in Sayreville, which feed local switch crews serving industries in Central New Jersey along its Amboy Secondary and Freehold branch lines. Atlantic City Line-Shore to Pemberton: This five-mile segment contains the approaches and span of the Delair Movable Bridge, connecting Pennsylvania and New Jersey spanning the Delaware River.

Carriers & Railroads

are complementary and that provide economic and public benefit Facilitate completion of missing links in the rail system to enhance operations. 5-1 DRAFT December 2012Chapter 5 Rail Improvement Programs This chapter describes initiatives in the state of New Jersey to address passenger rail chal- lenges and meet the states rail transportation goals and objectives. Transportation Planning Process in New Jersey The rail transportation planning process in New Jersey takes place on several levels, with a focal point at the Metropolitan Planning Organizations (MPOs), which are responsible for planning, requesting, and allocating Federal funding.

h transportati on and economic development in Pennsylvania. 6.2 Coordination with Neighboring States Pennsylvania is at the nexus of east -west and north -south freight rail and passenger rail services. Because these rail services connect to the states of Ohio, West Virginia, Maryland, New Jersey, Delaware, and New York, PennDOT rail planners interact with their counterparts in the other state DOTs and state rail authorities to share perspectives on service and infrastructure issues. On account of these shared interests, input from neighboring states was sought for this SRP update. The process by which neighboring states were engaged and the issues that the states reported are captured in the sections that follow.

New Jersey State Rail PlanCha PteR 5 5-16 Figure 5-1 MOM Study Area DRAFT December 2012 New Jersey Rail System5-17 Figure 5-2 MOM Alternatives New Jersey State Rail PlanCha PteR 5 5-18 Following the evaluation of the alternatives, NJ TRANSIT Board is expected to select a single alternative to proceed to development of a Draft Environmental Impact Statement (DEIS). This study will conduct the detailed analysis and evaluation of environmental impacts and formal public participation process required by the National Environmental Policy Act (NEPA). This project is in NJ TRANSITs long-term plan for rail expansion and has no projected date of completion or a cost estimate.

is desperately in need of a viable commuter rail system. Th e Northeast corridor would be the area for a commuter system into downtown Indy AND even the starter leg of an Indy -Chicago route that starts in Noblesville, through Fishers, Indy and backs up to Chicago. NW Indiana, which will still be underserved even a fter the NICTD expansion to Dyer. Outlying counties in and out of Marion County. It was stupid to allow Hamilton County to remove the existing rail line that could have been extended downtown. How much more concrete can be poured to accommodate cars. Multiple departure times are required to make this attractive to riders.

Industry & Commodities

low value compared to finished or intermediate manufactured goods (freight all kinds, chemicals or allied products, and transportation equipment). Shippers of basic materials, such as coal, tend to be more concerned with minimizing the cost of transportation rather than speed of delivery, while shippers of manufactured goods tend to emphasize travel times and reliability over transportation cost. Containerized freight, which spans several commodities, accounted for more than 25 percent of New Jerseys rail traffic in 2007. Freight volumes hauled across New Jersey are expected to grow from 46 million tons in 2007 to 68 million tons in 2035. New Jersey is principally a terminator of rail freight. In 2007, 53 percent of the states freight was inbound.

w Jersey: CSX and NS; CP has trackage rights and limited operations in New Jersey. Class II railroads, commonly called regional railroads, are smaller than the Class I railroads. They have revenues between 31.9 million and 398.7 million. One of the 12 regional railroads operates in New Jersey- the New Y ork, Susquehanna, and Western. Class III railroads, or short lines, are the smallest railroads. Short line railroads grew significantly in number after railroad deregulation permitted the larger railroads to sell their unprofitable lines. With short line railroads typically having lower labor costs than the larger railroads, the lines have returned to profitability.

own in Table A.2 below are components of the BNSF Nebraska Division. Table A.2: Descriptions of BNSF Subdivisions in Iowa Nebraska Division SUBDIVISION: OTTUMWA SUBDIVISION Division Nebraska Owner BNSF Operator BNSF Line Heritage Chicago, Burlington Quincy Railroad (CBQ) Subdivision Route Mileage Portion of Subdivision in Iowa: Iowa Illinois state line near Burlington, Iowa-Creston, Iowa; 188.1 miles FRA Track Class Class 4 Track Configuration Two main tracks Maximum Authorized Speed Freight 60 mph freight Maximum Authorized Speed Passenger 79 mph passenger Wayside Signals Mixture of Centralized Traffic Control (CTC) and Automatic Block Signals (ABS) Method of Operation Mixture of Centralized Traffic Control (CTC), Track Warrant Control (TWC), and Yard Limits (YL) Maximum Allowable Gross W...

Junction Points & Interchanges

the Atlantic City Railroad were the two major railroad companies connecting Camden (and Philadelphia via ferry) to the Southern New Jersey seashore. The development of the highway network and the related growth in the use of motor vehicles affected the profitability of the two railroads. The financial condition of the two carriers deteriorated so significantly, that in 1931 New Jerseys public utility regulators ordered the two parent rail companies to combine the south Jersey subsidiaries into one company, to be known as the Pennsylvania-Reading

Seashore Lines (PRSL). Under the new Consolidation Agreement, the PRR would have two-thirds ownership and the Reading Company would have one-third.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North

Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

Baltimore and a potential intermodal terminal in Perryville. This would enable the Port to free capacity by moving port activities to Perryville. It also would take advantage of the growing distribution infrastructure in Cecil County. Other potential locations include Western Maryland where existing intermodal routes and the interstate highway system are in close proximity, such as in Cumberland. Generally, intermodal services are provided over distances above 250 miles so that the relatively inexpensive line haul portion of rail moves can defray the relatively expensive terminal costs to compete with trucking. The feasibility of short haul intermodal will depend on the relatio nship between these fixed terminal costs of the rail moves and costs that vary by distance.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

lphia Tinicum Township: Services industrial areas along the Delaware River between South Phil adelphia and Tinicum Township, including areas adjacent to Philadelphia International Airport over N S-owned tracks Key commodities transported include chemicals, food, metals, petroleum, retail distribution -related products, and timber and related products . Delaware, Lackawaxen Stourbridge Railroad . The Delaware, Lackawaxen Stourbridge Railroad (DLS) is a 25 -mile-long Class III railroad operating between Lackawaxen in Pike County and Honesdale in Wayne County. Although primarily a tourist carrier, the r ailroad is working to attract freight traffic, having operated special runs for potential freight customers in 2018.

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

Stakeholders & Governance

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

he Alaska S tate Legislature and administration. 2.1.6 State Ownership and Operation Under state ownership, the ARRC pursued new freight and passenger traffic more energetically than had been the case under f ederal ownership. By the end of the 1980s , the railroad had expanded shipments of oilfield pipe and supplies, started shipping logs , and began shipping coal from Healy to Seward for export. New passenger cars were purchased for the daily summer trains between Anchorage and Fairbanks. During this time, the railroad also focused on correcting safety deficiencies identified in the Alaska Railroad Transfer Act. The railroad eliminated aging buildings and upgraded facilities and equipment system wide, creating a safer work environment in half the time allowed by the law.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Delaware originating rail freight totaled approximately 6,831,460 expanded tons across 77,615 expanded carloads, generating approximately $317,600,397 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 31,774,350 tons (325,350 carloads)
- Waste/Scrap: 9,929,493 tons (101,940 carloads)

- Lumber/Wood: 3,733,720 tons (40,700 carloads)
- Transportation Equipment: 1,351,575 tons (48,400 carloads)
- Farm Products: 927,834 tons (9,060 carloads)
- Petroleum: 143,395 tons (2,240 carloads)
- Food Products: 63,650 tons (675 carloads)

Top Origin-Destination Pairs:
- Charleston, WV -> Wilmington, DE: 13,777,380 tons
- Masked/Suppressed -> Philadelphia, PA: 12,236,100 tons
- Columbus, GA -> Wilmington, DE: 7,320,259 tons
- Masked/Suppressed -> Wilmington, DE: 6,481,517 tons
- Columbus, OH -> Philadelphia, PA: 6,313,905 tons

Florida (FL)

Rail Plan Year: 2023 | Data: Full Coverage

Major Freight Corridors

lantic coast and then terminates in Savannah, Georgia. The Silver Meteor and Silver Star, which make up Amtraks Silver Service, also originate in New York City and follow the Palmetto route but continue onwards to Miami, Florida. Lastly, the Crescent operates between New York City and New Orleans. One additional route, the Auto Train, operates between Washington DC and Orlando, but does not make any stops in Georgia. There is currently no commuter or inte rcity corridor service provided in the state. All four routes operate over the trackage of Class I freight railroads and utilize single -level train car equipment due to limited tunnel clearances between Washington DC and New York City.

er in 2016 or 2017 an update and expansion of the 2004 MWRRS. The FRA effort, titled the Midwest Regional Rail Plan, will look at new services making stops in 12 Midwestern states, including Iowa. 3.4 Proposed Commuter Rail Services Commuter rail is a mode of passenger rail transportation typically involving diesel-electric locomotives and passenger coaches on corridors shared with freight trains. As noted earlier, the services are concentrated on weekdays, with most trains operating in the peak commute period in the peak commute direction, with station stops several miles apart. The trains link outlying residential suburbs with downtown work centers.

r Comments Commenter Organization Comment Katherine Maas rTucson residentI would support and use a passenger train between Tucson and Phoenix. If it could be extended to Flagstaff, even better Andrew StockerPlease consider building more light-rail lines in the cities, and rail between the cities like Phoenix and Tucson. Guthrie Tucson residentI wasnt aware the state of Arizona owned any railroads. State subsidies for billionaires and we cannot get our roads fixed. Frank Flasch Tucson residentWhat is the purpose of this report? It seems to give me some very specific data but what is going to be done with it.? Will anything change or is this just a static report? My hope is that we see commuter rail service between Phoenix, Tucson, and Flagstaff John S.

tten serious consideratio n because it would cost freight companies more. Objection s based on Environmental Justice 1. The Highway to Nowhere was bad enough now they want to tear up West Baltimore again for yet another project that will harm and displace these communities, with no benefit for residents? Shame on them! 2. West Baltimore has not fully recovered from the civil unrest in April 2015. The harmful effects of this project will pile on the injuries. 3.

Baltimore already suffers from high -risk air pollution days, yet this plan bring s more diesel fumes through the city, and includes diesel exhaust towers right next to schools in some of the poor est areas with the highest asthma rates. 4.

Carriers & Railroads

both freight and passenger rail service. This vision is consistent with the goals adopted for the Rail Plan (page 12), as well as the seven broad areas of concern that guide development of the Alabama Statewide Transportation Plan (page 11). Primary objectives, which support the vision and goals as well as any prioritization activities, would address system maintenance, safety and economic development. ALDOTs primary role will be to contin ue adminis trating the Section 130 Program, which is funded by FHWA, for installation of safety upgrades at railhighway grade crossings. This program will continue to be the mainstay of the States rail investment activities.

irmingham (RPCGB). The report consider ed two types of service for the corridor: emerging high -speed rail on the NS ROW that currently hosts the Amtrak Crescent service and express high -speed rail primarily on dedicated ROW on I-20. The study recommends including a hybrid alternative in future studies. The study determine d that high -speed rail is feasible in the Atlanta to Birmingham corridor. The study recommends a Tier 1 NEPA analysis as the next step of this project. A project sponsor has not been identified for a Tier 1 NEPA analysis. GDOT will continue to explore opportunities with potential project sponsors or public -private partnerships to advance the projec ts.

e FRA finalized an Amtrak Daily Long-Distance Service Study (Long-Distance Study) as required by IIJA in 2021. Long-distance routes are statutorily defined as routes longer than 750 miles that Amtrak operates. Amtrak currently operates 15 long-distance trains, with corridors ranging from 760 to 2,500 miles in length. Any costs not covered by passenger revenues are funded by the federal government. The purpose of the Long-Distance Study is to evaluate the restoration of daily intercity rail passenger service, including Amtrak long-distance routes that: Were previously discontinued, with specific attention provided to routes in service as of April 1971 but not continued by Amtrak; Occur on a nondaily basis; or Are new routes under evaluation.

uck, at 1,860 an d 1,575, respectively , p ri marily due to rai ls role in shipping automobiles . Figure 25 shows the top 10 or iginating and terminating ra il freigh t commodities in Michigan. Coal was the larges t Michigan rail commodity by tonnage, nearly all of which is inbound to the state. Other prominen t commodities include metallic and nonmetallic ores and metal pro ducts, far m products, chemical products, transportation equipment, and waste and scrap mate

rial. Section 3.7 explores the top Michigan rai l freight commodities in more detail. MM2045 State Rail Plan Supplement 33 Figure 25.

Industry & Commodities

the Northeast Corridor allows direct commerce with the countrys largest and most lucrative marke tplace. The port is directly accessible to more major cities by rail and truck than any other port in the United States, allowing for efficient and timely deliveries. The port is close to Marine Highway M -95, which parallels the East Coast of the United States from Maine to Florida. A map of the U.S. Marine Highway system is shown in Figure 2-47. Figure 2-47: U.S. Marine Highway System (U.S. Maritime Administration , n.d.) In recent decades, the port has specialized in handling break -bulk and bulk cargoes, with container volumes shifting toward New YorkN ew Jersey and the Virginia Tidewater ports.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

iami, Port Everglades (Ft. Lauderdale)the principal source of imports, Port of Palm BeachLake Worth Inlet, and Port Canaveral minor, of no real consequence. In addition, FEC offers "Hurricane Service." This provides trucking companies the opportunity of having their trailers piggybacked out of Jacksonville to save the expensive cost of back-hauling empty trailers. The rock trains come out of the FEC yard at Medley, just west of Hialeah in the "Lake Belt" area of Dade and Broward Counties principally for materials dealers Titan and Rinker. The FEC also hauls normal manifest freight to and from points along its right of way. These cars are hauled on whatever train is going that way, so intermodal and rock trains routinely have manifest cars in their consists.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for Florida.

Rail Yard Capacity

it is unclear what happens when capacity is tappedout. As to business mix, opinions differ as to whether inter-change traf?c or local, single-line traf?c is the primary moneygenerator on a shortline. For a carrier that is not a switching road (whose rates are tied to the serving Class Is), the dollars generated from inter-change traf?c can depend mainly on negotiating ability withlarger carriers over revenue splits and on Class I strategy withrespect to shortlines and carload shippers. The local traf?c,on the other hand, is entirely under shortline control and hasvarious cost advantages over interchange businessmoreintensive equipment utilization is possible, for instance, andmuch reduced management overheadso that the lower rev-enue per car in local lanes still is very attractive.

Volume & Trends

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

f con- straints (10)(13) and constraints (17)(20) . We can also show that, for every request, the optimal dual multiplier of the demand satisfaction constraint will always be equal to the least cost itinerary offered by the competition. Proposition 2. Under an optimal pricing policy, kC3 k¼cc kða;bÞfor each request k 2K. Proof. The proof is similar to that of Proposition 1 . We proceed by contradiction. Let the vector ((tl),(fl),(fc),k,g,p,c,x) be an optimal solution for the problem. Suppose that for this solution there existsk2Ksuch that kC3 kcc kða;bÞwhich implies, by constraints (9), that for this request kC3 kC0cc kða;bÞ0.

staging to be accomplished. As a first cut on freight flows, the two scenarios outlined in Chapter 12 offer a starting point in picking possible metropolitan areas for pilot project investigations. 1. Destination traffic within the urban core of the metropolitan area where the bottleneck(s) occur(s); 2. Through traffic traversing the metropolitan area. Another selection criterion for pilot projects is that the metropolitan areas are non-attainment in terms of pollution levels.

Efficiency & Service Quality

Utah Railway, at the former DRGW Yard in Ogden. In 2008 the Utah Ce ntral was sold to short line operator Patriot Rail Corporation of Florida. Today the Utah Central serves 34 miles of track in the growing industrial area in and around Ogden. Photo by Kent Brown Utah State Rail Plan 2015 Page 67 Figure 26: Utah Central Railway Utah State Rail Plan 2015 Page 68 2.1.13 Utah Railway Table 14: Utah Railway Information Federal Railroad Administration Abbreviation: UTAH Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Connection: Yes Number of Rail Mi les Operated in Utah: 396 Number of Utah Employees: 69 Total Utah Employee Earnings: Not Available Taxes Paid to Utah: Not Available Signal Type: DTC and CTC Sources : Federal Railroad Admini st...

ue -Added A total economic value -added impact of 83.0 billion statewide was linked to the

freight rail provision and users. Key impacts of passenger rail in 2018 include: Employment Economic impact of passenger rail (provision and users) were estimated at around 8,570 total (direct and multiplier effects) job-years . Income A total of 484 million was earned by the total impacted employees. Economic Value -Added A total economic value -added impact of 755 million statewide was associated with the passenger rail services and users. Rail System Plan Development Process FDOT is the designated State Rail Transportation Authority (SRTA) and State Rail Plan Approval Authority (SRPAA) for Florida.

tion owned entirely by the United States Government.Bay Colony Railroad (BCLR) The BCLR is a privately held, Class III railroad with headquarters in Braintree, Massachusetts. BCLR owns and operates along the six mile segment of the Fall River Branch between Fall River and New Bedford (a.k.a. Watuppa Branch) in southeastern Massachusetts with a connection to the Massachusetts Coastal Railroad (MC). The railroad used to also operate along the Millis Branch, a line between Needham Junction and Millis. Once their primary customer, GAF Roofing, closed, BCLR ceased operation along the line.

Costs & Investment

No specific data on costs & investment was identified in available sources for Florida.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Florida.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Florida originating rail freight totaled approximately 188,862,694 expanded tons across 6,714,426 expanded carloads, generating approximately $11,079,911,389 in freight revenue.

Top Commodities by Tonnage (Origin):
- Non-Metallic Minerals: 277,325,404 tons (2,573,860 carloads)
- Intermodal: 145,617,880 tons (11,760,680 carloads)
- Chemicals: 76,017,120 tons (2,467,755 carloads)
- Paper Products: 71,868,405 tons (1,388,400 carloads)
- Lumber/Wood: 43,238,268 tons (515,284 carloads)
- Waste/Scrap: 32,373,276 tons (376,164 carloads)
- Petroleum: 23,522,065 tons (307,615 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Jacksonville, FL: 56,996,931 tons

- Columbus, OH -> Jacksonville, FL: 27,199,540 tons
- Jacksonville, FL -> Masked/Suppressed: 18,965,633 tons
- Dothan, AL -> Charlotte, NC: 18,868,863 tons
- Jacksonville, FL -> Fayetteville, NC: 15,809,366 tons

Georgia (GA)

Rail Plan Year: 2021 | Data: Full Coverage

Major Freight Corridors

less than 35.8 million) play a vital role in the states ec onomy (see Chapter 2 for maps of Georgias short line railroads). These railroads provide last mile connections between shippers and the rail network. Issues and opportunities with short lines are driven by several factors. First, most of the rail lines over which these carriers operate were purchased or leased from Class I rail carriers72. GDOT also leases rail lines to short line operators after having acquired these rail lines to avoid their being abandoned (see Figure 2 -1). As such, short lines operate cast off lines that the former owners or lessors could not operate profitably. In many cases, the former owners deferred maintenance, because the lines were not profitable and did not justify significant investment.

where the tracks cross State Street, entering downtown Waycross from the north. Ware County has commissioned a study to search for solutions. Opt ions considered include constructing an overpassunderpass or extending existing roadways to provide a route around trains. CSX cites this blocked crossing area as one of its two largest problem areas in the state in terms of complaints that it receives. T rains wait in this area to access the CSX rail line between Waycross and Jesup. Large trains are limited in where they can wait for other trains to pass.

00 per year paid by other entities using railroad property. These funds have been used to: (1) Purchase ties and other materials for the active state-owned lines; (2) Repair and inspect bridges; (3) Clean ditches, remove brush and spray weeds. The operating railroads are also required to maintain lines at their own expense with total expenditures required based on a percent- age of their revenues. The state also administers a Rail Line Revolving Loan Fund. It was established in 1993 with state bond funds, and additional money was added in 1997. Total funding was 4 million. Loans through the fund are issued for up to 20 years for capital improvements to short line railroads. A redistribution of repaid loan principal is anticipated in 2012.

t Royal, VA or the Greer Inland Port at Greer, SC. However, the GPA has been particularly active in exploring and developing not only a single, but a network of inland ports. Numerous stakeholders consulted prepari ng this State Rail Plan were enthusiastic about inland ports. The central idea of Georgias inland ports is to bring the Port of Savannah closer to population centers and inland markets. Shippers can realize potential savings by not needing to truck

contai ners as far to and from the Port of Savannah. For many parts of Georgia, the Port of Savannah is a two -day truck trip where a truck driver must drive between the shipper location and the Port of Savannah, take a break of at least 10 hours to comply with ho urs of service regulations, and then return after the break.

Carriers & Railroads

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

ers. The PRIIA standard requires an improvement over the prior eight quarters. With one -percent increases from the prior period, the Crescent, Palmetto, and Silver Star each achieved the performance standard, while the Silver Meteor did not. Additionally, the Palmetto revenues covered 87 percent of its operating costs during this time -period, out -performing the oth er three routes in the state. The Palmetto has lower operating cost due to the combination of an overall shorter route, no sleeper car service, and the local stops in the North -East Corridor as previously mentioned.

n such as switches into the facilities, while local authorities could help to land on which to build the facilities. If future funding levels are consistent with past funding levels, GDOTs allocation of Railway - Highway Crossings (Section 130) Program funds will be around 11.5 million per year. GDOT does not maintain a dedicated funding source f or grade separation projects as appear in the RSIP. However, GDOT can apply a portion of Section 130 program funds to grade separations as long as significant safety benefits result and the project does not consume an excessive portion of GDOT annual Sect ion 130 allotment.

-stakeholder communications Technology ramifications Vertical clearancesFreight Rail Issues and Needs 6-8 State Rail Plan State Rail Plan The third breakout session was a different format than the passenger and freight rail s essions. Attendees were informed of the six major State Rail Plan goals and objectives and added comments, concerns, and asked questions of the project team. These comments and concerns were recorded, and many echoed sentiments captured in the freight and passenger rails sessions.

Industry & Commodities

ies and strategies to improve the states freight landscape. This included a list of potential projects identified through the plan development and in coordination with previous local and corridor studies. Surrounding State Rail Plans As Tennessee shares rail corridors and services with other states, it is essential to coordinate with other states through both direct interaction and through comprehensive review and analysis of state rail plans prepared by other states in the region. Collaboration with other state DOTs has taken place through the group of Lead Stakeholders for the FRAs Southeast Rail Plan. TDOT will continue to monitor the progress of any recommendations resulting from other states rail plans and their potential effect on rail in Tennessee.

hern Drive Prattville AL 36067 akirklandwatcocompanies.com Bay Line Railroad, LLC BAYL www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenessee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com Birmingham Terminal Railway BHRR www.watcocompanies.com David Tarwater General Manager Birmingham Terminal Railway 5700 Valley Road Fairfield AL 35064 dtarwaterwatcocompanies.com Chattahoochee Bay Railroad CHAT www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenessee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com Columbus Chattahoochee Railroad Co. CCHA www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenessee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com CG Railway, Inc.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this

type of project.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

Connecticut stone quarry in North Branford. Traffic consists of about 7,000 carloads of construction aggregate outbound from North Branford to an interchange with the Providence Worcester Railroad on Amtraks Northeast Corridor in Branford and at a barge transload facility in Pine Orchard. Operations on the railroads route are limited 10 MPH. The carload weight limit on the line is 286,000 pounds. The railroad has a repair shop, a pit scale, and a motion scale in North Branford. Despite its name, the railroad operates with diese l-electric locomotives.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

ry means of moving freight in this country and is expected to increase its share of the freight market in the coming years (National Surface Transportation Policy and Revenue Study Commission. 2007)). The central question addressed in this report is whether there is a role that short lines and regional railroads can cost-effectively play in reducing some of these congestion impacts in the metropolitan areas they serve. Short line or regional railroads do not serve all the metropolitan areas listed in Table 3.1. Table 3.2 identifies those metropolitan areas that have one or more short line or regional railroads operating within or proximate to them.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

Efficiency & Service Quality

e office of prime responsibility for rail activities in South Carolina. The South Carolina Department of Transportation (SCDOT) has an Intermodal Programs Manage r that works in tandem with the Department of Commerce on rail planning activities. Other state agencies that work closely with the SCPR Division are the State Ports Authority and the Aeronautics Division of the SC Department of Commerce. A rail plan comp leted in October 2008 met in part the requirements established by the Passenger Rail Investment and Improvement Act of 2008 (PRIIA) and an update of this study is currently underway. It did, however, reference another study looking at a coastal connection linking Florence, Myrtle Beach and Charleston to the SEHSR corridor using existing tracks.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

n plan and estimated qualified railroad rehabilitation expenditures. Arkansas Railroad Modernization Tax Credit Income tax credit equal to 50 percent of the eligible taxpayers railroad track maintenance expenditures. Eligible taxpayer means a railroad classified as a Class II or Class III railroad by the U.S. STB . Expenditures are for maintenance, reconstruction, or replacement of railroad track. The maximum amount of credit is 5,000 per mile of track owned or leased by the railroad. This is a non- refundable credit and can be carried forward for up to five years.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

tate Rail Plan Chapter 4 74 4. S tate Rail Coordination and Review Public and Stakeholder Participation Approach The knowledge and experience of West Virginians and stakeholders have shaped the development of this future-focused State Rail Plan. To ensure all potential stakeholders and the public had the opportunity to provide input, a Stakeholder Public Engagement Plan was developed to outline public outreach tools, including meetings, surveys and interviews of various stakeholders involved in or affected by the States rail system. First, WVSRA reached out to WVDOT staff, transportation experts, rail users and industry to form a steering committee and an advisory committee.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Georgia originating rail freight totaled approximately 392,454,331 expanded tons across 8,471,071 expanded carloads, generating approximately $16,361,136,159 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 1,113,920,195 tons (10,180,165 carloads)
- Non-Metallic Minerals: 282,649,336 tons (2,622,472 carloads)
- Intermodal: 145,617,880 tons (11,760,680 carloads)
- Chemicals: 40,405,410 tons (2,045,775 carloads)
- Waste/Scrap: 38,659,683 tons (440,826 carloads)
- Lumber/Wood: 34,147,848 tons (402,864 carloads)
- Paper Products: 18,208,590 tons (701,040 carloads)

Top Origin-Destination Pairs:
- Columbus, GA -> Masked/Suppressed: 131,947,403 tons
- Masked/Suppressed -> Jacksonville, FL: 56,996,931 tons
- Columbus, GA -> Baltimore, MD: 28,912,775 tons
- Columbus, OH -> Jacksonville, FL: 27,199,540 tons
- Jacksonville, FL -> Masked/Suppressed: 18,965,633 tons

Iowa (IA)

Rail Plan Year: 2022 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

tertown (Figure 9 -19). These areas are largely near l ow volume lines, except for Beaver Dam, La Crosse, Portage, and Watertown. Intermodal Facilities in the Southwest Region The Southwest Region contains one of the states three active portrail intermodal facilities. The La Crosse portrail intermodal facility is located along the Mississippi River north of downtown La Crosse near the citys Amtrak station. The block groups nearest the portrail intermodal facility have b elow Regional and state average rates of youth and seniors , but above average rates of racial and ethnic minorities , low- income residents , and zero -vehicle households (Figure 9 -17; Figure 9 -18; Figure 9 -19).

flights. Rail and highway system conditions are critical for the movement of Iowas freight. Concern over rail line abandonments and service reduction was noted. Chicago was noted as the economic capital of the Midwest and connections to Chicago are essential to commerce. Most felt that deficient systems should be funded by federal sources, Iowa fuel tax, and several mentioned tolls and user fees. Private investment is also needed for larger projects. Few regulatory burdens were noted; however, hours of service rules have made the truck driver shortage worse. There is concern about increased regulation in the future. PERFORMANCE MEASURES Key performance measures included on-time and within budget. A few noted damaged free shipping.

ts would directly benefit the South Dakota rail shippers, including those in the agricultural sector, who rely on consistent, timely, and reliable rail service to and from the Pacific Northwest during harvest season to make their crops available for overseas export. BNSF CORRIDORS OF COMMERCE BNSF has designated the Willmar, Minnesota , to Lincoln, Nebraska , route as part of its MidCon Corridor . This route passes through Garretson, South Dakota , along the BNSF Marshall Subdivision. The Midcon Corridor exists as a central Midwest north -south artery to move key grain and energy commodities from Canada and the Upper Midwest to Texas and the Gulf Coast for refining, consumption, or export. 52 Railway Age, MRL Rails Returning to BNSF (Updated), January 11, 2022.

to ensure that the public is kept aware of the financial benefits and costs of each alternative. 5.6.1.4 PASSENGER RAIL ECONOMIC BENEFITS Studies of new passenger services comprise the largest share of investment dollars in the short term, but there are improvements to existing Amtrak stations and services that will enhance the attractiveness, safety, and accessibility of intercity rail travel and thus enhance mobility. Long-range investments will go further, building intercity and possibly even commuter rail networks with the potential to facilitate economic growth and enhance the quality of life for Iowans.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is

constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

aid by the railroads, (2) railroad property lease income, and (3) a penny gas tax. The North Carolina State Rail Plan (2009) recommended that the state re-evaluate the percentage allocation of state transportation funds to rail projects. Public Investment Funding Transportation Trust Fund Recognizing that a sound, balanced transportation system is vital to the future of the state and is a key factor in its continued economic development, the New Jersey Transportation Trust Fund was created by statute in 1984. Its purpose is to provide a stable and assured method of financing the development and preservation of the states

transportation infra-structure. It receives funds from motor fuel taxes, petroleum products gross receipts taxes, and sales and use taxes.

Volume & Trends

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to which passenger fare revenues cover operating costs.

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

Bottlenecks & Constraints

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

ear. First-last mile strategies, as defined by UTA and used for this project: The term last mile can be used to describe the difficulty in getting people from a transport hub, such as a railway station or bus depot, to their final destination and back again. When users have difficulty Utah State Rail Plan 2015 Page 134 getting from their starting location to a transport network, this can be described as the "first mile problem." Traditional solutions to the first mile problem in public transit have included the use of feeder buses, bicycling infrastructure, pedestrian amenities and urban planning reform, such as street and trail connectivity and mixing uses.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

riever, and Slidell. Passengers boarding or alighting (exiting) Amtrak trains at these stations totaled 83,842 in 2021, down from a pre -COVID passenger count of 176,159 in 2019 . Apart from the immediate impacts of the COVID -19 pandemic, ridership has been constrained through poor on- time performance, rolling stock shortages, and service outages that have all increased since the early 2010s. 1.4 Vision, Goals, and Objectives for Louisianas Rail Transportation Defining a clear vision, supported by a set of well -defined goals and objectives is crucial for guiding the rail development, investment and policy decisions in the state , ensur ing alignment with broader transportation and sustainability objectives.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Iowa originating rail freight totaled approximately 983,981,374 expanded tons across 10,996,145 expanded carloads, generating approximately $30,620,804,927 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 1,384,326,132 tons (13,537,974 carloads)
- Chemicals: 1,343,054,400 tons (14,267,790 carloads)
- Metallic Ores: 1,271,116,707 tons (15,025,686 carloads)
- Food Products: 712,418,070 tons (7,757,030 carloads)
- Non-Metallic Minerals: 212,238,416 tons (1,894,420 carloads)
- Petroleum: 96,041,505 tons (1,148,840 carloads)
- Paper Products: 37,301,829 tons (440,256 carloads)

Top Origin-Destination Pairs:
- Des Moines, IA -> Des Moines, IA: 281,557,086 tons
- Des Moines, IA -> Masked/Suppressed: 146,995,076 tons
- Boise, ID -> Omaha, NE: 49,728,967 tons
- Davenport, IA -> Masked/Suppressed: 36,573,175 tons
- Masked/Suppressed -> Davenport, IA: 31,078,457 tons

Idaho (ID)

Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

ng to identify the gaps in the state. Please mark your maps of where you think we have gaps. b. Dan Harbeke stated that building some in the south coast. But they rely on private investors to say we need a rail line in a certain place. It is hard for rail lines to pinpoint where growth is going to be. c. Walt Steinvorth asked how railroads identify transportations systems that have a hole in them. d. Dan Harbeke explained that they are having one on one conversations everyday with developers and where possible g rowth will be. e. Walt Steinvorth asked where is the interface between rail and truck? f. Matt Riffkin commented that Utah has the highest amount of truck movement among all states. And we are spending a lot of money on roads. g.

ormance. The distribution of locomotive power allows the internal forces within longer trains to be safely handled, and is how railroads have been able to move trains of 10,000 feet in length or longer. However, these very long trains have challenges. Long trains take more time to build and break down, and their sheer length can complicate operations in terminals and along single track main lines. Furthermore, fixing mechanical problems can take more time than they do with shorter trains. Railroads have found the benefits of longer trains great enough to address these challenges and continue to experiment with even longer trains. Railroads also can manage the volume of freight by choosing to make business adjustments.

uch as constructing a new double tracked bridge and a second main line on Sandpoints lakeshore in the vicinity of the Amtrak depot, or undoing the convoluted routing scheme through Sandpoint and route BNSF trains on new track along the west side of town in conjunction with, or parallel, to UPRRs Spokane subdivision, thus avoiding Lake Pend Oreille and crossing the much narrower Pend Oreille River. North from the Lake Pend Oreille Bridge and Sandpoints Amtrak depot, the BNSF Kootenai River Subdivision enters into the rerouting scheme mentioned previously. The current main line leaves the old NP alignment and Sandpoint Jct.

ose comments and resent the USRP to the FRA on January 30, 2015 for final review. The USRP will then feed directly into the Utah Freight Plan and the UDOT Long -Range Transportation Plan. Since the USRP officiall y started May 2012, UDOT Utah State Rail Plan 2015 Page 164 used the FRA State Rail Plan Guidance dated August 2012 as the standardized format for the state rail plan. 8.2 Describe how the state rail plan wa s coordinated with neighboring s tates with respect to faci lities and services that cross s tate boundaries.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to

hold a lease on the State -owned Napa -Platte line.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

rvices in Iowa. Iowas operating freight railroads are divided into three categories, including Class I railroads which are large, primarily long-haul national rail systems; Class II railroads which are medium sized railroads that operate regional rail systems; and Class III railroads which are commonly referred to as short line and switching or terminal railroads, which operate at the local level. Iowa also has non-operating railroad owners, which own short segments of the Iowa rail network and have agreements with Class II and Class III railroads to provide rail service. The passenger rail system is comprised of Amtrak National Network, or long-distance intercity services, and privately owned tourist railroads.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count

the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

ts. Thus, the total traffic volumes listed in the Fact Sheets should line up with the corresponding WB for a given year. A wellknown issue with the WB is the underreporting of traffic handled by small railroads. Although the AAR is well aware of this issue, development of a straightforward methodology to correct for this error has not been developed. The FAF does not correct for this error either. Commodity Flow Forecasts As the STB WB provides the most accurate picture of rail activity in the state, providing a clearer more disaggregated picture than FAF3, it is use as the 2010 base forecast. Unique to the FAF3 is forecast information through the year 2040, by mode and commodity.

to the line from near Billings to Glendive, and then to North Dakota beyond Wibaux. The BNSF line from Laurel to Great Falls and Shelby has mod - erately heavy volume. Union Pacific (UP)

is the other Class I railroad operating in Montana. Despite having a relatively limited number of track miles in the State, UP provides a critical connection between the Port of Montana in Silver Bow County (where UP owns and operates an automotive distribution center) and markets in the western U.S. and southwestern U.S., which are not accessible by other rail carri - ers in the State. Forest products, combined with lumber and wood products, accounted for approximately 75 percent of UP s tonnage originating in Montana.

Costs & Investment

No specific data on costs & investment was identified in available sources for Idaho.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

riever, and Slidell. Passengers boarding or alighting (exiting) Amtrak trains at these stations totaled 83,842 in 2021, down from a pre -COVID passenger count of 176,159 in 2019 . Apart from the immediate impacts of the COVID -19 pandemic, ridership has been constrained through poor on- time performance, rolling stock shortages, and service outages that have all increased since the early 2010s. 1.4 Vision, Goals, and Objectives for Louisianas Rail Transportation Defining a clear vision, supported by a set of well -defined goals and objectives is crucial for guiding the rail development, investment and policy decisions in the state , ensur ing alignment with broader transportation and sustainability objectives.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Idaho originating rail freight totaled approximately 2,291,442,517 expanded tons across 19,421,653 expanded carloads, generating approximately $54,968,543,263 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 10,690,163,155 tons (89,544,010 carloads)
- Chemicals: 1,519,849,485 tons (14,097,675 carloads)
- Farm Products: 175,449,414 tons (1,662,984 carloads)
- Petroleum: 25,799,949 tons (317,380 carloads)
- Non-Metallic Minerals: 19,052,592 tons (186,620 carloads)
- Stone/Clay/Glass: 11,157,156 tons (112,134 carloads)
- Food Products: 6,061,715 tons (61,835 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Masked/Suppressed: 742,769,241 tons
- Boise, ID -> Fargo, ND: 248,820,161 tons
- Boise, ID -> La Crosse, WI: 207,357,390 tons
- Boise, ID -> Dallas, TX: 179,562,204 tons
- Boise, ID -> Columbus, OH: 110,528,262 tons

Illinois (IL)

Rail Plan Year: 2023 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

rail on January 1, 1983. The commuter rail network in New Jersey is a legacy of the former Northeast railroads. NJ TRANSIT, however, has invested billions of dollars in the network to bring the services to meet modern day stan-dards for commuter rail operations. Penn Central Penn Central provided commuter rail service between Trenton and Penn Station in New Y ork City on what is today Amtraks NEC. Penn Central owned the corridor and operated it as the north-south main line. Consequently, the line had significant freight service as well as intercity and commuter passenger rail service. Penn Central also operated trains on the North Jersey Coast Line (NJCL) through its subsidiary, the New Y ork and Long Branch Railroad with the Central New Jersey Railroad. 10 Ibid, 3.

ter 2: Iowas Existing Rail System Link Iowa to other passenger rail corridors. While Amtrak provides linkages for Iowans via its long-distance intercity services, there are no short to medium distance passenger rail corridor services in the state. However, Iowa DOT has identified such services. These include east-west routes between Chicago and both the Quad Cities of Illinois and Iowa and Dubuque. These intercity corridor services could potentially be extended westward to Iowa City, Des Moines, Council BluffsOmaha, and Waterloo, Fort Dodge, and Sioux City, respectively. Additional development could potentially include two north-south routes between the Twin Cities of MinneapolisSt.

tates. They are: Connect major cities in Iowa to each other, as well as to regional trade centers outside of Iowa. The present Amtrak system provides for daytimeearly evening travel in the southern tier of the state, linking Iowans with West Coast and Chicago and intermediate markets. However, most of the state is without convenient rail service and rail linkages to major markets outside of Iowa. As Amtrak has no current plans to add new services, development of new rail services in new corridors will require Iowas leadership to partner with other states and the freight railroads that will host such services.

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is

constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

rvices in Iowa. Iowas operating freight railroads are divided into three categories, including Class I railroads which are large, primarily long-haul national rail systems; Class II railroads which are medium sized railroads that operate regional rail systems; and Class III railroads which are commonly referred to as short line and switching or terminal railroads, which operate at the local level. Iowa also has non-operating railroad owners, which own short segments of the Iowa rail network and have agreements with Class II and Class III railroads to provide rail service. The passenger rail system is comprised of Amtrak National Network, or long-distance

intercity services, and privately owned tourist railroads.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

hem onto trucks that haul the containers across town to the other railroads terminal (hence the term rubber tire interchange) where they are loaded onto the second railroads train. Typically, steel wheel interchange is preferable when railroads are transferring a significant number of intermodal railcars at a time, and the intermodal railcars arrive at the second railroad pre-sorted (pre blocked). If railcars are not pre blocked and arrive in small batches, the cost of switching railcars undoes any savings from using rail rather than truck to transfer containers. In Chicago, railroads must also navigate an extremely busy rail network, often with commuter train windows that limit when freight trains can move.

mat erials to reach markets throughout North America. (Indianapolis was the first U.S. city whose growth was dependent entirely on railroads.) The states three biggest railroads (the Class I freight railroads CSX Transportation, Canadian National Railway, and Norfolk Southern Railway) have main lines in Indiana that link multiple consuming and manufacturing regions, including routes from the U.S. Midwest to the Northeast and Mid- Atlantic, routes from the Midwest to the Southern U.S., and from Chicago to Easter n Canada. To efficiently move this traffic, giant railroad terminals in Elkhart, Gary, and Indianapolis sort thousands of freight cars each day arriving from across the Eastern U.S., and then build outbound trains to send the cars onward to their destinati ons.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16

voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Illinois originating rail freight totaled approximately 606,423,128 expanded tons across 9,955,155 expanded carloads, generating approximately $30,696,398,525 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 1,244,835,480 tons (14,109,600 carloads)
- Non-Metallic Minerals: 867,091,452 tons (7,992,188 carloads)
- Farm Products: 757,300,740 tons (7,313,586 carloads)
- Food Products: 271,985,445 tons (3,152,340 carloads)
- Intermodal: 159,440,080 tons (11,442,820 carloads)

- Petroleum: 137,529,854 tons (1,700,111 carloads)
- Waste/Scrap: 79,163,679 tons (849,336 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Springfield, IL: 94,684,232 tons
- Evansville, IN -> Louisville, KY: 45,686,388 tons
- Davenport, IA -> Masked/Suppressed: 36,573,175 tons
- Masked/Suppressed -> Davenport, IA: 31,078,457 tons
- Davenport, IA -> Columbus, OH: 28,887,320 tons

Indiana (IN)

Rail Plan Year: 2021 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

that you will require the use of rail? Responses can be summarized as follows: For customers that ship large volumes of goods or high- value products at consistent levels throughout the year, the freight rail service they receive is reliable. For customers th at ship low volumes, seasonal volumes, or low -margin commodities at fluctuating levels throughout the year, the freight rail service they receive is inconsistent. Respondents that had identified service inconsistency as an issue stated that trains generall y showed up within windows of time that permitted businesses to continue to conduct their operations, but that frequent vigilance and communication with the railroads was required to ensure that cars would arrive or shipments would be delivered.

and Pittsburgh, sponsored by the City of Fort Wayne, Indiana. Daily Cardinal Service, sponsored by Amtrak. The Cardinal route is between New York, New York and Washington, D.C., and Chicago, Illinois, and it passes through the southwest corner of Ohio between Cincinnati and the IndianaOhio border. DRAFT 2.Ohios Existing Rail System 12 OHIO RAIL PLAN 2.Ohios Existing Rail System 2.1 Description and Inventory According to the Association of American Railroads, Ohio ranks fourth in the nation for rail mileage behind Texas, Illinois, and Pennsylvania. Ohios rail network is also very dense, with a high mileage compared to the geographic size of the state. Of Ohios 88 counties, 86 are served by at least one rail line.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air

and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to

hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals .

NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

(Canadian National) mainline that crosses Michigan between western Indiana and Port Huron also has high density since it is the primary rail line that connects Chicago with eastern Canada. Figure 9. Michigan Rail Line Densities Source: 2018 Surface Transportation B oard Waybill data, MDOT, IHS Markit Analysis Michigan Rail Line Capacities Most rail lines in Michigan consist of only a single track. H owever, the states high -density rail lines have two tracks, and for short, selected segments, three tracks, as shown on Figure 10. In Michigan, there are an estimated 636 miles of double track and 12 miles of triple track, while t he remaining 2,919 miles are single track. MM2045 State Rail Plan Supplement 18 Figure 10.

ings throughout Montana : 5,119 are at -grade; 1 51 are railroad under ; and 225 are railroad

over crossings. In terms of ownership, 3,094 are private crossings, 2,374 are public, and 27 are pedestrian crossings. The database also provides information regarding train movements, which shows that 57.5 percent of the crossings are on rail lines that have rail traffic of less than one train per day . In 2007, Montana ranked 34th among all states with 18 rep orted rail crossing inci - dents out of the 2,760 total highway -rail grade crossing incidents in the U nited States in 2007.

high a return as other potential traffic opportunities. Class I railroads have an incentive to handle freight that travels longer distances on their systems since they earn more revenues from longer moves. As a result, most traffic on Class I railroads is relatively long distance. The average Norfolk Southern rail move was 539 miles in 2019, 562 miles for CSX, and 331 miles for Canadian National . 10 Furthermore, the Class I average length of haul has tended to increase over the years. For example, the average Norfolk Southern length of haul was 472 miles in 2000 , 455 for CSX, and 255 mi les for Canadian National , each significantly less than in 2019 . New traffic that short- line railroads would like to bring online is not always attractive to Class I interchange partners.

fo rms using repurposed spaces at track level such including former mail and baggage platforms, building a connection to the CTA subway, and upgrading tracks, signals and interlockings to improve train operations. Although Amtrak and the City of Chicago have advanced some of the plans short -term recommendations, in particular improvements to make station entrances compliant with the Americans with Disabilities Act, funding for the projected 500 million full Phase 1 buildout has not yet been secured. 153 In 2019, Amtrak signed an agreement with a commercial real estate developer to convert a parking garage south of Union Station into an office and retail complex. Construction on the 700 -foot BMO Tower, which will occupy the site, began in late 2020.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always

occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at

least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Indiana originating rail freight totaled approximately 527,393,363 expanded tons across 8,356,107 expanded carloads, generating approximately $25,826,813,438 in freight revenue.

Top Commodities by Tonnage (Origin):
- Non-Metallic Minerals: 705,121,928 tons (6,591,048 carloads)
- Farm Products: 667,936,398 tons (6,481,398 carloads)
- Chemicals: 396,707,115 tons (4,682,565 carloads)
- Petroleum: 316,841,168 tons (4,455,164 carloads)
- Transportation Equipment: 248,845,245 tons (12,932,630 carloads)
- Food Products: 170,277,620 tons (1,801,985 carloads)

- Primary Metals: 107,380,468 tons (1,190,828 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Fort Wayne, IN: 56,232,813 tons
- Evansville, IN -> Louisville, KY: 45,686,388 tons
- Cincinnati, OH -> Masked/Suppressed: 29,170,081 tons
- Chicago, IL -> Columbus, OH: 25,925,740 tons
- Fort Wayne, IN -> Masked/Suppressed: 23,992,329 tons

Kansas (KS)

Rail Plan Year: 2022 | Data: Full Coverage

Major Freight Corridors

e two downtowns. While the CP line is the current Empire Builder route, operating with once daily service between Chicago and Seattle, either the CP or BNSF routes between the Twin Cities could serve larger purposes in the future. Red Rock commuter rail service has been studied along both the BNSF and CP alignments as part of the feasibility analysis conducted for the Red Rock Corridor Commission. 24 Coordination with existing freight rail and the associated cost for track and signal improvements have been two challenges to implementation. One of the potential draw- backs of the BNSF route is the need to back-out of the St. Paul Union Depot for trains coming from the south and east and wanting to go north and west.

DAKOTA NETWORK The BNS F North Dakota network consists of two operating divisions and their respective operating subdivisions. TWIN CITIES DIVISION The Twin Cities Division centers around the three BNSF main lines in the eastern part of the state . Two main lines connect at the M innesota border and Minot, one entering North Dakota at Grand Forks and the second crossing the state border in Fargo. The line through Grand Forks provides a link to Duluth; the line through Fargo, part of BNSFs Northern Transcontinental Corridor (Northe rn Transcon), between the Pacific Northwest and Chicago, provides a connection to the Twin Cities. The third main line proceeds from Fargo through Bismarck. The Twin Cities Division in North Dakota comprises 16 operating subdivisions (Figure 2-12).

Senator Clarks railroad was changed from San Pedro, Los Angeles Salt Lake to Los Angeles Salt Lake after San Pedro was annexed by the city of Los Angeles. In 1921 Senator Clark sold his remaining half interest in the LA SL to UP , which quickly moved to fully absorb the route into its overall system. However, the line continued to be known as the Salt Lake Route, a name which endures into 2013. Until the 1930s there was little on line business for the Salt Lake Route and most passengers and freight on the railroad were traveling to or from S outhern California and Utahs Wasatch Front and points east.

the route for Northstar Commuter Rail and the Empire Builder. The NLX high- speed passenger service to Duluth would utilize this track and junction to enter the Hinckley subdivision and access the proposed raceway of double track between Coon Creek Junction and Sandstone. It also is the site of a proposed north suburban station at Foley Boulevard, site of freeway access and the Twin Cities largest Park-and-Ride facility. This site would be con-

sistent with FRA guidance for key suburban stops for intercity service to enhance urban service coverage and convenience for ri ders, similar to proposals for Rosemount or Hastings in the southeast.

Carriers & Railroads

ter 2: Iowas Existing Rail System Link Iowa to other passenger rail corridors. While Amtrak provides linkages for Iowans via its long-distance intercity services, there are no short to medium distance passenger rail corridor services in the state. However, Iowa DOT has identified such services. These include east-west routes between Chicago and both the Quad Cities of Illinois and Iowa and Dubuque. These intercity corridor services could potentially be extended westward to Iowa City, Des Moines, Council BluffsOmaha, and Waterloo, Fort Dodge, and Sioux City, respectively. Additional development could potentially include two north-south routes between the Twin Cities of MinneapolisSt.

HLSC Meeting 2 Summary http:engagefreightrailplans.iowadot.gov 13 Iowa Department of Transportation State Rail Plan and State Freight Plan HLSC Meeting 2 Summary http:engagefreightrailplans.iowadot.gov Appendix B: Invitation Mailing and Attendee List First Name Last Name Organization Attended Greg Lofstedt Derrick James Amtrak Todd Stennis Amtrak Ron White ARTCO Fleeting Service Denise Bulat Bi-State Gena McCullough Bi-State Sarod Dhuru BNSF Greg Reeder City of Council Bluffs Dave Gobin City of Muscatine Jeff Woods CRANDIC Chandra Ravada Dubuque MPO Steve Falck Environmental Law and Policy Center Rob Toncar FedEx Teresa Valenta FedEx Stacy Timperley Forbs Beth Bilyeu Forest City Economic Development David Toyer Greater Burlington Partnership Harold Hommes Iowa Department of Agriculture and...

http:engagefreightrailplans.iowadot.gov Map Scribe Notes 27 F-78 Iowa State Rail Plan Appendix F: Outreach Elements and Comments HLSC Meeting Invitees FIRST NAME LAST NAME ORGANIZATION Greg Lofstedt Derrick James Amtrak Todd Stennis Amtrak Ron White ARTCO Fleeting Service Denise Bulat Bi-State Gena McCullough Bi-State Sarod Dhuru BNSF Greg Reeder City of Council Bluffs Dave Gobin City of Muscatine Jeff Woods CRANDIC Chandra Ravada Dubuque MPO Steve Falck Environmental Law and Policy Center Rob Toncar FedEx Teresa Valenta FedEx Stacy Timperley Forbs Beth Bilyeu Forest City Economic Development David Toyer Greater Burlington Partnership Harold Hommes Iowa Department of Agriculture and Land Stewardship Kyle Barichello Iowa DOT Ed Engle Iowa DOT Sam Hiscocks Iowa DOT Laura Hutzell Iowa DOT Ama...

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to

occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

aid by the railroads, (2) railroad property lease income, and (3) a penny gas tax. The North Carolina State Rail Plan (2009) recommended that the state re-evaluate the percentage allocation of state transportation funds to rail projects. Public Investment Funding Transportation Trust Fund Recognizing that a sound, balanced transportation system is vital to the future of the state and is a key factor in its continued economic development, the New Jersey Transportation Trust Fund was created by statute in 1984. Its purpose is to provide a stable and assured method of financing the development and preservation of the states transportation infra-structure. It receives funds from motor fuel taxes, petroleum products gross receipts taxes, and sales and use taxes.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating

Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to which passenger fare revenues cover operating costs.

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

LDRR Branches Branch Description Breaux Bridge Branch Breaux Bridge Package with Breaux Bridge Branch, Lafayette Commercial Branch, Elks and Power House Spurs that fan out from Lafayette. Midland Branch New Iberia to Abbeville with Pesson and Avery Island Spurs MOP Line New Iberia ARA Spur Acadiana Regional Airport facilities in New Iberia Cypremont Branch Baldwin to Cypremont and Port of West St. Mary Bayou Sale Branch Bayou Sale to North Bend Lockport Branch Raceland to MP 1.7 Source: Genessee Wyoming 2.1.2.3 Patriot Rail Company Patriot Rail owns 32 short line railroads across 23 states, including two railroads operating a combined 82 miles of mainline track within Louisiana. Delta Southern Railroad (DSRR) DSRR operates two rail segments for a total of 45 miles.

Bottlenecks & Constraints

f con- straints (10)(13) and constraints (17)(20) . We can also show that, for every request, the optimal dual multiplier of the demand satisfaction constraint will always be equal to the least cost itinerary offered by the competition. Proposition 2. Under an optimal pricing policy, kC3 k¼cc kða;bÞfor each request k 2K. Proof. The proof is similar to that of Proposition 1 . We proceed by contradiction. Let the vector ((tl),(fl),(fc),k,g,p,c,x) be an optimal solution for the problem. Suppose that for this solution there existsk2Ksuch that kC3 kcc kða;bÞwhich implies, by constraints (9), that for this request kC3 kC0cc kða;bÞ0.

als from other tribun als. See, e.g., Total Petroc hems. Ref. USA, Inc. v. CSX Transp., Inc., NOR 42121, slip op. at 220 (STB served Sept. 14, 2016) (relying on Board precedent); Consumers Energy Co., NOR 42142, slip op. at 19 n.20 (citing academic literature); AEP Tex. N. Co. v. BNSF Ry., NOR 41191 (Sub-No. 1), slip op. at 7-8 (STB served May 15, 46 For example, the ICC described the Long-Cannon factors as certain checks on obviously inefficient

mana gement. Coal Rate Guidelines, Nationwide, EP 347 (Sub-No. 1), slip op. at 10, 13-14 (ICC served Feb. 24, 1983); see also Coal Rate Guidelines, Nationwide (Coal Rate Guidelines), 1 I.C.C.2d 520, 540-41 (1985) (discussing the Long-Cannon factors in establishing the management effici ency constraint).

ations in Metropolitan Areas The focus here is on short lines and regional railroads that are currently operating in metropolitan areas that have been identified by FHWA as having significant truck freight bottleneck issues (FHWA, 2004). Depending upon the methodology used, the year of analysis and whether more than trucks are considered, there are over 20 such metropolitan areas in the U.S. (See Table 3.1). In this analysis, only metropolitan areas having three or more interchange bottlenecks, totaling more than 1 million hours of annual delay, are considered. There are other metro areas that exceed the 1 million hour delay mark, and there are areas that are close to that mark.

s and then rank each location 3. Infrastructure Condition Evaluation (ICE) tool xComplete analysis and then rank each location 4. INRIX Bottleneck Ranking tool xComplete analysis and then rank each location 5. Average the three rankings6. Truck traffic counts xTiebreaker if necessary 1 2 3 4 5 6 2 (continued on back) HLSC Meeting 2 Modal Improvements - Highway http:engagefreightrailplans.iowadot.gov Highway Improvements In order to identify and prioritize candidates for highway freight improvements, Iowa DOT XVed the Value, Condition, and Performance (VCAP) matrix.

Efficiency & Service Quality

ould have on optimizing rail operations in the state of Iowa. See the following appendices for more information: Appendix F : State Rail Plan draft vision, goals and objectives breakout session results Appendix G : State Rail Plan draft vision, goals and objectives Appendix H : State Rail Plan Voting Results Iowa Department of Transportation State Rail Plan and State Freight Plan HLSC Meeting Summary 5 http: engagefreightrailplans.iowadot.gov Next Steps McClure closed the meeting with a description of the next HLSC meetings.

lway Co. (KJRY) Scott Stabbe Key Cooperative Ernie Steffensmeier Lee County Engineers Office Carla Eysink Marion County Development Commission Michael Helgerson Metropolitan Area Planning Agency Greg Youell Metropolitan Area Planning Agency Brad Neuman Metropolitan Planning Organization of Johnson County Kent Ralston Metropolitan Planning Organization of Johnson CountyMidAmerican Energy Company Melanie Gray Monsanto Brad Neuman MPO of Johnson County Brad Spratt Muscatine Power and Water Bill Winkelman National Pork Board Michael Dolch Office of United States Senator Joni Ernst Francis Edeker Operation Life Saver Dave Silverio Ottumwa TransitOwen Industries Carter Lake Kip Wills

PHMSA Richard Grenville PortKC, Kansas City, MO Terry Bailey Pottawattamie County Growth Alliance Jason Hutcheson...

nterstate Railroad Kathy Evert Iowa Lakes Corridor Development Iowa Rail and Freight Plan Issues-Based Workshop Summary as of 10 152015 10 http:engagefreightrailplans.iowadot.gov First Name Last Name Organization Attended? Robert Palmer Iowa League of Cities Brenda Neville Iowa Motor Truck Association Amy Homan Iowa Northern Railway Company Dan Sabin Iowa Northern Rai lway Company Dan Sabin Iowa Northern Railway Company Stephanie Carlson Iowa Pork Producers Association Renee Schachterle Iowa River Railroad Inc. (IARR) Tim Borich Iowa State University Judi Eyles Iowa State University Scott Grawe Iowa State U niversity Bobby Martens Iowa State University David Fellon Iowa Traction Railway Co. (IATR) Michael Johns Iowa Traction Railway Co.

n MPO of Johnson County Brad Spratt Muscatine Power and Water Bill Winkelman National Pork Board Michael Dolch Office of United States Senator Joni Ernst Francis Edeker Operation Life Saver Dave Silverio Ottumwa Transit Owen Industries Carte r Lake Kip Wills PHMSA Richard Grenville PortKC, Kansas City, MO Iowa Rail and Freight Plan Issues-Based Workshop Summary as of 10 152015 11 http:engagefreightrailplans.iowadot.gov First Name Last Name Organization Attended? Terry Bailey Pottawattamie County Growth Alliance Jason Hutcheson Professional Developers of Iowa Libby Ogard Prime Focus LLC Rick Hunsaker Region XII Council of Governements Ben McLean Ruan Kevin Ekstrand Scarbrough International, LTD Corey Nikkel Schillinger Genetics, Inc.

Costs & Investment

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports

.

at there are not enough education resources about transportation options in Iowa. Only seven respondents (16) believed ther e was enough education and knowledge about the different transportation modes available. The remaining 28 think there are enough education resources available, but they may not be used appropriately as there is a lack of knowledge about different mode options among shippers. Figur e 10: Availability of education for all modes of transportation Conclusions: When asked about the availability of education and benefits provided, respondents were closely tied but leaned toward saying there was not enough education. When those who answered Yes indicated that a lack of knowledge among shippers about modes is the major concern.

oil and gas wells, flaring still occurs. Accord ing to the North Dakota Pipeline Authority, approximately 95 percent of natural gas produced in ND is captured and sold, the remaining five percent is flared, due to lack of pipelines (1 percent) and challenges with existing infrastructure (4 percent). The re is a continued need to develop gathering, processing and take away capacity to reduce flaring. As the price of natural gas is likely to remain high in international markets, this may influence investment decisions to increase the amount of natural gas t hat is captured rather than flared.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks

-East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

ARRC) 20 Anchorage June 4 Loussac Library Walsh, Laurie (DOTPF) Brigham, Jessen, Abbott (HDR) 35 Fairbanks June 5 FNSB Assembly Chambers Walsh, Laurie, Mason (DOTPF) Brigham, Jessen (HDR) 39 Nome June 6 Old St. Joes Hall Walsh, Laurie, Mason (DOTPF) Jessen, Abbott (HDR) Carr (ARRC) 6 ASRP Open House s 2 May-June, 2013 Advertising: The open houses were advertised in local print media, via post card and e-mail announcements to individuals on the project mailing list, fliers posted by the ASRP Technical Advisory Group members, and information posted on the project website. Postcard invitations were mailed to approximately 1200 individuals; an e-mail with a pdf attachment of the postcard was sent to nearly 800 individuals.

ith the current technology, trains operating in the same direction must be spaced at greater distances than with more modern signaling technologies, in effect reducing capacity. Project Description Capacity constraints can be eliminated in several ways. One approach is to add tracks. However, this is costly and, in many cases, may not be feasible because of limited right- of-way land availability. Alternatively, modifications to the train control signal system are an effective means to increase capacity and throughput. One applicable signal sys-tem improvement is to operate with cab, no wayside signals.

Kentucky (KY)

Rail Plan Year: 2025 | Data: Moderate Coverage

Major Freight Corridors

rends and forecasts, will guide the prioritization of projects for future funding that may come from legislative appropriations at the state level, or through federal grants. This chapter contains a project inventory that lists the currently funded projects that are ongoing as well as other potential projects that have been identified by stakeholders during this Statewide Rail Plan (SRP) update but are not yet funded and are intended for implementation within the next 20 years.

acts, generated by re-spending of employment income derived from the direct and indirect employment. Induced impacts are thus changes in economic activity that are the result of personal (household) spending for goods and services by employees comprising the direct and indirect impacts. Total economic impact is the sum of the direct, indirect, and induced impacts for the activity being evaluated. Each of the direct, indirect, and induced impacts defined is estimated in terms of the various measures of economic activity that include the following: Output: Is the total gross value of all business revenue. Output represents the total sum of all economic activity that has taken place in connection with it. This is the broadest measure of economic activity.

stances provided advance appropriations, for existing discretionary programs that fund freight rail projects, both for those programs administered by the Office of Multimodal Freight Infrastructure and by the Federal Rail Administration. PROPOSED RAIL IMPROVEMENTS AND INVESTMENTS The commonwealths prioritization of projects for future investment is informed by targeted stakeholder outreach to identify project opportunities, the status of existing assets, and current trends and forecasts. The rail project inventory in this SRP lists projects in terms of funded projects that are currently in progress and stakeholder proposed projects that do not yet have funding identified but may potentially be initiated within the next 20 years as funding is secured.

ervice between the coal reserves of the southern Illinois basin and coal markets in the Southeast. In Tennessee, the Southeastern Corridor consists of three sections of CSX mainlines. Generally, it includes sections from Guthrie, Kentucky to Nashville, Nashville to Chattanooga, and Nashville to Ardmore. In Nashville, Radnor Yard serves this corridor as a major reclassification and intermodal yard. CSXs Coal Network The CSX coal network connects the coal mining operations in the Appalachian mountain region and Illinois basin with

industrial areas in the Northeast and Mid-Atlantic, as well as many river, lake, and deep water port facilities.

Carriers & Railroads

ESTMENT PROGRAM 5.8. RAIL PROJECT INVENTORY This section identifies the current program of rail projects that are either funded or under consideration for future funding in Kentucky. The projects are prioritized in terms of projects which are currently selected for funding or already in construction, as well as those that could be considered over a 20- year period, if a funding source is provided. The funded projects are limited to those for which funding has been identified based on legislative budget allocations, awards from the HB 1 Grant Programs that were established in 2024, and projects selected for federal grant awards.

o Indianapolis, Indiana, and provide new service on an existing alignment over which Amtrak discontinued service in the early 2000s. The KIPDA will enter Step 1 of the program to develop a scope, schedule, and cost estimate for preparing, completing, or documenting its service development plan. The KYTC assisted with the grant application for this project and provided a letter of support to KIDPA. Daily Cardinal Service, sponsored by Amtrak.

Industry & Commodities

No specific data on industry & commodities was identified in available sources for Kentucky.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for Kentucky.

Rail Yard Capacity

n plan and estimated qualified railroad rehabilitation expenditures. Arkansas Railroad Modernization Tax Credit Income tax credit equal to 50 percent of the eligible taxpayers railroad track maintenance expenditures. Eligible taxpayer means a railroad classified as a Class II or Class III railroad by the U.S. STB . Expenditures are for maintenance, reconstruction, or replacement of railroad track. The maximum amount of credit is 5,000 per mile of track owned or leased by the railroad. This is a non- refundable credit and can be carried forward for up to five years.

Volume & Trends

No specific data on volume & trends was identified in available sources for Kentucky.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Kentucky.

Efficiency & Service Quality

ry to implement new or expanded intercity passenger rail service will be identified through passenger rail studies, which are ongoing. 5.5.2. Capital Financing Plan The KYTC does not have a funding source for passenger rail projects. Any funding for support of existing passenger rail services or for additional passenger rail services must be authorized and appropriated by the Kentucky Legislature. Any capital investments related to overall corridors must be made at the regional level with concurrence by Amtrak, the rail line owners, and other states as applicable. The Infrastructure Investment and Jobs Act (IIJA), signed on November 15, 2021, established new federal programs and funding mechanisms to develop and implement intercity passenger rail service in the U.S.

ther in the process of or have recently completed several documents providing input on passenger and freight rail in Tennessee. The SRP utilizes these recent efforts and their outreach. The states 25-Year Long-Range Transportation Plan, Statewide Multimodal Freight Plan, and various supporting statewide and local studies identified stakeholders who provided many comments included in this document. Outreach to freight rail operators, transit operators, local industries, and other users of the states rail system was essential in development of the SRP. The stakeholder involvement has provided insight into the strengths and weaknesses of Tennessees rail system.

rginia, North Carolina, Georgia, Kentucky, and Mississippi via AASHTOs committee on Freight and Rail Council. TDOT will work to build relationships with other surrounding states as the need for coordination increases. 12.3 stakeHolder involvement in tHe development of tHe stateWide rail plan (srp) Stakeholder involvement was accomplished through a variety of ways during the development of the SRP. Building from the efforts of recent plans and studies, the SRP sought additional involvement to gain a true understanding of rail in Tennessee. This section describes the outreach efforts used to develop this plan. 12.3.1 Recent Plans and Studies As stated previously, the SRP utilized outreach efforts and comments received through recent plans and studies.

d by rail lines in Ohio varies significantly with some rail lines carrying over 50 million tons per

year, while others carry very little freight at all. As mentioned previously, 60 of the tonnage carried on Ohios rail network is passing through Ohio between other states. As shown in Figure 2-45, the busiest corridors are the eastwest corridors in the northern part of the state, which connect the Chicago gateway and other Midwestern points to the Northeast. Another major corridor carries freight between ChicagoMidwest to the Southeast and cuts through the southwestern corner of Ohio, crossing into Kentucky south of Cincinnati. Figure 2-45. Total Tonnage on Ohio Rail Lines (2022) Source: STB Waybill Sample, SP DRAFT 2.

Costs & Investment

No specific data on costs & investment was identified in available sources for Kentucky.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Kentucky.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Kentucky originating rail freight totaled approximately 715,059,166 expanded tons across 7,405,403 expanded carloads, generating approximately $23,145,787,621 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 1,785,964,560 tons (15,637,710 carloads)
- Farm Products: 546,408,612 tons (5,310,990 carloads)
- Petroleum: 429,324,322 tons (6,200,803 carloads)
- Chemicals: 418,999,680 tons (4,697,445 carloads)
- Non-Metallic Minerals: 246,186,796 tons (2,570,784 carloads)
- Food Products: 167,173,395 tons (1,750,960 carloads)
- Primary Metals: 145,664,836 tons (1,621,488 carloads)

Top Origin-Destination Pairs:
- Charleston, WV -> Hartford, CT: 175,936,818 tons
- Charleston, WV -> Charleston, WV: 70,283,027 tons
- Charleston, WV -> Masked/Suppressed: 67,358,367 tons
- Evansville, IN -> Louisville, KY: 45,686,388 tons
- Cincinnati, OH -> Masked/Suppressed: 29,170,081 tons

Louisiana (LA)

Data: Full Coverage

Major Freight Corridors

rail service can provide more direct access to a greater number of regions in the state than is the case with commercial air service. Passengers may also benefit from travel cost savings, particularly over air. By diverting to rail, gains in environmental and safety impacts are possible because trains can transport large numbers of passengers more safely and fuel efficiently than many other modes. Non -users benefit from the modal diversion through reduced emissions and increased highway capacity and reductions in highway maintenance costs when drivers switch from auto to rail. The states principal influence with service reliability is safety -related through improvements in grade crossings.

aggressive expansion, the MKT developed a 3,865 -mile system extending from St. Louis and Kansas City, Missouri to Galveston and San Antonio, Texas on its north -south axis and east -west from Shreveport, Louisiana to the Oklahoma panhandle. The MKT main line passed through Vinita, Muskogee, and McAlester, Okl ahoma en route from Kansas City and St. Louis, Missouri to Dallas and Fort Worth, Texas. At the time of the Land Run of 1889, the new Choctaw Line was approaching Oklahoma City from the east. Originating in Memphis, Tennessee and passing through Little Rock, Arkansas, this would later become part of the Chicago, Rock Island, and Pacific Railroad (CRIP).

et long, while Hector International Airport has the longest civilian runway at 9,000 feet. Most of the other commercial airports have runways about 7,400 feet long. The North Dakota Army National Guard consist s of various unit types which can support national and state missions. The Camp G rafton Training Center operated by the North Dakota National Guard , near Devils Lake, serves to support training for American fighting forces. The North Dakota Air National Gu ard includes the 119th Wing based in Fargo . The North Dakota National Guard Joint Forces Headquarters is located in Bismarck. In addition to command -and- control functions for statewide national guard units, the Joint Forces location includes centralized l ogistics activities for receiving and distributing freight .

sas, and New Orleans, Louisiana. UP accesses Tulsa via a branch line off the former MKT main line at Muskogee, Oklahoma. Serving the central third of the state is the OKT Line, which is a for mer CRIP main line, purchased by the state of Oklahoma following the CRIPs bankruptcy. Union Pacific fully acquired the line from the state of Oklahoma in 2012 after the conclusion of a 30-year -lease purchase agreement signed November 1, 1982 by the Okl

ahoma -Kansas -Texas Railroad Company (a subsidiary the MKT). UP also operates via trackage rights over the BNSF to Oklahoma City from the north and the south and through the Oklahoma Panhandle to Lubbock, Texas. In the west, the former CRIP Golden State Ro ute cuts across the panhandle before connecting with the former SP at Tucumcari, New Mexico.

Carriers & Railroads

Direction Figure 36 shows the directional share of the tonnage for rail shipments moving inbound, outbound, intrastate, and through Mississippi in 2017. Through freight movements account for the largest category of directional flow, representing 78 percent of the rail tons moved in the State. Through movements originate outside of the State, traverse the State, and terminate outside of the State. Inbound moves are the next largest segment when measured by tonnage (12 percent), followed by outbound (8 percent) and intrastate (2 percent). The noteworthy components of intrastate rail include almost 1 million tons moving within the State from Harrison County and Monroe County. These rail shipments account for over half of the intrastate rail traffic.

and for both freight and passenger rail service. This section, developed for the 2022 SFP and applied to this SRP, discusses economic activity trends and outlook for key industries in Arkansas. Industrial Outlook by Sector This subsection discusses three critical industries in Arkansas: rice production and processing; poultry production and processing; and iron and steel production and processing. These industries have had performances ranking at the highest levels nationally and with visible impact overseas. Additionally, this section discusses these industries upcoming challenges an d opportunities in the context of the role of rail. The original content for each sector was or iginally developed as part of the 2022 SFP.

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

These technical memos include: Tech Memo 1 : Economic Impact Analysis of Rail Tech Memo 2: Stakeholder Interview Summaries Report The LA SRP is fully compliant with PRIIA s State Rail Plan requirements , as sho wn in Table 1. Table 1: FRA State Rail Plan Requirements FRA State Rail Plan Requirement LA SRP Location An executive summary that highlights key facts and findings of the state rail plan. Executive Summary (separate document) An inventory

of the existing overall rail transportation system and rail services and facilities within the state and an analysis of the role of rail transportation within the states surface transportation system.

Industry & Commodities

export gateway for U.S. businesses and consumers and is a primary conduit for high volumes of consumer goods. The TransCon also handles substantial volumes of agricultural products and other bulk products. BNSF has invested over 1.8 billion in the TransCon Corridor in the last decade to ensure the safe movement of goods, increase capacity by double and triple trackin g key segments; expanding and rebuilding an intermodal facility at Memphis, Tennessee; and undertaking several maintenance projects.67 66 BNSF TransCon Corridor Fact Sheet, 2015 67 Ibid.

ks. The project aligns with the selection criteria by improving system and service performance and safety as it will facilitate safety improveme nts along this corridor that will also improve reliability of the service. Amtrak will provide a 20 non -Federal match. This project qualifies for the statutory set-asides for projects in Rural Areas, new Intercity Passenger Rail, and trespass prevention. Fiscal Year 2020 Beaumont Subdivision Corridor Railroad Crossing Safety Improvements Project This project was submitted by DOTD for purposes of funding the installation of predictive warning time systems with flashing lights, gate arms, and upgraded motion detectors at approximately 24 crossings along a 157 -mile rail corridor on what was, at the t ime of the grant application, Kansas City Southe...

,000 riders in 2022. The Slidell station has also seen a steady decrease in riders, aside from 2017 and 2018 which saw a temporary jump in ridership before numbers sharply declined again in 2019. The Lake Charles and Lafayette stations experienced both increases and decreases in passenger counts between 2010 and 2019, only showing steep passenger declines with the onset on the COVID- 19 pande mic. The New Iberia and Shriver stations move a lower volume of passengers than the other stations, but they also have dealt with less variation, consistently seeing around 1000 -2000 riders annually. 2020 saw a steep decline in ridership at all stations an d though ridership numbers have been increasing in recent years, those increases have yet to recover to pre -pandemic levels.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between

the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers

(next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals .

NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as

cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

ridge or freight project on the NMFN SELECTION CRITERIA Criterion Description Criterion Description Safety How the project will improve the safety of the bridge and associated sections of roadway Climate Change How the project will address climate change, improve resiliency, support environmental sustainability, and address environmental justice State of Good Repair How the project improves (1) the condition of a bridge (2) improving protection, to provide long-term resiliency to extreme weather events, and (3) reducing maintenance costs Quality of Life Considers how the project will improve quality of life at the local, regional, or national level Economic Impacts How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas ...

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future

ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Louisiana originating rail freight totaled approximately 221,093,250 expanded tons across 2,608,683 expanded carloads, generating approximately $9,840,602,709 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 2,511,191,640 tons (27,035,490 carloads)
- Petroleum: 195,975,941 tons (2,399,719 carloads)
- Paper Products: 48,224,424 tons (602,508 carloads)
- Transportation Equipment: 15,849,890 tons (963,465 carloads)
- Food Products: 11,098,700 tons (116,615 carloads)
- Lumber/Wood: 8,058,340 tons (83,960 carloads)
- Waste/Scrap: 1,938,870 tons (27,660 carloads)

Top Origin-Destination Pairs:
- Beaumont, TX -> Tyler, TX: 29,243,582 tons
- Beaumont, TX -> Beaumont, TX: 15,517,615 tons
- Beaumont, TX -> Dallas, TX: 14,508,031 tons
- Baton Rouge, LA -> Dallas, TX: 13,673,668 tons
- Masked/Suppressed -> New Orleans, LA: 13,104,651 tons

Massachusetts (MA)

Rail Plan Year: 2018 | Data: Full Coverage

Major Freight Corridors

ese reasons, the data provided insight into details of commodity flows in the State but could not be used to present a complete profile of freight rail commodity movements. Freight Analysis Framework (FAF) The FAF is a publicly available freight database produced by the Bureau of Transportation Statistics (BTS) and Federal Highway Administration (FHWA) with a geographic coverage of all states and major metropolitan areas. The FAF provides data classified by freight tonnage and freight value as well as mode share. It also provides a forecast of freight tonnage and value for each mode. The key limitation of these data is that they do not cover through trips. Only inbound, outbound, and intrastate flows are included.

but since most New Hampshire rail customers are located on branch lines that cannot handle heavier cars, they face shipping delays, extra costs for transloading, or penalty costs for partially filling of the higher capacity cars to stay within track limitations. Another constraint for rail in the state is vertical bridge clearance that restricts the use of intermodal double stack container trains. Nationally, intermodal container traffic is the fastest growing segment of rail traffic. The only rail line in the state with full double stack clearance is the St L awrence Atlantic that serves the northern part of the state.

r just the commuter rail service and work with MASCOT and People Mover to transport riders to and from the commuter trains. C12 The RTA would be empowered to collect local revenues to support the transit services. An example of such an authority is Sound Transit in the central Puget Sound area, which sponsors and funds commuter rail (Sounder), light rail, and bus transit services. Bills were introduced in the Alaska Legislature in 2009 and 2015 to allow the creation of a RTA in Alaska, but neither was enacted. Enabling legislation will be required to create a multijurisdictional agency that can fund and operate commuter service. The agency will need to be sufficiently independent to provide longterm continuity of service and fares.

rojects. East-West Rail - The significant majority of commenters supported the pursuit of East-West rail for various economic and environmental benefits. Some advocated for high speed rail, while others supported any cost- effective strategy that can lead to a near term introduction of rail service. Some elected officials are particularly interested in establishing a commuter- like connection between Springfield and Boston. The Pioneer Valley Planning Commission, among others, noted dissatisfaction that MassDOT is not moving to implement the NNEIRI recommendations. Commenters from the Berkshires also want to be sure that the

study and eventual service go to Pittsfield or New York. MassDOT is using these comments to inform the development of the scope of work for the East-West Rail study.

Carriers & Railroads

ously studied by MassDOT and partner agencies and feedback from elected officials, regional MPOs, other State agencies, civic associations, and members of the public. The purpose of this process was to have an inclusive method for developing a final investment strategy that will best address the established goals for rail in the Commonwealth and needs of the larger New England region, as highlighted in Chapter 2 of this Plan. The focus of the long-term project identification was on initiatives that would fall under Priority 2 and 3 of the CIP , namely, investments that will modernize the system, increase capacity, or expand access. A draft list of proposed projects was shared with Metropolitan Planning Organizations (MPOs) and refined based on their feedback.

ntial benefi ts, MassDOT is pursuing a study of different service models for Boston to Western Massachustts passenger rail. The study recommended here will build on NNEIRI but have a different market focus than that effort. This study will look at options that could range from a fast train that would off er commuter-like access to one that would be closer to the service t hat NN EIRI r ecommended. It will explore various ways to use passenger r ail to bring W estern MA closer to Boston, as well as the costs and benefi ts of such a service. The study will look carefully at community impacts and how such a new service could be combined with the rail uses that already own and operate on the corrido r both CSX and the MBTA. A stop in Palmer will be considered as part of this study.

for study, design, and construction of high speed rail, as well as funding for highwayrail grade crossing safety improvements along th e corridor. The Northern New England High Speed Rail Corridor has two branches in New England. The eastern branch extends between Boston , MA and Auburn, ME. The western branch connects Boston and Montreal, Quebec, extending through Concord, NH and Montp elier, VT. The Boston to Montreal High -Speed Rail Planning and Feasibility Study, Phase I Final Report, prepared through a cooperative effort by New Hampshire, Vermont and Massachusetts, was completed in April 2003. The report concluded that projected far e revenue and ridership is sufficient to warrant further study and implementation of Phase II evaluations.

Industry & Commodities

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

d rail access to warehouse facilities and protection from the elements also enhances rail use for customers and operators . The Pro vidence Worcester Railroad has also rehabilitated a substantial portion of its South Providence rail yard to facilitate the handling of ethanol unit trains. In addition, the PW owns and has invested over the years in the filling of tidal land in the South Quay area along East Providences waterfront. This investment has resulted in the creation of approximately 33 acres of waterfront land located adjacent to a 12 -acre site also owned by the company. This area is currently not accessible by rail and specific plans for the area have not been announced.

has been added since the NNEIRI study was finalized. A preliminary analysis of Worcester Line capacity indicates that any increase in peak service between Worcester and Boston would require five upgraded stations, in addition to a third track. Given service levels at the time of the NNEIRI study, these requirements were not accounted for in the estimated project costs and the projected schedule did not reflect these limitations. 87NEC FUTURE - In order for South Station to accommodate the 2040 service levels in the NEC FUTURE Preferred Alternative, additional infrastructure improvements beyond those proposed in this SSX project would need to occur at South Station as well as throughout the NEC.

.6 COSTS Maintenance Costs 1.1 Capital Costs 5.6 TOTAL COSTS 6.7 Present Value of Total Costs 5.2 Net Present Value (NPV) 10.5 Benefit -Cost Ratio (BCR) 3.0 7.3 Intermodal Facility Scenario Developing an Intermodal Facility Several intermodal facilities are within a local truck trip to New Hampshire business es, although they are not located in the state , but in Worcester, MA, Ayer, MA, and Auburn, ME. Every point in New Hampshire is within the regional 250-mile service area of at least one of these facilities and many are within a local 100-mile trip . The ra ilroads and neighboring states have made considerable investments in these facilities. The PAS facility in Ayer has been expanded, and the Worcester intermodal terminal is currently being expanded.

Junction Points & Interchanges

line near Beckwith and Station Streets in Cranston to Allens Avenue near Thurbers Avenue at the Port of Providence (ProvPort). A one-mile segment extending north along Allens Avenue is currently inactive. The single track line is Track Class I with a maximum speed of 10 mph. Moshassuck -Saylesville Industrial Track This line, portions of which are owned by PW and the City of Pawtucket, extends 2.36 miles from between Bleachery Pond Dam and Moshassuck Road in Lincoln and its junction with Amtraks Northeast Corridor line near Grotto and Hurley Avenues in Paw tucket. This single track line is Track Class I with a maximum speed of 10 mph. Amtrak Northeast Corridor (NEC) This line, owned by Amtrak, is primarily a high speed rail passenger line but is also utilized by PW via trackage rights.

on to formalize the institutional connection between the NJDOT Rail-road Engineering and Safety Unit with NJ TRANSITs Safety Unit to carry out integrated initiatives. In addition, the Committee recommended the development of a rail safety database to integrate crash statistics, key community facility data, and grade-crossing loca - tions to identify and target priority locations for engineering improvements, enforcement, and educational outreach. 32 Operation Lifesaver New Jersey Operation Lifesaver is an education program committed to improving public safety at highway-rail grade crossings and on railroad rights-of-way. It comprises a range of stakeholders: federal, state, and local government agencies, highway safety and trans- portation organizations, and the nations railroads.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well

as the removal of large, mature vegetation.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to

generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The

long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

of rail, covering nearly 80 miles of track in Southeastern Massachusetts. Six rail corridor segments were packaged together and previously included in a FASTLANE Federal grant application. The six segments considered in this initiative are portions of the Framingham Secondary, Northeast Corridor, Middleboro Subdivision, Dean Street Industrial Track, Fall River Secondary, and New Bedford Secondary. As 286K improvements are highlighted in the MassDOT Freight Plan, MassDOT can pursue Federal Highway Administration freight funding to support this effort. Both 286k projects would support numerous businesses whose rail transportation costs have been elevated due to the current weight restrictions along the line. These weight capacity constrains raise the costs of conducting business.

carloads of lumber, municipal and construction waste, plywood, limestone, and wood pulp. The Connecticut Southern Rail road moves traffic for CSXT between Springfield Terminal and North Haven. B.4.1 Acquisition of Pan Am Railways and Pan Am Southern Railway In 2022, CSX acquired Pan Am Railways (PAR), the Northeasts largest regional railroad along with Pan Am Southern Railway (PAS), a subsidiary. With operations in Maine, New Hampshire, Massachusetts, Vermont, Connecticut, New York, and Canada, PAR interchanges traffic with fifteen railroads throughout its network. The combined system, including haulage rights, totals to 1,700 route miles. Connecticut route mileage, apart from PAS, is 14 miles.

VII. Table 4 -1 FRA Track Class Standards Track Type Maximum Speeds Freight Passenger Excepted 10 mph not allowed Class I 10 mph 15 mph Class II 25mph 30 mph Class III 40 mph 60 mph Class IV 60 mph 80 mph Class V 80 mph 90 mph Class VI 110 mph Class VII 125 mph Source: Federal Railroad Administration Rhode Island State Rail Plan Chapter 4: Rhode Islands Freight Rail System 4-2 4.1 RHODE ISLANDS FREIG HT RAILROADS The description of Rhode Islands freight railroad system focuses on the location of the rail lines, the lines physical and operational characteristics, railroad facilities located on the lines, and other information available from public sources. With the exception of the Newport Secondary Track on Aquidneck Island, all the rail lines are used for freight.

MassDOT allocated 468M for non-MBTA passenger and freight rail. 5.7.1 Funding and Financing Opportunities Rail funding comes from a variety of sources, federal, state, local and private entities. Except for the section 130 funding that FHWA provides for grade crossing improvements, Federal funding for inter-city and freight rail projects are generally discretionary, awarded on a competitive basis, and no State is guaranteed Federal funding. There also are Federal low interest and guaranteed loan programs.

Costs & Investment

Connecticut stone quarry in North Branford. Traffic consists of about 7,000 carloads of construction aggregate outbound from North Branford to an interchange with the Providence Worcester Railroad on Amtraks Northeast Corridor in Branford and at a barge transload facility in Pine Orchard. Operations on the railroads route are limited 10 MPH. The carload weight limit on the line is 286,000 pounds. The railroad has a repair shop, a pit scale, and a motion scale in North Branford. Despite its name, the railroad operates with diese l-electric locomotives.

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future

ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Massachusetts originating rail freight totaled approximately 209,923,554 expanded tons across 7,880,671 expanded carloads, generating approximately $11,706,673,250 in freight revenue.

Top Commodities by Tonnage (Origin):
- Intermodal: 262,981,660 tons (20,361,360 carloads)
- Chemicals: 254,049,510 tons (4,340,310 carloads)
- Waste/Scrap: 222,705,327 tons (2,206,026 carloads)
- Non-Metallic Minerals: 61,638,816 tons (612,212 carloads)
- Coal: 35,332,810 tons (346,960 carloads)
- Petroleum: 33,621,490 tons (454,216 carloads)
- Primary Metals: 33,124,740 tons (332,072 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Boston, MA: 85,966,504 tons
- Boston, MA -> Masked/Suppressed: 64,303,949 tons
- Masked/Suppressed -> Boston, MA: 64,110,143 tons
- Boston, MA -> Columbus, OH: 36,737,015 tons
- Masked/Suppressed -> Providence, RI: 27,528,421 tons

Maryland (MD)

Data: Moderate Coverage

Major Freight Corridors

system exists on the line. Movements outside of yard limits are by track warrant control. SBVR can accommodate cars up to a maximum gross weight of 286,000 pounds. There are no clearance restrictions. No major rail yards are located on the SBVR. Small switching facilities are found on various side tracks and are designated by yard limits. A shop facility is located off the main line in Moorefield. The main building and wash bay are used to maintain SBVRs fleet of nine locomotives. A wye track is located near the shop.SBVR provides service to the Grant County Industrial Park in Petersburg, the Moorefield Industrial Park, and the Hampshire County Industrial Park at Romney. A private passenger rail operator runs the Potomac Eagle excursion train under contract with the SRA.

s As noted in Section 6.2, neighboring states were engaged during the preparation of this state rail plan, and feedback was obtain ed from New York, Maryland, and New Jersey. The following summarizes the comments received and how they were incorporated into the 2020 Pennsylvania State Rail Plan , if applicable: Consider a role in either the vision, goals, or objectives for emerging tec hnologies. While emerging technologies are not specifically mentioned, technological advances will likely aid in achieving all aspects of the vision, goals, and objectives. All agreed that resiliency is an important component for rail and should be includ ed in the vision and goals of the Pennsylvania State Rail Plan . As stated in Section 5.1, the vision includes resiliency.

Ohio counties by rail, while Table 2-15 provides detail of the commodities that are terminating in those counties, where these commodities originated. DRAFT 2. Ohios Existing Rail System 72 OHIO RAIL PLANFigure 2-38. 2022 Tonnage Shipped by Rail to Ohio Counties Source: STB Waybill Sample, WSP Analysis DRAFT 2. Ohios Existing Rail System 73 OHIO RAIL PLANTable 2-15. Top Ohio Rail Terminating Counties, the Top Commodities to those Counties, where these Commodities Originated County Top Commodities and Origins Butler Intrastate iron ore from port facilities Iron and steel products from Michigan, Indiana Bituminous coal from West Virginia Lucas Plastics, chemicals from Ontario, Quebec, Illinois, and Indiana Coal from West Virginia, Kentucky, and Virginia Metal scrap, miscellaneous waste from ...

Carriers & Railroads

made available for a 30 -day public comment period that began on November 2, 2020 and ended on December 2, 2020 . Additionally, the website was the primary mechanism by which public comment could be provided on the Draft SRP through the provision of an online comment form. Data on website usage indicated that over 3,000 hits were registered to the webpage for the comment period on the Draft SRP . This is significant volume increase from typical website activity that ranges in the low hundreds. The Final SRP will be posted on this website.

r LOS Level of Service LRTP Long Range Transportation Plan LRWY Lehigh Railway LS Luzerne Susquehanna Railroad C ompany LTRA long-term revenue - adequate LUCY Loop Through University City LVR Landisville Railroad LVRB Lehigh Valley Rail Management Bethlehem LVRJ Lehigh Valley Rail Management Johnstown LVRR Lycoming Valley Railroad M MADOT Massachusetts Department of Transportation MBTA Massachusetts Bay Transportation Authority MDT Harrisburg International Airport MID Middletown MIDH Middletown Hummelstown Railroad MJY Mount Joy MMID Maryland Midland Railway MNRR Metro -North Railroad mph miles per hour MPO Metropolitan Planning Organization MSA Metropolitan Statistical Area MSUB Mittal Steel USA Railways - BRVY MSUS Mittal Steel U.S.A. Railways -SH MSUU Mittal Steel U.S.A.

for light rail transit. The technical findings of the 2017 Study very clearly described the future logistical challenges and limitations that would face a bus rapid transit system, loading and unloading passengers on multiple buses queued up at transit stationson scheduleand expanding the system to meet the increasing ridership projected in the already gridlocked high-growth corridor of MD5-US301. A light rail system would not have these limitations, and its capacity could be more easily expanded. The project would serve a commuter-shed that was estimated five years ago at more than 439,000 people.

h transportati on and economic development in Pennsylvania. 6.2 Coordination with Neighboring States Pennsylvania is at the nexus of east -west and north -south freight rail and passenger rail services. Because these rail services connect to the states of Ohio, West Virginia, Maryland, New Jersey, Delaware, and New York, PennDOT rail planners interact with their counterparts in the other state DOTs and state rail authorities to share perspectives on service and infrastructure issues. On account of these shared interests, input from neighboring states was sought for this SRP update. The process by which neighboring states were engaged and the issues that the states reported are captured in the sections that follow.

Industry & Commodities

occurs at the station. Cost Neutral Support economic development, promote transit ridership, and maximize the efficient use of transportation infrastructure MARC Cornerstone Plan Projects to benefit commuter rail off the Northeast Corridor Passenger rail Prince George's MDOT MTA MARC Laurel Transit Oriented Development The MDOT parking lot and adjacent land have been proposed for redevelopment in the past and MDOT MTA will coordinate with stakeholders to support redevelopment of this property to enhance access between the station and the community Cost Neutral Support economic development, promote transit ridership, and maximize the efficient use of transportation infrastructure MARC Cornerstone Plan MARYLAND STATE RAIL PLAN Appendix E Proposed Projects Appendix E -14 PROJECT TYPE CATEGORY...

e safe, efficient, reliable service with world class customer service. The MARC train fleet comprises 177 railcars and 46 locomotives which must be periodically overhauled and replaced to maintain dependable service. As they age, MARC locomotives and railcars will require overhaul (Est. Cost: 142 million) and eventual replacement (Est. Cost 1.5 billion) MDOT MTA MARC service maintains 42 stations. Like other MARC assets, stations require operating and capital investments. Initiatives include: MDOT MTA continues to improve station access, including sidewalk, crosswalk, parking, and other improvements. Est. Cost: 104 million Stations will require rehabilitation and renovation. Est.

gton Resident Vice President CSX Transportation, Inc. 5200 Maryland Way Brentwood TN 37027 jane_covingtoncsx.com Norfolk Southern Railway Company NS www.nscorp.com Elizabeth Lawlor Manager, Government Relations Norfolk Southern Railway Company 770 Washington Avenue, Suite 192 Montgomery AL 36104-3816 Elizabeth.lawlornscorp.com CLASS II (REGIONAL) RAILROADS Alabama Gulf Coast Railway AGR www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenesee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com CLASS III (LOCALSHORTLINE) RAILROADS Alabama Tennessee River Railway, LLC ATN www.omnitrax.com Wes Mundy General Manager Alabama Tennessee River Railway, LLC 3425 Forrest Avenue Gadsden AL 35904 wmundyomnitrax.com Alabama Railroad Co.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for Maryland.

Rail Yard Capacity

red irrespective of traffic volume. As an example, crossties, certain bridge components, and highway -rail grade crossing surfaces degrade over time whether a rail line carries traffic or not . As with other states, within Michigan there is significant mileage of rail lines that has little traffic. In Michigan, 614 miles of active rail lines carry fewer than an annual average of 50 carloads per mile. Of these lines, all but 90 mi les are operated by Class III railroads, which often have lim ited resources to invest in their rail infrastructure. Another 52 miles carry between 50 and 100 carloads per mile per year. At these traffic levels, it is difficult for railroads to cover all th eir long -term capital needs through their revenues.

Volume & Trends

No specific data on volume & trends was identified in available sources for Maryland.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Maryland.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for Maryland.

Costs & Investment

No specific data on costs & investment was identified in available sources for Maryland.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Maryland.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Maryland originating rail freight totaled approximately 42,014,522 expanded tons across 2,486,290 expanded carloads, generating approximately $3,457,627,101 in freight revenue.

Top Commodities by Tonnage (Origin):
- Intermodal: 106,297,128 tons (8,963,544 carloads)
- Chemicals: 76,891,425 tons (1,320,600 carloads)
- Primary Metals: 16,712,724 tons (202,424 carloads)
- Waste/Scrap: 10,208,253 tons (117,045 carloads)

- Lumber/Wood: 3,733,720 tons (40,700 carloads)
- Transportation Equipment: 2,246,870 tons (84,565 carloads)
- Stone/Clay/Glass: 940,985 tons (9,415 carloads)

Top Origin-Destination Pairs:
- Birmingham, AL -> Baltimore, MD: 32,932,981 tons
- Columbus, GA -> Baltimore, MD: 28,912,775 tons
- Binghamton, NY -> Baltimore, MD: 20,566,105 tons
- Masked/Suppressed -> Baltimore, MD: 14,750,733 tons
- Charleston, WV -> Wilmington, DE: 13,777,380 tons

Maine (ME)

Rail Plan Year: 2023 | Data: Full Coverage

Major Freight Corridors

invested considerable capital to build logistics parks, distribution centers and other transload facilities to offer customers the economics of rail for the long haul and the flexibility of truck for pickup and delivery. Furthermor e, this type of development presents an opportunity for communities to benefit from rail access through the efficient use of freight -related infrastructure while limiting the impact to neighboring properties. In some parts of the country freight logistics parks are being purposefully planned and constructed, while in other locations, like most of those in New England, are developing incrementally around a freight facility, like an intermodal facility.

, wood chips) Break bulk (industrial and machinery parts, construction materials) Project cargo (power plant components, vacuum tanks) Container cargo Eight to ten ships full of steel are exported to Turkey annually and road salt is imported via the port and distributed throughout New Hampshire, Massachusetts and Maine. The current length of the ports longest wharf is 582 feet; however the U.S. Army Corps of Engineers Piscataqua River Federal Navigation Channel could accommodate vessels of up to 750 foot long and 35 feet of draft at mean low wa ter. Efforts are underway to obtain funding to lengthen the existing main wharf at the port by 125 feet. This would enable more efficient operations and the opportunity for additional cargo handling .

; Massachusetts, New Hampshire; Maine; and elsewhere) and commuter rail services (e.g., in South and Central Florida; Dallas-Fort Worth; Washington DC; Salt Lake City; Los Angeles; and elsewhere) in response to peoples needs for getting around without reliance on auto travel. The intercity and commuter rail concepts summarized below have the potential to meet Iowans future mobility needs. 2.3.2.1.2 Potential for Intercity Passenger Rail Responding to the likely increase in regional travel, Iowa continues to investigate new potential services on new routes which will link the state with Chicago, Omaha, the Twin Cities, and Kansas City as well as link cities within Iowa (e.g. Des Moines with Council Bluffs to the west and Iowa City and Davenport to the east).

ny rail traffic along the corridor currently . Mountain Division (Conway Scenic) The Mountain Division line runs between the New Hampshire Maine border in Conway and Whitefield, a total of 51 miles. This line is owned by the State of New Hampshire and is leased to the Conway Scenic Railroad. This tourist excursion railroad operates and maintains the line west of

Redstone (a village within Conway). This line is maintained to FRA Class 1 and 2 standards. Conway Branch (Conway Scenic) The Conway Scenic owns and operates a 7 -mile segment of the Conway Branch for operation of excursion trips. This track is maintained to FRA class 2 standards and includes 17 at -grade crossings and seven bridges.

Carriers & Railroads

the Northeast Corridor allows direct commerce with the countrys largest and most lucrative marke tplace. The port is directly accessible to more major cities by rail and truck than any other port in the United States, allowing for efficient and timely deliveries. The port is close to Marine Highway M -95, which parallels the East Coast of the United States from Maine to Florida. A map of the U.S. Marine Highway system is shown in Figure 2-47. Figure 2-47: U.S. Marine Highway System (U.S. Maritime Administration , n.d.) In recent decades, the port has specialized in handling break -bulk and bulk cargoes, with container volumes shifting toward New YorkN ew Jersey and the Virginia Tidewater ports.

two alignments. In addition to the economic analysis, the study also developed a Preliminary Capital Investment Grant Ratings Assessment for FTA New Starts and Small Starts d iscretionary grant program funding. Capital Investment Grant (CIG) grants provide start- up capital funding for transit capital investments, including heavy rail, commuter rail, light rail, streetcars, and bus rapid transit. In its current form, the Lewiston -Auburn passenger rail project does not appear eligible for CIG funding. Based on the information provided by this study, MaineDOT intends to move forward with a pilot commuter bus between Portland and Lewiston -Auburn with connections to the Amtrak Downeaster at the Portland Transportation Center.

ce Transportation Program May fund highway projects to accommodate rail operations Formula distribution to states Local Freight Assistance (LRFA) (Not currently funded) Grant and loan program Projects of National and Regional Signi ficance (PNRS) Program Title 23 US Code Highway Trust Fund Grant program Freight Intermodal Distribution Pilot Grant Program Federal Highway Administration (FHWA) Grant program 5309 (New Starts) Program Federal Transit Administration Grant program Transportation Enhancements Program Federal Highway Administration Formula distribution to states Source: FHWA, Financing Freight Improve ments , Washington, DC: US DOT January 2007 Congestion Mitigation and Air Quality Improvement (CMAQ) The Congestion Miti gation and Air Quality (CMAQ) Improvement program provides fu...

ure to improve the rail network to SOGR This will enable rail to be a viable and sustainable transportation mode for more Maine -based shippers consignees. The priority for public funds

should be for state - owned infrastructure and in private infrastructure that provides essential services within the targ eted trade corridors within and to and from the state through public -private partnerships . Infrastructure Accommodate heavier rail cars (286k) and double - stack clearances Develop an implementation plan in coordination with the railroads to accommodate heavier rail cars (286k) and double -stack clearances in corridors as may be appropriate to market conditions.

Industry & Commodities

carloads of lumber, municipal and construction waste, plywood, limestone, and wood pulp. The Connecticut Southern Rail road moves traffic for CSXT between Springfield Terminal and North Haven. B.4.1 Acquisition of Pan Am Railways and Pan Am Southern Railway In 2022, CSX acquired Pan Am Railways (PAR), the Northeasts largest regional railroad along with Pan Am Southern Railway (PAS), a subsidiary. With operations in Maine, New Hampshire, Massachusetts, Vermont, Connecticut, New York, and Canada, PAR interchanges traffic with fifteen railroads throughout its network. The combined system, including haulage rights, totals to 1,700 route miles. Connecticut route mileage, apart from PAS, is 14 miles.

e railcars Source: Iowa DOT 2.3.1.3 PORT-RAIL NEEDS AND OPPORTUNITIES Iowa does not have any seaports, but several of its 55 river barge ports on the Missouri and Mississippi rivers have a physical connection to the Iowa rail network. The opportunity for enhanced multimodal transportation opportunities could potentially be met through investments targeted to promote interconnectivity and capacity. Such investment could include the construction or rehabilitation of existing rail connections between principal railroad lines and river port properties and additional sidings, spurs, or yard tracks for switching, staging, and storing railcars at or near port facilities.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s

tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Junction Points & Interchanges

ashua, Merrimack, Manchester, and Concord . Concord- Lincoln Line The Concord- Lincoln Line, which runs the 73 miles between Concord and Lincoln, is owned by the State of New Hampshire. Two tourist services and one freight railroad operate over this line. The tourist services, both operated by Plymouth Lincoln R ailroad, are the Hobo Railroad operating out of Lincoln and the Winnipesaukee Scenic Railroad operating out of Meredith. Freight service is operated along the line to Tilton by the New England Southern Railroad. The line is maintained to FRA Class 1 stan dards with 47 bridges and 58 public grade crossings along the 73 miles.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn

HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

ons OTP for FY 2019 Q4 80.0 30.2 Change in Effective Speed from FY 2008 Baseline (MPH) Last Four Quarters (FY 2020 Q3 to FY 2021 Q2) 0 -0.1 End Point OTP for FY 2021 Q2 80.0 50.7 All Stations OTP for FY 2021 Q2 80.0 47.3 Source: TranSystems and CPCS analysis of FRA Quarterly Report on the Performance and Service Quality of Intercity Passenger Train Operations, Published November 2019 and May 2021. The OTP for the Southwest Chief as reported by Amtrak in its Host Railroad Report Card was 33 percent in 2019 and 64 percent in

2020. Amtrak ranked BNSF second out of six host railroads for OTP performance on its 2020 Host Railroad Report Card. BNSF received an A grade for its overall service.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The

long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

line from Mechanicville, NY to Ayer, MA is currently being upgraded to accommodate 286,000 -pound rail cars as part of the establishment of the Patriot Corridor. However, the remainder of the PAR Main line in Massachusetts (Ayer to Plaistow) and the New Hampshire Main line (North Chelmsford, MA to Nashua) are limited to 263,000 pounds, thereby limiting access of heavier rail cars to New Hampshire. Although physical considerations such as bridge capacity might contribute to the 263,000 -pound limits, the primary restriction is the result of language in prior agreements. The track conveyed by Penn CentralConrail and BMGuilford to the MBTA in the 19 70s was transferred with the 263,000 -pound limits in place.

ctions on the St. Lawrence and Atlantic Line. Collaborate with Maine and Massachusetts to raise the weight limits on MBTA -owned lines in Massachusetts that serve New Hampshire Promote Improvement to Clearances to Support Intermodal Traffic Continue to design overhead bridges with 22 -0 clearance. Coordinate with New England states to develop a region -wide approach to eliminating vertical constraint on New England main lines Continue SafetySecurity Program Continue supporting maintenanceupgrade of at -grade crossings through allocation of federal funds to grade crossing improvements Continue NHDOT track inspection program Continue NHDOT coordination with industry and federal rail security programs Promote Development of Freight Distribution Areas Advance plans for development of freight i...

d Connecticut and international connections between Canada and Vermont. Massachusetts is indirectly served by CN through the NECR interchange at St. Albans, Vermont and CP through the entry points on the PAS and NECR. 41Table 2-2: Ranking of Northeast Freight Rail Operations Inbound shipments to New England are the largest volume of freight rail, reflecting large consumer markets, particularly in eastern Massachusetts. The second largest volume of rail activity is through-trips that start and end outside of the State, such as paper shipments from Maine destined for national markets. Most outbound shipments are empty cars.

unities to acquire low -emission diesel locomotives and APUs and similar environmental -enhancement programs. All Improve transit, bicycle, and pedestrian connections to Downeaster Work with transit and tourist services to match scheduling, increase comfort , and increase reliability of transfers. Work with municipalities to develop station area plans, improve wayfinding, and enhance b icycle and pedestrian accommodations (crosswalks, grade crossings, pathstrails, bicycle lanes, bicycle parking). Multimodal Connectivity Preserve and fully use industrial land parcels with access to rail sidings as well as existing rail infrastructure and corridors Work with MPOs, RPOs, railroads, agencies, economic development groups, municipalities, etc.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

ers across the State. A lower weight limit means a less efficient use of the system. The current U.S. standard is for a rail line to accommodate rail cars weighing up to 286,000 pounds, known as the 286K standard. A higher rating is 315K, 315,000 pounds, for moving 7 Overhead trackage rights refer to a right to pass over the route, but do not allow service to on line industries.even heavier loads. Many rail lines in Massachusetts have a weight limit of 263,000 pounds, which is lower than the national standard. This inefficiency puts Massachusetts rail customers at a disadvantage and can require the use of old rail cars that are no longer in production. The weight ratings are determined primarily by bridge and culvert strength and condition, and also track weight.

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

he Alaska S tate Legislature and administration. 2.1.6 State Ownership and Operation Under state ownership, the ARRC pursued new freight and passenger traffic more energetically than had been the case under f ederal ownership. By the end of the 1980s , the railroad had expanded shipments of oilfield pipe and supplies, started shipping logs , and began shipping coal from Healy to Seward for export. New passenger cars were purchased for the daily summer trains between Anchorage and Fairbanks. During this time, the railroad also focused on correcting safety deficiencies identified in the Alaska Railroad Transfer Act. The railroad eliminated aging buildings and upgraded facilities and equipment system wide, creating a safer work environment in half the time allowed by the law.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Maine originating rail freight totaled approximately 5,024,590 expanded tons across 61,685 expanded carloads, generating approximately $365,688,005 in freight revenue.

Top Commodities by Tonnage (Origin):
- Paper Products: 9,909,915 tons (124,365 carloads)
- Lumber/Wood: 6,747,160 tons (78,260 carloads)

- Transportation Equipment: 73,775 tons (2,250 carloads)
- Waste/Scrap: 59,220 tons (645 carloads)

Top Origin-Destination Pairs:
- Portland, ME -> Masked/Suppressed: 989,105 tons
- Bangor, ME -> Masked/Suppressed: 915,490 tons
- Masked/Suppressed -> Portland, ME: 739,220 tons
- Masked/Suppressed -> Bangor, ME: 717,035 tons
- Columbus, OH -> Portland, ME: 257,690 tons

Michigan (MI)

Data: Full Coverage

Major Freight Corridors

enosha, and northern Waukesha (Figure 9 -24). Intermodal Facilities in the Southeast Region None of the states three truckrail intermodal facilities are in the Southeast Region, but it does have one active portrail intermodal facility located along Lake Michigan in Milwaukee. The block group in which the port is located has below average rates of people with disabilities , youth, and seniors compared to the Region . While the block group has below average rates of racial and ethnic minorities, the populations of Asian and Hispanic or Latino residents is higher than the R egion and state average. The block group containing the Port of Mil waukee also has over 20 low -income residents and over 10 zero -vehicle households, both greater than the Region and state averages.

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

; Massachusetts, New Hampshire; Maine; and elsewhere) and commuter rail services (e.g., in South and Central Florida; Dallas-Fort Worth; Washington DC; Salt Lake City; Los Angeles; and elsewhere) in response to peoples needs for getting around without reliance on auto travel. The intercity and commuter rail concepts summarized below have the potential to meet Iowans future mobility needs. 2.3.2.1.2 Potential for Intercity Passenger Rail Responding to the likely increase in regional travel, Iowa continues to investigate new potential services on new routes which will link the state with Chicago, Omaha, the Twin Cities, and Kansas City as well as link cities within Iowa (e.g. Des Moines with Council Bluffs to the west and Iowa City and Davenport to the east).

ritical first -mile and last -mile rail transportation and customer -focused service to hundreds of rail -dependent manufacturing facilities, grain elevators, industrial parks, and other local employers. In addition, rail -served port s located on Lake Michigan and the Ohio River offer

even more ways for Indiana companies to keep transportation costs low and compete in national and global markets. The Rail Programs Office of the Indiana Department of Transportation (INDOT) has long reco gnized the importance of railroads in the state. INDOT, on its own or working with public and private partners, has helped fund critical projects to maintain and improve rail service in the state.

Carriers & Railroads

RA staff includes nearly 400 safety inspectors who specialize in one of six technical areas focusing on compliance and enforcement: Grade crossings Hazardous mater ials Motive power and equipment Operating practices Signals and train control Track The FRA has also established 12 Safety Management Teams (SMT) that serve as the Office of Railroad Safetys principal liaisons with railroad senior management. The SMTs are organized along railroad company lines with an additional SMT each for short lines located in the east of the country and short lines in the west. In October 2021, the FRA published the Midwest Regional Rail Plan (MWR RP). The MWR RP is an intercity passenger rail network planning study led by the FRA, in partnership with stakeholders from across the Midwest.

ilds on current rail planning efforts within the states of Illinois, Indiana, 197 Northern Indiana Passenger Rail Association, Pre -NEPA webpage. Retrieved from: http:niprarail.orgpre -nepa 247 Indiana State Rail Plan 2021 Chapter 7: Indianas Rail Service and Investment Program Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. These 12 states along with the Midwest Interstate Passenger Rail Commission (MIPRC) comprise the lead stakeholders and pr ovide intensive feedback and guidance on study efforts. The study began in 2016 with initial efforts to evaluate potential markets, corridors, ridership, and costs as well as governance andor institutional options that would ultimately feed into the creation of the Midwest Regional Rail Plan.

ons within the state. Intercity passenger r ail service in Indiana is provided by Amtrak and consists of one multi - state regional corridor and three long- distance services. These operations serve only a portion of Indianas total population and service area. This limitation also reduces the states ability to significantly affect positive impacts on other modes or influence major modal diversion. 237 Indiana State Rail Plan 2021 Chapter 7: Indianas Rail Service and Investment Program As noted in Chapter 5 of the State Rail Plan, INDOT and other agencies in the state have conducted studies of potential intercity passenger rail service im provements that would yield public benefits.

-Miles (2018) Type Rail Truck Total Crashes 10,046 531,000 Ton-Miles (Billions) 1,730 2,034 Crash Rate per 10 Billion Ton -Miles 58 2,610 Source: HDR analysis using annual ton -miles

and accidents by mode, Bureau of Transportation Statistics 2.3.3 Preservation of Road and Bridge Infrastructure Rail helps to preserve road and bridge infrastructure by reducing the number of heavy trucks on roadways. Although trucks account for far less traffic on roadways than passenger vehicles, each truck causes more damage to roads and bridges than passenger vehicles. Road and bridge damage is generally a function of a trucks weight, the number of axles on which that weight is distributed, and the distance between axles.

Industry & Commodities

e are generally considered branch lines. The primary purpose of branch lines is to gather freight tofrom shipper locations to main lines, so that the long- distance portion of the move can occur over the main lines. Sixty-five percent of miles in Ohio meet the definition of branch line. 2.1.1 Existing Rail System Most of Ohios rail network, 4,559 miles or 89, is owned by private freight railroads. Of the remainder, 270 miles are owned by the State of Ohio, and 218 miles are owned by local governments and port authorities. Another 35 are owned by excursion railroad operators, and 30 are owned by the federal government.6 Of the active rail lines that are owned by the public sector, all are leased to private freight railroads to provide freight service.

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the

banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

hetti Bowl Project Final Environmental Impact Statement CHAPTER 3 3.7-7VISUAL CHARACTERAESTHETICS 3.7 Visual Character Aesthetics Direct ImpactsNo Build AlternativeAlternative 1 Alternative 2 (Preferred Alternative) Alternative 3 Views of the

freeways height of bridges in the Spaghetti BowlNo impactSome bridges in the Spaghetti Bowl would be higher than the existing bridges, resulting in a visual change. The higher bridges would make parts of the interchange more visible from surrounding areas. The new Spaghetti Bowl bridges would be seen from greater distances than current bridges and might intrude on views of distant features like the Sierra Nevada Mountains and foothills. However, the character of views toward the Spaghetti Bowl from nearby areas would not change.

Rail Yard Capacity

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

own in Table A.2 below are components of the BNSF Nebraska Division. Table A.2: Descriptions of BNSF Subdivisions in Iowa Nebraska Division SUBDIVISION: OTTUMWA SUBDIVISION Division Nebraska Owner BNSF Operator BNSF Line Heritage Chicago, Burlington Quincy Railroad (CBQ) Subdivision Route Mileage Portion of Subdivision in Iowa:

Iowa Illinois state line near Burlington, Iowa-Creston, Iowa; 188.1 miles FRA Track Class Class 4 Track Configuration Two main tracks Maximum Authorized Speed Freight 60 mph freight Maximum Authorized Speed Passenger 79 mph passenger Wayside Signals Mixture of Centralized Traffic Control (CTC) and Automatic Block Signals (ABS) Method of Operation Mixture of Centralized Traffic Control (CTC), Track Warrant Control (TWC), and Yard Limits (YL) Maximum Allowable Gross W...

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made

by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the

U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

Efficiency & Service Quality

ce more freight could be shipped in one car. As the 286,000- pound railcar standard was adopted, the Association of American Railroads (AAR) tested these railcars' impact and estimated that operating savings (excluding maintenance -of-way) would be about 8.8 percent.41 Adopting 286,000- pound railcars can incr ease the cost of maintaining rail lines and bridges due to heavier loads, thus wear and tear. AARs research found that the net cost impact of shifting to 286,000- pound railcars (accounting for increased maintenance -of-way expenditures) is approximately 6 percent. Not only are the 286,000- pound cars larger, but they can also fit more freight compared to the railcars weight so that the increased capacity for many types of cars is 10 to 11 percent.

his document as they would be in the RSIP chapter of a Rail Plan. VISION, GOALS, AND OBJECTIVES MM2045 has been established as a multimodal plan. The vision, goals, and objectives of MM2045 are transferrable across modes and are adopted as the vision, goals, and objectives for passenger and freight rail . PROGRAM COORDINATION Traditionally, states prepare a family of plans , including modal plans. MM2045 incorporates all modal plans . As such , the rail component was coordinated with the other modal components of MM2045. The plan has also been coordinated with multistate efforts, such as the Amtrak Vision 2045. The plan considers rail activities in neighborin g states. For passenger rai l, this includes activities relevant to the Chicago- to-DetroitPontiac rail corridor.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial

roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel

between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed

comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Michigan originating rail freight totaled approximately 52,973,448 expanded tons across 591,891 expanded carloads, generating approximately $1,797,892,673 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 233,179,830 tons (2,443,785 carloads)
- Food Products: 83,071,365 tons (838,790 carloads)
- Paper Products: 25,486,245 tons (287,715 carloads)
- Waste/Scrap: 12,866,106 tons (139,101 carloads)
- Lumber/Wood: 7,123,560 tons (113,768 carloads)
- Metallic Ores: 6,486,789 tons (66,117 carloads)
- Primary Metals: 4,475,436 tons (48,584 carloads)

Top Origin-Destination Pairs:
- Green Bay, WI -> Columbus, OH: 11,951,133 tons
- Green Bay, WI -> Masked/Suppressed: 8,169,784 tons
- Traverse City, MI -> Masked/Suppressed: 4,699,298 tons
- Traverse City, MI -> Columbus, OH: 4,692,085 tons
- Masked/Suppressed -> Traverse City, MI: 4,032,388 tons

Minnesota (MN)

Data: Moderate Coverage

Major Freight Corridors

ANK The BNSF yard in M ilbank facilitates carload interchange between SMRR and both TCWR and BNSF. SMRR leases a portion of the BNSF -owned yard in Milbank for interchange purposes. WOLSEY Wolsey is located at the intersection of BNSFs Aberdeen subdivision with RCPE s Pierre Subdi vision. The two railroads intersect at -grade. Connecting tracks span three of the four quadrants of the intersection. Directly to the west of the junction is a small yard consisting of two 7,900 -foot storage tracks to facilitate carload and unit train inte rchange between the two railroads. Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 59 MITCHELL Mitchell forms a junction between the BNSF Aberdeen subdivision, the BNSF Mitchell Subdivision, and the RWRR.

; Massachusetts, New Hampshire; Maine; and elsewhere) and commuter rail services (e.g., in South and Central Florida; Dallas-Fort Worth; Washington DC; Salt Lake City; Los Angeles; and elsewhere) in response to peoples needs for getting around without reliance on auto travel. The intercity and commuter rail concepts summarized below have the potential to meet Iowans future mobility needs. 2.3.2.1.2 Potential for Intercity Passenger Rail Responding to the likely increase in regional travel, Iowa continues to investigate new potential services on new routes which will link the state with Chicago, Omaha, the Twin Cities, and Kansas City as well as link cities within Iowa (e.g. Des Moines with Council Bluffs to the west and Iowa City and Davenport to the east).

s. Consideration of the kinds of financial assistance that would best support the rail system may be an effective prec ursor to any possible legislative consideration of any new public funding for rail line acquisition, operating support of transferred at-risk lines, and support for low -volume lines. 2010 Montana State Rail Plan Cambridge Systematics, Inc. 4-1 4.0 Passenger Rail For most of the last century, east -west passenger rail s ervice was available on routes through both northern and southern Montana. The Empire Builder con - tinues to serve in the north, but no passenger rail service has been available in southern Montana since the late 1970s.

outh Dakotas Existing Rail System South Dakota State Rail Plan 58 SIOUX FALLS Sioux Falls is a base of operations for BNSFs Corson, Madison, Canton, and Mitchell su bdivisions. BNSF has a one -stall engine shed in Downtown Sioux Falls for locomotive inspection and maintenance. MITCHELL Mitchell is an intermediate terminal for BNSFs Core Line operations

on the Aberdeen, Canton, and Mitchell subdivisions. A small yard f acilitates carload interchange between BNSF and RWRR. Mitchell is a crew change and crew layover location for through traffic on this route. HURON Huron is the principal switching, classification, fueling, and maintenance facility for the RCPE network.

Carriers & Railroads

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

ice and facility issues and planning initiatives. Iowa DOT invited rail coordinators in all neighboring states to participate in a Multi-State Rail Plan Presentation on February 24, 2016. Representatives from Iowa DOT, Illinois DOT, Kansas DOT, Minnesota DOT, Nebraska DOT, South Dakota DOT, Wisconsin DOT, Missouri DOT, and the Mid-America Freight Coalition participated in the coordination webinar. During the discussion, Iowa DOT learned more about the trends, best practices, and lessons learned from other states regarding approaches to multi-state planning coordination, passenger and freight rail planning and policy, and associated economic development efforts.

below. River Barge Terminal Facilities Owing to its inland position, Iowa does not have any seaports; however, the state is located on two major inland waterways navigable for trade or commercial transportation purposes. These waterways include the Mississippi River and the Missouri River, which provide nearly 500 miles of navigable waterways serving Iowa and a connection to the Gulf of Mexico 9. The Mississippi River, which is commercially navigable between Minneapolis, Minnesota, and the Gulf of Mexico near New Orleans, Louisiana, defines Iowas eastern boundary between New Albin and Keokuk, Iowa. Major Iowa cities on the Mississippi River include Marquette, Dubuque, Clinton, Bettendorf, Davenport, Muscatine, Burlington, Fort Madison, and Keokuk.

. The route serves passenger stations in Winona, Red Win g, and Saint Paul; the next closest station is in La Crosse in WisDOTs Southwest Region. Each of these passenger stations is served by two trains per day, one in each direction. A new passenger rail corridor service

called the TCMC is expected to be gin in 2024, adding an additional trip in each direction between Chicago and the Twin Cities. Amtrak Thruway bus stops are served by intercity bus lines that provide connections to Amtrak service. These are limited in the Region to the STH 29 corridor, in Abbots ford, Chippewa Falls, Eau Claire, Menominee, and Stanley.

Industry & Commodities

ts would directly benefit the South Dakota rail shippers, including those in the agricultural sector, who rely on consistent, timely, and reliable rail service to and from the Pacific Northwest during harvest season to make their crops available for overseas export. BNSF CORRIDORS OF COMMERCE BNSF has designated the Willmar, Minnesota , to Lincoln, Nebraska , route as part of its MidCon Corridor . This route passes through Garretson, South Dakota , along the BNSF Marshall Subdivision. The Midcon Corridor exists as a central Midwest north -south artery to move key grain and energy commodities from Canada and the Upper Midwest to Texas and the Gulf Coast for refining, consumption, or export. 52 Railway Age, MRL Rails Returning to BNSF (Updated), January 11, 2022.

g Toronto, Ontario, and the Montreal, Quebec, in Canada 54. The Central Corridor is identified in Figure 2.37 below and connects with CPs other two designated corridors as identified below 55: Western Corridor from Vancouver, British Columbia, to Calgary and Edmonton, Alberta; Saskatoon, Moose Jaw, and Regina, Saskatchewan; Winnipeg, Manitoba; and Thunder Bay, Ontario at Moose Jaw, Saskatchewan. 52 Ibid 53 CP Investor Fact Book, 2014 54 Ibid 55 Ibid. 2-77 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System Eastern Corridor from Chicago, Illinois, and Thunder Bay, Ontario, to Detroit, Michigan; Toronto, Ontario; and Montreal, Quebec at Chicago, Illinois.

s off the Overland Route in Wyoming and Utah allow UP to reach Denver and the Pacific Northwest, and Southern California, respectively. Part of the former Chicago Rock Island Pacific Railroad, the Spine Line connects the Twin Cities of Minneapolis and St. Paul, Minnesota with Des Moines, Iowa, and Kansas City, Missouri; thence by other UP lines to several urban centers in Texas: DallasFort Worth, Houston, San Antonio, and Laredo, the major rail gateway to Mexico. These two corridors are strategically important to UP .

5. CNWs predecessors had bu ilt westward across the Great Plains from Chicago , Illinois, reaching Wyoming in 1886. Ul timately, the CNW network advanced as far as Lander, Wyoming, by 1906 . However, ambitious plans to extend the line west to Ogden, Utah, to form a transcontinental con nection with the Central Pacific Railroad (by that time a subsidiary of Southern P acific Railroad SP) were ultimately scuttled. CHAPTER 2 May 2021 2-20 The 1995 transaction provided UP with access to the Southern Powder River Basin (PRB) coal region via

two former CNW mainline segments: West Caballo Junction Shawnee Junction, Wyoming , (jointly owned and operated w ith BNSF) and Shawnee Junction, Wyoming Joyce, Nebraska.

Junction Points & Interchanges

CHAPTER 2 May 2021 2-42 Amtrak returned to the state in 1991 when it routed its daily Chicago -to-Seattle, Washington, Pioneer over the UP route used previously by the San Francisco Zephyr . The train provided Wyoming riders with coach, sleeper, dining, and baggage service over the length of the route and connections to the nearby Denver, Ogden (near Salt Lake City), and Boise metropolitan areas. Du e to reductions in Amtraks federal operating support, the frequency of Pioneer service declined to thrice -weekly trains across Wyoming by 1993, and the service was discontinued altogether on May 10, 1997. Since 1997, Amtrak has operated irregularly in Wyo ming on several occasions.

ransCon Corridor is identified in Figure 2.36 below and connects with BNSFs other two Corridors of Commerce as identified below: MidCon Corridor identified earlier in this section at Kansas City, Missouri, and Ellinor, Kansas. Great Northern Corridor between Chicago, Illinois and Seattle, WashingtonPortland, Oregon at Chicago, Illinois. Figure 2.36: BNSF TransCon Corridor Source: BNSF 2.3.1.1.2 CP Corridors CP has one designated corridor serving Iowa: the Central Corridor, which reaches to six U.S. states and one Canadian province. This route connects with CPs east-west transcontinental route at Moose Jaw, Saskatchewan (Canada), and is oriented south to Minneapolis, Minnesota; Milwaukee, Wisconsin; Chicago, Illinois; and Kansas City, Missouri.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for Minnesota.

Volume & Trends

t services for its customers. These significant investments , along with capital improvement work enabled by prior federal and state grants , have restored the eastern half of the RCPE (Pierre, South Dakota , to Tracy, Minnesota) to a 40 Chapter 4: Freight Rail Improvements and Investments South Dakota State Rail Plan 124 mph line capable of handling industry standard 286,000 -lb. railcars. RCPE, in partnership with state and local officials, has facilitate d significant new development along the railroad since 2014. The f ocus for future line improvements now centers on the RCPE main line west of Fort Pierre to Rapid City. This line , known as the PRC Subdivision , serves the region of the state known as West River.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Minnesota.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for Minnesota.

Costs & Investment

No specific data on costs & investment was identified in available sources for Minnesota.

Stakeholders & Governance

(SLRG) at Sugar Junction in Monte Vista north to Center, Colorado. The 171 SLCs shops and yard are located just north of U.S. 160 near Sugar Junction. SLC is an agricultural line that serves growers throughout the San Luis Valley of Colorado. Ownership and History SLC was incorporated in 1913 and was initially founded to haul sugar beets from growers to an online processing mill. Sugar beet growing did not prove popular with local farmers, and the facility soon closed. SLC ran passenger service for a period that ended in 1937. Pea Vine Corp acquired the entire capital stock from the estate of the railroads founder in 1969. Rail World, Inc. currently owns a controlling interest in SLC and is headquartered in Rosemont, Illinois.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Minnesota originating rail freight totaled approximately 652,500,563 expanded tons across 8,022,067 expanded carloads, generating approximately $28,803,314,571 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 1,123,666,055 tons (9,535,225 carloads)
- Chemicals: 1,036,988,535 tons (11,915,910 carloads)
- Farm Products: 928,883,184 tons (8,771,820 carloads)
- Food Products: 284,450,235 tons (3,070,315 carloads)
- Transportation Equipment: 210,617,070 tons (9,656,595 carloads)
- Petroleum: 100,227,358 tons (1,329,125 carloads)
- Non-Metallic Minerals: 74,772,656 tons (694,976 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Fargo, ND: 248,820,161 tons
- Boise, ID -> La Crosse, WI: 207,357,390 tons

- Fargo, ND -> Masked/Suppressed: 129,640,342 tons
- Fargo, ND -> Dayton, OH: 96,286,000 tons
- Masked/Suppressed -> Fargo, ND: 54,045,900 tons

Missouri (MO)

Rail Plan Year: 2022 | Data: Full Coverage

Major Freight Corridors

Route returns to double track for the rest of the journey to Council Bluffs, I A, where the former Chicago and North Western Railroad (CNW) (acquired by UP in 1995) has a double track line from there to Chicago . The single track former CNW line from Fremont, NE to Missouri Valley, IA, which serves as a bypass around Omaha and Counc il Bluffs is currently in the process of being double tracked to handle more of the trains that today pass through Omaha. 2.1.1.3 UPs Former SP Overland Route, todays UP Lakeside Subdivision (Ogden to the Nevada state line) This mostly single -track line heads west from Ogden across the flatland bordering the Great Salt Lake, then crosses the lake itself on a series of causeways.

of Union Station and the Railroads of Denver CHAPTER 1 May 2021 1-3 construct its own line northward in phases through Bo ulder, Longmont, and Fort Collins, Colorado, along the Front Range, ultimately reaching Cheyenne, Wyoming. To the north, the Fremont, Elkhorn, and Missouri Valley Rail road entered Wyoming from the east along the Niobrara River, reaching Douglas and Casper, Wyoming. This line was ultimately was absorbed into the Chicago and North Western Railway (CNW) and extended to Lander, Wyoming. To connect Cheyenne to the northern areas of Wyoming, the Cheyenne and Northern Railway was formed. Cheyenne and North ern built northward from Cheyenne to Wendover, Wyoming.2 UP gained control of this line and extended it to Orin, Wyoming, to connect with the CNW.

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

Carriers & Railroads

distance passenger service at a greater risk of discontinuation as uncertainty and proposed budget cuts endanger long-distance trains in West Virginia and across the country. Amtrak has consistently reduced service to underperforming routes, with the majority of those being long-distance routes. The reduction of the Cardinal and Capitol Limited from daily service to tri-weekly is only one example. Service reductions have also been seen on the Southwest Chief, California Zephyr, City of New Orleans, Crescent, Empire Builder Texas Eagle, Missouri River Runner, Lakeshore Limited, Palmetto, and Empire Builder. Most reductions were due to the COVID-19 pandemic, yet it remains to be seen if the services will return to pre-pandemic levels.

ve. Tribal land areas are served by 5,250 miles of public roads and bridges located within tribal boundaries. The roads are owned by six different government entities, including the Tribes, Bureau of Indian Affairs (BIA), State of North Dakota, counties, municipalities, and townships. Tribal communities have at least one major state highway passing through or nearby that carries significant truck -based freight. This freight traffic impacts communit y livability for tribal communities in similar ways to any other town . Figure 5-12: Tribal Lands and Freight Corridors Tribal lands and communities are served by a transportation network composed of state, county, township, and BIA owned roads.

and for both freight and passenger rail service. This section, developed for the 2022 SFP and applied to this SRP, discusses economic activity trends and outlook for key industries in Arkansas. Industrial Outlook by Sector This subsection discusses three critical industries in Arkansas: rice production and processing; poultry production and processing; and iron and steel production and processing. These industries have had performances ranking at the highest levels nationally and with visible impact overseas. Additionally, this section discusses these industries upcoming challenges an d opportunities in the context of the role of rail. The original content for each sector was or iginally developed as part of the 2022 SFP.

tion system in Iowa? What improvements would help increase efficiency? How competitive are the transportation modes in Iowa? What improvements would make Iowa more competitive? What are the current hurdles in the transportation system that may block future economic development? What industry developments and trends, both within Iowa and beyond, are most important for decisions related to the the rail and freight transportation system? Looking to the future, what one element, or combination of elements of the freight and rail transportation system requires the most attention to support the growth of the Iowa economy? In what ways will the planned expansion of the Panama Canal affect Iowa? o Should Iowa DOT be prepared to make changes in the rail and freight system that adapt to the changes ...

Industry & Commodities

d by tr ack milage at only 20,000 miles. However, the new Class I railroad is also the most expansive in that it spans across the U.S., Mexico, and Canada, the first to connect the three major co untries of North America. The new railroad includes coverage across most of southern C anadas urban centers, as well as Mexicos urban centers located in the central portion of the country. Within the U.S., t he CPKC corridor stretches through the central portion of the country from Texas through the Upper Midw est. The new railroad additionally includes existing trackage rights providing access to northeastern portions of the U.S. Within Arkansas, CPKC primarily serves the far west ern portion of the state, spanning 158 miles.

g Toronto, Ontario, and the Montreal, Quebec, in Canada 54. The Central Corridor is identified in Figure 2.37 below and connects with CPs other two designated corridors as identified below 55: Western Corridor from Vancouver, British Columbia, to Calgary and Edmonton, Alberta; Saskatoon, Moose Jaw, and Regina, Saskatchewan; Winnipeg, Manitoba; and Thunder Bay, Ontario at Moose Jaw, Saskatchewan. 52 Ibid 53 CP Investor Fact Book, 2014 54 Ibid 55 Ibid. 2-77 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System Eastern Corridor from Chicago, Illinois, and Thunder Bay, Ontario, to Detroit, Michigan; Toronto, Ontario; and Montreal, Quebec at Chicago, Illinois.

s off the Overland Route in Wyoming and Utah allow UP to reach Denver and the Pacific Northwest, and Southern California, respectively. Part of the former Chicago Rock Island Pacific Railroad, the Spine Line connects the Twin Cities of Minneapolis and St. Paul, Minnesota with Des Moines, Iowa, and Kansas City, Missouri; thence by other UP lines to several urban centers in Texas: DallasFort Worth, Houston, San Antonio, and Laredo, the major rail gateway to Mexico. These two corridors are strategically important to UP .

o Pine Bluff SubConstruct connection from White Bluff Sub to Pine Bluff Sub. Infrastructure Upgrade Short-Term 8,000 UP, Class I Van Buren Sub Siding Construction Van Buren Sub SidingsConstruct 4-6 sidings between Little Rock and Van Buren on the Van Buren Sub. Infrastructure Upgrade Short-Term 50,000 UP, Class I McGehee Sub Siding Construction McGehee Sub SidingsConstruct 4-6 sidings south of Pine Bluff on the McGehee sub. Infrastructure Upgrade Short-Term 50,000 UP, Class I White Bluff Sub Upgrades Improvements White Bluff Sub Sidings and Double Track Construct 2-3 sidings betwe en Little Rock and Pine Bluff, double track extensions extending 3-5 miles out of terminals of Little Rock and Pine Bluff.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

t services for its customers. These significant investments , along with capital improvement work enabled by prior federal and state grants , have restored the eastern half of the RCPE (Pierre, South Dakota , to Tracy, Minnesota) to a 40 Chapter 4: Freight Rail Improvements and Investments South Dakota State Rail Plan 124 mph line capable of handling industry standard 286,000 -lb. railcars. RCPE, in partnership with state and local officials, has facilitate d significant new development along the railroad since 2014. The f ocus for future line improvements now centers on the RCPE main line west of Fort Pierre to Rapid City. This line , known as the PRC Subdivision , serves the region of the state known as West River.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

ransCon Corridor is identified in Figure 2.36 below and connects with BNSFs other two Corridors of Commerce as identified below: MidCon Corridor identified earlier in this section at Kansas City, Missouri, and Ellinor, Kansas. Great Northern Corridor between Chicago, Illinois and Seattle, WashingtonPortland, Oregon at Chicago, Illinois. Figure 2.36: BNSF TransCon Corridor Source: BNSF 2.3.1.1.2 CP Corridors CP has one designated corridor serving Iowa: the Central Corridor, which reaches to six U.S. states and one Canadian province. This route connects with CPs east-west transcontinental route at Moose Jaw, Saskatchewan (Canada), and is oriented south to Minneapolis, Minnesota; Milwaukee, Wisconsin; Chicago, Illinois; and Kansas City, Missouri.

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Missouri originating rail freight totaled approximately 91,712,649 expanded tons across 4,591,721 expanded carloads, generating approximately $8,480,115,928 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 278,930,220 tons (4,018,845 carloads)
- Intermodal: 151,254,880 tons (11,037,920 carloads)
- Primary Metals: 42,224,920 tons (550,260 carloads)

- Farm Products: 35,057,202 tons (357,174 carloads)
- Transportation Equipment: 25,728,000 tons (1,352,215 carloads)
- Food Products: 13,221,785 tons (462,240 carloads)
- Lumber/Wood: 8,067,840 tons (95,480 carloads)

Top Origin-Destination Pairs:
- Fresno, CA -> St. Louis, MO: 27,269,390 tons
- St. Louis, MO -> Fresno, CA: 19,834,440 tons
- St. Louis, MO -> Masked/Suppressed: 17,744,568 tons
- Masked/Suppressed -> St. Louis, MO: 17,707,281 tons
- Dallas, TX -> St. Louis, MO: 9,089,571 tons

Mississippi (MS)

Data: Full Coverage

Major Freight Corridors

United States. A railroad to the North Slope has been considered, as it has the potential to transport large volumes of bulk freight at a competitive cost. It may also lead to new oil drilling and mining opportunities. The rail link could facilitate the movement of bulk freight required for large scale horizontal drilling as well as hydro -fracturing of shale oil and shale gas bearing formations. One route for this extension would be approximately 450 miles long and would likely connect to the ARRC mainline at the Dunbar siding near Nenana . There are also other potential routes. The cost of this project is estimated at nearly 7 billion. Please see Appendix D for further detail regarding the economic impact of a North Slope rail extension.

ruce Lindholm Meeting Rapid City Investment Guide support e conomic growth development support Class III RRs I recommend consideration given to various project types economic development track vs mainline track projects for STC State RR trust fund grant projects. Projects on Class III Railroads are often small andor disadvantaged communities and the development means a lot to that community. In addition, our loads are very important to Class III Railroads Chapter 6: Coordination and Review South Dakota State Rail Plan 181 Name Mona Smith Meeting Online Hello, I saw in our local news, public meetings were held in regards to railroads. I am concerned with my local crossing in Fort Pierre. I live at 401 West Park Avenue and there is no alternative exit if a train has blocked the road.

the route for Northstar Commuter Rail and the Empire Builder. The NLX high- speed passenger service to Duluth would utilize this track and junction to enter the Hinckley subdivision and access the proposed raceway of double track between Coon Creek Junction and Sandstone. It also is the site of a proposed north suburban station at Foley Boulevard, site of freeway access and the Twin Cities largest Park-and-Ride facility. This site would be consistent with FRA guidance for key suburban stops for intercity service to enhance urban service coverage and convenience for ri ders, similar to proposals for Rosemount or Hastings in the southeast.

ion are being upended. Annual sales volumes, which regularly exceeded 17 million units only a few years ago, are now running at le ss than 10 million, and few analysts expect them to exceed 14 to 15 million any time in the next decade. Not only is the automobile industry a significant railroad customer, ranking sixth in 2007 revenues by commodity, many other important rail-oriented industries, such as chemicals and steel, also are substantial suppliers to

the auto industry. International trade, the primary driver behind the boom in intermodal traffic from the mid- 1980s until 2006, has ceased being an engine of growth for the railroads.

Carriers & Railroads

et long, while Hector International Airport has the longest civilian runway at 9,000 feet. Most of the other commercial airports have runways about 7,400 feet long. The North Dakota Army National Guard consist s of various unit types which can support national and state missions. The Camp G rafton Training Center operated by the North Dakota National Guard , near Devils Lake, serves to support training for American fighting forces. The North Dakota Air National Gu ard includes the 119th Wing based in Fargo . The North Dakota National Guard Joint Forces Headquarters is located in Bismarck. In addition to command -and- control functions for statewide national guard units, the Joint Forces location includes centralized l ogistics activities for receiving and distributing freight .

tertown (Figure 9 -19). These areas are largely near l ow volume lines, except for Beaver Dam, La Crosse, Portage, and Watertown. Intermodal Facilities in the Southwest Region The Southwest Region contains one of the states three active portrail intermodal facilities. The La Crosse portrail intermodal facility is located along the Mississippi River north of downtown La Crosse near the citys Amtrak station. The block groups nearest the portrail intermodal facility have b elow Regional and state average rates of youth and seniors , but above average rates of racial and ethnic minorities , low- income residents , and zero -vehicle households (Figure 9 -17; Figure 9 -18; Figure 9 -19).

s of the NOGC -owned Belle Chasse Subdivision and eight miles of the leased Westwego Subdivision from UP along the Mississippi River in the Orleans and Delta region. Rehabilitation work includes repair of two railr oad lift bridges, replacement of embedded rail on a neighborhood road, establishing double -main trackage from single -mainline track, a tie replacement program, and first responder hazardous materials emergency response training. To date, the NOGC has compl eted the tie replacement project and has performed two of three annual hazardous material and emergency training sessions for local first responders. Pre -construction activities for the replacement of embedded track in Gretna, Louisiana, and double -main trackage has started and construction will be underway in 2024.

Industry & Commodities

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ks. The project aligns with the selection criteria by improving system and service performance and safety as it will facilitate safety improveme nts along this corridor that will also improve reliability of the service. Amtrak will provide a 20 non -Federal match. This project qualifies for the statutory set-asides for projects in Rural Areas, new Intercity Passenger Rail, and trespass prevention. Fiscal Year 2020 Beaumont Subdivision Corridor Railroad Crossing Safety Improvements Project This project was submitted by DOTD for purposes of funding the installation of predictive warning time systems with flashing lights, gate arms, and upgraded motion detectors at approximately 24 crossings along a 157 -mile rail corridor on what was, at the t ime of the grant application, Kansas City Southe...

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

ransCon Corridor is identified in Figure 2.36 below and connects with BNSFs other two Corridors of Commerce as identified below: MidCon Corridor identified earlier in this section at Kansas City, Missouri, and Ellinor, Kansas. Great Northern Corridor between Chicago, Illinois and Seattle, WashingtonPortland, Oregon at Chicago, Illinois. Figure 2.36: BNSF TransCon Corridor Source: BNSF 2.3.1.1.2 CP Corridors CP has one designated corridor serving Iowa: the Central Corridor, which reaches to six U.S. states and one Canadian province. This route connects with CPs east-west transcontinental route at Moose Jaw, Saskatchewan (Canada), and is oriented south to Minneapolis, Minnesota; Milwaukee, Wisconsin; Chicago, Illinois; and Kansas City, Missouri.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for Mississippi.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

Volume & Trends

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

ltiplying the number of vehicles on a roadway segment by its length. Thus, an increase could be correlated to either increases in vehicles or trip lengths, both of which are growth-related. In the table, VMT is shown for years 2010 and 2040 by National Highway Functional Classification (NHFC). These classifications are used to define roadway types and their primary uses for roadway users. Table 2.24: Estimated VMT on IDOT Roadways by Classification, 2010 and 2040 FUNCTIONAL CLASSEXISTING MILES OF ROADWAYAVERAGE ANNUAL DAILY VMT (IN THOUSANDS)G R O W T H I N VMT GROWTH 2010 2040 InterstateFreeway1,569 19,725 26,017 6,292 24.2 Principal Arterial 5,353 30,034 35,257 5,222 14.8 Minor Arterial 3,854 8,981 9,497 516 5.4 Collector 94 132 153 21 13.6 Local 18 66 90 24 27.1 Total 10,888 58,938 71,0...

the Northeast Corridor allows direct commerce with the countrys largest and most lucrative marke tplace. The port is directly accessible to more major cities by rail and truck than any other port in the United States, allowing for efficient and timely deliveries. The port is close to Marine Highway M -95, which parallels the East Coast of the United States from Maine to Florida. A map of the U.S. Marine Highway system is shown in Figure 2-47. Figure 2-47: U.S. Marine Highway System (U.S. Maritime Administration , n.d.) In recent decades, the port has specialized in handling break -bulk and bulk cargoes, with container volumes shifting toward New YorkN ew Jersey and the Virginia Tidewater ports.

Bottlenecks & Constraints

variables in Equation 15 .41 with the previous ly de?ned scaling factor sa nd re-arrangi ng: m x y w ¼l y Gn x r 0_ c wmgb 0 xy ww2 t w lc y xy ww c w2 t w mþð T y þ T x c w Þw T w2 t w m w lð 15 : 42 Þ Dyna mically, the scale wheelset behave ss imilarly to the ful ls cale, if Equat ion 15.41 and Equat ion 15.42 coincid e. Th is requires that the followi ng condi tions ho ld: w2 t w l¼ 1) w v ¼?? ?w lpvelo city scaling w c w2 t w m¼ 1) w c ¼ w r w2 l stiffness scaling w T w2 t w m w l¼ 1) w T ¼ w r w3 l creep forc es calingð 15 : 43 Þ It can be seen that for simi larity to be maint ained the scalin gf actor sf or the Equat ion 15.43 above cannot be freely chose na nd are af uncti on of the princi ple scal ing terms deri ved in Section IV.A.

railroad and estimating its costs for adjudicatory purposes are complicated endeavors. T_he SAC procedure requires the complainant shippers and the railroad to design a hypo - thetical railroad that o?ers stand-alone service. As detailed in Box 3-2, this requires extensive documentation with regard to its con?guration and investment and operating expense items such as locomotives, car 43 Indeed, the second constraint of the Coal Rate Guidelines speci?es that a captive coal shipper would not be required to bear the cost of demonstrated management ine?ciencies in the carriers operations and pricing structure (ICC 1985, 2). Modernizing Freight Rail Regulation Copyright National Academy of Sciences.

als from other tribun als. See, e.g., Total Petroc hems. Ref. USA, Inc. v. CSX Transp., Inc., NOR 42121, slip op. at 220 (STB served Sept. 14, 2016) (relying on Board precedent); Consumers Energy Co., NOR 42142, slip op. at 19 n.20 (citing academic literature); AEP Tex. N. Co. v. BNSF Ry., NOR 41191 (Sub-No. 1), slip op. at 7-8 (STB served May 15, 46 For example, the ICC described the Long-Cannon factors as certain checks on obviously inefficient mana gement. Coal Rate Guidelines, Nationwide, EP 347 (Sub-No. 1), slip op. at 10, 13-14 (ICC served Feb. 24, 1983); see also Coal Rate Guidelines, Nationwide (Coal Rate Guidelines), 1 I.C.C.2d 520, 540-41 (1985) (discussing the Long-Cannon factors in establishing the management effici ency constraint).

staging to be accomplished. As a first cut on freight flows, the two scenarios outlined in Chapter 12 offer a starting point in picking possible metropolitan areas for pilot project investigations. 1. Destination traffic within the urban core of the metropolitan area where the bottleneck(s) occur(s); 2. Through traffic traversing the metropolitan area. Another selection criterion for pilot projects is that the metropolitan areas are non-attainment in terms of pollution levels.

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

kwood Franklin 2.63 09261988 CSXT Birmingham Jefferson 2.90 11061988 C of G Hurtsboro to Troy Russell, Bullock, Pike 45.96 03081989 SOU Jacksonville to Piedmont Calhoun 14.00 02191989 C of G Lafayette to Roanoke Randolph, Chambers 18.18 01281989 AF Opp Geneva Covington, Geneva 1.70 01241989 SOU Gurnee Jct. to Boothton Bibb 3.02 01161989 CSXT Maxwellborn to Georgia State Line Calhoun, Cleburne 28.65 01131989 C of G Eufaula to Union Springs Barbour, Bullock 35.70 06251989 BN Dora to Debardeleben Walker 9.40 03271989 C of G Central Junction to McCombs Jefferson 5.31 10131989 NS Vulco to Blocton Bibb 5.10 12311999 NS Piedmont to Georgia State Line Calhoun, Cherokee 11.00 05231990 CSXT Beatrice to Hybart Monroe 13.96 05241990 CHV Entire Line Chambers 9.23 11201991 HS Taylor to Hartford Houston,...

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system

needs, and workload type to annually develop the STIP.

Stakeholders & Governance

ARRC) 20 Anchorage June 4 Loussac Library Walsh, Laurie (DOTPF) Brigham, Jessen, Abbott (HDR) 35 Fairbanks June 5 FNSB Assembly Chambers Walsh, Laurie, Mason (DOTPF) Brigham, Jessen (HDR) 39 Nome June 6 Old St. Joes Hall Walsh, Laurie, Mason (DOTPF) Jessen, Abbott (HDR) Carr (ARRC) 6 ASRP Open House s 2 May-June, 2013 Advertising: The open houses were advertised in local print media, via post card and e-mail announcements to individuals on the project mailing list, fliers posted by the ASRP Technical Advisory Group members, and information posted on the project website. Postcard invitations were mailed to approximately 1200 individuals; an e-mail with a pdf attachment of the postcard was sent to nearly 800 individuals.

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Mississippi originating rail freight totaled approximately 144,243,519 expanded tons across 1,810,574 expanded carloads, generating approximately $7,602,895,115 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 812,250,900 tons (8,717,865 carloads)
- Petroleum: 154,729,799 tons (1,878,905 carloads)
- Paper Products: 88,541,949 tons (1,105,188 carloads)
- Primary Metals: 43,102,536 tons (454,260 carloads)
- Lumber/Wood: 27,533,112 tons (322,596 carloads)
- Food Products: 26,366,905 tons (283,355 carloads)
- Non-Metallic Minerals: 26,120,780 tons (230,880 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Biloxi, MS: 69,680,185 tons

- Baton Rouge, LA -> Dallas, TX: 13,673,668 tons
- Masked/Suppressed -> New Orleans, LA: 13,104,651 tons
- Lubbock, TX -> Mobile, AL: 12,538,877 tons
- Houston, TX -> New Orleans, LA: 9,631,501 tons

Montana (MT)

Rail Plan Year: 2010 | Data: Full Coverage

Major Freight Corridors

of Union Station and the Railroads of Denver CHAPTER 1 May 2021 1-3 construct its own line northward in phases through Bo ulder, Longmont, and Fort Collins, Colorado, along the Front Range, ultimately reaching Cheyenne, Wyoming. To the north, the Fremont, Elkhorn, and Missouri Valley Rail road entered Wyoming from the east along the Niobrara River, reaching Douglas and Casper, Wyoming. This line was ultimately was absorbed into the Chicago and North Western Railway (CNW) and extended to Lander, Wyoming. To connect Cheyenne to the northern areas of Wyoming, the Cheyenne and Northern Railway was formed. Cheyenne and North ern built northward from Cheyenne to Wendover, Wyoming.2 UP gained control of this line and extended it to Orin, Wyoming, to connect with the CNW.

Valley, feeder lines peel away from the UPRR main to serve the areas onion growing regions, as well as other industries including manufacturing. Key mining concerns also have rail service in this part of the state. A cluster of phosphate mines north of Soda Springs, for example, are served by the UPRRs Dry Valley Subdivision, which connects the mines to one of the companys transcontinental routes. The pattern in North Idaho is similar, but the network in the states panhandle is not as connected to the key economic centers in the state. No instate rail connection exists between northern Idaho and either the Treasure Valley or the Snake River Plain.

rvice includes connectivity to larger regional towns including Rexburg and Saint Anthony. These lines funnel into Idaho Falls and connect with the UPRR Montana Subdivision. To the west, the EIRR operates 151.3 miles of track in a spider web of lines serving the agricultural interests of the Magic Valley, including the city of Twin Falls, and the regional towns of Jerome, Burley, Buhl, and Wendell. These lines funnel into a connection with the UPRR Nampa Subdivision at Minidoka. EIRR has trackage rights for part of the distance between the two networks, between Minidoka and Pocatello.38 The EIRR is operated out of Twin Falls. Great Northwest Railroad The Great Northwest Railroad (GNRR), a subsidiary of WATCO Companies Incorporated, now only has 4.3 miles of track remaining in Idaho.

ong the UP in southern Wyoming. Wyoming and Utah shar e in the slow decline of coal shipments by rail, owing to changing environmental regulations and the switch to natural gas -fired steam power plants. However, Wyoming originates far more coal shipments by rail from its huge mines in the Powder River Basin o f northeastern Wyoming than what is produced

from Utahs small- by-comparison underground coal mines. The two states also share in the rapid growth of crude oil shipments by rail from their respective oil reserves, which represent much different crude oil f rom that currently being extracted from the Bakken formation in North Dakota and eastern Montana.

Carriers & Railroads

o move Utah coal inasmuch as only one of Utahs coal mines has direct rail service. Most rail shipments of coal mined in Utah travel to power plants within the state or to neighboring Nevada. A modest amount of Utah coal is shipped to power plants in the Midwest, but the relatively small tonnages inv olved reflect the overwhelming dominance of Wyomings Powder River Basin coal serving those markets. Only one intermodal freight terminal is located in Utah. UP s Salt Lake City Intermodal Terminal (SLCIT) is a relatively new (2006) facility . It is located directly adjacent to Salt Lake Citys west side warehousing and distribution center and in close proximity to three of Utahs Primary Freight Network highways as well as the Salt Lake City International Airport.

vements that would be necessary between Williston, North Dakota, and Sandpoint, Idaho to meet both the requirements of passenger service and the operating needs of the host rail - roads. Thi s assessment was accomplished by a limited sample of route inspec - tions and through information from the host railroads. The Tier 2 analysis did not include capital cost estimates similar to those in Tier 1. The MRL segments of the line (Missoula to Sandp oint) are in excellent condition and would likely require only modest capital investments. However, the eastern segments from Glendive to Snowden will require more extensive Billings to Miss oula (Tier 1) Sandpoint, ID to Williston, ND (Tier 2) 2010 Montana State Rail Plan ES-12 Cambridge Systematics, Inc.

) the State has ensured that it mainta ins or will maintain adequate procedures for financial control, accounting, and performance evaluation for the proper use of assistance provided by the United States Government. This document, which was developed by W YDOT , meets the requirements set forth in legislation and public laws and is intended to serve as a resource for state, regional, and local planning. The SRP represents a compendium of recent passenger - and freight -rail studies supplement ed by additional analysis and investigation necessary to meet federal requirements.

Minnesota Comprehensive Statewide Freight and Passenger Rail Plan 3-16 Cambridge Systematics, Inc . The top five rail-bound commodities account for over 80 percent of outbound tonnage: metallic ores, farm products, food products, chemicals, and mixed shipments. The IHS-Global Insight forecast projects a decline in metallic ores and farm products and growth in

the next three categories through 2011. 15 Measured by value, mixed shipments, which form most of the traffic carried in trailers and containers, are pr edicted to be the top commodity by value. The other top commodities by value are food products (highest today), chemicals, transportation equipment, and pulp and paper products.

Industry & Commodities

HP High Priority HPCS Highway Performance Classification System HPMS Highway Performance Monitoring System HSIP Highway Safety Improvement Program HUD U.S. Department of Housing and Urban Development ICBM Intercontinental Ballistic Nuclear Missiles ICC Interstate Commerce Commission IIJA Infrastructure Investment and Jobs Act INFRA Infrastructure for Rebuilding America IRI International Roughness Index ISTEA Intermodal Surface Transportation Efficiency Act of 1991 ITS Intelligent Transportation Systems JMS Jamestown Regional Airport KCS Kansas City Southern Railroad LBS Pounds LCV Longer Combination Vehicle LETA Law Enforcement Training Academy LMI Labor Market Information LNG Liquefied Natural Gas LRFA Local Rail Freight Assistance LRTP Long-Range Transportation Plan MAP-21 Moving Ahead f...

s The LOS analysis found only one short line segment with constrained conditions. Most short lines operate 12 daily trains, well within capacity envelopes for even the most rudimentary rail lines. Not surprisingly, the one short line segment to show constrained conditions is also the busiest short line in Idaho the Eastern Idaho Railroads (EIRR) Twin Falls Branch line between Rupert and Minidoka. This Idaho Statewide Rail Plan Section 3: Trends and Forecasts Page 3-41 June 21, 2013 segment carries all EIRR trains (for the southern segment, approximately 70 of total volume), centered in the Magic Valley and central Snake River Plain, to the railroads interchange with the UPRR Nampa Subdivision. The UPRR Nampa line is part of the companys Northwest Corridor transcontinental service.

give Amtrak access to approaches, building and platform in Sandpoint. Then, Amtrak will have access to the BNSF escrow account (in which ITD funding is being held) to finish the restoration. Find Amtrak easy to work with Coeur d'Alene to Spokane Valley The Sandpoint to Spokane service is already provided via the Empire Builder, unless the thought is to create a new service on a former corridor. Since the Empire Builder utilizes the very busy BNSF corridor that is highly unlikely and formidably expensive given the low population density and BNSF's trackage right costs.

CHAPTER 2 May 2021 2-42 Amtrak returned to the state in 1991 when it routed its daily Chicago -to-Seattle, Washington, Pioneer over the UP route used previously by the San Francisco Zephyr . The train provided Wyoming riders with coach, sleeper, dining, and

baggage service over the length of the route and connections to the nearby Denver, Ogden (near Salt Lake City), and Boise metropolitan areas. Du e to reductions in Amtraks federal operating support, the frequency of Pioneer service declined to thrice -weekly trains across Wyoming by 1993, and the service was discontinued altogether on May 10, 1997. Since 1997, Amtrak has operated irregularly in Wyo ming on several occasions.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for Montana.

Rail Yard Capacity

rvices in Iowa. Iowas operating freight railroads are divided into three categories, including Class I railroads which are large, primarily long-haul national rail systems; Class II railroads which are medium sized railroads that operate regional rail systems; and Class III railroads which are commonly referred to as short line and switching or terminal railroads, which operate at the local level. Iowa also has non-operating railroad owners, which own short segments of the Iowa rail network and have agreements with Class II and Class III railroads to provide rail service. The passenger rail system is comprised of Amtrak National Network, or long-distance intercity services, and privately owned tourist railroads.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to

which passenger fare revenues cover operating costs.

ltiplying the number of vehicles on a roadway segment by its length. Thus, an increase could be correlated to either increases in vehicles or trip lengths, both of which are growth-related. In the table, VMT is shown for years 2010 and 2040 by National Highway Functional Classification (NHFC). These classifications are used to define roadway types and their primary uses for roadway users. Table 2.24: Estimated VMT on IDOT Roadways by Classification, 2010 and 2040 FUNCTIONAL CLASSEXISTING MILES OF ROADWAYAVERAGE ANNUAL DAILY VMT (IN THOUSANDS)G R O W T H I N VMT GROWTH 2010 2040 InterstateFreeway1,569 19,725 26,017 6,292 24.2 Principal Arterial 5,353 30,034 35,257 5,222 14.8 Minor Arterial 3,854 8,981 9,497 516 5.4 Collector 94 132 153 21 13.6 Local 18 66 90 24 27.1 Total 10,888 58,938 71,0...

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Montana.

Efficiency & Service Quality

Q Chicago, Burlington Quincy Railroad CS Colorado Southern Railway CRISI Consolidated Rail Infrastructure and Safety Improvements Program DME Dakota, Minnesota and Eastern Railroad DME Dakota, Minnesota, and Eastern Railway EDA Economic Develop ment Administration EIA Energy Information Administration EPA United States Environmental Protection Agency ESF Emerge ncy Support Function FAF Freight Analysis Framework FHWA Federal Highway Administration FRA Federal Railroad Administration FY Fiscal Year GW Genesee Wyoming HAZMAT Hazardous Materials INFRA Grant Infrastructure for Rebuilding America Grant LEDC Laramie Economic Development Corporation MRL Montana Rail Link PRIIA Passenger Rail Investment and Improvement Act PRB Powder River Basin PTC Positive Train Control RAISE Rebuilding American...

ENT Unlike most other modes of freight transport, railroads are largely responsible for the substantial capital investments necessary to maintain and expand their operations. A common

concern among railroad companies is that the excise taxes an d fees paid by motor carriers at the Federal and state levels do not fully account for their proportionate share of the costs of constructing and maintaining the nation s highway system. Moreover, the incremental costs of expanding a motor carrier s busin ess over publicly owned and maintained roads is substan - tially less than a railroad faces to expand its business, since it is not only respon - sible for labor and rolling stock, but also for the cost to expand and maintain all aspects of its rail network.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

Owner SNR Operator SNR Maximum Authorized Speed Up to 10 mph Primary Track Configuration Single Track Primary Track Classification Excepted Signal Systems None Operational Authority Non-Controlled Trackage Rights None Haulage Rights None Maximum Allowable Gross Weight 263,000 -lbs. Adjoining Subdivisions None Adjoining Railroads CP Figure 15 shows the extent of the SNRs operations in South Dakota. Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 53 Figure 15: Sunflour Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 54 2.1.1.2 NON -OPERATING RAILROAD OWNERS STATE OF SOUTH DAKOTA The State of South Dakota undertook a proactive and valiant effort to preserve freight rail service during the rail crisis in the early 1...

recast ridership from reinstating Amtraks North Coast Hiawatha service is projected to be 359,800 annually, which includes 65,800 riders who are projected to use the North Coast Hiawatha service, should it be reinstated, instead of the existing Empire Builder route.17 Passenger System Bottlenecks and Capacity Constraints Trackage rights enable Amtraks Empire Builder passenger trains to operate over BNSFs Great Northern Corridor in Idaho. Like BNSF trains, bottlenecks on the corridor include single main line track segments south of Athol, over the Lake Pend Oreille Bridge, and on either side of Bonners Ferry. All of these singletrack segments constrict capacity and affects the two daily trains Amtrak offers on the line.

Stakeholders & Governance

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

riever, and Slidell. Passengers boarding or alighting (exiting) Amtrak trains at these stations totaled 83,842 in 2021, down from a pre -COVID passenger count of 176,159 in 2019 . Apart from the immediate impacts of the COVID -19 pandemic, ridership has been constrained through poor on- time performance, rolling stock shortages, and service outages that have all increased since the early 2010s. 1.4 Vision, Goals, and Objectives for Louisianas Rail Transportation Defining a clear vision, supported by a set of well -defined goals and objectives is crucial for guiding the rail development, investment and policy decisions in the state , ensur ing alignment with broader transportation and sustainability objectives.

ith the current technology, trains operating in the same direction must be spaced at greater distances than with more modern signaling technologies, in effect reducing capacity. Project Description Capacity constraints can be eliminated in several ways. One approach is to add tracks. However, this is costly and, in many cases, may not be feasible because of limited right- of-way land availability. Alternatively, modifications to the train control signal system are an effective means to increase capacity and throughput. One applicable signal sys-tem improvement is to operate with cab, no wayside signals.

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Montana originating rail freight totaled approximately 510,375,086 expanded tons across 4,754,363 expanded carloads, generating approximately $20,886,378,982 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 1,287,035,016 tons (11,973,846 carloads)
- Coal: 951,725,450 tons (7,911,090 carloads)
- Chemicals: 580,145,670 tons (6,122,790 carloads)
- Food Products: 114,091,515 tons (1,136,750 carloads)
- Petroleum: 101,702,041 tons (1,223,985 carloads)
- Stone/Clay/Glass: 11,496,661 tons (113,600 carloads)
- Transportation Equipment: 7,882,405 tons (373,850 carloads)

Top Origin-Destination Pairs:
- Missoula, MT -> Masked/Suppressed: 200,014,794 tons
- Bismarck, ND -> Olympia, WA: 37,034,258 tons
- Billings, MT -> Olympia, WA: 25,203,650 tons
- Bismarck, ND -> Juneau, AK: 20,036,781 tons
- Billings, MT -> Juneau, AK: 15,468,792 tons

North Carolina (NC)

Rail Plan Year: 2025 | Data: Full Coverage

Major Freight Corridors

tions or freight buildings. User Fees User fees have been used to fund specific investments in infrastructure, such as the Alam- eda Corridor and the Shellpot Bridge. User fees are imposed on each loaded freight car that moves on the infrastructure. State Infrastructure Bank State Infrastructure Banks (SIB) are revolving funds created by a state using both federal and state transportation dollars. They provide credit assistance through loans, loan guar - antees and lines or letters of credit. Some 32 states have created SIBs since they were first allowed by the federal government in 1995. Through 2010, they issued 7 billion in loans for more than 600 projects, including freight rail. Generally, the maximum loan term is 35 years and interest rates are at or below market rates.

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

wide plans) are noted in Table 1-4. SCDOT s 2014 SRP and updated 2020 SRP established six goals with several objectives within each: mobility and system reliability, safety, infrastructure condition, economic and community vitality, environmental SOUTH CAROLINA STATEWIDE RAIL PLAN 1-14 stewardship, and equity. The same six goals reflected in the 2022 Statewide Freight Plan Update. Specific performance measures are listed for each of these goals in all three plans with much overlap due to the consistency of goals. The Statewide Truck Parking Assessment Study and Highway -Rail Grade Crossing Safety Action Plan generally aimed to improve safety and include performance measures (the at-grade crossing plan measures are most relevant to this rail plan). The U.S.

s program also provides technical assistance to entities applying for IIJA funding. California Local Assistance Provides resources on available f ederal and state funding programs for transportation projects and oversees the distributed funds. Each funding program has its own page with background, schedule for application, resources, and contacts that can provide interested parties more information. In addition, a funding cycle calendar is available which

visualiz es the due dates and award cycles for each of the listed funding programs .

Carriers & Railroads

de Freight Plan Update Same as SCDOT 2014 Statewide Rail Plan and 2020 SRP Update Performance measures related to each goal and supporting objectives are listed in Table 1.2 of the plan. Freight tonnage and value movement are expected to grow 84 percent and 115 percent , respectively, from 2019 to 2050. Rail tonnage is expected to grow from 135 million tons to 230 million tons over this timeframe. Safety and security, mobility and reliability, and infrastructure condition were prioritized by both industry stakeholders and community members in online surveys.

e 26, 2024, 149 people attended the virtual public meeting. A total of 225 comments and questions were received through the chat box during the virtual meeting. Invitees and participants were asked to provide comments during a 30-day period from June 12, 2024 to July 12, 2024. There were multiple ways to submit comments: through the website, email to SCDOT Program Manager, David Gray (graydlscdot.org), or during the virtual public meeting. A total of 282 comments , including the 225 comments from the Zoom meeting, were received during the formal comment period. Formal written comments submitted by email or through the website were responded to by email from the SCD OT Program Manager. Comments and responses were documented and analyzed by theme throughout the planning process.

Savannah, while t he Silver Star and Silver Meteor operate between New York and Miami. Each of the three coastal trains stop in Savannah, and the Silver Star adds a stop in Jesup. Each of these Amtrak coastal routes operate over CSX rail lines. The fourth Amtrak route, the Crescent, serves Atlanta and the northern part of the state traveling between New Orleans and New York City with Georgia stations in Atlanta, Gainesville, and Toccoa. This route uses a rail corridor owned by NS. The schedules for trains passing through Ge orgia vary, such that the Crescent, Palmetto, and Silver Meteor trains stop in Georgia in the morning or in the evening, with the time of day depending upon the route and direction as shown in Table 1-8.

apes its service attributes. Rail is the second leading freight movement and offers ancillary benefits that other modes of transportation cannot. These benefits can be viewed from four perspectives: cost, efficiency, reliability, and environmental impact. 43 Union Pacific, Positive Train Control, https:www.up.commediamedia_kitptcabout -ptc 44 FRA, Positive Train Control (PTC), https:railroads.dot.govresearch-developmentprogram -areastrain-controlptcpositive-train-control -ptc 45 Norfolk Southern, Advancing Safety, https:www.norfolksouthern.comeninnovationtechnologyadvancing-safety 46 Palmetto Railways partners with Innovative Rail Technologies to retrofit two locomotives to battery -electric power

, https:www.palmettorailways.comnewspalmetto-railways -partners -innovative-rail -technologi...

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

arch or milk; baked products (including frozen) 7 Other Foodstuffs Dairy products (excludes beverages and prepara tions of milk), processed or prepared vegetables, fruit, or nuts (excludes dried or milled and juices); coffee, tea, and spices (excluding unprocessed coffee and unfermented tea); animal or vegetable fats and oils and their cleavage products; prepared edible fats; animal or vegetable waxes; flours and meals of oil seeds; sugars; confectionary, cocoa, and cocoa preparations; vinegar; non- alcoholic beverages 8 Alcoholic Beverages Beer, wine and other fermented beverages; spirituous beverages and ethyl alcohol; denatured ethyl alcohol (not for human consumption) 9 Tobacco Products Cigarettes tobacco products 10 Building Stone Calcareous monumental or building stone; other monumen...

use price appreciation. As COVID-19 Shelter in Place restrictions took hold in 2020, e-commerce replaced much of the activity in store front operations, and an overall reduction in consumer spending as work from home and remote home offices replaced business protocols. With less workplace commuting and business travel, the demand for new automobiles declined as well as state gasoline tax revenues. State budgets across the country are being impacted by reductions in revenues attributed to passenger fares, toll revenue, diesel and gasoline tax collections, licensing and registration vehicle fees, as well as passenger air travel. Consumers have pulled back on spending, thus affecting state revenues through state and local sales taxes.

Junction Points & Interchanges

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

hetti Bowl Project Final Environmental Impact Statement CHAPTER 3 3.7-7VISUAL CHARACTERAESTHETICS 3.7 Visual Character Aesthetics Direct ImpactsNo Build AlternativeAlternative 1 Alternative 2 (Preferred Alternative) Alternative 3 Views of the freeways height of bridges in the Spaghetti BowlNo impactSome bridges in the Spaghetti Bowl would be higher than the existing bridges, resulting in a visual change. The higher bridges would make parts of the interchange more visible from surrounding areas. The new Spaghetti Bowl bridges would be seen from greater distances than current bridges and might intrude on views of distant features like the Sierra Nevada Mountains and foothills. However, the character of views toward the Spaghetti Bowl from nearby areas would not change.

xt section. Middle Georgia Regional Commission A Freight and Logistics study14 was completed by the Middle Georgia Regional Commission in 2015. The plan identified the potential for middle Georgia to have an inland port as part of the GPA Network Georgia initiative. As stated in the plan, it presents a substantial opportunity to elevate middle Georgia as a logistics hub, several actions should be coordinated to help ensure the success of the Network Georgia initiative: The success of inland ports will depend on the formation of industry clusters and agglomerations that support each proposed site. The roles and industries that these inland ports are intended to support should be coordinated to ensure that target users do not overlap, thereby undercutting the success of all inland ports.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line

to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

Volume & Trends

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

hubscities of customers or suppliers, 2.8 Technology advancements, 3.3 Government regulation, 3.7 1.01.52.02.53.03.54.0Ranked most important industry developments and trends (1 highest) 8 Page other major hubscities of customers or suppliers, technology advanc ements and last government regulation. Transportation connectivity is the highest ranked industry development and trend. Should Iowa DOT funding be targeted at increasing access to

barge facilities? If yes, where? Summary: A total of 78 respondents ans wered this question. The majority of respondents (41) indicated that funding should be focused on both the Missouri and Mississippi Rivers.

ltiplying the number of vehicles on a roadway segment by its length. Thus, an increase could be correlated to either increases in vehicles or trip lengths, both of which are growth-related. In the table, VMT is shown for years 2010 and 2040 by National Highway Functional Classification (NHFC). These classifications are used to define roadway types and their primary uses for roadway users. Table 2.24: Estimated VMT on IDOT Roadways by Classification, 2010 and 2040 FUNCTIONAL CLASSEXISTING MILES OF ROADWAYAVERAGE ANNUAL DAILY VMT (IN THOUSANDS)G R O W T H I N VMT GROWTH 2010 2040 InterstateFreeway1,569 19,725 26,017 6,292 24.2 Principal Arterial 5,353 30,034 35,257 5,222 14.8 Minor Arterial 3,854 8,981 9,497 516 5.4 Collector 94 132 153 21 13.6 Local 18 66 90 24 27.1 Total 10,888 58,938 71,0...

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of

railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

oads that provides key state rail information, plans, funding resources, and contacts. Specifies Responsible Staff: Assigns SCDOT staff to support engagement and coordination. Coordinates Across SC DOT: Coordinates with other appropriate offices and divisions within SCDOT including the Division of Preconstruction and Division of Intermodal and Freight Programs as well as with all thei r railroads. Explore States Role: Explore the role of the state in addressing major rail needs. This is an ongoing process of providing support to rail owners and operators when the capacity to support, and the jurisdictional overlap, calls for it.

es and processes for rail project delivery, including field visits. SOUTH CAROLINA STATEWIDE RAIL PLAN 5-17 Standardize Specifications and Plans: Develop standard specifications, including preliminary drawings or planimetric, which include field and design notes, and processes to model timing requirements for at -grade crossing signals that are interconnected with traffic signals Enhance Document Control and Archiving: Establish procedure for archiving projects involving railroads and tools supporting retrieval of information

from archived documents. Establish a Rail Policy Advisory Board: Form an advisory board including representatives from SCDOT, local governments, rail operators, and economic development agencies to guide rail policy and investment decisions.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

n caused by heavy freight loads transported by truck rather than rail. Increased rail capacity can also lead to reduced freight traffic on highways and local roads providing public benefits related to the maintenance, operations, and safety of roadways. 5.4.2 Rail Corridor Capacity and Congestion A direct benefit of many of the terminal, yard, siding, bridge, track, and interchange capacity projects is the alleviation of rail congestion, which can increase capacity for both freight and passenger rail. Stakeholders identified a number of projects that would increase capacity, improve operations, or relieve bottlenecks . In the short -term, these projects can lead to reductions in bottlenecks and other chokepoints in the statewide rail system.

ge 39 --- SOUTH CAROLINA STATEWIDE RAIL PLAN 1-18 Table 1-6 Freight Rail Initiatives Project Timeline Project Type Detailed Description Camp Hall Industrial Corridor Project First planned in 2016; construction from spring 2024 to spring 2026. Freight rail line serving commerce park northwest of Charleston Palmetto Railways is developing the line to serve Camp Hall Commerce Park in Berkeley County. The line will connect business such as the Volvo Cars site to the Port of Charleston and to major rail networks via CSX, the Class I freight

carrier. Navy Base Intermodal Facility (NBIF) Started construction in 2022; scheduled to open in 2025.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

ers. The PRIIA standard requires an improvement over the prior eight quarters. With one -percent increases from the prior period, the Crescent, Palmetto, and Silver Star each achieved the performance standard, while the Silver Meteor did not. Additionally, the Palmetto revenues covered 87 percent of its operating costs during this time -period, out -performing the oth er three routes in the state. The Palmetto has lower operating cost due to the combination of an overall shorter route, no sleeper car service, and the local stops in the North -East Corridor as previously mentioned.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips ,

which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

riever, and Slidell. Passengers boarding or alighting (exiting) Amtrak trains at these stations totaled 83,842 in 2021, down from a pre -COVID passenger count of 176,159 in 2019 . Apart from the immediate impacts of the COVID -19 pandemic, ridership has been constrained through poor on- time performance, rolling stock shortages, and service outages that have all increased since the early 2010s. 1.4 Vision, Goals, and Objectives for Louisianas Rail Transportation Defining a clear vision, supported by a set of well -defined goals and objectives is crucial for guiding the rail development, investment and policy decisions in the state , ensur ing alignment with broader transportation and sustainability objectives.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, North Carolina originating rail freight totaled approximately 175,280,081 expanded tons across 4,863,092 expanded carloads, generating approximately $7,495,010,014 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 532,350,450 tons (5,546,145 carloads)
- Non-Metallic Minerals: 217,917,120 tons (2,052,464 carloads)
- Intermodal: 167,510,460 tons (12,707,060 carloads)
- Paper Products: 49,509,147 tons (668,598 carloads)
- Food Products: 25,279,805 tons (282,505 carloads)
- Waste/Scrap: 14,757,918 tons (177,924 carloads)
- Lumber/Wood: 13,813,100 tons (147,600 carloads)

Top Origin-Destination Pairs:
- Fayetteville, NC -> Masked/Suppressed: 59,935,133 tons
- Masked/Suppressed -> Fayetteville, NC: 59,728,594 tons
- Masked/Suppressed -> Charlotte, NC: 31,073,398 tons

- Masked/Suppressed -> Wilmington, NC: 30,417,574 tons
- Masked/Suppressed -> Norfolk, VA: 22,689,330 tons

North Dakota (ND)

Rail Plan Year: 2023 | Data: Full Coverage

Major Freight Corridors

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

Senator Clarks railroad was changed from San Pedro, Los Angeles Salt Lake to Los Angeles Salt Lake after San Pedro was annexed by the city of Los Angeles. In 1921 Senator Clark sold his remaining half interest in the LA SL to UP , which quickly moved to fully absorb the route into its overall system. However, the line continued to be known as the Salt Lake Route, a name which endures into 2013. Until the 1930s there was little on line business for the Salt Lake Route and most passengers and freight on the railroad were traveling to or from S outhern California and Utahs Wasatch Front and points east.

tween Newton and Davenport, Iowa, and restricts movements from wind tower producers. 19 CIC and UP Fairfax 3 in Cedar Rapids, IowaUP can only deliver one train at a time at this location. Additional interchange track would alleviate the capacity issue. 20 UP Cedar Rapids, Iowa Flood prone area; Closed the mainline in 2014 due to a Prairie Creek watershed rain event that backed up drainage ditches. Water backup created flooding in UP Beverly Yard as well as the main line for multiple days. 21 CIC IAIS Interchange near Cedar Rapids, IowaThere are only two tracks existing for the interchang e. Additional track to accommodate ADM traffic growth via IAIS is warranted.

cy vehicles at blocked highway-rail grade crossings, and also affect air quality due to increased emissions from idling vehicles and trains. One key recent example of an investment targeted at updating or supplanting legacy rail infrastructure in Iowa was demonstrated by Class II, IAIS. The railroads legacy, primary rail yard and locomotive maintenance facility at Iowa City was located in a residential neighborhood adjacent to the citys central business district. It had limited capacity and flexibility for IAIS expanding modern operations and for accommodating increasing volumes of interchange with the CIC, which resulted in yard congestion, impacts to

operations on the connecting IAIS network, and delays to vehicles at grade crossings near the yard.

Carriers & Railroads

ice and facility issues and planning initiatives. Iowa DOT invited rail coordinators in all neighboring states to participate in a Multi-State Rail Plan Presentation on February 24, 2016. Representatives from Iowa DOT, Illinois DOT, Kansas DOT, Minnesota DOT, Nebraska DOT, South Dakota DOT, Wisconsin DOT, Missouri DOT, and the Mid-America Freight Coalition participated in the coordination webinar. During the discussion, Iowa DOT learned more about the trends, best practices, and lessons learned from other states regarding approaches to multi-state planning coordination, passenger and freight rail planning and policy, and associated economic development efforts.

ise with Por service idea o Falls.111 gs ed 5,296 boa on, a drop o to severe floo ummer trave nger rail stati e Empire Build ticket office, 3334 eat Northern miles. This co op new Amtr rtland, Pocat s include co ardings and a of 5.5 ove oding in Nort ling months o ion within the der. The stat baggage ser n Corridor w onstitutes all rak services f ello with Por onnecting Sal lightings com r FY2010. A th Dakota, wh of June and Ju e State of Ida tion has limit vice or enclo hile in Idaho of Amtraks for southern rtland, or Yel lt Lake City mbined (15 da Amtrak attrib hich suspen d uly.112 aho with inte ted services a sed waiting a Pageo and Amtra presence in I Idaho.

ning activities have evolved to address the movement of freight as well as passengers, they have included consideration of multimodal solutions, improved intermodal connections, and more specific rail and rail-related project solutions. MPOs must work cooperatively with area transportation stakeholders to understand and anticipate the areas travel needs and to develop the aforementioned documents. There are nine MPOs within Iowa. These MPOs are described below. 13 Ames Area MPO (AAMPO) Ames, Iowa Serves the Ames metropolitan area in Story and Boone counties in Iowa. Bi-State Regional Commission Rock Island, Illinois Serves the Quad Cities metropolitan area of Iowa and Illinois, including Scott and Muscatine counties in Iowa.

tial future passenger and freight rail projects and studies in the project inventory later in this chapter. Such self -funding is more challenging for Class II and Class III rail roads, which tend to have a smaller customer base, thus limiting opportunities to generate revenue. Class II and Class III railroads typically earn a fee for picking up and delivering rail carloads to and from Class I railroads for forwarding to and from o ther points on the national rail network, while depending on aging infrastructure inherited from prior Class I railroad owners.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

of Air, Rail, and Transit is responsible for rail planning activities in the state, the management of State -owned rail assets, and the oversight of federal grant awards received by the state for rail projects. SDDOT actively engaged stakeholders at the earliest stages of the project. Key stakeholders included members of a Technical Panel, railroads operating within the state, and rai l shippers. Other stakeholders involved were local, regional, and state government staff, elected officials, economic development agencies, special interest and advocacy groups, and the general public.

Phoenix Although Phoenix is connected to BNSF and UPRR by branch lines, neither of the two major rail corridors directly accesses Phoenix. UPRR at one time had a parallel line to its Sunset Corridor with a connection at Wellton to the west and Picacho, near Eloy, to the east. Today a major segment between Wellton and Phoenix is out of service, while the Phoenix-Picacho segment remains operational. BNSF has line into Phoenix connecting with the Transcon at Williams Junction 1.4.4 Rail Corridor Development Several rail lines within Arizona access coal, copper, and other mines.

arch or milk; baked products (including frozen) 7 Other Foodstuffs Dairy products (excludes beverages and prepara tions of milk), processed or prepared vegetables, fruit, or nuts (excludes dried or milled and juices); coffee, tea, and spices (excluding unprocessed coffee and unfermented tea); animal or vegetable fats and oils and their cleavage products; prepared edible fats; animal or vegetable waxes; flours and meals of oil seeds; sugars; confectionary, cocoa, and cocoa preparations; vinegar; non- alcoholic beverages 8 Alcoholic Beverages Beer, wine and other fermented beverages; spirituous beverages and ethyl alcohol; denatured ethyl alcohol (not for human consumption) 9 Tobacco Products Cigarettes tobacco products 10 Building Stone Calcareous monumental or building stone; other monumen...

Junction Points & Interchanges

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

e project will replace aging ties, install more ballast for track stability, and resurface dozens of atgrade crossings.21 UPRR also operates on an additional seven active short lines and one embargoed line. None of these lines, with the exception of the Dry Valley line in southeast Idaho, carry more than one train per day and all are singletracked and operating under nonsignalized traffic control. The Dry Valley Subdivision travels into the mountains northeast of Soda Springs to service phosphate mining sites and mills. Other lines include the Cache Valley Subdivision, which terminates in Preston.

s 19 via Hendricks Causeway and Victoria Terrace, and from the NJ Turnpike via Exit 18 and Route 46 to Routes 19. The footprint Figure 2-36 Ridgefield Heights Auto Terminal Footprint Source: Google 2012Figure 2-35 Bergen Intermodal Terminal Footprint Source: Google 2012 New Jersey State Rail PlanCha PteR 2 2-46 of the Ridgefield Heights Auto Terminal is illustrated in Figure 2-36. South Kearny Terminal South Kearny Terminal is located on 120 acres along Old Fish House Road in Kearny, Hudson County. South Kearny is owned and operated by CSX and handles TOFC and double-stack container service. The yard consists of six working tracks and eight support tracks. South Kearny Terminal receives 12 inbound trains and dispatches 12 outbound trains per day, six days per week.

rsey points, with connection to New Y ork City. There are already a large number of Pennsylvania residents who commute into New Jersey for work, and this new route will bring them into the state with greater ease and could help alleviate highway congestion. West Trenton Line Currently the NEC line is the only service operated by NJ TRAN- SIT that offers service to the south towards Pennsylvania. The NEC is already operating at capacity and with all forecasts showing growth in the number of riders, NJ TRANSIT needs find a means to alleviate congestion on the NEC line as well as accommodate future growth. The West Trenton Line is being studied as a solution that addresses both.

Rail Yard Capacity

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

rvices in Iowa. Iowas operating freight railroads are divided into three categories, including Class I railroads which are large, primarily long-haul national rail systems; Class II railroads which are medium sized railroads that operate regional rail systems; and Class III railroads which are commonly referred to as short line and switching or terminal railroads, which operate at the local level. Iowa also has non-operating railroad owners, which own short segments of the Iowa rail network and have agreements with Class II and Class III railroads to provide rail service. The passenger rail system is comprised of Amtrak National Network, or long-distance intercity services, and privately owned tourist railroads.

rities, low -income residents, youth, seniors, people with disabilities, and zero -vehicle households. These qualitative descriptions are justified by reviewing the underlying data, while re maining at a high level. Demographic Maps and Data Maps were created for each of the study populations at the statewide level and for each of the five WisDOT Regions; these maps are presented in Chapter 8 Environmental Context and in this appendix. Mapped data are from the United States Census Bureaus 2015- 2019 American Community Survey (ACS) 5 -year estimates, which are subject to error. The estimates published as part of the Census Bureaus 2015- 2019 ACS 5 -year dataset are based on data collected over a 5- year (60 -month) period.

st Virginia and the U.S., track each other closely over the period. Figure 3-12 5-Year Fuel Price Trends 3.25 3 2.75 2.5 2 1.75 1.5 Jan '16 Jul '16 Jan '17 Jul '17 Jan '18 Jul '18 Jan '19 Jul '19 Jan '20 Jul '20West Virginia U.S.National West Virginia State Rail Plan Chapter 3 60 Rail Trends West Virginias rail network was built to accommodate frequent and heavy movements of coal. Therefore, its mainline network was constructed with an above average amount of double track infrastructure and heavy weight rail. Recent improvements to several Class I main lines traversing the state to accommodate intermodal movements have also contributed to improving the velocity of the main line network.

Volume & Trends

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

hubscities of customers or suppliers, 2.8 Technology advancements, 3.3 Government regulation, 3.7 1.01.52.02.53.03.54.0Ranked most important industry developments and trends (1 highest) 8 Page other major hubscities of customers or suppliers, technology advanc ements and last government regulation. Transportation connectivity is the highest ranked industry development and trend. Should Iowa DOT funding be targeted at increasing access to barge facilities? If yes, where? Summary: A total of 78 respondents ans wered this question. The majority of respondents (41) indicated that funding should be focused on both the Missouri and Mississippi Rivers.

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to which passenger fare revenues cover operating costs.

ltiplying the number of vehicles on a roadway segment by its length. Thus, an increase could be correlated to either increases in vehicles or trip lengths, both of which are growth-related. In the table, VMT is shown for years 2010 and 2040 by National Highway Functional Classification (NHFC). These classifications are used to define roadway types and their primary uses for roadway users. Table 2.24: Estimated VMT on IDOT Roadways by Classification, 2010 and 2040 FUNCTIONAL CLASSEXISTING MILES OF ROADWAYAVERAGE ANNUAL DAILY VMT (IN THOUSANDS)G R O W T H I N VMT GROWTH 2010 2040 InterstateFreeway1,569 19,725 26,017 6,292 24.2 Principal Arterial 5,353 30,034 35,257 5,222 14.8 Minor Arterial 3,854 8,981 9,497 516 5.4 Collector 94 132 153

21 13.6 Local 18 66 90 24 27.1 Total 10,888 58,938 71,0...

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

ear. First-last mile strategies, as defined by UTA and used for this project: The term last mile can be used to describe the difficulty in getting people from a transport hub, such as a railway station or bus depot, to their final destination and back again. When users have difficulty Utah State Rail Plan 2015 Page 134 getting from their starting location to a transport network, this can be described as the "first mile problem." Traditional solutions to the first mile problem in public transit have included the use of feeder buses, bicycling infrastructure, pedestrian amenities and urban planning reform, such as street and trail connectivity and mixing uses.

ectrically driven via overhead catenary and use continuous welded rail, which reduces track vibrations allowing high speeds. 3 Individual trains have the capacity to carry over 1,600 seated passengers.4 Advocates mak e the point that high- speed rail is often viewed as an isolated transportation mode, but it can be combined with many other modes to make for efficient inter - and intra- city trips. For many long -distance trips, especially when taking into account travel ti mes to an airport from a center city, high- speed rail can be faster than flying. Utah was not included in the high- speed rail network proposed by the U.S. Department of Transportation (DOT). The U.S.

ded direction for State Rail Plan stakeholder and public involvement. We are actively engaging private sector rail and freight infrastructure owners, public planning agencies, transit operators, rail authorities, railroad and freight organizations, and passenger rail stakeholders. The Iowa State Rail Plan will identify proposed improvements in urban and rural areas for those who travel through it. The State Freight Plan outlines freight planning activities that will achieve the objective for the state to provide a safe, efficient and convenient freight transportation system to Iowans. The Freight Plan is a way to connect all of these initiatives and allow them to move forward towards a common goal of optimal freight transportation throughout the state.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

Costs & Investment

Kansas, and New Mexico, Amtrak, BNSF, local communities, and civic organizations secured U.S. DOT grant funding. With recent track improvements, this line is not considered at -risk in the immediate future. 46 The Towner Line, purchased by the State of Colorado in 1998, was later sold to Victoria Southern Railway (VS) in 2011. In 2012, 80 miles of the Towner Line were abandoned. In 2014, KCVN, and its wholly owned subsidiary Colorado Pacific Railroad, notified the STB of an o ffer to purchase the Towner Line from VS. In 2016, KCVN brought a case before the STB to complete the purchase of the line. At that time, CDOT submitted a letter to the STB in support of KCVN's acquisition to maintain the line for transpo rtation use and future options.

d the road, it did not do so, and Bracket paid the startup costs himself. By the end of the year, eight miles of road had been opened up, but by then Brackett was broke. He tried to charge a toll (1 per person , 1 per pack animal , and 2 5 cents per dog or sheep), but the mass of stam peders overran the toll gates. In early 1898, the WPYR paid Brackett 60,000 for the right -of-way over White Pass. The steep topography and challenging grades of the White Pass resulted in the decision to build a narrow gauge railroad.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

riever, and Slidell. Passengers boarding or alighting (exiting) Amtrak trains at these stations totaled 83,842 in 2021, down from a pre -COVID passenger count of 176,159 in 2019 . Apart from the immediate impacts of the COVID -19 pandemic, ridership has been constrained through poor on- time performance, rolling stock shortages, and service outages that have all increased since the early 2010s. 1.4 Vision, Goals, and Objectives for Louisianas Rail Transportation Defining a clear vision, supported by a set of well -defined goals and objectives is crucial for guiding the rail development, investment and policy decisions in the state , ensur ing alignment with broader transportation and sustainability objectives.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, North Dakota originating rail freight totaled approximately 568,157,989 expanded tons across 6,460,076 expanded carloads, generating approximately $22,684,484,444 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 1,183,062,750 tons (13,399,425 carloads)
- Coal: 1,123,666,055 tons (9,535,225 carloads)
- Farm Products: 715,761,720 tons (6,665,688 carloads)
- Transportation Equipment: 131,756,995 tons (5,545,595 carloads)
- Food Products: 105,892,865 tons (1,099,025 carloads)
- Petroleum: 97,096,867 tons (1,291,612 carloads)
- Non-Metallic Minerals: 74,772,656 tons (694,976 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Fargo, ND: 248,820,161 tons
- Fargo, ND -> Masked/Suppressed: 129,640,342 tons
- Fargo, ND -> Dayton, OH: 96,286,000 tons
- Masked/Suppressed -> Fargo, ND: 54,045,900 tons
- Fargo, ND -> Fargo, ND: 47,224,771 tons

New Hampshire (NH)

Rail Plan Year: 2012 | Data: Full Coverage

Major Freight Corridors

the route for Northstar Commuter Rail and the Empire Builder. The NLX high- speed passenger service to Duluth would utilize this track and junction to enter the Hinckley subdivision and access the proposed raceway of double track between Coon Creek Junction and Sandstone. It also is the site of a proposed north suburban station at Foley Boulevard, site of freeway access and the Twin Cities largest Park-and-Ride facility. This site would be consistent with FRA guidance for key suburban stops for intercity service to enhance urban service coverage and convenience for ri ders, similar to proposals for Rosemount or Hastings in the southeast.

ewide rail network overlaid with the projected 100-year floodplains, which are the areas in the state that are expected to see heavy flooding and inundation in 100 years. Key areas of concern are highlighted in orange, where the existing or future network lies within one of these floodplains. Understanding the specific risks at each site is crucial for implementing effective resilience strategies. Suisun to Novato (East-West) Extension The East-West Corridor is a proposed rail and multi-modal transportation project intended to connect the SMART system with key east-west routes in the San Francisco Bay Area.

estic intermodal container business nationwide. The railroads have accomplished this generally by o ffering speed and pricing of service and intermodal container yards strategically located near interstate highways and key truck routes, thus replacing the need for truck drivers to drive long -haul distances far from home, which can help address the presen t and surging shortage of truck drivers in the United States. The domestic intermodal service uses larger size containers than used in ocean shipping, matched instead to standard highway trailer sizes that are 53 feet long and taller and wider than a stand ard 40 -foot -long international ocean container. As of 2020, Oklahoma does not have an active rail intermodal facility.

Carriers & Railroads

n the Consolidated Main Line (CML) away from I-25 and into the former yard site, freeing up right -of-way and providing opportunity to secure additional right -of-way for future rail projects of both RT D and potential Front Range Passenger Rail. CDOT Region 1 and the Colorado Tra nsportation Investment Office (CTIO) successfully negotiated the purchase with UP to acquire the Burnham Yard in 2021. Since the purchase, CDOT has assumed responsibility for the

property and completed an effort of cleanup and preservation of historic structures. Owned by UP, the Tennessee Pass Line runs 178 miles from near Gypsum, through Eagle, Edwards, Avon, and Minturn, under Tennessee Pass and along the Arkansas River via Leadville, Buena Vista, Salida, and Cañon City to Pueblo.

Investment Program September 2021 5-22 Studies and Projects Description General Project Benefits Estimated Capital Cost, if Known Potential Funding Source(s) Add commuter rail service from Oklahoma City on West Corridor to El Reno Add UP main line track, station facilities in Mustang and Yukon and other locations, various crossing improvements Enhance commuter transportation and mobility options. TBD Federal, State, and Local Sources Add commuter rail service from Oklahoma City on Airport Corridor to Will Rogers World Airport Track rehabilitation, Station facilities, and various crossing improvements. Enhance commuter transportation and mobility options.

rail networks for many carload shipments and to serve customers safely, efficiently, and rapidly. Track capacity provides railroads with operating flexibility and allows a limited number of trains to be handled on a given line. Sidings or passing tracks that allow trains to either overtake or pass one another in an area with only a single main line typically can impr ove flexibility and capacity. In industrial areas alongside busy main lines, this category includes tracks that are needed to efficiently serve customers without delaying through traffic. Additional tracks or sidings on freight rail corridors may be needed to accommodate interoperability of future passenger rail service with existing freight service. Extended sidings may also be required to accommodate longer freight trains.

Industry & Commodities

ble, service would need to be fast. Rail service would only be fast enough for shipping produce if it is point-to-point. Manifest service, by which railcars are sorted into and out of multiple trains between origin and destination would be too slow. One possibility could be to truck produce from Sinaloa across the border in refrigerated containers, which would then be loaded onto trains in Tucson. This could take advantage of the relatively fast speed of trucking from Mexico and across the border but benefit from the economies of rail for shipping over long distances. RAILROAD PRESERVATION AND CONDITION OF ARIZONAS SHORT LINE NETWORK Similar to other states, Arizonas rail network is smaller than it once was. Rail lines in Arizona have been abandoned over the years or are inactive.

ion are being upended. Annual sales volumes, which regularly exceeded 17 million units only a few years ago, are now running at le ss than 10 million, and few analysts expect them to exceed 14 to 15 million any time in the next decade. Not only is the automobile industry a

significant railroad customer, ranking sixth in 2007 revenues by commodity, many other important rail-oriented industries, such as chemicals and steel, also are substantial suppliers to the auto industry. International trade, the primary driver behind the boom in intermodal traffic from the mid- 1980s until 2006, has ceased being an engine of growth for the railroads.

al commodites only listed, there may be others) Hydrogen Cyanide is shipped in specially built cars. Pictured is a 105A500W 20,500-gallon capacit y. Other cars used are the 1 05A600W and the 105J600W. For safety purposes, the cars may be stenciled as 300 W, but have the higher-pressure safety valves. These cars have a 1-18 thick inner shell, 4 of cork insulation and a 14 outer shell. Some HCN cars will be painted white with the red bands or candystripes.

Junction Points & Interchanges

ate, to CalPortland Companys ready mix concrete facility in Caldwell along with other industries. The line connects the plant with UPRRs major rail yard at Nampa. The UPRR Coeur dAlene Industrial Lead Subdivision was mostly abandoned through the 2000s. It once connected the city of Coeur dAlene to the UPRR Spokane Subdivision. Currently only the 2.25 miles of track at Coeur dAlene Junction remain.22 The remainder of the alignment, specifically the track inside the city of Coeur dAlene itself, is removed from service. The UPRR Wallace Subdivision connects the Coeur dAlene Indian Reservation and the St. Maries River Railroad (STMA) with the Spokane Subdivision and access to the core rail lines of both UPRR and BNSF.

r Mile (in Millions) 2.70 GTM (East Grand Junction-Moorland) 1.77 GTM (Moorland-Tara) 1.30 GTM (Tara-Rolfe) 0.06 GTM (Rolfe-Mallard) Average Number of Trains per Day 2-4 Commodities Transported Farm products, food and kindred products, chemical and allied products, ethanol, and general merchandise freight traffic Industrial Leads Farnhamville Industrial Lead: Gowrie, Iowa-Farnhamville, Iowa; 6.3 miles (former Chicago North Western Railway); 286,000 lbs. maximum allowable gross weight; line density 0.25 GTM FRA Excepted Track None SUBDIVISION: LAURENS SUBDIVISION Division Iowa Area Owner UP Operator UP Line Heritage Chicago North Western Railway (CNW) Rolfe, Iowa-Marathon, Iowa Chicago, Milwaukee, St.

as Department of Agriculture, Grain Warehouse Program, 2021. https:agriculture.ks.govdivisions -programsgrain -warehouse 89 Kansas Department of Revenue, Grain Elevator Appraisal Guide for the State of Kansas, 2021, https:www.ksrevenue.orgpdf2021KSGrainElevatorGuide.pdf KANSAS STATE RAIL PLAN Draft Kansas State Rail Plan 70 Company City Railroad Ellsworth Coop (The) Ellsworth UP F F Feeds Inc Emporia BNSF Farmers Coop Assn Columbus BNSF Farmers Coop Assn

Manhattan UP Farmers Coop Grain Co Caldwell UP Farmers Union Coop Co Spring Hill BNSF Fleming Feed Grain Co Inc Leon BNSF Fowler Equity Exchange Fowler UP Frontier Ag Inc Oakley UP Grain Craft Kansas City BNSF Grain Products Co Dodge City BNSF Grangers Coop Assn Lebo BNSF Guetterman Brothers Elevator Inc Bucyrus UP Hi Plains Coop Assn Colb...

Rail Yard Capacity

taff to the metropolitan planning organization (MPO) for the State of Rhode Island , and as such is charged with preparing and maintaining plans for the physical, economic, and social d evelopment of the state; encouraging their implementation; and coordinating the actions of federal, state, and local agencies and private individuals with the framework of the states development goals and policies. This basic charge is established in the Rhode Island General Laws 42 -11-10 and 12. The Statewide Planning Program is divided into four functional sections, the largest of which is the Transportation unit. The other sections include Land Use Planning, Consistency Review, and the Planning Inform ation Center.

HP High Priority HPCS Highway Performance Classification System HPMS Highway Performance Monitoring System HSIP Highway Safety Improvement Program HUD U.S. Department of Housing and Urban Development ICBM Intercontinental Ballistic Nuclear Missiles ICC Interstate Commerce Commission IIJA Infrastructure Investment and Jobs Act INFRA Infrastructure for Rebuilding America IRI International Roughness Index ISTEA Intermodal Surface Transportation Efficiency Act of 1991 ITS Intelligent Transportation Systems JMS Jamestown Regional Airport KCS Kansas City Southern Railroad LBS Pounds LCV Longer Combination Vehicle LETA Law Enforcement Training Academy LMI Labor Market Information LNG Liquefied Natural Gas LRFA Local Rail Freight Assistance LRTP Long-Range Transportation Plan MAP-21 Moving Ahead f...

the network. Switching and classification yards are reduced or eliminated to reduce labor intensive switching activities. Trains are streamlined and every effort is made to optimize the train movement between pick-up and delivery points. With less work on the railroad, asset velocity is increased, fewer workers are required and the railroad operating ratio, a measure of profitability, is improved. Like lean supply chains, this is effectively the leaning of the railroad network. West Virginia in recent years has experienced a reduction of local railroad workforce from both the Class I railroads in the state. Tangentially, relationships between shippers and railroads who have been transforming their service with PSR have engaged in an increasing role for the Surface Transportation Board.

Volume & Trends

ltiplying the number of vehicles on a roadway segment by its length. Thus, an increase could be correlated to either increases in vehicles or trip lengths, both of which are growth-related. In the table, VMT is shown for years 2010 and 2040 by National Highway Functional Classification (NHFC). These classifications are used to define roadway types and their primary uses for roadway users. Table 2.24: Estimated VMT on IDOT Roadways by Classification, 2010 and 2040 FUNCTIONAL CLASSEXISTING MILES OF ROADWAYAVERAGE ANNUAL DAILY VMT (IN THOUSANDS)G R O W T H I N VMT GROWTH 2010 2040 InterstateFreeway1,569 19,725 26,017 6,292 24.2 Principal Arterial 5,353 30,034 35,257 5,222 14.8 Minor Arterial 3,854 8,981 9,497 516 5.4 Collector 94 132 153 21 13.6 Local 18 66 90 24 27.1 Total 10,888 58,938 71,0...

ew customers and offer ing more competitive service. Such improvements include track speed upgrades, heavier capability track and structures , double stack container capability, additional sidings, longer sidings, and double track mainline sections to reduce train meet waiting times. There are several rail projects ideas that will improve the system , but they are so expensive that implementation will depend on opportunities that may or may not yet be evident. Specifically plan for rail support for the Alaska LNG project including both addressing the capability and service area of the existing system as well as prospective rail extensions supporting the gas project . Construction of an LNG project requires moving large quantities of pipe and other materials best supported by rail.

ofrom the Garden City Terminal. The facility opened in August 2018. Trains operate every other day, although GPA would like to increase service to five days per week. Containers are available on the third day, but GPA would also like to improve transit times to a two -day service. Containers may move inbound between Savannah and the Appalachian Regional Port to clear customs in Northwest Georgia instead of the Port of Savannah (Figure 4-10). The Appalachian Regional Port is within an industrial belt, which includes the production and export of carpet and flooring, automobiles, and tires. The Appalachian Regional Port is 42 miles from Chattanooga, TN, and as such can serve this market. The facility handled 36,000 TEUs in calendar year 2019, its first full year of oper ation.

Bottlenecks & Constraints

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A.

Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

cility. Commodities handled are aggregates, brick and cement, forest products (paper, lumber, and pulp), chemicals, coal, metallic ores and minerals, construction and demolition debris, municipal solid waste, food and fe ed pro ducts, steel, and scrap. Little Kanawha River freight delivery West Virginia State Rail Plan Chapter 2 35 RJ Corman Railroad CompanyWest Virginia Line RJCV consists of 16 miles of the former Chesapeake Ohio in Fayette County between Pax and the CSXT interchange at Thurmond. RJCV is owned by the R. J. Corman Railroad Group, a railroad holding company based in Nicholasville, KY. There are no signals on this line, except at the CSXT interchange in Thurmond. Maximum authorized speed on the entire line is 10 mph.

Efficiency & Service Quality

the states growing need to compete globally for quality jobs and to provide safe and efficient mobility of people and goods. The goals and objectives are consistent with MoDOTs pillars (Figure 3), and they were informed by stakeholder outreach and national best practices . They build on previous MoDOT planning efforts , including the 2018 Long Range Transportation Plan and the Citizens Guide to Missouris Transportation Future. The goals and objectives provide the foundation for multimodal freight and passenger rail investment decision- making. FIGURE 3. MODOTS CORE VALUES The goals established as part of the 2022 SFRP will direct MoDOTs vision and direction for the future of the freight system as well as its passenger rail system.

of each data source is described . With respect to the commercial datasets listed in Table 3-1, North Dakota has acquired both Transearch and Street Light data for the State Freight and Rail Plan . Key findings from both are presented in this Chapter. Table 3-1: Inventory of State Freight and Rail Plan Data Resources Type Name Utility Application Federal Freight Analysis Framework (FAF version 5.2) State and Business Economic Area (BEA)-level flows by modecommodity origin -destination - 2017 base year plus forecasts Surface Transportation Board (STB) Public Use Waybill Sample Non-confidential sampled data on ra il commodities, car types, carriers, origin -destination moves, etc.

ects may range in duration from 12 to 24 months. Implementation grants involving construction of project facilities and infras tructure generally are expected to range from 12 to 48 months. Performance under the award may extend to no later than September 30, 2027. OTHER

REQUIREMENTS Grant recipients are required to submit financial, performance, and impact reports at least on a semi-annual basis. METROPOLITAN PLANNING PROGRAM (MPP) Provides funding and procedural requirements for multimodal transportation planning in metropolitan areas and states. Planning needs to be cooperative, continuous, and comprehensive, resulting in long -range plans and short - range programs reflecting transportation investment priorities.

ffective transportation systems Provide essential public safety services and effective communication systems Create and enhance partnerships with transportation stakeholders Encourage and support innovation Preserve our history and heritage As part of the Comprehensive Vision within the Wyoming Connects planning process, the LRTP, combined with the Transportation Asset Management P lan and nine Goal Areas, provides a comprehensive view of the Wyoming transportat ion system, its needs, and a direction to meet those needs. As part of the Strategic Vision, the 2021 SRP provides the condition and performance of one of the many transportat ion systems in the state to aid WY DOTs decision - makers in making consistent deci sions across the entire transportation network.

Costs & Investment

ransported. Greenhouse gasses are related to fuel consumption , so every ton- mile of freight moved by rail instead of truck reduces related greenhouse gas emissions by up to 75 percent. The movement of freight by rail also improves safety and function ality of the s tates highway system. ARRC passenger rail service connects communities , which is important given the lack of intercity bus service. Through their whistle-stop service, the ARRC also provides the only land access to certain parts of the s tate. In addition, passenger travel generates income not only for rail operations but also for restaurants, hotels, and other visitor service businesses.

n loan under the federal Railroad Rehabilitation and Improvement Financing (RRIF) Program to develop the Forepaugh Industrial Development and Logistics Park. This facility will serve as both an industrial park and a transload facility. The City of Flagstaff is considering a transload facility at the site of a former military installation outside of town. ARIZONAS RAIL NETWORK AND CONNECTIVITY 4.3.1 Phoenix Area Rail Network Phoenix In a sense, Arizonas rail network is out of sync with the states population. With over 4.7 million inhabitants, the Phoenix metropolitan area comprises 60 percent of Arizonas population and is the 11th largest metropolitan area in the nation.

Stakeholders & Governance

ed areas of the State. For most regular formula funds authorized, FTA allows four years for funds to be obligated so the funding may be carried forward. This allows for larger projects to be finan ced with two or more years of apportionment. Additionally, as the designated recipient, the CTDOT programs and plans the formula funding from Section 5307 (the largest FTA source of funds) and creates a funding pool from which capital projects in regions a round the State are funded. CTDOT does not utilize a formula to reallocate Section 5307 formula funds to the operators, rather the funding pool allows for a cooperative, non -discriminatory allocation of funds to different regions based on annual needs.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, New Hampshire originating rail freight totaled approximately 166,957,272 expanded tons across 7,180,791 expanded carloads, generating approximately $9,429,095,270 in freight revenue.

Top Commodities by Tonnage (Origin):
- Intermodal: 251,604,380 tons (19,303,600 carloads)
- Waste/Scrap: 205,226,127 tons (2,007,423 carloads)
- Chemicals: 143,023,710 tons (3,146,415 carloads)
- Non-Metallic Minerals: 32,300,148 tons (331,924 carloads)
- Food Products: 12,519,890 tons (678,840 carloads)
- Coal: 5,918,390 tons (58,610 carloads)
- Transportation Equipment: 5,817,815 tons (292,010 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Boston, MA: 85,966,504 tons
- Boston, MA -> Masked/Suppressed: 64,303,949 tons
- Masked/Suppressed -> Boston, MA: 64,110,143 tons
- Boston, MA -> Columbus, OH: 36,737,015 tons
- Boston, MA -> Louisville, KY: 20,686,328 tons

New Jersey (NJ)

Rail Plan Year: 2012 | Data: Moderate Coverage

Major Freight Corridors

rack and signal delays: All delays related to the railroad infrastructure. Any type of delay involving problems with the tracks or the signals, or delays involving maintenance work being done on the tracks or signaling systems. This includes delays from reduced speeds to allow safe operation due to track problems. Train interference delays: All delays related to other train movements in the area. Primary causes of these types of delays are freight trains but also can include commuter trains and other Amtrak passenger trains. This category also includes delays due to switching to alternate tracks or routes to operate around other trains. Equipment delays: All delays related to problems with the passenger train cars or locomotives.

Carriers & Railroads

Transit District MCTD M etropolitan Commuter Transportation District MCTMT M etropolitan Commuter Transportation Mobility Tax METRA C hicago Metropolitan Rail mph M iles Per Hour MRFL M ontana Rail Freight Loan Program MTA M etropolitan Transportation Authority MTFC M issouri Transportation Finance Corporation NCRRP N ational Cooperative Rail Research Program NEAT S wiss Rail Line NEC N orth-East Corridor NJ N ew Jersey NORG N ew Orleans Rail Gateway NS N orfolk Southern Corporation NTD N ational Transit Database NY N ew Y ork NYC N ew Y ork City Alternative Funding and Financing Mechanisms for Passenger and Freight Rail Projects Copyright National Academy of Sciences.

Transit District MCTD M etropolitan Commuter Transportation District MCTMT M etropolitan Commuter Transportation Mobility Tax METRA C hicago Metropolitan Rail mph M iles Per Hour MRFL M ontana Rail Freight Loan Program MTA M etropolitan Transportation Authority MTFC M issouri Transportation Finance Corporation NCRRP N ational Cooperative Rail Research Program NEAT S wiss Rail Line NEC N orth-East Corridor NJ N ew Jersey NORG N ew Orleans Rail Gateway NS N orfolk Southern Corporation NTD N ational Transit Database NY N ew Y ork NYC N ew Y ork City Alternative Funding and Financing Mechanisms for Passenger and Freight Rail Projects Copyright National Academy of Sciences.

Industry & Commodities

perates partially within Pennsylvania. Belvidere Delaware River Railway . The Belvidere Delaware River Railway (BDRV) is a 286k -compliant, 20 -mile-long Class III railroad operating on tracks owned by the Belvidere Lehigh River Railway Company. Although most of the BDRV is located within Ne w Jersey, approximately 1 mile is located in Northampton County, P A, with a western terminus in Easton. Throughout the entire railroad, there is a maximum vertical clearance of 17 feet. Connections are available to the NS rail network in Phillipsburg, NJ. Key commodities transported include aggregates, agricultural products, construction materials, food, retail distribution -related products, timber and related products, and waste. The railroad also hosts seasonal tourist passenger rail service.

rieved from: https:www.wyomingmining.orgmineralscoalcoal- production -employment 53 Wyoming Mining Association, Coal . Retrieved from: https:www.wyomingmining.orgmineralscoal CHAPTER 2 May 2021 2-67 Figure 2-17: Wyoming Class I Railroa ds and Major Coal Mines Source: Wyoming Department of Transportation and Wyoming Mining Association Sub-bituminous coal from the PRB region has relatively high BTU (energy output in British thermal units) and low sulfur and ash content and complies gene rally with Clean Air Act regulations for consumption in the energy market. Wyoming coal is overwhelmingly shipped to power plants in other states (primary destinations include utilities in Illinois, Missouri, and Texas), where it is used to create steam to generate electricity.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for New Jersey.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for New Jersey.

Volume & Trends

No specific data on volume & trends was identified in available sources for New Jersey.

Bottlenecks & Constraints

ndianapolis and Chicago only operates three times per week in each direction. As a result, most people drive when traveling between the two cities. The other passenger rail route that crosses Indiana serving Elkhart, South Bend, and Waterloo operates daily, but the trains mainly run at night Respondents also stated that the slow travel times to Chicago, freight rail congestion nea r Chicago, and poor on- time performance of the long -distance trains discourage riders from 344 Indiana State Rail Plan 2021 Appendix C: Outreach using the train. Services with these types of issues dont encourage states to want to invest in passenger rail or encourage political support for the passenger rail service, noted one respondent. 11.

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

and safety. Statewide goals identified in the SWP include: Safety The future of Colorado is zero deaths and serious injuries so all people using any transportation mode arrive at their destination safely. 3 Mobility Reduce travel time lost to congestion and improve connectivity across all modes with a focus on environmental impact, operations, and transportation choice statewide. Asset Management Maintain a high -quality transportation network by working to maintain a state of good repair for all assets and a highly traversable road network. The SWP is the umbrella document for CDOTs family of regional, modal, and operational plans , including safety, operations, asset management, transit, bicycle and pedestrian, freight, and this Rail Plan .

Costs & Investment

Jersey State Rail does not contain any projects of monies tied to the possible freight village at Tremley Point, nor were there any monies or identified projects in the 2006-2008 Plans (NJ DOT, 2008). An additional complication regarding the Pilgrim State Hospital site is that approximately seven years ago, a developer bought 460 acres of the approximately 800 acre site from the state with the intention to build a project dubbed Heartland Town Square. There

are some 9,000 apartments and three million square feet of commercial space to be built over a 15-year buildout (Clancy, 2009). Clearly, such a development would likely severely limit what couldwould be built as a rail freight-based village on the remaining land.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

xpayer resources 7 Freight Performance Measures Types Freight Demand Freight Safety Freight Efficiency Freight System Condition Other (not reviewed) Environment Economic Impacts System Investment 8 Freight Performance Measures Evaluation Existing Freight Performance Measures Currently tracked by ITD Additional Performance Measures Near Term Not currently tracked, but data required is available Additional Performance Measures Future Not currently tracked Key data elements need to be developed Need to evaluate benefits vs.

Stakeholders & Governance

ith the current technology, trains operating in the same direction must be spaced at greater distances than with more modern signaling technologies, in effect reducing capacity. Project Description Capacity constraints can be eliminated in several ways. One approach is to add tracks. However, this is costly and, in many cases, may not be feasible because of limited right- of-way land availability. Alternatively, modifications to the train control signal system are an effective means to increase capacity and throughput. One applicable signal sys-tem improvement is to operate with cab, no wayside signals.

dix A: Public Involvement Documentation April 10, 2013 Page A-4 Idaho Freight Summit December 13, 2011 Attachment A: List of Participants List of Participants Andrus Jason Doug Andrus Distributing Bedke Scott Idaho House of Representatives Blacker Travis Idaho Growers Shippers Association (IGSA) Bowen Erika Idaho Transportation Department Brown Tracy CR England Brown John WATCO Burgess Ken Drive our EconomyVeritas Claire Janice Glanbia Foods Coats John Standlee Hay Company Corder Tim Idaho State Senate Coulter Mel Idaho Transportation Department Daniels Mark Federal Railroad Administration Region 8 Davenport Benjamin Potlatch CorporationRisch Pisca, PLLC Law and Policy Davis Don Idaho Transportation Department District 1 DeThomas John Idaho Transportation Department Dionas Dan ConAgra Food...

f the company purchasing or leasing the same, either by direct connection therewith, or through an intermediate line or lines, constructed, or to be constructed, which such purchasing or leasing company shall have the right, by contract or otherwise, when completed, to use or operate, and any railroad company which shall so purchase or lease a railroad or railroads in this state shall possess and enjoy, within this state all the rights, powers, privileges, and franchises conferred by the laws of this state upon a railroad corporation formed thereunder. R.L. 1910, 1446. 66-190. Railcar Resting on Railroad Intersection - Citations - One Time Exception A.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, New Jersey originating rail freight totaled approximately 8,288,827 expanded tons across 94,928 expanded carloads, generating approximately $380,405,789 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 33,185,400 tons (339,825 carloads)
- Waste/Scrap: 11,120,451 tons (111,159 carloads)
- Transportation Equipment: 1,778,325 tons (65,425 carloads)
- Stone/Clay/Glass: 1,545,695 tons (15,280 carloads)
- Paper Products: 748,275 tons (12,375 carloads)
- Lumber/Wood: 718,480 tons (8,820 carloads)
- Petroleum: 143,395 tons (2,240 carloads)

Top Origin-Destination Pairs:
- Charleston, WV -> Wilmington, DE: 13,777,380 tons
- Masked/Suppressed -> Philadelphia, PA: 12,236,100 tons
- Masked/Suppressed -> New York, NY: 8,376,726 tons
- Columbus, GA -> Wilmington, DE: 7,320,259 tons
- Masked/Suppressed -> Wilmington, DE: 6,481,517 tons

New Mexico (NM)

Rail Plan Year: 2018 | Data: Full Coverage

Major Freight Corridors

and for both freight and passenger rail service. This section, developed for the 2022 SFP and applied to this SRP, discusses economic activity trends and outlook for key industries in Arkansas. Industrial Outlook by Sector This subsection discusses three critical industries in Arkansas: rice production and processing; poultry production and processing; and iron and steel production and processing. These industries have had performances ranking at the highest levels nationally and with visible impact overseas. Additionally, this section discusses these industries upcoming challenges an d opportunities in the context of the role of rail. The original content for each sector was or iginally developed as part of the 2022 SFP.

ustrial products , and intermodal. UP serves many of the fastest -growing U.S. population centers, operates from all major West Coast and Gulf Coast ports to eastern gateways, connects with Canada's rail systems, and is the only railroad serving all six major Mexico gateways. Cimarron Valley Railroad The Cimarron Valley Railroad (CVR) is a Class III railroad with a line operating between Springfield, Colorado, and Satanta, Kansas. CVR runs over the former Cimarron Valley and Manter Subdivisions of the former Atchison, Topeka and Santa Fe Railroad (now BNSF) tracks in Oklahoma, Colorado, and Kansas. CVR runs southwest from Dodge City, Kansas, to Satanta, Kansas.

Carriers & Railroads

ristics of their respective networks. Of the 12 Iowa regional and short line railroads, 10 completed the surveys. Appendix A in Chapter 2 presents the information provided by these railroads. Iowas Class II and Class III railroads were further queried during the stakeholder outreach process undertaken for the Iowa State Rail Plan about the specific challenges they face now and for the future in terms of capacity constraints, infrastructure needs and upgrades, railroad regulation, capital funding needs, and strategies for mitigating climate change adaptation. As previously mentioned, Class I railroads have the capital resources to make investments in improvements, while Class II and Class III railroads typically do not.

work as an origin or destination. In addition to the traffic that moves to, from, within Ohio, is the Passthrough traffic that crosses Ohio between other states, which is 60 of the tonnage and 68 of the carloadsintermodal containers handled by Ohios rail network. As shown in Figure 2-34, slightly more freight rail traffic travels to Ohio from other states than is shipped from Ohio to

other states. A small but substantial volume of freight moves within Ohio. Figure 2-34. Direction of 2022 Ohio Freight Rail Flows (Millions of Tons) Source: STB Waybill Sample, WSP Analysis Commodity Flows Ohio shippers and receivers rely on rail for a broader range of commodities and within a larger set of industries compared to other areas of the U.S.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

Junction Points & Interchanges

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

xt section. Middle Georgia Regional Commission A Freight and Logistics study14 was completed by the Middle Georgia Regional Commission in 2015. The plan identified the potential for middle Georgia to have an inland port as part of the GPA Network Georgia initiative. As stated in the plan, it presents a substantial opportunity to elevate middle Georgia as a logistics hub, several actions should be coordinated to help ensure the success of the

Network Georgia initiative: The success of inland ports will depend on the formation of industry clusters and agglomerations that support each proposed site. The roles and industries that these inland ports are intended to support should be coordinated to ensure that target users do not overlap, thereby undercutting the success of all inland ports.

changes. MEASURES TO MINIMIZE AND MITIGATE ADVERSE VISUAL CHARACTERAESTHETICS IMPACTSVISUAL CHARACTER AESTHETICS IMPACTSEXISTING CONDITIONS Screening walls will be made of concrete panels or concrete masonry blocks (also known as cinder block). Typically they will be 8 to 14 feet tall and have vertical steel posts to hold them in place. Screening walls will look the same as traffic noise barriers. JULY 2019 Spaghetti Bowl Project Final Environmental Impact Statement CHAPTER 3 3.7-5VISUAL CHARACTERAESTHETICS 3.7MEASURES TO MINIMIZE AND MITIGATE ADVERSE VISUAL CHARACTERAESTHETICS IMPACTSVISUAL CHARACTER AESTHETICS IMPACTSEXISTING CONDITIONS Visual Character Aesthetics Direct ImpactsNo Build AlternativeAlternative 1 Alternative 2 (Preferred Alternative) Alternative 3 Views of the freeways wid...

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for New Mexico.

Volume & Trends

hubscities of customers or suppliers, 2.8 Technology advancements, 3.3 Government regulation, 3.7 1.01.52.02.53.03.54.0Ranked most important industry developments and trends (1 highest) 8 Page other major hubscities of customers or suppliers, technology advanc ements and last government regulation. Transportation connectivity is the highest ranked industry development and trend. Should Iowa DOT funding be targeted at increasing access to barge facilities? If yes, where? Summary: A total of 78 respondents ans wered this question. The majority of respondents (41) indicated that funding should be focused on both the Missouri and Mississippi Rivers.

traks fiscal year (FY) begins on October 1. Amtrak reports route revenue and operating costs for its routes on a monthly and year todate basis. Table 2-17 presents financial data from Amtrak s Monthly Performance Report for September 2023. Table 2-17 Financial Performance of South Carolina Amtrak Routes FY2023 Amtrak Service Revenue (Millions) Operating Expense (M) Cost Recovery Ratio Crescent 36.6 80.1 45.7 Palmetto 27.9 43.2 64.6 Silver Meteor 40.1 78.0 51.4 Silver Star 39.5 93.9 42.1 Amtrak Long Distance Trains 596.0 1,192.4 50.0 Source: Amtrak, Monthly Perf ormance Report (September 2023) Amtrak defines the Cost Recovery Ratio as operating revenue divided by operating expenses . This shows the extent to

which passenger fare revenues cover operating costs.

Bottlenecks & Constraints

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

staging to be accomplished. As a first cut on freight flows, the two scenarios outlined in Chapter 12 offer a starting point in picking possible metropolitan areas for pilot project investigations. 1. Destination traffic within the urban core of the metropolitan area where the bottleneck(s) occur(s); 2. Through traffic traversing the metropolitan area. Another selection criterion for pilot projects is that the metropolitan areas are non-attainment in terms of pollution levels.

ons, and STB has the authority to order their use as it sees ?t to provide for competitive service. 64 Reciprocal Switching in Canada and Proposals for the United States Canadian Interswitching Canada has long allowed a shipper to demand that a railroad o?er reciprocal switching (referred to as interswitching) over its bottleneck segments. By law, a shipper with access to only one railroad at the origin or destination of a haul can have the shipment transferred to another railroad according to a government-prescribed switching rate if the ori - gin or destination is within a radius of 30 kilometers (about 19 miles) of an interchange point. T_he Canadian Transportation Agency establishes the switching fees according to a distance-based table applicable to all regions of the country.

Efficiency & Service Quality

ridge or freight project on the NMFN SELECTION CRITERIA Criterion Description Criterion Description Safety How the project will improve the safety of the bridge and associated sections of roadway Climate Change How the project will address climate change, improve resiliency, support environmental sustainability, and address environmental justice State of Good Repair How the project improves (1) the condition of a bridge (2) improving protection, to provide long-term resiliency to extreme weather events, and (3) reducing maintenance costs Quality of Life Considers how the project will improve quality of life at the local, regional, or

national level Economic Impacts How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas ...

ects may range in duration from 12 to 24 months. Implementation grants involving construction of project facilities and infras tructure generally are expected to range from 12 to 48 months. Performance under the award may extend to no later than September 30, 2027. OTHER REQUIREMENTS Grant recipients are required to submit financial, performance, and impact reports at least on a semi-annual basis. METROPOLITAN PLANNING PROGRAM (MPP) Provides funding and procedural requirements for multimodal transportation planning in metropolitan areas and states. Planning needs to be cooperative, continuous, and comprehensive, resulting in long -range plans and short - range programs reflecting transportation investment priorities.

on State of Good Repair How the project restores or modernizes core infrastructure assets based on current or future system vulnerabilities Quality of Life Considers how the project will improve equity and accessibility for travelers Economic Competitiveness and Opportunity How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas How the project will employ innovative finance, technology, or techniques Mobility and Community Connectivity The project increases mobi lity and connectivity for all users, particularly non-motorized travelers Partnership and Collaboration How the project will engage local communities and demonstrates equity considerations PROJECT READINESS CRITERIA Projects are e valuated through technical asse...

Costs & Investment

No specific data on costs & investment was identified in available sources for New Mexico.

Stakeholders & Governance

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

code, which participants can easily access using the camera on their mobile device to scan

and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

h transportation-related issues and play a key advisory role in the development of the Statewide Transportation Improvement Program and other ODOT plans. As part of the State Rail Plans public review period, each of the ACTs were consulted by the Project Team. Rail Plan Steering Committee The State Rail Plan Steering Committee (SC) was established for the purpose of reviewing and guiding the ODOT-led rail planning process which resulted in a recommendation to the ODOT Director and the OTC on the resulting Oregon State Rail Plan.

il Plan 7-7 www. TransportationConnection.org The three established MPOs in North Dakota are described below. BISMARCK -MANDAN MPO39 The Bismarck -Mandan MPO comprise s five jurisdic tions, including the cities of Bismarck, Lincoln, and Mandan and portions of Burleigh and Morton Counties . The Bismarck -Mandan MPO receives direction from its Technical Advisory Committee (TAC) and the Policy Board. The TAC is comprised primarily of plann ing and engineering staff members from the MPO's member jurisdictions. The TAC provides recommendations based on professional judgment for the MPO's Policy Board.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, New Mexico originating rail freight totaled approximately 317,412,489 expanded tons across 7,574,955 expanded carloads, generating approximately $13,028,567,356 in freight revenue.

Top Commodities by Tonnage (Origin):
- Non-Metallic Minerals: 720,082,312 tons (6,808,032 carloads)
- Chemicals: 399,956,400 tons (4,712,925 carloads)
- Intermodal: 151,071,520 tons (9,800,840 carloads)
- Paper Products: 55,963,965 tons (700,200 carloads)
- Transportation Equipment: 48,803,905 tons (2,588,045 carloads)
- Petroleum: 45,784,844 tons (631,610 carloads)
- Farm Products: 42,462,930 tons (442,848 carloads)

Top Origin-Destination Pairs:

- Boise, ID -> Lubbock, TX: 107,582,189 tons
- Masked/Suppressed -> Lubbock, TX: 74,367,529 tons
- Albuquerque, NM -> Lubbock, TX: 58,628,436 tons
- Lubbock, TX -> Lubbock, TX: 49,571,252 tons
- Fresno, CA -> Lubbock, TX: 36,097,147 tons

Nevada (NV)

Data: Moderate Coverage

Major Freight Corridors

,790,301 81,643,115 86,766,543 92,146,732 Mountain 18,172,295 20,005,440 21,740,479 23,585,039 25,557,049 27,668,947 29,909,432 .Montana 902,195 933,005 968,598 999,489 1,022,735 1,037,387 1,044,898 .Idaho 1,293,953 1,407,060 1,517,291 1,630,045 1,741,333 1,852,627 1,969,624 .Wyoming 493,782 507,268 519,886 528,005 530,948 529,031 522,979 .Colorado 4,301,261 4,617,962 4,831,554 5,049,493 5,278,867 5,522,803 5,792,357 .New Mexico 1,819,046 1,902,057 1,980,225 2,041,539 2,084,341 2,106,584 2,099,708 .Arizona 5,130,632 5,868,004 6,637,381 7,495,238 8,456,448 9,531,537 10,712,397 .Utah 2,233,169 2,417,998 2,595,013 2,783,040 2,990,094 3,225,680 3,485,367 .Nevada 1,998,257 2,352,086 2,690,531 3,058,190 3,452,283 3,863,298 4,282,102 Pacific 45,025,637 47,777,236 50,434,876 53,205,262 56,086,066 ...

n eastern Oregon or hub facilities for shorthaul bulk and intermodal markets along the I5 corridor. In 2011, ODOT formed the Oregon Rail Funding Task Force to identify a longterm sustainable funding source for passenger and freight rail. In December of 2011, the Task Force issued its Final Recommendations, which included the formation of a special district to fund passenger rail service between Eugene and Portland; lottery proceeds to fund freight rail needs; railroad property tax re allocation; a telephone access fee; a rail tax credit. These planning efforts were undertaken as foundational to the development of an updated Oregon Rail Plan. 40 Nevada Nevada adopted its current Statewide Rail Plan in September of 2012.

71 17.3 14.8 13.1 52.2 .Wyoming 26,104 11,062 -7,969 29,197 5.3 2.1 -1.5 5.9 .Colorado 530,293 447,313 513,490 1,491,096 12.3 9.3 9.7 34.7 .New Mexico 161,179 104,116 15,367 280,662 8.9 5.3 0.7 15.4 .Arizona 1,506,749 1,819,067 2,255,949 5,581,765 29.4 27.4 26.7 108.8 .Utah 361,844 395,081 495,273 1,252,198 16.2 15.2 16.6 56.1 .Nevada 692,274 761,752 829,819 2,283,845 34.6 28.3 24.0 114.3 Pacific 5,409,239 5,651,190 6,151,234 17,211,663 12.0 11.2 11.0 38.2 .Washington 647,842 890,173 1,192,665 2,730,680 11.0 13.6 16.0 46.3 .Oregon 369,597 469,397 573,525 1,412,519 10.8 12.4 13.5 41.3 .California 4,195,486 4,139,609 4,238,118 12,573,213 12.4 10.9 10.0 37.1 .Alaska 67,177 80,312 93,253 240,742 10.7 11.6 12.0 38.4 .Hawaii 129,137 71,699 53,673 254,509 10.7 5.3 3.8 21.0 SOURCE: U.S.

Carriers & Railroads

rt a new feasibility study of the Pioneer Route, in partnership with adjoining statesPortland, OR to Boise, IDPartnershipCoordinatecommunicate with adjoining states on future studies to evaluate the restoration or replacement of the line that Amtrak terminated in 1997 along UP line. P7Support Montana's efforts to study the feasibility of passenger rail service connecting Sandpoint, ID to the east. Williston, ND to Sandpoint, IDPartnershipCoordinatecommunicate with Montana on study to evaluate feasibility and potential alignment of passenger rail line.Amtrak Tier 2 Analysis P8Support Nevada's efforts to study the feasibility of intercity rail between Boise and Las VegasBoise, ID; Elko and Las Vegas, NVPartnershipCoordinatecommunicate with Nevada on study to determine the demand for service ...

larger metropolitan areas85 63 High-Speed Rail in America, High-Speed Rail Strategic Plan, April 2009, http:www.fra.dot.goveLibDetailsL02833 A r i z o n a S t a t e R a i l P l a n 3Passenger Rail Transportation Needs, Opportunities, and Investments P a g e 3-33.2.2 Southwest MSRP In September 2014, the FRA in collaboration with 19 stakeholders published the Southwest Multi-State Rail Planning Study.64 The Southwest Study was the first of several MSRPs. Others focused on the Midwest and Southeast.

Industry & Commodities

rande in Salt Lake City. The WP passed along the south side of the Great Salt Lake and directly across th e Bonneville Salt Flats on the G reat Salt Lake Desert. The first crew change terminal was established at W endover on the UtahNevada state line . West of Wendover the single track WP climbed over or tunneled through several Great Basin mountain ranges, all the while maintaining the maximum 1.0 percent grade stipulated in the railroads charter. At Wells, the WP began its run parallel to the SP s Overland Route west to Elko and Winnemucca, Nevada through the Humboldt River Valley.

Junction Points & Interchanges

alignments along I84. X X Public Low cost 3 Idaho Statewide Rail Plan Section 5: Potential Freight Passenger Improvements Investments Page 517 June 21, 2013 References ITD, Rail Plan Steering Committee Meeting Notes, February 27, 2013. Federal Railroad Administration, Preliminary National Rail Plan, 2009. Federal Railroad Administration, National Rail Plan: Moving Forward, 2010. BNSF Railway, Great Northern Corridor Study , Pacific Northwest Economic Region Economic Leadership Forum, 2012. Rail Transportation Advisory Group and Idaho Department of Commerce, Report to the Idaho State Legislature: Railroad Freight Service in Idaho An Assessment, 2002. Montana Department of Transportation, Multimodal

Programs, Montana Rail Planning Presentation, 2012.

ONS 3.7-10 CHAPTER 3 Spaghetti Bowl Project Final Environmental Impact Statement JULY 2019VISUAL CHARACTERAESTHETICS 3.7 MEASURES TO MINIMIZE AND MITIGATE ADVERSE VISUAL CHARACTERAESTHETICS IMPACTS Freeways are not usually considered visually pleasing elements to viewers. To help address aesthetic concerns about highway projects, NDOT has developed policies for the aesthetic treatment of the projects it builds and maintains. Many of the policies and guidelines in NDOTs Landscape and Aesthetics Master Plan (NDOT 2002) were previously implemented along the I-80 and I-580US 395 corridors in the study area (see examples in Figures 3.7-7A through 3.7-7E). Table 3.7-2 summarizes potential visual character mitigation measures. Table 3.7-2.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for Nevada.

Volume & Trends

hetti Bowl Project Final Environmental Impact Statement CHAPTER 3 3.7-7VISUAL CHARACTERAESTHETICS 3.7 Visual Character Aesthetics Direct ImpactsNo Build AlternativeAlternative 1 Alternative 2 (Preferred Alternative) Alternative 3 Views of the freeways height of bridges in the Spaghetti BowlNo impactSome bridges in the Spaghetti Bowl would be higher than the existing bridges, resulting in a visual change. The higher bridges would make parts of the interchange more visible from surrounding areas. The new Spaghetti Bowl bridges would be seen from greater distances than current bridges and might intrude on views of distant features like the Sierra Nevada Mountains and foothills. However, the character of views toward the Spaghetti Bowl from nearby areas would not change.

Bottlenecks & Constraints

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

variables in Equation 15 .41 with the previous ly de?ned scaling factor sa nd re-arrangi ng: m x

y w ¼l y Gn x r 0_ c wmgb 0 xy ww2 t w lc y xy ww c w2 t w mþð T y þ T x c w Þw T w2 t w m w lð 15 : 42 Þ Dyna mically, the scale wheelset behave ss imilarly to the ful ls cale, if Equat ion 15.41 and Equat ion 15.42 coincid e. Th is requires that the followi ng condi tions ho ld: w2 t w l¼ 1) w v ¼?? ?w lpvelo city scaling w c w2 t w m¼ 1) w c ¼ w r w2 l stiffness scaling w T w2 t w m w l¼ 1) w T ¼ w r w3 l creep forc es calingð 15 : 43 Þ It can be seen that for simi larity to be maint ained the scalin gf actor sf or the Equat ion 15.43 above cannot be freely chose na nd are af uncti on of the princi ple scal ing terms deri ved in Section IV.A.

railroad and estimating its costs for adjudicatory purposes are complicated endeavors. T_he SAC procedure requires the complainant shippers and the railroad to design a hypo - thetical railroad that o?ers stand-alone service. As detailed in Box 3-2, this requires extensive documentation with regard to its con?guration and investment and operating expense items such as locomotives, car 43 Indeed, the second constraint of the Coal Rate Guidelines speci?es that a captive coal shipper would not be required to bear the cost of demonstrated management ine?ciencies in the carriers operations and pricing structure (ICC 1985, 2). Modernizing Freight Rail Regulation Copyright National Academy of Sciences.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for Nevada.

Costs & Investment

No specific data on costs & investment was identified in available sources for Nevada.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Nevada.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Nevada originating rail freight totaled approximately 1,399,235 expanded tons across 16,779 expanded carloads, generating approximately $100,807,541 in freight revenue.

Top Commodities by Tonnage (Origin):
- Waste/Scrap: 3,353,775 tons (39,645 carloads)
- Stone/Clay/Glass: 246,910 tons (2,395 carloads)
- Transportation Equipment: 172,000 tons (5,845 carloads)

Top Origin-Destination Pairs:

- Masked/Suppressed -> Las Vegas, NV: 1,396,880 tons
- Dallas, TX -> Reno, NV: 1,239,800 tons
- Davenport, IA -> Reno, NV: 1,099,857 tons
- Grand Island, NE -> Reno, NV: 925,431 tons
- Bellingham, WA -> Reno, NV: 808,210 tons

Ohio (OH)

Rail Plan Year: 2025 | Data: Full Coverage

Major Freight Corridors

to trains for passengers, passenger rail stations are gateways for the cities served by these trains. Rail stations are centers for activity and foster economic development, commercial endeavors, tourism, cultural activities, civic pride and historic preservation. The amenities provided at passenger stations, such as parking, ticketing and first- and last-mile connections, can vary significantly. Amtrak Stations There are 10 active Amtrak stations in West Virginia. Two are in the Eastern Panhandle Harpers Ferry and Martinsburg and the rest are in the southern part of the state. The Harpers Ferry and Martinsburg stations are served by the Capitol Limited and see daily service.

; Massachusetts, New Hampshire; Maine; and elsewhere) and commuter rail services (e.g., in South and Central Florida; Dallas-Fort Worth; Washington DC; Salt Lake City; Los Angeles; and elsewhere) in response to peoples needs for getting around without reliance on auto travel. The intercity and commuter rail concepts summarized below have the potential to meet Iowans future mobility needs. 2.3.2.1.2 Potential for Intercity Passenger Rail Responding to the likely increase in regional travel, Iowa continues to investigate new potential services on new routes which will link the state with Chicago, Omaha, the Twin Cities, and Kansas City as well as link cities within Iowa (e.g. Des Moines with Council Bluffs to the west and Iowa City and Davenport to the east).

bandonments of the 1970s. Subsequently, the Railroad Authority Act of 1983 authorized the creation of local railroad authorities elsewhere in the state, enabling local governments to support short-line rail service that they felt was critical for the well-being of their communities. Since that time, Tennessee has grown to 20 railroad authorities, all of which are eligible to receive state funding. There are a variety of arrangements between the railroad authorities, railroad operators, 14 Tennessees Statewide Rail Plansection 1and railroad right-of-way owners. Typically, the railroad authorities do not operate the railroads, but in some cases they do own and manage the right-of-way. Authorities also serve as the recipients of state grants for the benefit of the railroads they represent.

ne railroad bed, most recently owned by the R.J. Corman Railroad Group before the company abandoned it in 2004. The Dawkins Line Rail Trail is the largest rail-to-trail in the state and is open year-round. Fredonia Trail (Caldwell County) The Fredonia Trail is a 0.2-mile paved rail trail located in Caldwell County. This trail is open to walking and is on the former Fredonia

Valley Railroad line. Highway 109 Rail Trail (Webster County) This rail trail is crush-stone and 0.5 miles in length 2025 KENTUCKY STATEWIDE RAIL PLAN2-18CHAPTER 2 KENTUCKYS EXISTING RAIL S YSTEM and lies within the City of Wheatcroft. This trail is open to walking and biking and is on a former CSXT line.

Carriers & Railroads

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

rain operates at a time. The line is capable of handling 286,000-pound railcars, and there are no clearance restrictions. The railroad operates six to eight times a month interchanging coal cars with AO then to CSXT terminating in Baltimore, MD for loading on ships for export. Elk River Railroad ELKR is located in Braxton and Clay counties between Gilmer (Gilmer County) and Hartland (Clay County). The former BO line that connected Gilmer and Hartland was built in the late 1800s, as part of the old Coal and Coke Railroad linking Charleston and Grafton. The current ELKR main line extends between Burnsville Junction, near Gilmer, and Dundon. However, only 31 miles between Burnsville Junction and Frametown are in service and utilized as an industrial track.

ritical first -mile and last -mile rail transportation and customer -focused service to hundreds of rail -dependent manufacturing facilities, grain elevators, industrial parks, and other local employers. In addition, rail -served port s located on Lake Michigan and the Ohio River offer even more ways for Indiana companies to keep transportation costs low and compete in national and global markets. The Rail Programs Office of the Indiana Department of Transportation (INDOT) has long reco gnized the importance of railroads in the state. INDOT, on its own or working with public and private partners, has helped fund critical projects to maintain and improve rail service in the state.

er factors. Generally, railroads try to adjust rail lines' capacit y to be appropriate to the level of rail traffic on those lines or the growth they anticipate. High- density rail lines are often referred to as mainlines while low -density rail lines are often referred to as branch lines. A frequently

used threshold fo r defining rail lines as high density or mainline is 20 million gross tons of freight passing over the line per year. Indianas rail corridors with the highest density can be found in the north, traversing the state east- west to and from Chicago. Appendix A, Figure A -1 shows a map of the density of Indianas rail network.

Industry & Commodities

RA staff includes nearly 400 safety inspectors who specialize in one of six technical areas focusing on compliance and enforcement: Grade crossings Hazardous mater ials Motive power and equipment Operating practices Signals and train control Track The FRA has also established 12 Safety Management Teams (SMT) that serve as the Office of Railroad Safetys principal liaisons with railroad senior management. The SMTs are organized along railroad company lines with an additional SMT each for short lines located in the east of the country and short lines in the west. In October 2021, the FRA published the Midwest Regional Rail Plan (MWR RP). The MWR RP is an intercity passenger rail network planning study led by the FRA, in partnership with stakeholders from across the Midwest.

the Northeast Corridor allows direct commerce with the countrys largest and most lucrative marke tplace. The port is directly accessible to more major cities by rail and truck than any other port in the United States, allowing for efficient and timely deliveries. The port is close to Marine Highway M -95, which parallels the East Coast of the United States from Maine to Florida. A map of the U.S. Marine Highway system is shown in Figure 2-47. Figure 2-47: U.S. Marine Highway System (U.S. Maritime Administration , n.d.) In recent decades, the port has specialized in handling break -bulk and bulk cargoes, with container volumes shifting toward New YorkN ew Jersey and the Virginia Tidewater ports.

ndent mentioned the current NICTD West Lake Corridor extension and Double Track NWI commuter rail expans ion projects as important investments that will improve system reliability and provide opportunities to attract more riders traveling between Northern Indiana and Chicago. 4. Is there enough awareness of existing passenger rail services in Indiana? If not, how should these services be promoted? Four of five respondents stated that there is not enough awareness of passenger rail service in Indiana. Three of five respondents stated that the existing passenger rail services were not frequent enough, reliable e nough, or convenient enough to attract riders or justify promotion.

arch or milk; baked products (including frozen) 7 Other Foodstuffs Dairy products (excludes beverages and prepara tions of milk), processed or prepared vegetables, fruit, or nuts (excludes dried or milled and juices); coffee, tea, and spices (excluding unprocessed coffee and unfermented tea); animal or vegetable fats and oils and their cleavage products; prepared

edible fats; animal or vegetable waxes; flours and meals of oil seeds; sugars; confectionary, cocoa, and cocoa preparations; vinegar; non- alcoholic beverages 8 Alcoholic Beverages Beer, wine and other fermented beverages; spirituous beverages and ethyl alcohol; denatured ethyl alcohol (not for human consumption) 9 Tobacco Products Cigarettes tobacco products 10 Building Stone Calcareous monumental or building stone; other monumen...

Junction Points & Interchanges

to capacity issues. Precision Scheduled Railroad practices have caused smaller shippers to have been left out in the cold because they don't fit into the higher traffic volume that PSR thrives on and is geared. A negative effect of PSR shutting out of many small or medium shippers. With PSR implementation, some lines have seen increased traffic, and there are some bottlenecks in some areas (Terre Haute and Ft Wayne). Precision -scheduled railroading is a detriment to the smaller customer. Track conditions are not up to the standards that they should be bare minimum maintenance. Track capacity does not allow for trains to move freely without congestion, many delays and bottlenecks.

Rail Yard Capacity

own in Table A.2 below are components of the BNSF Nebraska Division. Table A.2: Descriptions of BNSF Subdivisions in Iowa Nebraska Division SUBDIVISION: OTTUMWA SUBDIVISION Division Nebraska Owner BNSF Operator BNSF Line Heritage Chicago, Burlington Quincy Railroad (CBQ) Subdivision Route Mileage Portion of Subdivision in Iowa: Iowa Illinois state line near Burlington, Iowa-Creston, Iowa; 188.1 miles FRA Track Class Class 4 Track Configuration Two main tracks Maximum Authorized Speed Freight 60 mph freight Maximum Authorized Speed Passenger 79 mph passenger Wayside Signals Mixture of Centralized Traffic Control (CTC) and Automatic Block Signals (ABS) Method of Operation Mixture of Centralized Traffic Control (CTC), Track Warrant Control (TWC), and Yard Limits (YL) Maximum Allowable Gross W...

e South Carolina Central Railroad (SCRF) in 1987 when RailTex, Inc. purchased two disconnected segments of railroad from CSX located in Florence, Darlington, Chesterfield, and Lee Counties. The oldest line segment connected Cheraw and Florence through Society Hill and was constructed prior to th e Civil War. In 2012, Genesee Wyoming acquired SCRF as part of its overall acquisition of RailAmerica. The Cheraw to Florence segment was abandoned shortly after Genesee Wyomings acquisitio n. Today, SCRF operates one segment that connects and interchanges traffic with CSX at Florence and extends to Bishopville via Darlington, Floyd, and Hartsville. 2.1.1.4 Gulf and Ohio Railways Gulf and Ohio Railways acquired the Lancaster and Chester Railway (L C) in 2010.

Volume & Trends

No specific data on volume & trends was identified in available sources for Ohio.

Bottlenecks & Constraints

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

Efficiency & Service Quality

roducts. Figure 2-38 illustrates freight traffic, in tons, for Marylands counties. Figure 2- 38. Maryland Rai l Freight Traffic by County, 2019 Tons Source: 2019 Waybill Sample Table 2-11 below describes rail traffic in each county in Maryland served by rail. Table 2- 11. Primary Commodities Carried by Tonnage by County , 2019 COUNTY PREDOMINANT DIRECTION OUTBOUND INBOUND Baltimore City Inbound About a quarter bauxite and aluminum ores and fifth intermodal Mostly coal Baltimore County Inbound Mostly waste and scrap Mostly coal Charles Inbound Empty railroad equipment More than half coal and under half crushed and broken stone Howard Inbound All waste and scrap Almost all motor vehicles and equipment Prince Georges Inbound None Mostly crushed and broken stone Carroll Outbound All hydraulic ...

2: Indianas Existing Rail System Figure 2-7 Norfolk Southern Subdivisions Source: INDOT, HDR 48 Indiana State Rail Plan 2021 Chapter 2: Indianas Existing Rail System 2.1.3.1.3 CANADIAN NATIONAL RAILWAY Canadian National Railway (CN) operates almost 6,000 miles in the U.S., serving 13 states. CN also operates lines throughout Canada, connecting the Pacific and the Atlantic coasts. CN owns and operates 103 miles of track in the northwest corner of Indiana, connecting Chicago to eastern Canada via the Saint Clair River tunnel. CN operates Kirk Yard, their largest railyard in the U.S. in Gary . CNs top three commodities transported within Indiana are intermodal containers, coal, and metals.

cility. Commodities handled are aggregates, brick and cement, forest products (paper, lumber, and pulp), chemicals, coal, metallic ores and minerals, construction and demolition debris,

municipal solid waste, food and fe ed pro ducts, steel, and scrap. Little Kanawha River freight delivery West Virginia State Rail Plan Chapter 2 35 RJ Corman Railroad CompanyWest Virginia Line RJCV consists of 16 miles of the former Chesapeake Ohio in Fayette County between Pax and the CSXT interchange at Thurmond. RJCV is owned by the R. J. Corman Railroad Group, a railroad holding company based in Nicholasville, KY. There are no signals on this line, except at the CSXT interchange in Thurmond. Maximum authorized speed on the entire line is 10 mph.

maller Class II and III railroads have more limited resources and rely more heavily on public funding and financing for capital improvements. Public funding in rail infrastructure can be broadly classified into three categories: highway-railroad grade crossing improvements; direct investment in rail infrastructure such as tracks, yards and bridges; and infrastructure investment for passenger rail. Each category has its own set of criteria to justify public investment. For example, highway-rail grade crossing improvements are selected that enhance safety of the traveling public and improve the mobility of the community.

Costs & Investment

No specific data on costs & investment was identified in available sources for Ohio.

Stakeholders & Governance

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

use a diagnostic team to assess the risk of collision at each grade crossing in the proposed quiet zone. Engineering standards are used to identify where and what type of additional safet y engineering improvements are necessary based on local conditions such as Highway traffic volumes Train traffic volumes Accident history Physical characteristics of the crossing, including existing safety measures Examples of additional safety engineerin g improvements that may be necessary to reduce the risk of collisions include: Medians on one or both sides of the tracks to prevent a motorist from driving around a lowered gate A four -quadrant gate system to block all lanes of highway traffic Convertin g a two -way street into a one -way street Permanent closure of the crossing to highway traffic As a...

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Ohio originating rail freight totaled approximately 2,243,111,740 expanded tons across 53,391,921 expanded carloads, generating approximately $123,256,554,872 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 4,143,768,195 tons (52,593,675 carloads)
- Coal: 3,345,142,260 tons (28,817,060 carloads)
- Farm Products: 1,660,104,468 tons (20,475,276 carloads)
- Intermodal: 1,016,640,780 tons (72,293,060 carloads)
- Food Products: 903,862,710 tons (17,237,640 carloads)
- Non-Metallic Minerals: 567,786,724 tons (5,119,776 carloads)
- Petroleum: 513,164,246 tons (7,064,757 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Masked/Suppressed: 442,076,191 tons
- Masked/Suppressed -> Columbus, OH: 303,309,040 tons
- Charleston, WV -> Hartford, CT: 175,936,818 tons
- Columbus, OH -> Fresno, CA: 122,460,416 tons
- Fresno, CA -> Columbus, OH: 117,341,260 tons

Oklahoma (OK)

Rail Plan Year: 2021 | Data: Full Coverage

Major Freight Corridors

Senator Clarks railroad was changed from San Pedro, Los Angeles Salt Lake to Los Angeles Salt Lake after San Pedro was annexed by the city of Los Angeles. In 1921 Senator Clark sold his remaining half interest in the LA SL to UP , which quickly moved to fully absorb the route into its overall system. However, the line continued to be known as the Salt Lake Route, a name which endures into 2013. Until the 1930s there was little on line business for the Salt Lake Route and most passengers and freight on the railroad were traveling to or from S outhern California and Utahs Wasatch Front and points east.

ruce Lindholm Meeting Rapid City Investment Guide support e conomic growth development support Class III RRs I recommend consideration given to various project types economic development track vs mainline track projects for STC State RR trust fund grant projects. Projects on Class III Railroads are often small andor disadvantaged communities and the development means a lot to that community. In addition, our loads are very important to Class III Railroads Chapter 6: Coordination and Review South Dakota State Rail Plan 181 Name Mona Smith Meeting Online Hello, I saw in our local news, public meetings were held in regards to railroads. I am concerned with my local crossing in Fort Pierre. I live at 401 West Park Avenue and there is no alternative exit if a train has blocked the road.

e: FRA and KDOT California Zephyr While the California Zephyr service does not operate in Kansas, its nearby location in southern Nebraska affords Kansans in the northwest part of the state an option for travel by long -distance passenger rail. This service has a station in McCook, Nebraska , and provides connections from Chicago to Oakland, California through Omaha, Denver, and Salt Lake City. 6.2 Amtrak Thruway Service Amtrak sponsors the operation of a large number of intercity bus routes around the country, branded as Amtrak Thruway service.

s served by more than a dozen named trains through the 1950s , and the Santa Fe operated essentially its full fleet of trains between Chicago and the West Coast or Texas until the late 1960s. However, long distance passenger rail ridership declined with the expansion of the Interstate Highway System, upgrades to othe r federal and state highways, and the advent of commercial jet passenger service. When the Post Office canceled its contracts for moving mail on the U.S. passenger train network in 1968 , all railroads rapidly reduced service. In 1960, Congress passed the R ail Passenger Service Act to create the National Railroad Passenger

Corporation (which uses the Amtrak brand name), with the responsibility to provide a skeletal nationwide intercity passenger rail service network.

Carriers & Railroads

As one of the nations key riverports, Tulsa Port of Catoosa is a major contributor to the freight rail volumes that pass through Kansas. Figure 4-24 shows the top trade lanes for Tulsa Port of Catoosa when considering rail volumes that move to, from, and through Kansas , based on an analysis of STB Waybill sample data . The line thicknesses represent the relative amount of rail volumes (tonnages). As shown, the Kansas rail system provides connect ions to and from the Tulsa Port of Catoosa, including: Between Tulsa Port of Catoosa and Kansas City , including cargo that originated from or is destined to rail -served facilities in Knox and Cook Counties, IL ; Between Tulsa Port of Catoosa and the rail yards in east and south of Nebraska ; Between Tulsa Port of Catoosa and r ailyards in Amaril...

d by tr ack milage at only 20,000 miles. However, the new Class I railroad is also the most expansive in that it spans across the U.S., Mexico, and Canada, the first to connect the three major co untries of North America. The new railroad includes coverage across most of southern C anadas urban centers, as well as Mexicos urban centers located in the central portion of the country. Within the U.S., t he CPKC corridor stretches through the central portion of the country from Texas through the Upper Midw est. The new railroad additionally includes existing trackage rights providing access to northeastern portions of the U.S. Within Arkansas, CPKC primarily serves the far west ern portion of the state, spanning 158 miles.

igh speed rail corridor development A statement that the s tate is in compliance with 49 USC 22102, which prescribes what a state needs to do to qualify for federal assistance for rail projects The ASRP includes all of th ese elements. In addition to meeting the f ederal requirements, the ASRP is intended to establish a s tate vision for rail in Alaska and to identify projects and activities to achieve that vision. For this purpose, the ASRP was developed with extensive participation and involvement by the states railroads, rail users, other rail stakeholders in both the public and private sectors, and the public .

ed using d ata analysis and performance measure evaluation, consultations with freight and passenger rail stakeholders, and a review of projects seeking state or federal funding. While project opportunities do not represent KDOTs future funding plans, they d o identify opportunities that may address qualitatively - and quantitatively -identified needs on the states freight and passenger rail network, while also aligning with KDOTs transportation focus areas. KANSAS STATE RAIL PLAN Draft Kansas State Rail Plan 126 Pass enger Rail KDOT has also supported the maintenance of Amtraks long -distance passenger rail route, the Southwest

Chief. Within the past decade, KDOT has participated in several federal grant applications to fund route improvements along the line.

Industry & Commodities

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

tablishing a P3 among KDOT, local counties, and economic development interests. In late 2009, KDOT and partners began planning to renovate and upgrade the line. In 2011 b rush fires in Haskell County, Kansas , damaged the CVR line. CVR completed repairs to the affected structures in 2012. In 2023 the railroad won a 10.9 million Federal CRISI grant to replace some of its aging track infrastructure. The total investment is 15 million including state and private funding sources. Infrastructure and Connections CVR operates on a total of 256 route miles of track through Kansas, Colorado, and Oklahoma. In Colorado, the CVR operates on approximately 32 miles of track, or around 13 percent of the railroads 242 total route miles.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The

services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is constructing storage tracks on either side of Lake Pend Oreille.

e to connect with Americas first transcontinental railroad here in Utah. On May 17, 1869 ground was broken next to the UP depot in Og den on the UC , which began building south to Salt Lake City. This railroad was constructed under the direction of President Brigham Young of the Church of Jesus Chris t of Latter -day Saints with the aim of linking Salt Lake City with the transcontinental mainline. President Young drove the last spike on the UC near 600 North Street in Salt Lake City on January 10, 1870. As other feeder lines were built south of Salt Lake C ity, traffic on the UC grew.

Rail Yard Capacity

enabling its road to pass over or under any turnpike road, canal, watercourse, or other way. R.L. 1910, 1427. 66-124. Signs at crossings. Every railroad corporation operating a line of road within this state must erect suitable signs of caution at each crossing of its road with a public highway. R.L. 1910, 1428; Laws 1963, c. 46, 1, emerg. eff. May 2, 1963. 66-125. Signs at crossings - Neglect. In case any railroad corporation shall refuse or neglect, for a space of thirty (30) days after notice given by the board of county commissioners, to comply with the provisions of the preceding section, it shall become the duty of the county commissioners of each county through which any such railroad shall be in operation to erect such signs, and the company shall be liable for all expenses so incu...

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0

miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

Bottlenecks & Constraints

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

staging to be accomplished. As a first cut on freight flows, the two scenarios outlined in Chapter 12 offer a starting point in picking possible metropolitan areas for pilot project investigations. 1. Destination traffic within the urban core of the metropolitan area where the bottleneck(s) occur(s); 2. Through traffic traversing the metropolitan area. Another selection criterion for pilot projects is that the metropolitan areas are non-attainment in terms of pollution levels.

Efficiency & Service Quality

el, the high est freight rail line in North America. Commodities and Markets The primary commodities hauled by the SLRG were grain, minerals, specialty rock products , and produce. SLRG also handle d substantial bridge traffic to and from the SLC. The 2008 recession hit the SLRG significantly; most of the SLRGs client base was the same as that before 2008, but their customers simply shipp ed less. The SLRG has benefitted from the decrease in coal, oil, and gas demand, where empty cars from the Class I railroads were stored in SLRGs yard in Alamosa. The SLRG hauled 765,000 tons over 81.4 miles in 2016.

entory. Maximum authorized speeds for freight trains may also be lower than the maximum authorized speed by the FRAs Class of Track regulations. Maximum Authorized Speed for Passenger Trains identifies the maximum speed passenger trains can travel over each subdivision; note that speeds may be further restricted owing to track geometry, bridge restrictions, limited sight distances, challenges of rail operations in urban and rail terminal areas, and other safety and operating considerations not identified in this inventory. Speeds are identified only for railroad subdivisions presently hosting Amtrak intercity and long -distance passenger trains in Oklahoma, and on other segments as designated by Oklahomas railroads.

lahoma State Rail Plan Appendix B: Oklahoma Railroad Law Review September 2021 B-40 contain the number and initials of the car or cars, and if transferred in transit, the number and the initials of the car or cars in which originally shipped. Any railroad company failing to give said notice shall forfeit and pay to the consignee or other party whose interest is affected, the sum of One Dollar (1.00) per car per day or fraction of a day's delay, in all car load shipments, and one cent (0.01) per hundred pounds per day or fraction thereof on freight in less than car load lots with minimum charge of five cents (0.05) for any one package after the expiration of said twenty -four (24) hours, together with all actual damages sustained thereby. R.L. 1910, 1416. 66-91.

Costs & Investment

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

Stakeholders & Governance

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

tate Rail Plan Chapter 4 74 4. S tate Rail Coordination and Review Public and Stakeholder Participation Approach The knowledge and experience of West Virginians and stakeholders have shaped the development of this future-focused State Rail Plan. To ensure all potential stakeholders and the public had the opportunity to provide input, a Stakeholder Public Engagement Plan was developed to outline public outreach tools, including meetings, surveys and interviews of various stakeholders involved in or affected by the States rail system. First, WVSRA reached out to WVDOT staff, transportation experts, rail users and industry to form a steering committee and an advisory committee.

to Redmond o BNSF: Two major bridges, ? ve highway overpasses Redmond to OT Junction (BNSF); OT Junction to Troutdale (UP) o Seven major bridges, three tunnels, twenty-three highway overpasses Chemult to Eugene 42 The Oregon Resilience Plan: Reducing Risk and Improving Recovery from the Next Cascadia Earthquake and Tsunami , Report to the 77th Legislative Assembly from Oregon Seismic Safety Policy Advisory Commission (OSSPAC), February 2013. 43 Ibid.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Oklahoma originating rail freight totaled approximately 17,299,448 expanded tons across 217,442 expanded carloads, generating approximately $1,233,147,802 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 96,680,640 tons (1,092,345 carloads)
- Petroleum: 16,484,685 tons (212,975 carloads)
- Lumber/Wood: 12,555,460 tons (132,460 carloads)
- Paper Products: 11,094,990 tons (146,505 carloads)
- Waste/Scrap: 2,070,276 tons (30,111 carloads)
- Transportation Equipment: 1,814,400 tons (81,835 carloads)

- Food Products: 1,346,675 tons (13,300 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Fort Smith, AR: 12,220,044 tons
- Cincinnati, OH -> Fort Smith, AR: 10,145,371 tons
- Fayetteville, AR -> Fort Smith, AR: 7,052,650 tons
- Fort Smith, AR -> Masked/Suppressed: 5,767,793 tons
- Columbus, OH -> Fort Smith, AR: 5,139,534 tons

Oregon (OR)

Data: Full Coverage

Major Freight Corridors

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

Martin, Delco, Elgin, Ammon, and Menan, and the BNSF Coeur dAlene Subdivision. The BNSF lines just recently began a railstotrail conversion after being abandoned two years ago.5 Figure 41 illustrates these weight restrictions, as well as clearance restrictions. Network Gaps The spatial distribution and operational aspects of Idahos railroad network are grounded in the states history and geography. The construction of eastwest transcontinental railroads across the state put an emphasis on connecting agricultural areas and resource extraction sites to major railroad lines. Thus, several gaps exist in the states rail network as the regions emphasis was on connectivity to distant markets.

Moor Summit the route descends to Wells, N evada, and soon follows the historic California Emigrant Trail as well as the route of the Overland Stagecoach through the Humboldt River Valley via Elko and Winnemucca, MV . The Humboldt Valley is the only water level route across the Great Basin, and the only route with a reliable source of water, hence it has been the primary transportation corridor through the region since the 1840s. Upon leaving the Humboldt River west of Lovelock, Nevada the railroad crosses the Forty Mile Desert , which was so infamous from pioneer days , to join the Truckee River at Fernley , Nevada for the run into Reno and Sparks , Nevada.

ize and weight issues; trucks currently do not pay their fair sha re and to the extent that the discussion takes place the trucking industry ought to do what is necessary to close that gap. Freight rail has the ability to lesson impact to roadways over time, and the more freight that can be moved from truck to rail enhances safety, lowers emissions, and reduces wear and tear on the state roadways. Our train hauling fright is equivalent to taking 300 trucks off the road. Also, to the extent truck size and weight is increased, be aware of the impact not only to class 1

railroads but also similar class II or III, short line, railroads, as they are typically hit hardest by freight displacement.

Carriers & Railroads

ntiful supply of hydropower, has only one coal-? red power plant. Combined with a decline in the states traditional energy intensive aluminum smelting industry, electricity consumption actually declined between 2000 and 2010. Although coal ranks among the leading commodities by tonnage carried into the state by rail, the states largest coal- ? red utility in Boardman is slated for closure in 2021. However, potential development of Asian markets for Powder River Basin coal could result in new export moves through Oregon ports. Should new Paci ? c terminals be built for exporting coal to Asia, gateway locations throughout the region and British Columbia are under consideration.

d revenue through an additional assessment to the personalized license plate fee. Oregon also receives intercity passenger rail funds through non -dedicated gas tax revenues. California dedicate d revenue is generated through taxes assessed on diesel fuel, gasoline, and a sales tax on a portion of the excise tax on gasoline. Pennsylvania dedicates a portion of its Transportation Fund Allocation. The states that provide non -dedicated revenue vary in their approaches to providing funding, with some utilizing General Funds and others utilizing other transportation specific revenue sources. Table 8 -2 summarizes the information collected for the Virginia study and augmented and updated for this Rail Plan .

ng figures illustrate Kansas county destinations for goods originating from Kansas City, MO (Figure 4-28) and Kansas county origins for goods destined for Kansas City, MO (Figure 4-29). Figure 4-28: Kansas Destinations for Goods Originating from Kansas City, MO (Platte, Clay, and Jackson Counties) Figure 4-29: Kansas Origins for Goods Destined for Kansas City, MO (Platte, Clay, and Jackson Counties) KANSAS STATE RAIL PLAN Draft Kansas State Rail Plan 33 Bailey Yard, NE Union Pacifics facility in North Platte, NE, is known as Bailey Yard and is the worlds largest rail classification yard. Bailey Yard is located about 80 miles north of the Kansas border, 300 miles north of Wichita, and approximately 400 miles northwest of Kansas City.

ays, meeting PRIIA recommended standards for reportable delays.29 Likewise, UP met the PRIIA standards for host-reportable delays each quarter, except the second, while BNSF generally did not meet PRIIA standards for host-responsible delays. For the host railroads, delays were most commonly caused by freight train interference, signal problems and slow orders related to temporary track conditions. Delays caused by Amtrak were most commonly caused by locomotive failures, heavyslow passenger loading and crew issues. Travel Time and

Train Speed Travel times that signi ? cantly exceed alternative options such as private automobile and air are a primary impediment to attracting additional ridership.

Industry & Commodities

00 per year paid by other entities using railroad property. These funds have been used to: (1) Purchase ties and other materials for the active state-owned lines; (2) Repair and inspect bridges; (3) Clean ditches, remove brush and spray weeds. The operating railroads are also required to maintain lines at their own expense with total expenditures required based on a percent- age of their revenues. The state also administers a Rail Line Revolving Loan Fund. It was established in 1993 with state bond funds, and additional money was added in 1997. Total funding was 4 million. Loans through the fund are issued for up to 20 years for capital improvements to short line railroads. A redistribution of repaid loan principal is anticipated in 2012.

he region for a reported 84 customers, carrying potatoes, lumber, fertilizer, and fuel41, on two lines the 11mile Wilder Branch line and the 31mile Boise CutOff. Together, the lines moved 8,704 car loads in 2012 and are forecasted to move 12, 418 in 2013.42 The BVRR also secured trackage rights over the UPRR Huntington and Nampa Subdivisions, part of the UPRR Northwest Corridor transcontinental line that links its two branch services.

tablishing a P3 among KDOT, local counties, and economic development interests. In late 2009, KDOT and partners began planning to renovate and upgrade the line. In 2011 b rush fires in Haskell County, Kansas , damaged the CVR line. CVR completed repairs to the affected structures in 2012. In 2023 the railroad won a 10.9 million Federal CRISI grant to replace some of its aging track infrastructure. The total investment is 15 million including state and private funding sources. Infrastructure and Connections CVR operates on a total of 256 route miles of track through Kansas, Colorado, and Oklahoma. In Colorado, the CVR operates on approximately 32 miles of track, or around 13 percent of the railroads 242 total route miles.

ransCon Corridor is identified in Figure 2.36 below and connects with BNSFs other two Corridors of Commerce as identified below: MidCon Corridor identified earlier in this section at Kansas City, Missouri, and Ellinor, Kansas. Great Northern Corridor between Chicago, Illinois and Seattle, WashingtonPortland, Oregon at Chicago, Illinois. Figure 2.36: BNSF TransCon Corridor Source: BNSF 2.3.1.1.2 CP Corridors CP has one designated corridor serving Iowa: the Central Corridor, which reaches to six U.S. states and one Canadian province. This route connects with CPs east-west transcontinental route at Moose Jaw, Saskatchewan (Canada), and is oriented south to Minneapolis, Minnesota; Milwaukee, Wisconsin; Chicago, Illinois; and Kansas City, Missouri.

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

am provide s funding for high cost projects that are of national or regional importance. Freight railroad projects that are eligible for assistance under 23 USC and have a total eligible cost greater than or equal to the lesser of: 500,000,000 or 75 percent of the amount of federal highway funds apportioned to the state in which the project is located for the most recently completed fiscal year. Freight Intermodal Distribution Pilot Grant Program The Freight Intermodal Distribution Pilot Grant Program provides fundi ng for intermodal projects that relieve congestion, improve transportation safety, facilitate international trade, and encourage public-private partnerships.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Oregon originating rail freight totaled approximately 2,299,605,914 expanded tons across 19,553,123 expanded carloads, generating approximately $56,570,262,965 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 10,690,163,155 tons (89,544,010 carloads)
- Chemicals: 1,519,819,710 tons (14,097,375 carloads)
- Farm Products: 113,112,774 tons (1,164,480 carloads)
- Food Products: 45,479,390 tons (572,820 carloads)
- Lumber/Wood: 40,510,040 tons (442,540 carloads)
- Petroleum: 25,999,239 tons (321,615 carloads)
- Non-Metallic Minerals: 19,052,592 tons (186,620 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Masked/Suppressed: 742,769,241 tons
- Boise, ID -> Fargo, ND: 248,820,161 tons
- Boise, ID -> La Crosse, WI: 207,357,390 tons
- Boise, ID -> Dallas, TX: 179,562,204 tons
- Boise, ID -> Columbus, OH: 110,528,262 tons

Pennsylvania (PA)

Rail Plan Year: 2020 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

and Class III (short line) railroads across the commonwealth for seven primary purposes , as described in this section. The majority of the projects presented pertain to the short lines. To summarize the effects of t he freight rail program, the project list was sorted by project category for the short - and long -range. Project categories were assigned based on the primary purpose of the project. The typical benefits associated with the project categories are described in more detail below , and displayed in tabular format. The tables present the projects in each category , and their estimated timing, costs, benefits, and distribution of benefits to the regions.

y Coast Line-Wood to Essay: On this busy NJ TRANSIT-owned 2.7 mile segment between Woodbridge and South Amboy, NJ TRANSIT oper - ates 114 daily North Jersey Coast Line trains. Included in this segment is River Draw, NJ TRANSITs movable bridge spanning the Raritan River. Conrail Shared Assets operates several daily local trains between its Oak Island Y ard in Newark and Browns Y ard in Sayreville, which feed local switch crews serving industries in Central New Jersey along its Amboy Secondary and Freehold branch lines. Atlantic City Line-Shore to Pemberton: This five-mile segment contains the approaches and span of the Delair Movable Bridge, connecting Pennsylvania and New Jersey spanning the Delaware River.

ast rail system. Major commodities in New Jersey driving the freight industry were manufactured products, coal, food, and goods moving through the ports. The Delaware, Lackawanna, and Western Railroad had become prosperous by transporting coal from Northeastern Pennsylvania to the New Jersey ports. For most of the 19th century, freight service was a larger revenue generator than passenger service. By the turn of the century, passenger rail service became more lucrative. In 1907, when the new ferry terminal opened in Hoboken, there were over 35,000 daily passengers com- ing off the commuter trains and transferring to the ferries. With the growing number of rail commuters in New Jersey, a major issue by the end of the 19th century was the lack of direct rail access to New Y ork City.

provides 10 million a year for grants. Three times that amount would have been required to satisfy the number of funding applications the department received in 2010 alone. A single project, such as the reactivation of out-of-service freight rail line, could cost four times the amount, perhaps more. The annual appropriation for the grant program is derived from general revenue in the state budget. New Jersy does not have a permanent, dedicated funding source specifically for freight rail projects. New Jersey State Rail PlanCha PteR 5 5-38 The scope of the New Jersey Freight Rail Assistance Program is limited, when compared to other states, including neighboring Pennsylvania.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is

constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

ridge or freight project on the NMFN SELECTION CRITERIA Criterion Description Criterion Description Safety How the project will improve the safety of the bridge and associated sections of roadway Climate Change How the project will address climate change, improve resiliency, support environmental sustainability, and address environmental justice State of Good Repair How the project improves (1) the condition of a bridge (2) improving protection, to provide long-term resiliency to extreme weather events, and (3) reducing maintenance costs Quality of Life Considers how the project will improve quality of life at the local, regional, or national level Economic Impacts How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas ...

Costs & Investment

litation to maintain the reliability of the structure. Were the Delair Bridge to fall out of service, rail access to Southern New Jersey would be eliminated materially affecting the economy of that part of the state. The South Jersey Port Corporation was a recipient of a federal Transportation Improve- ments TIGER grant for repair of the structural elements of the approach spans on both the New Jersey and the Pennsylvania sides of the bridge. The TIGER funded improvements do not include the main bridge spans or correct the height restrictions that prevent the movement of doublestack rail cars.

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Pennsylvania originating rail freight totaled approximately 93,613,824 expanded tons across 970,093 expanded carloads, generating approximately $3,180,188,930 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 141,008,380 tons (1,362,060 carloads)
- Chemicals: 123,019,335 tons (1,273,065 carloads)
- Farm Products: 101,376,240 tons (971,694 carloads)
- Non-Metallic Minerals: 84,749,728 tons (774,608 carloads)
- Waste/Scrap: 29,564,253 tons (325,992 carloads)
- Food Products: 15,044,735 tons (157,370 carloads)
- Transportation Equipment: 10,450,765 tons (336,405 carloads)

Top Origin-Destination Pairs:
- Binghamton, NY -> Baltimore, MD: 20,566,105 tons
- Masked/Suppressed -> Philadelphia, PA: 12,236,100 tons
- Harrisburg, PA -> Hartford, CT: 10,297,761 tons
- Masked/Suppressed -> New York, NY: 8,376,726 tons
- Harrisburg, PA -> Masked/Suppressed: 7,879,719 tons

Rhode Island (RI)

Rail Plan Year: 2014 | Data: Full Coverage

Major Freight Corridors

o windows between passenger rail Initiate a study to investigate the feasibility and costs of adding a third track along the Northeast Corridor to increase the operational flexibility of commuter and freight rail service Improvements to increase capacity and reduce Amtrak train travel time by allowing trains to pass slower -speed trains (including those stopped at Kingston Station) at high speeds. Kingston Station Area Track Capacity Improvements Economic Vitality Greater access and better efficiency for freight rail cars at Port of Providence Port of Providence Internal Rail lines Car unloading system at Port of Providence Greater access and better efficiency for freight rail cars at the Quonset Business Park Seaview railroad sidings in the Quonset Business Park Quonset Business Park Nort...

tinue under MAP -21s National Highway Performance Program. Congestion Mitigation and Air Quality (CMAQ) Improvement Program The Congestion Mitigation and Air Quality (CMAQ) Improvement program funds transportation proj ects and programs that improve air quality by reducing transportation- related emissions in non- attainment and maintenance areas for ozone, carbon monoxide, and particulate matter. Examples of CMAQ -funded rail projects include the construction of intermodal facilities, rail track rehabilitation, diesel engine retrofits and idle -reduction projects in rail yards, and new rail sidings. State d epartments of transportation and metropolitan planning organizations select and approve projects for funding. The federal matching share for these funds is 80 percent.

oth sets of criteria. The criteria are consistent with the goals of MAP -21, the most recent federal transportation authorization legislation, AASHTOs State Rail Planning Bes t Practices , and the State of Rhode Islands Long Range Transportation Plan, Transportation 2035 . The major evaluation categories, along with a description of the rail passenger and freight criteria considered within each, are as follows: Safety This ca tegory considers the projects impact on the safety and security of rail operations in the state. Both passenger and freight projects are scored on whether the project corrects a significant safety or security problem, improves highway -rail crossing safet y, and contributes to passenger or rail employee safety.

Carriers & Railroads

ion fac ility. Direct Amtrak service to T.F. Green would expand the airports southern New England market reach significantly. The Interlink facility is served via a third track located east of the double track NEC mainline. This third track, served by MBTA die sel equipment, is not electrified. Overhead (catenary wire) electrification of the track would be required to accommodate Amtrak equipment. An additional track and high level platforms would also likely be necessary to accommodate efficient Amtrak service at the station. The additional levels of capital investment and operating changes required to implement direct Amtrak service to T. F.

--- Appendix B: Comment Response Document Page B 3 Media Outlets District 1 Spokesman Review Coeur dAlene Press Bonner County Daily Bee KREM TV KHQ TV KXLY TV Shoshone News Press Bonners Ferry Herald St. Maries Gazette Record Priest River Times Rural Northwest News Spokane Journal of Business District 2 MoscowPullman Daily News Lewiston Morning Tribune KOZE radio KLEW TV Cottonwood Chronicle Idaho County Free Press The Clearwater Progress University of Idaho Argonaut Clearwater Tribune The Current News District 3 Argus Observer Idaho Statesman Idaho Press Tribune KBOI radio KIDO radio KINF radio Boise State Public Radio KBOI TV KTVB TV KIVI TV Mountain Home News The Long Valley Advocate Independent Enterprise The Independent News Valley Times Meridian Press The Upper County NewsReporter Mi...

E), Amtrak intercity passenger rail, 16 Greater Bridgeport Transit bus routes, intercity bus routes, and taxi services . The station is near the Port of Bridgeport. The Water Street dock and terminal (next to the train station), located in the Bridgeport Harbor, offers year -round ferry service for pedestrians and vehicles between Connecticut and Port Jefferson, Long Island , New York. Figure H-7. Bridgeport Station Source: CTDOT CT State Rail Plan Preliminary Review Draft Appendix H September 2022 H-10 Hartford Union Station is an ADA -compliant station serving Amtrak intercity passenger rail, six CT transit Bus routes, the CT transit -operated Star Shuttle downtown circulator, a Greyhound Bus terminal that offers bus service to Boston, New York City, and other points, and taxis.

y Coast Line-Wood to Essay: On this busy NJ TRANSIT-owned 2.7 mile segment between Woodbridge and South Amboy, NJ TRANSIT oper - ates 114 daily North Jersey Coast Line trains. Included in this segment is River Draw, NJ TRANSITs movable bridge spanning the Raritan River. Conrail Shared Assets operates several daily local trains between its Oak Island Y ard in Newark and Browns Y ard in Sayreville, which feed local switch crews serving industries in Central New Jersey along its Amboy Secondary and Freehold branch lines. Atlantic City Line-Shore to Pemberton: This five-mile segment contains the approaches and span of the Delair Movable Bridge, connecting Pennsylvania and New Jersey spanning the

Delaware River.

Industry & Commodities

r Mile (in Millions) 2.70 GTM (East Grand Junction-Moorland) 1.77 GTM (Moorland-Tara) 1.30 GTM (Tara-Rolfe) 0.06 GTM (Rolfe-Mallard) Average Number of Trains per Day 2-4 Commodities Transported Farm products, food and kindred products, chemical and allied products, ethanol, and general merchandise freight traffic Industrial Leads Farnhamville Industrial Lead: Gowrie, Iowa-Farnhamville, Iowa; 6.3 miles (former Chicago North Western Railway); 286,000 lbs. maximum allowable gross weight; line density 0.25 GTM FRA Excepted Track None SUBDIVISION: LAURENS SUBDIVISION Division Iowa Area Owner UP Operator UP Line Heritage Chicago North Western Railway (CNW) Rolfe, Iowa-Marathon, Iowa Chicago, Milwaukee, St.

y (2014) in Annual Gross Tons per Mile (in Millions)0.58 GTM (Dewar-Oelwein) Average Number of Trains per Day 2 Commodities Transported Farm products, hazardous commodities, chemical and allied products, and food and kindred products. Industrial Spurs None FRA Excepted Track None SUBDIVISION: GARNER SUBDIVISION Division IANR Owner North Central Iowa Rail Corridor (NCIRC) Operator IANR Line Heritage Chicago, Rock Island Pacific Railroad (CRIP) Subdivision Route Mileage Belmond, Iowa-Forest City, Iowa; 27.9 miles FRA Track Class Class 1 Number of Main Tracks One main track with passing sidings Maximum Authorized Speed Freight 10 mph freight Maximum Authorized Speed Passenger NA Wayside Signals None Method of Operation Track Warrant Control (TWC) Belmond, Iowa-Garner, Iowa Yard Limits (YL) Ga...

g Toronto, Ontario, and the Montreal, Quebec, in Canada 54. The Central Corridor is identified in Figure 2.37 below and connects with CPs other two designated corridors as identified below 55: Western Corridor from Vancouver, British Columbia, to Calgary and Edmonton, Alberta; Saskatoon, Moose Jaw, and Regina, Saskatchewan; Winnipeg, Manitoba; and Thunder Bay, Ontario at Moose Jaw, Saskatchewan. 52 Ibid 53 CP Investor Fact Book, 2014 54 Ibid 55 Ibid. 2-77 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System Eastern Corridor from Chicago, Illinois, and Thunder Bay, Ontario, to Detroit, Michigan; Toronto, Ontario; and Montreal, Quebec at Chicago, Illinois.

s off the Overland Route in Wyoming and Utah allow UP to reach Denver and the Pacific Northwest, and Southern California, respectively. Part of the former Chicago Rock Island Pacific Railroad, the Spine Line connects the Twin Cities of Minneapolis and St. Paul, Minnesota with Des Moines, Iowa, and Kansas City, Missouri; thence by other UP lines to several urban centers in Texas: DallasFort Worth, Houston, San Antonio, and Laredo, the

major rail gateway to Mexico. These two corridors are strategically important to UP .

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

influence views from freeways, including the elevation of the freeway in relationship to adjacent terrain, the presence of adjacent traffic noise barriers andor trees, and the presence (or lack of) objects adjacent to the freeway that buffer outward views by motorists from the freeway. The north leg of the project along US 395 north of McCarran Boulevard is an open landscape with views of the Sierra Nevada foothills and areas of natural vegetation. Views by motorists from I-80, I-580, and US 395 south of N McCarran Boulevard frequently include traffic noise barriers (next to residential areas), nonresidential areas (where there are no traffic noise barriers), and

extended outward views of the Sierra Nevada Mountains and foothills in the distance.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to

generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The

long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

ridge or freight project on the NMFN SELECTION CRITERIA Criterion Description Criterion Description Safety How the project will improve the safety of the bridge and associated sections of roadway Climate Change How the project will address climate change, improve resiliency, support environmental sustainability, and address environmental justice State of Good Repair How the project improves (1) the condition of a bridge (2) improving protection, to provide long-term resiliency to extreme weather events, and (3) reducing maintenance costs Quality of Life Considers how the project will improve quality of life at the local, regional, or national level Economic Impacts How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas ...

Costs & Investment

nacostia.comcsscss.html). Indiana Harbor Belt Railroad Company (IHB) The Indiana Harbor Belt Railroad (IHB) is a switching carrier with 54 miles of mainline track (24 miles of which are double main track) and 266 miles of additional yard and siding track. The IHB main line circles Chicago from near OHare to Northwest Indiana and roughly parallels Interstate 294 (Tri-state Expressway) and I-8094. Its primary yard, Blue Island (a 44 class track hump yard) at Riverdale, IL lies in approximately the center of the railroad. Other major yards includes Gibson (in Hammond, IN) which only classifies cars of new autos and Michigan Avenue Yard (in East Chicago) which serves the extensive steel plants, which account for IHBs primary business.

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Rhode Island originating rail freight totaled approximately 206,392,618 expanded tons across 7,603,387 expanded carloads, generating approximately $11,402,685,327 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 253,951,260 tons (4,331,760 carloads)
- Intermodal: 251,604,380 tons (19,303,600 carloads)
- Waste/Scrap: 221,021,064 tons (2,188,962 carloads)
- Non-Metallic Minerals: 61,638,816 tons (612,212 carloads)
- Coal: 35,332,810 tons (346,960 carloads)
- Petroleum: 33,621,490 tons (454,216 carloads)
- Primary Metals: 33,124,740 tons (332,072 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Boston, MA: 85,966,504 tons
- Boston, MA -> Masked/Suppressed: 64,303,949 tons
- Masked/Suppressed -> Boston, MA: 64,110,143 tons
- Boston, MA -> Columbus, OH: 36,737,015 tons
- Masked/Suppressed -> Providence, RI: 27,528,421 tons

South Carolina (SC)

Rail Plan Year: 2024 | Data: Full Coverage

Major Freight Corridors

aid by the railroads, (2) railroad property lease income, and (3) a penny gas tax. The North Carolina State Rail Plan (2009) recommended that the state re-evaluate the percentage allocation of state transportation funds to rail projects. Public Investment Funding Transportation Trust Fund Recognizing that a sound, balanced transportation system is vital to the future of the state and is a key factor in its continued economic development, the New Jersey Transportation Trust Fund was created by statute in 1984. Its purpose is to provide a stable and assured method of financing the development and preservation of the states transportation infra-structure. It receives funds from motor fuel taxes, petroleum products gross receipts taxes, and sales and use taxes.

am provide s funding for high cost projects that are of national or regional importance. Freight railroad projects that are eligible for assistance under 23 USC and have a total eligible cost greater than or equal to the lesser of: 500,000,000 or 75 percent of the amount of federal highway funds apportioned to the state in which the project is located for the most recently completed fiscal year. Freight Intermodal Distribution Pilot Grant Program The Freight Intermodal Distribution Pilot Grant Program provides fundi ng for intermodal projects that relieve congestion, improve transportation safety, facilitate international trade, and encourage public-private partnerships.

d Sterling, Colorado. 170 Commodities and Markets NKCR carries a diverse mix of traffic and has attracted high throughput grain elevators to its lines. Top commodities by volume include grains, chemicals, farm and food, waste and scrap, and coal. In addition to grain, NKCR ships liquid fertilizer to shuttle loaders at Maywood, Nebraska ; Imperial, Nebraska ; and Holyoke, Colorado. Over the last 20 years, incentives have been provided to NKCR to truck grain to central elevators for shuttle loaders. Rock and Rail Railroad Rock and Rail Railroad (RRRR) operates on tracks purchased from the BNSF and UP railroads as well as trackage rights. RRRR operates freight service on the former UP Tennessee Pass route between Parkdale, Colorado , and a connection with UP at Cañon City, Colorado.

, Missouri and Wisconsin, have set up dedicated state funding88. Under Passenger Rail Investment and Improvement Act (PRIIA) of 2008, Amtrak and the state must establis h a procedure for allocating operational and capital costs prior to implementation. Existing state -supported routes carry about half of Amtraks total ridership and provide examples of how

service can be delivered on new corridors. Most of the passenger r ail corridors previously studied by GDOT, discussed in Chapter 3, may be candidates for state -supported Amtrak service. The public involvement process identified a desire for passenger service from Atlanta to Savannah via Macon. This is also part of the corridor studied for service from Atlanta to Jacksonville.

Carriers & Railroads

rginia, North Carolina, Georgia, Kentucky, and Mississippi via AASHTOs committee on Freight and Rail Council. TDOT will work to build relationships with other surrounding states as the need for coordination increases. 12.3 stakeHolder involvement in tHe development of tHe stateWide rail plan (srp) Stakeholder involvement was accomplished through a variety of ways during the development of the SRP. Building from the efforts of recent plans and studies, the SRP sought additional involvement to gain a true understanding of rail in Tennessee. This section describes the outreach efforts used to develop this plan. 12.3.1 Recent Plans and Studies As stated previously, the SRP utilized outreach efforts and comments received through recent plans and studies.

ds largest trading partners, traffic from which primarily consists of inbound coal shipments. Illinois, Virginia, and Ohio are the third -, fourth -, and fifth-largest trading partners. Illinois serves as a gateway to the rail network in the western US . Maryland also is one of its own largest trading partners. Figure 2-39 illustrates the tonnage received by Maryland by origin state. Figure 2- 39. Freight Rail Traffic Terminating in Maryland by StateProvince of Origin, 2019 Tons MARYLAND STATE RAIL PLAN 2. Marylands Existing Rail System 2-63 Source: 2019 Waybill Sample As shown in Figure 2-40, Virginia and Maryland are the largest recipients of shipments from Maryland, followed by Illinois. Figure 2 -40.

Industry & Commodities

il System 2-17 Figure 2 -9. Weekday Passenger Trains in Maryland , 2019 Source: MARC Corn erstone Plan, Amtrak Northeast Corridor 2019 schedule AMTRAK SERVICES IN MARYLAND Amtrak operates multiple services in Maryland: Acela and Northeast Regional Service. These services operate on Amtraks Northeast Corridor, generally between Washington, DC , and New York or Boston, providing the highest frequencies with the greatest ridership. Acela and Northeast Regional trains operating strictly along the Northeast Corridor are considered self -supporting in that operating costs cover operating revenues, and operating subsidies are not required. State -supported corridor routes.

ish a coalition of short line operators, industry stakeholders, and SCDOT to collaboratively address common challenges, share best practices, and coordinate on grant applications.

Develop a Rail Corridor Improvement Plan: Implement a holistic approach to rail planning, focusing on key rail corridors to support economic development, address infrastructure needs, and improve operational efficiency. Institute an Industrial Rail Access Program: Develop an industrial rail access program with tax credits or grants to build connections for new and existing businesses to access the rail network.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

arch or milk; baked products (including frozen) 7 Other Foodstuffs Dairy products (excludes beverages and prepara tions of milk), processed or prepared vegetables, fruit, or nuts (excludes dried or milled and juices); coffee, tea, and spices (excluding unprocessed coffee and unfermented tea); animal or vegetable fats and oils and their cleavage products; prepared edible fats; animal or vegetable waxes; flours and meals of oil seeds; sugars; confectionary, cocoa, and cocoa preparations; vinegar; non- alcoholic beverages 8 Alcoholic Beverages Beer, wine and other fermented beverages; spirituous beverages and ethyl alcohol; denatured ethyl alcohol (not for human consumption) 9 Tobacco Products Cigarettes tobacco products 10 Building Stone Calcareous monumental or building stone; other monumen...

Junction Points & Interchanges

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three

commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

Connecticut stone quarry in North Branford. Traffic consists of about 7,000 carloads of construction aggregate outbound from North Branford to an interchange with the Providence Worcester Railroad on Amtraks Northeast Corridor in Branford and at a barge transload facility in Pine Orchard. Operations on the railroads route are limited 10 MPH. The carload weight limit on the line is 286,000 pounds. The railroad has a repair shop, a pit scale, and a motion scale in North Branford. Despite its name, the railroad operates with diese l-electric locomotives.

rande in Salt Lake City. The WP passed along the south side of the Great Salt Lake and directly across th e Bonneville Salt Flats on the G reat Salt Lake Desert. The first crew change terminal was established at W endover on the UtahNevada state line . West of Wendover the single track WP climbed over or tunneled through several Great Basin mountain ranges, all the while maintaining the maximum 1.0 percent grade stipulated in the railroads charter. At Wells, the WP began its run parallel to the SP s Overland Route west to Elko and Winnemucca, Nevada through the Humboldt River Valley.

Rail Yard Capacity

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

rvices in Iowa. Iowas operating freight railroads are divided into three categories, including Class I railroads which are large, primarily long-haul national rail systems; Class II railroads which are medium sized railroads that operate regional rail systems; and Class III railroads which are commonly referred to as short line and switching or terminal railroads, which operate at the local level. Iowa also has non-operating railroad owners, which own short segments of the Iowa rail network and have agreements with Class II and Class III railroads to provide rail service. The passenger rail system is comprised of Amtrak National Network, or long-distance intercity services, and privately owned tourist railroads.

rities, low -income residents, youth, seniors, people with disabilities, and zero -vehicle households. These qualitative descriptions are justified by reviewing the underlying data, while re maining at a high level. Demographic Maps and Data Maps were created for each of the study populations at the statewide level and for each of the five WisDOT Regions; these maps are presented in Chapter 8 Environmental Context and in this appendix. Mapped data are from the United States Census Bureaus 2015- 2019 American Community Survey (ACS) 5 -year estimates, which are subject to error. The estimates published as part of the Census Bureaus 2015- 2019 ACS 5 -year dataset are based on data collected over a 5- year (60 -month) period.

st Virginia and the U.S., track each other closely over the period. Figure 3-12 5-Year Fuel Price Trends 3.25 3 2.75 2.5 2 1.75 1.5 Jan '16 Jul '16 Jan '17 Jul '17 Jan '18 Jul '18 Jan '19 Jul '19 Jan '20 Jul '20West Virginia U.S.National West Virginia State Rail Plan Chapter 3 60 Rail Trends West Virginias rail network was built to accommodate frequent and heavy movements of coal. Therefore, its mainline network was constructed with an above average amount of double track infrastructure and heavy weight rail. Recent improvements to several Class I main lines traversing the state to accommodate intermodal movements have also contributed to improving the velocity of the main line network.

Volume & Trends

hubscities of customers or suppliers, 2.8 Technology advancements, 3.3 Government regulation, 3.7 1.01.52.02.53.03.54.0Ranked most important industry developments and trends (1 highest) 8 Page other major hubscities of customers or suppliers, technology advanc ements and last government regulation. Transportation connectivity is the highest ranked industry development and trend. Should Iowa DOT funding be targeted at increasing access to barge facilities? If yes, where? Summary: A total of 78 respondents ans wered this question. The majority of respondents (41) indicated that funding should be focused on both the Missouri and Mississippi Rivers.

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

Outreach Increa sed rail capacity, especially among short line s, could attract alternative ways to transport. Increasing Train Lengths, PSR, Service to Small Shippers Indiana needs rules to prevent trains from blocking crossings for long periods. Indiana rail access for transfer stations at more locations. Indiana should help rail bank unused corridors and preserve them for future rail use. Once a linear corridor is lost, it's nearly impossible to piece it back together. Keeping industrial hubs connected is critical. Keeping the railroad crossings clear of trees and brush. Large volumes of slow -moving trains can cause long delays in towns and cities. Limited industrial parks or room for them to grow.

Bottlenecks & Constraints

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

variables in Equation 15 .41 with the previous ly de?ned scaling factor sa nd re-arrangi ng: m x y w ¼l y Gn x r 0_ c wmgb 0 xy ww2 t w lc y xy ww c w2 t w mþð T y þ T x c w Þw T w2 t w m w lð 15 : 42 Þ Dyna mically, the scale wheelset behave ss imilarly to the ful ls cale, if Equat ion 15.41 and Equat ion 15.42 coincid e. Th is requires that the followi ng condi tions ho ld: w2 t w l¼ 1) w v ¼?? ?w lpvelo city scaling w c w2 t w m¼ 1) w c ¼ w r w2 l stiffness scaling w T w2 t w m w l¼ 1) w T ¼ w r w3 l creep forc es calingð 15 : 43 Þ It can be seen that for simi larity to be maint ained the scalin gf actor sf or the Equat ion 15.43 above cannot be freely chose na nd are af uncti on of the princi ple scal ing terms deri ved in Section IV.A.

Efficiency & Service Quality

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ridge or freight project on the NMFN SELECTION CRITERIA Criterion Description Criterion Description Safety How the project will improve the safety of the bridge and associated sections of roadway Climate Change How the project will address climate change, improve resiliency, support environmental sustainability, and address environmental justice State of Good Repair How the project improves (1) the condition of a bridge (2) improving protection, to provide long-term resiliency to extreme weather events, and (3) reducing maintenance costs Quality of Life Considers how the project will improve quality of life at the local, regional, or national level Economic Impacts How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas ...

or and is i ncluded as Attachment B to this meeting summary. The PowerPoint presentation is attached and included as Attachment C. The presentation solicited dicsusion around a number of specific que stion s, including: Are there other measures we should look at ? Performance measures were identified as a point of concern by some, with suggestions about how to identify the most meaningful performance measures.

on State of Good Repair How the project restores or modernizes core infrastructure assets based on current or future system vulnerabilities Quality of Life Considers how the project will

improve equity and accessibility for travelers Economic Competitiveness and Opportunity How the project will improve the mobility, efficiency, and reliability of the movement of people and freight Innovation Areas How the project will employ innovative finance, technology, or techniques Mobility and Community Connectivity The project increases mobi lity and connectivity for all users, particularly non-motorized travelers Partnership and Collaboration How the project will engage local communities and demonstrates equity considerations PROJECT READINESS CRITERIA Projects are e valuated through technical asse...

Costs & Investment

where the public benefit is documented and clearly demonstrated based on agreed-upon service outcome. For example, North Carolina partnered with CSXT to fund and develop a freight intermodal terminal that included stated outcomes that supported transportation network safety, mobility and capacity directly supporting regional economic development and job creation, access to the states ports, and additional transportation network capacity, with agreement provisions that allow the state to take actions in protecting the public investment.

ateway Station Plan new stations Enhance existing stations (ADA accessibility, waiting room improvements, improved capacity of facility, etc.) GOALS ADDRESSED: North Carolinas state-supported Piedmont and Carolinian services provide access to communities between Charlotte and Raleigh, alleviating congestion on the Interstate 40Interstate 85 highway corridor and building service along the Southeast Corridor network. North Carolina is also served by multiple intercity trains that provide access to major East Coast urban centers between New York and Miami, as well as the southeastern destinations of Atlanta and New Orleans. The Southeast Corridor is one of ? ve federally- designated high-speed rail routes in the United States, incorporating the states primary passenger corridors.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16

voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

ith the current technology, trains operating in the same direction must be spaced at greater distances than with more modern signaling technologies, in effect reducing capacity. Project Description Capacity constraints can be eliminated in several ways. One approach is to add tracks. However, this is costly and, in many cases, may not be feasible because of limited right- of-way land availability. Alternatively, modifications to the train control signal system are an effective means to increase capacity and throughput. One applicable signal sys-tem improvement is to operate with cab, no wayside signals.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, South Carolina originating rail freight totaled approximately 77,674,387 expanded tons across 3,400,485 expanded carloads, generating approximately $3,519,752,336 in freight revenue.

Top Commodities by Tonnage (Origin):
- Intermodal: 161,859,040 tons (10,100,160 carloads)
- Non-Metallic Minerals: 56,875,724 tons (574,088 carloads)
- Food Products: 41,211,000 tons (429,150 carloads)
- Paper Products: 16,078,347 tons (229,293 carloads)
- Waste/Scrap: 11,958,735 tons (127,974 carloads)
- Chemicals: 9,715,965 tons (174,135 carloads)
- Stone/Clay/Glass: 2,399,881 tons (22,471 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Florence, SC: 31,563,389 tons
- Masked/Suppressed -> Charlotte, NC: 31,073,398 tons
- Dothan, AL -> Charlotte, NC: 18,868,863 tons
- Florence, SC -> Masked/Suppressed: 12,987,157 tons
- Masked/Suppressed -> Augusta, GA: 12,667,922 tons

South Dakota (SD)

Rail Plan Year: 2022 | Data: Moderate Coverage

Major Freight Corridors

CO. CBRY transports ore from the ASARCOs Ray Mine to the companys Hayden concentrator, concentrate from the Ray concentrator to the Hayden smelter, and sulfuric acid from the smelter to the leaching facilities. Other commodities handled by the railroad include lumber and plastics. The railroad is 55 miles, and mostly parallels the Gila River between a junction with the UPRR at Magma and Winkelman. A branch line operates from Ray Junction to Ray. CBRY interchanges with the San Manuel Arizona Railroad (SMA) at Hayden and handles the SMAs traffic when the SMA is operational.

arge passage on the river during navigation season. The time typically required to stop trains, open the bridge for river traffic, return the bridge to its original position, and restore normal railroad operations cause delays to BNSF and vehicular traffic that shares the bridge. 34 KJRY Between Keokuk, Iowa, and Hamilton, IllinoisFlood prone area along the Mississippi River; Flooding sometimes requires tracks to be shut down for periods of time (a 2008 flood event had the largest impact). 35 KJRY Swing-Span Bridge over Mississippi River at Keokuk, IowaThe bridge closes for rail traffic to accommodate barge passage on the river during navigation season.

raffic . Fertilizers, Natural Sands, Fuels (Aviation Fuel and Ethanol), and Other Coal and Petroleum Products will see tonnage growth . Coal is forecast to see substantial declines in tonnage, particularly for moves entirely within North Dakota . The largest value gains are projected for Crude Petroleum, followed by Motorized and Other V ehicles, Machinery, Manufactured Products, and Electronics . No commodities lose significant value, but those losing the most are Transportation Equipment other than Motor Vehicles, Tobacco Products, Waste and Scrap, Coal, and Pulp and Paper . Table 3-32: Tons (M illion) by Flow Type and Commodity Group (Change from 2017 -2030) Commodity Group (SCTG2) (Top 5 GainLoss) Int'l Gateway ND to ND ND to Other State Other State to ND Other Est.

ak service between Washington, D.C. and St. Albans, Vermont. In Massachusetts, the train makes stops at Springfield, Holyoke, Northampton, and Greenfield. The service uses the Amtrak-owned corridor between the ConnecticutMassachusetts border, the CSX-owned corridor in the vicinity of Springfield Union Station, and the MassDOT-owned corridor between Springfield and the Massachusetts Vermont border. The total distance for the Vermonter is 606 miles, with 56 miles in Massachusetts. The Vermonter has one round-trip daily between

Washington and St. Albans. In 2016, total Vermonter ridership was 88,006 passengers.16 State financial support for the service is allocated between Massachusetts, Vermont and Connecticut under contract with Amtrak.

Carriers & Railroads

s and rail value between origin -destination points . These maps are based on STB Waybill data for 2019, processed by IHS Markit to confirm to data confidentiality requirements, and are presented in Appendix C FAF, Transearch , and Streetlight Analyses . CONCLUSION This chapter has described the various data sets used for State Freight and Rail Plan analyses and presented key findings from several freight data sources the USDOT FAF aggregated and anonymized Transearch and STB Waybill data, and StreetLight . These findings, along with findings from analysis of other data sources, are used throughout all technical investigations and deliverables for the State Freight and Rail Plan. North Dakota Freight and Rail Plan 4-1 www.

Industry & Commodities

No specific data on industry & commodities was identified in available sources for South Dakota.

Junction Points & Interchanges

No specific data on junction points & interchanges was identified in available sources for South Dakota.

Rail Yard Capacity

rities, low -income residents, youth, seniors, people with disabilities, and zero -vehicle households. These qualitative descriptions are justified by reviewing the underlying data, while re maining at a high level. Demographic Maps and Data Maps were created for each of the study populations at the statewide level and for each of the five WisDOT Regions; these maps are presented in Chapter 8 Environmental Context and in this appendix. Mapped data are from the United States Census Bureaus 2015- 2019 American Community Survey (ACS) 5 -year estimates, which are subject to error. The estimates published as part of the Census Bureaus 2015- 2019 ACS 5 -year dataset are based on data collected over a 5- year (60 -month) period.

Volume & Trends

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

they can customize a site to mee t their specific needs. Figure 2-37 illustrates the geographic distribution of team track or transload locations with indirect rail access, and their usage. CHAPTER 2 May 2021 2-98 Figure 2-37: Locations with Indirect Truck -Rail Transload Access Source: HDR, Cross -reference of 2018 STB Carload Waybill Sample data with Google Earth aerial imagery Many railroad team tracks or tran sload sites have also fallen into disuse, or may be used very infrequently. In most cases, shippers prefer direct rail access rather than a truck- to-rail transload whenever possible. Trucking product to and from a rail transload site increases the cost of shippi ng.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for South Dakota.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for South Dakota.

Costs & Investment

No specific data on costs & investment was identified in available sources for South Dakota.

Stakeholders & Governance

tate Rail Plan Chapter 4 74 4. S tate Rail Coordination and Review Public and Stakeholder Participation Approach The knowledge and experience of West Virginians and stakeholders have shaped the development of this future-focused State Rail Plan. To ensure all potential stakeholders and the public had the opportunity to provide input, a Stakeholder Public Engagement Plan was developed to outline public outreach tools, including meetings, surveys and interviews of various stakeholders involved in or affected by the States rail system. First, WVSRA reached out to WVDOT staff, transportation experts, rail users and industry to form a

steering committee and an advisory committee.

ment activities discussed in more detail in this chapter include: Plan Kick -off: Included public comment periods and adoption of NOI and PIP. Pre-draft Plan Phase: Focus on stakeholder information sharing and consultation with Native American Tribes. Draft Plan Phase: Designed to be the best opportunity for stakeholders and the general public to comment directly on the draft rail plan and SEE. Final Draft Plan Phase: The final chance for public review and comment before the WRP 2050 and SEE are adopted. Plan Adoption: WisDOT will adopt the final plan and SEE and post the final document on the plan website.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, South Dakota originating rail freight totaled approximately 373,401,725 expanded tons across 3,761,214 expanded carloads, generating approximately $17,671,842,929 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 1,252,529,166 tons (11,743,722 carloads)
- Chemicals: 421,291,170 tons (4,474,935 carloads)
- Food Products: 203,964,205 tons (2,030,325 carloads)
- Petroleum: 87,169,271 tons (1,258,439 carloads)
- Transportation Equipment: 5,771,485 tons (256,390 carloads)
- Waste/Scrap: 4,490,160 tons (51,375 carloads)
- Stone/Clay/Glass: 706,116 tons (7,245 carloads)

Top Origin-Destination Pairs:
- Aberdeen, SD -> Juneau, AK: 38,092,851 tons
- Bismarck, ND -> Olympia, WA: 37,034,258 tons
- Aberdeen, SD -> Masked/Suppressed: 29,053,653 tons
- Sioux Falls, SD -> Olympia, WA: 25,494,030 tons
- Bismarck, ND -> Juneau, AK: 20,036,781 tons

Tennessee (TN)

Rail Plan Year: 2019 | Data: Moderate Coverage

Major Freight Corridors

unty) Occupying a former CSX railroad bed, this paved 8.6-mile-long rail trail meanders between Prestonsburg and the town of David. This rail trail also boasts six restored bridges with one of them featuring the roof and sides of a retired school bus serving as a bridge cover. Source: Kentucky Transportation Cabinet 2025 KENTUCKY STATEWIDE RAIL PLAN2-19CHAPTER 2 KENTUCKYS EXISTING RAIL S YSTEM Purple People Bridge (Campbell County) The Purple People Bridge is a 0.3-mile-long bridge across the Ohio River and connects the proposed Ohio River Trail in Cincinnati with the proposed River Path in Kentucky. The bridge is open to pedestrians and bicyclists.

r going to get one"". A rail option (with meaningful service levels, including weekends and nights) to other parts of the Front Range urban corridor from Boulder or Longmont feels like it could be a game changer. As it stands, there are patches of reliable and useful service - the light rail's great on the very rare occasion when it makes any sense for me to use it - but public transit around here is mostly an exercise in suffering. I said ""no"" on the ""freight trains are safe"" bit above because it's hard not to notice in the last few years that freight rail companies are prioritizing profit and cost -cutting over safety and human wellbeing, both for their own workforce and for the people who live along rail lines.

aggressive expansion, the MKT developed a 3,865 -mile system extending from St. Louis and Kansas City, Missouri to Galveston and San Antonio, Texas on its north -south axis and east -west from Shreveport, Louisiana to the Oklahoma panhandle. The MKT main line passed through Vinita, Muskogee, and McAlester, Okl ahoma en route from Kansas City and St. Louis, Missouri to Dallas and Fort Worth, Texas. At the time of the Land Run of 1889, the new Choctaw Line was approaching Oklahoma City from the east. Originating in Memphis, Tennessee and passing through Little Rock, Arkansas, this would later become part of the Chicago, Rock Island, and Pacific Railroad (CRIP).

a component of the NSCN Mid -America Corridor, and has a track capacity of 286,000 pounds.47 Yellow Creek Port Railroad Yellow Creek Port Railroad (YCRK) is controlled by the Yellow Creek Inland Port Authority over which service is provided by KCS. The railroad runs over 10 miles from Sharp, Mississippi, on the KCS line from Corinth, to Counce, Tennessee, to Yellow Creek Po rt where it terminates. Rail Corridors Freight rail lines in Mississippi mainly serve to move freight to origins and destinations outside of the State. About 80 percent of the

rail freight moving in Mississippi is through traffic.

Carriers & Railroads

und train s face a 2.4 percent climb out of aptly -named Helper. Grades along the rest of the line in U tah are more modest, though 2.0 percent grades are encountered on either side of the Continental Divide in Colorado where the line reaches an altitude of 9,239 f eet inside the 6.21 mile long Moffat Tunnel. The UPs former Rio Grande mainline is the highest mainline railroad in the United States. The original Rio Grande built south from Denver to Pueblo, then west via the famous Royal Gorge and over 10,221 feet Tennes see Pass to reach the Colorado River and a route into Utah. In 1934 the 44- mile Dotsero Cutoff was completed linking the original DRGW mainline with the existing Denver Salt Lake Railroad that passed through the Moffat Tunnel but dead- ended in Craig, C olorado.

d incursions by trains into sections of track where maintenance ac tivities are taking place, and movement of trains through track switches left in the wrong position. This is accomplished through automatic braking enforcement actuated by onboard systems on the locomotive. Certain segments of the corridor have not met the Federal requirements for implementation and currently do not have PTC installed. This includes the BNSF Front Range Subdivision north of Denver. Per Federal law, PTC implementation will be a required prerequisite before any regularly scheduled FRPR intercity passenger rail service can commence in the corridor, provided that more than four one- way passenger train movements per day will be scheduled.

aluate the feasibility of high-speed rail for three corridors in the southeastern United States. The feasibility of implementing and operating high- speed intercity passenger rail was examined within each corridor for Emerging High-Speed Rail (90- 110 mph) and Express High-Speed Rail (180-220 mph) in all three corridors and Maglev (220 mph) in the Atlanta-Chattanooga-Nashville-Louisville corridor. It should be noted that the representative routes are not preferred or recommended alternatives, but are presented as an example of an alternative to develop reasonable estimates for each corridors high-speed rail performance. Each representative route may have a variety of specific alignments that will be analyzed through the NEPA process should the route be selected for future analysis.

Industry & Commodities

export gateway for U.S. businesses and consumers and is a primary conduit for high volumes of consumer goods. The TransCon also handles substantial volumes of agricultural products and other bulk products. BNSF has invested over 1.8 billion in the TransCon Corridor in the last decade to ensure the safe movement of goods, increase capacity by double and triple trackin g key segments; expanding and rebuilding an intermodal facility at Memphis,

Tennessee; and undertaking several maintenance projects.67 66 BNSF TransCon Corridor Fact Sheet, 2015 67 Ibid.

Junction Points & Interchanges

ound trips, the various scenarios estimated a range of between 600 and 1,200 riders per weekday in 2020. For three commute period round trips, the range was between 900 and 1,600 riders per weekday in that year. The scenario with the highest ridership included three commute round trips with nine stations (1,600 riders per weekday): Wasilla Matanuska (Glenn HighwayParks Highway Interchange) Eklutna Birchwood Eagle River Elmendorf Anchorage Spenard Ted Stevens Anchorage International Airport (AIA) This scenario also had the longest transit time of 1 hour and 18 minutes from end to end, and 1 hour and 8 minu tes betwe en W asilla and a Ship Creek station in Anchorage.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for Tennessee.

Volume & Trends

No specific data on volume & trends was identified in available sources for Tennessee.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Tennessee.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for Tennessee.

Costs & Investment

gton Resident Vice President CSX Transportation, Inc. 5200 Maryland Way Brentwood TN 37027 jane_covingtoncsx.com Norfolk Southern Railway Company NS www.nscorp.com Elizabeth Lawlor Manager, Government Relations Norfolk Southern Railway Company 770 Washington Avenue, Suite 192 Montgomery AL 36104-3816 Elizabeth.lawlornscorp.com CLASS II (REGIONAL) RAILROADS Alabama Gulf Coast Railway AGR www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenesee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com CLASS III (LOCALSHORTLINE) RAILROADS Alabama Tennessee River Railway, LLC ATN www.omnitrax.com Wes Mundy General Manager Alabama Tennessee River Railway, LLC 3425 Forrest Avenue Gadsden AL 35904

wmundyomnitrax.com Alabama Railroad Co.

Stakeholders & Governance

ederal Highway Administration Section 130 grade crossing safety pro-gram funds for Minnesota, wh ich provides about 5.5 million annually. MnDOT staff regularly evaluates and prioritizes grade crossing improvement projects based on accident frequency and safety needs, as well as replacement needs. Give n the current cost of grade crossing equipment and design, this allows the funding of about 25 major projects each year. While the cost of new installa tions has been steadily inflating, the Federal funding has remained relatively static over the last several years, resulting in fewer projects being possi ble each year. In addition to the Section 130 program, MnDOT also administers about 600,000 per year in Highway Safety Account (HSA) state funds for othe r safety improvements.

ARRC) 20 Anchorage June 4 Loussac Library Walsh, Laurie (DOTPF) Brigham, Jessen, Abbott (HDR) 35 Fairbanks June 5 FNSB Assembly Chambers Walsh, Laurie, Mason (DOTPF) Brigham, Jessen (HDR) 39 Nome June 6 Old St. Joes Hall Walsh, Laurie, Mason (DOTPF) Jessen, Abbott (HDR) Carr (ARRC) 6 ASRP Open House s 2 May-June, 2013 Advertising: The open houses were advertised in local print media, via post card and e-mail announcements to individuals on the project mailing list, fliers posted by the ASRP Technical Advisory Group members, and information posted on the project website. Postcard invitations were mailed to approximately 1200 individuals; an e-mail with a pdf attachment of the postcard was sent to nearly 800 individuals.

ith the current technology, trains operating in the same direction must be spaced at greater distances than with more modern signaling technologies, in effect reducing capacity. Project Description Capacity constraints can be eliminated in several ways. One approach is to add tracks. However, this is costly and, in many cases, may not be feasible because of limited right- of-way land availability. Alternatively, modifications to the train control signal system are an effective means to increase capacity and throughput. One applicable signal sys-tem improvement is to operate with cab, no wayside signals.

e years. Outbound movements make up most shipments in the state at nearly 80 percent . The low 2018 traffic vol umes were mostly due to a poor harvest season. The outbound shipments include wheat, barley, and soybeans from the Saginaw Bay region and central and south Michigan headed to the southeast U.S. chicken- and pork -producing states of Virginia, North Carolina , South Carolina, and Georgia. Edible soybean production in Michigans thumb region also heads south to Tennessee, Mississippi, Texas, and Mexico. Figure 32. Michigan Agriculture Rail Network Source: 2018 Surface Transportation Board Waybill data, MDOT, IH

S Markit Analysis F ood products are mostly through movements.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Tennessee originating rail freight totaled approximately 77,638,660 expanded tons across 1,757,267 expanded carloads, generating approximately $3,946,101,978 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 97,812,018 tons (1,030,284 carloads)
- Primary Metals: 95,956,132 tons (1,009,924 carloads)
- Chemicals: 66,659,640 tons (971,505 carloads)
- Petroleum: 64,984,661 tons (907,340 carloads)
- Intermodal: 54,823,200 tons (3,971,040 carloads)
- Waste/Scrap: 22,308,252 tons (261,480 carloads)
- Transportation Equipment: 3,812,935 tons (161,025 carloads)

Top Origin-Destination Pairs:
- Columbus, OH -> Johnson City, TN: 18,192,326 tons
- Masked/Suppressed -> Huntsville, AL: 13,574,821 tons
- Masked/Suppressed -> Knoxville, TN: 12,887,929 tons
- Columbus, GA -> Knoxville, TN: 9,368,682 tons
- Knoxville, TN -> Baltimore, MD: 7,517,955 tons

Texas (TX)

Data: Moderate Coverage

Major Freight Corridors

s the famous Vail ski resort and Glenwood Springs, which is the gateway to the Aspen ski complex. Amtraks California Zephyr passenger train uses the Rio Grande Line en route from Chicago to the San Francisco Bay Area. CDOT expressed concerns about the frequent rock falls and other geology and weather -related problems and delays found along the Rio Grande Line through the several cany ons of the Colorado River which the railroad uses to traverse the western slope of the Rocky Mountains. The single- tracked 6.21- mile long Moffat Tunnel , through the Continental Divide, which at 9,239 feet above sea level is the highest mainline railroad location in the United States, was also mentioned as a rail traffic chokepoint on the Rio Grande Line.

Moor Summit the route descends to Wells, N evada, and soon follows the historic California Emigrant Trail as well as the route of the Overland Stagecoach through the Humboldt River Valley via Elko and Winnemucca, MV . The Humboldt Valley is the only water level route across the Great Basin, and the only route with a reliable source of water, hence it has been the primary transportation corridor through the region since the 1840s. Upon leaving the Humboldt River west of Lovelock, Nevada the railroad crosses the Forty Mile Desert , which was so infamous from pioneer days , to join the Truckee River at Fernley , Nevada for the run into Reno and Sparks , Nevada.

nd Figure 7.8, which shows the correlation of market structure variables (modal alternatives, shipping distances, rail competition) to rail rates in wheat pricing models generated in the report. Comparing the two maps, the report notes that areas with fewer modal alternatives like Western Kansas (also southwestern Nebraska and the Texas Panhandle) have less pronounced RVC ratios than their correlation with market structure measures shown in Figure 7.7. The report also notes that areas like the Pacific Northwest which have more alternatives and less distance to water transport have higher RVC ratios than they have market structure correlation.

Railroad ARS Watco Class III Austin, Todd Ladd Railroad ATL Independent Class III Blackwell Northern Gateway Railroad BNGR US Rail Partners, Ltd Class III Cimarron Valley Railroad CVRR Jaguar Transport Holdings, LLC. Class III Farmrail Corporation FMRC FarmRail System, Inc Class III Grainbelt Corporation GNBC FarmRail System, Inc Class III Gateway Eastern Railway GWER Kansas City Southern Class III Hollis and Eastern Railroad HE

American Gypsum Class III Kiamichi Railroad KRR Genesee Wyoming Class III Northwestern Oklahoma Railroad NOKL Independent Class III Port of Catoosa Railroad POC Tulsa Ports Class III Sand Springs Railway SS OmniTRAX Class III South Kansas Oklahoma Railroad SKOL Watco Class III Stillwater Central Railroad SLWC Watco Class III Texas, Oklahoma Eastern Railroad TOE Pat...

Carriers & Railroads

trucked in over the regions two lane highways from the nearest railroad served points whi ch are Rifle and Craig . 8.4.2 New M exico As already mentioned, there are no direct rail links between Utah and New Mexico. The primary railroad lines serving New Mexico are the BNSF Railways Chicago to Texas to California Transcon mainline across the north- central part of the state, and the UPs Sunset Route linking S outhern California with the Midw est and south via El Paso, located across the southern portion of the state. Both of these lines are eastwest in nature with no northsouth railroad in existence in that region of the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

er in 2016 or 2017 an update and expansion of the 2004 MWRRS. The FRA effort, titled the Midwest Regional Rail Plan, will look at new services making stops in 12 Midwestern states, including Iowa. 3.4 Proposed Commuter Rail Services Commuter rail is a mode of passenger rail transportation typically involving diesel-electric locomotives and passenger coaches on corridors shared with freight trains. As noted earlier, the services are concentrated on weekdays, with most trains operating in the peak commute period in the peak commute direction, with station stops several miles apart. The trains link outlying residential suburbs with downtown work centers.

r Comments Commenter Organization Comment Katherine Maas rTucson residentI would support and use a passenger train between Tucson and Phoenix. If it could be extended to Flagstaff, even better Andrew StockerPlease consider building more light-rail lines in the cities, and rail between the cities like Phoenix and Tucson. Guthrie Tucson residentI wasnt aware the state of Arizona owned any railroads. State subsidies for billionaires and we cannot get our

roads fixed. Frank Flasch Tucson residentWhat is the purpose of this report? It seems to give me some very specific data but what is going to be done with it.? Will anything change or is this just a static report? My hope is that we see commuter rail service between Phoenix, Tucson, and Flagstaff John S.

Industry & Commodities

n Transportation Company I-ETMS Interoperable Electric Train Management System IFG International Freight Gateway IL Illinois IKE Eisenhower Legacy Transportation Program JCAX New Century AirCenter Railroad KAW Kaw River Railroad KO Kansas Oklahoma Railroad KCS Kansas City Southern Railway KCT KCTR Kansas City Terminal Railway Company KDA Kansas Department of Agriculture KDC Kansas Department of Commerce KDOT Kansas Department of Transportation KS Kansas KYLE Kyle Railroad LA Louisiana LPKC Logistics Park Kansas City LRTP Long Range Transportation Plan MAP -21 Moving Ahead for Progress in the 21st Century Act MID Midland Railway MIRPC Midwest Interstate Passenger Rail Commission MKT Missouri -Kansas -Texas Railway KANSAS STATE RAIL PLAN Draft Kansas State Rail Plan xi Acronym Description MN...

g Toronto, Ontario, and the Montreal, Quebec, in Canada 54. The Central Corridor is identified in Figure 2.37 below and connects with CPs other two designated corridors as identified below 55: Western Corridor from Vancouver, British Columbia, to Calgary and Edmonton, Alberta; Saskatoon, Moose Jaw, and Regina, Saskatchewan; Winnipeg, Manitoba; and Thunder Bay, Ontario at Moose Jaw, Saskatchewan. 52 Ibid 53 CP Investor Fact Book, 2014 54 Ibid 55 Ibid. 2-77 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System Eastern Corridor from Chicago, Illinois, and Thunder Bay, Ontario, to Detroit, Michigan; Toronto, Ontario; and Montreal, Quebec at Chicago, Illinois.

s off the Overland Route in Wyoming and Utah allow UP to reach Denver and the Pacific Northwest, and Southern California, respectively. Part of the former Chicago Rock Island Pacific Railroad, the Spine Line connects the Twin Cities of Minneapolis and St. Paul, Minnesota with Des Moines, Iowa, and Kansas City, Missouri; thence by other UP lines to several urban centers in Texas: DallasFort Worth, Houston, San Antonio, and Laredo, the major rail gateway to Mexico. These two corridors are strategically important to UP .

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and

siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Junction Points & Interchanges

one, limestone, iron ore, soda ash for glass, and kaolin clay for paper. Union Pacific Railroad The Union Pacific Railroad (UP) is the largest ra ilroad in North America, operating 32,400 route miles in the western United States, and employ ing over 50,000 people, of which 456 work in Minnesota. 2008 gross revenues virtually matched BNSF s revenues of 18 billion, and carloads totaled 9.26 million. The railroad serves 23 st ates, every major West Coast and Gulf Coast port, and the five largest gateways between the East and West at Chicago, St. Louis, Memphis, Kansas City, and New Orleans.

Rail Yard Capacity

curately forecasting ridership is a difficult task. On the one hand, as previously discussed, ridership has declined since the early 2010s and has continued to remain on a downward trend. However, from a low in 2021, ridership has continued to increase significantly, with ridership leveling off to near pre-pandemic 2019 levels. As of 2024, post-pandemic ridership levels have continued to increase. This is despite the fact the slow growth along the Texa s Eagle relative to the growth rate across the entire Amtrak system. Current Amtrak ridership has su rpassed estimates by one measure developed and assumed by Amtrak.

and arrived in Chicago Union Station at 10:00 AM Central time, while southbound trains departed Chicago Union Station at 5:45 PM Central time and arrive in Indianapolis at 11:39 PM Eastern time. The schedule was designed to facilitate train connections in Chicago with other Amtrak services. Table 5 -1 displays the Amtrak arrivals and departures at Chicago Union Station by route during spring 2019. Most Amtrak trains arrived before the southbound Hoosier State left Union Station, and most routes departed after the northbound Hoosier State arrived at Union Station. These connections were only valuable to Indiana Hoosier State passengers that were connecting to other Amtrak services.

Volume & Trends

No specific data on volume & trends was identified in available sources for Texas.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Texas.

Efficiency & Service Quality

No specific data on efficiency & service quality was identified in available sources for Texas.

Costs & Investment

No specific data on costs & investment was identified in available sources for Texas.

Stakeholders & Governance

(SLRG) at Sugar Junction in Monte Vista north to Center, Colorado. The 171 SLCs shops and yard are located just north of U.S. 160 near Sugar Junction. SLC is an agricultural line that serves growers throughout the San Luis Valley of Colorado. Ownership and History SLC was incorporated in 1913 and was initially founded to haul sugar beets from growers to an online processing mill. Sugar beet growing did not prove popular with local farmers, and the facility soon closed. SLC ran passenger service for a period that ended in 1937. Pea Vine Corp acquired the entire capital stock from the estate of the railroads founder in 1969. Rail World, Inc. currently owns a controlling interest in SLC and is headquartered in Rosemont, Illinois.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Texas originating rail freight totaled approximately 1,117,893,593 expanded tons across 19,464,601 expanded carloads, generating approximately $56,650,822,387 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 8,618,459,085 tons (93,749,535 carloads)
- Non-Metallic Minerals: 903,725,824 tons (8,588,508 carloads)
- Petroleum: 624,332,499 tons (7,591,003 carloads)
- Transportation Equipment: 325,621,080 tons (16,207,385 carloads)
- Intermodal: 198,883,740 tons (12,934,260 carloads)
- Food Products: 122,194,440 tons (1,599,465 carloads)
- Paper Products: 55,968,225 tons (700,260 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Dallas, TX: 179,562,204 tons
- Dallas, TX -> Dallas, TX: 113,658,625 tons
- Boise, ID -> Lubbock, TX: 107,582,189 tons

- Houston, TX -> Dallas, TX: 92,552,013 tons
- Masked/Suppressed -> Dallas, TX: 74,611,639 tons

Utah (UT)

Rail Plan Year: 2015 | Data: Full Coverage

Major Freight Corridors

Route returns to double track for the rest of the journey to Council Bluffs, I A, where the former Chicago and North Western Railroad (CNW) (acquired by UP in 1995) has a double track line from there to Chicago . The single track former CNW line from Fremont, NE to Missouri Valley, IA, which serves as a bypass around Omaha and Counc il Bluffs is currently in the process of being double tracked to handle more of the trains that today pass through Omaha. 2.1.1.3 UPs Former SP Overland Route, todays UP Lakeside Subdivision (Ogden to the Nevada state line) This mostly single -track line heads west from Ogden across the flatland bordering the Great Salt Lake, then crosses the lake itself on a series of causeways.

and long-distance trains operated by the main line railroads. Through the 1950s, Iowa was still well served by intercity and long-distance passenger trains. Some of the named trains of the main line railroads at that time, and their routings in Iowa, included the following: Chicago North Western Railway (CNW) via Clinton, Cedar Rapids, Marshalltown, Ames, Boone, Carroll, and Council Bluffs, Iowa, and later the Chicago, Milwaukee, St.

ear. First-last mile strategies, as defined by UTA and used for this project: The term last mile can be used to describe the difficulty in getting people from a transport hub, such as a railway station or bus depot, to their final destination and back again. When users have difficulty Utah State Rail Plan 2015 Page 134 getting from their starting location to a transport network, this can be described as the "first mile problem." Traditional solutions to the first mile problem in public transit have included the use of feeder buses, bicycling infrastructure, pedestrian amenities and urban planning reform, such as street and trail connectivity and mixing uses.

Moor Summit the route descends to Wells, N evada, and soon follows the historic California Emigrant Trail as well as the route of the Overland Stagecoach through the Humboldt River Valley via Elko and Winnemucca, MV . The Humboldt Valley is the only water level route across the Great Basin, and the only route with a reliable source of water, hence it has been the primary transportation corridor through the region since the 1840s. Upon leaving the Humboldt River west of Lovelock, Nevada the railroad crosses the Forty Mile Desert , which was so infamous from pioneer days , to join the Truckee River at Fernley , Nevada for the run into Reno and Sparks , Nevada.

Carriers & Railroads

rande in Salt Lake City. The WP passed along the south side of the Great Salt Lake and directly across th e Bonneville Salt Flats on the G reat Salt Lake Desert. The first crew change terminal was established at W endover on the UtahNevada state line . West of Wendover the single track WP climbed over or tunneled through several Great Basin mountain ranges, all the while maintaining the maximum 1.0 percent grade stipulated in the railroads charter. At Wells, the WP began its run parallel to the SP s Overland Route west to Elko and Winnemucca, Nevada through the Humboldt River Valley.

) the State has ensured that it mainta ins or will maintain adequate procedures for financial control, accounting, and performance evaluation for the proper use of assistance provided by the United States Government. This document, which was developed by W YDOT , meets the requirements set forth in legislation and public laws and is intended to serve as a resource for state, regional, and local planning. The SRP represents a compendium of recent passenger - and freight -rail studies supplement ed by additional analysis and investigation necessary to meet federal requirements.

Idaho has ranked among the fastest growing states in population. Growth has recently slowed, however, but Idaho is continuing to add people, even during the recession, at a higher rate than the U.S. average. At the northern end of the Rocky Mountain West region, Idaho is located within one of the fastest growing regions in the country and is adjacent to the fastest growing parts of Canada as well. The pace of the states population growth puts pressure on all aspects of Idaho s infrastructure: its water systems, schools, healthcare facilities, etc. In particular, the State s freight and passenger rail transportation system must accommodate the needs of an increasing number of residents, retirees, and workers, and do so reliably, safely, and efficiently.

Industry & Commodities

heir state(s) if they agree to pay at least 45 percent of the first year operating costs and 65 percent in the years thereafter. Short Line and Regional Railroads : As defined by the Association of American Railroads, account for 31 percent of U.S. freight rail mileage and 10 percent of employees. They range in size from small operators handling a few carloads a month to multi -state operat ors close to Class I size. M ore than 560 short line and regional railroads operate in every U.S. state except Hawaii and often feed traffic to Class I railroads and receive traffic from Class I railroads for final delivery. Siding: A section of track adjacent to a mainline used for passing trains on single track routes or switching moves.

erside of any overhead structure. For lines handling intermodal traffic, AAR recommends

vertical clearances of 22 feet 6 inches to accommodate double- stacked domestic containers. For intermodal shipments, double- stack clearance is rapidly becoming the national standard because it greatly improves capacity and thereby reduces the cost to ship goods by rail, making double- stack rail services more competitive with trucks for customers shipments while taking long haul mov ements off highways. Most of Colorados Class I network allows double -stack container configurations. However, the only continuous east -west rail corridor in the state is UPs Moffat Corridor between Denver and Salt Lake City, Utah.

ntermodal trains. While each line carries one local train per day, the Huntington Subdivision and its BVRR connections in the Boise area carry slightly more local traffic. The Huntington and Nampa Subdivisions carry 20 daily trains on average, while the Pocatello Subdivision carries 19 daily trains. The remainder of UPRRs line between Salt Lake City and Montana on the Ogden and Montana Subdivisions is a single track main. It also has more antiquated signal controls, using automated block signaling (ABS) south of Idaho Falls and a track warrant control (TWC) north of Idaho Falls. The Ogden and Montana Subdivisions see three to four average daily trains.

charges, and other data necessary to rate, ship, and settle. 162 Appendix D: Freight Railroad Carrier Profiles BNSF Railway BNSF, a subsidiary of Berkshire Hathaway Inc. , is headquartered in Fort Worth, Texas. BNSF directly owns and operates more than 32,500 route miles of track in 28 U.S. states and three Canad ian provinces serving the western two-thirds of the United States . When second, third , and fourth main line trackage, yard trackage, and siding trackage are included, the length of track that the railway directly controls rises to more than 50,000 route miles across the country. For administrative purposes, BNSF is divided into 10 operating divisions, including a Colorado Division headquartered in Denver.

Junction Points & Interchanges

ern Railway of Colorado (GWR), Rock and Rail (RRRR), and Utah Railway (UTAHDPR). 11 RTD Light Rail and Commuter Rail six light rail lines and four commuter rail lines operate across RTDs system serving the Denver metropolitan area. Amtrak California Zephyr a daily long -distance train that runs between Chicago and San Francisco with stations in along the I-70 corridor in Colorado. Amtrak Southwest Chief a daily long -distance train that runs between Chicago and Los Angeles with stations in Southeastern Colorado Strategic Rail Corridor Network (STRACNET) Corridors and Connectors are civil railroad lines designated as critical to national defense .

one, limestone, iron ore, soda ash for glass, and kaolin clay for paper. Union Pacific Railroad The Union Pacific Railroad (UP) is the largest ra ilroad in North America, operating 32,400

route miles in the western United States, and employ ing over 50,000 people, of which 456 work in Minnesota. 2008 gross revenues virtually matched BNSF s revenues of 18 billion, and carloads totaled 9.26 million. The railroad serves 23 st ates, every major West Coast and Gulf Coast port, and the five largest gateways between the East and West at Chicago, St. Louis, Memphis, Kansas City, and New Orleans.

ervice over its entire length. Commoditi es transported include aggregates, brick and cement, chemicals, food and feed products, forest products, intermodal, and steel and scrap. Berlin Mills Branch The Berlin Mills Branch is leased by the St. Lawrence and Atlantic Railroad. The entire line is approximately 6 miles long , most of which has been inoperative since the shutdown of the mill in Berlin. A switch has been removed mak ing a portion of the line inaccessible. Berlin Branch The Berlin Branch is owned by the State of New Hampshire and opera ted by the New Hampshire Central Railroad. The active portion of the line is approximately 18 miles from Littleton to Waumbek Junction, in Jefferson, passing through Whitefield .

djacent to I-80. The south side of I-80 between Wells Avenue and the Spaghetti Bowl due to the displacement of residences along Seventh Street and the removal of large, mature vegetation.The overall footprint of Alternative 2 would be smaller than that of Alternative 1. It would displace fewer residences and would affect the view toward the freeway from fewer sensitive viewers than Alternative 1. The areas where visual impacts of Alternative 2 would be most noticeable are: Both sides of US 395 between Wedekind Road and the Spaghetti Bowl due to the displacement of residences and a self-storage business adjacent to US 395, as well as the removal of large, mature vegetation.

Rail Yard Capacity

STB): The STB is an economic regulatory agency charged with resolving freight railroad rate and service disputes, reviewing proposed rail mergers, rail line purchases, constructions and abandonments. The Board also oversees Amtraks on- time performance and has jurisdiction over other matters. Switch: As a noun, refers to track equipment that allows cars to move, or cross over, from one track to another. The verb refers to shuffling or moving rail cars, usually within a yard (also called marshaling). Trackage Rights: An agreement between two railroads whereby one buys the right to run its tr ains on the tracks of the other. Transloading: The transfer of a shipment from one mode of transportation to another.

an exten- sive network in the central Unit ed States along the Mississippi River valley from the Great Lakes to the Gulf of Mexico. In Minnesota, CN has had a long-standing presence with its Duluth Winnipeg and Pacific (DWP) subsidiary. However, much of CN s current 436 miles of

track came through its recent acqui- sitions of the Wisconsin Central (2001) and the Duluth, Minnesota and Iron Range (DMIR) (2004). The latter had the well-known operation between the Iron Range and the ports of Twin Harbors and DuluthSuperior, and has made the CN the larges t carrier of iron ores in North America.

ntained as FRA Excepted Track from East Hartford to South Windsor, and FRA Class 1 track from South Windsor to Enfield. There is no passenger or through freight service on this line and local freight service is provided by CSO from East Hartford to South Windsor, and by CNZR from South Windsor to Enfield. A.2 Berkshire Line The Berkshire Line trave rses 50.0 miles between Danbury and North Canaan. It runs from a junction with the Maybrook Line in Brookfield to the Massachusetts state line in North Canaan. HRRC owns this line from Brookfield to New Milford, and the State of Connecticut owns it from Ne w Milford to North Canaan. It is maintained at FRA Class 1 and Class 2 track standards.

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is

sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

omically efficient rates. Rate Guidelines Non-Coal Proc., EP 347 (Sub-No. 2), slip op. at 1-2 (ICC served May 21, 1986).55 current and future service needs. Coal Rate Guidelines, 1 I.C.C.2d at 535-36. The management efficiency constraint is intended to protec t captive shippers from paying for avoidable inefficiencies (whether short-r un or long-run) that are shown to increase a railroads revenue need to a point where the shippers rate is af fected. Id. at 537-42. The SAC constraint is intended to protect a captive shipper from bear ing costs of inefficiencies or from cross- subsidizing other traffic by paying more than the revenue needed to replicate rail service to a select subset of the carriers traffic base. Id. at 542-46.

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated

tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

f con- straints (10)(13) and constraints (17)(20) . We can also show that, for every request, the optimal dual multiplier of the demand satisfaction constraint will always be equal to the least cost itinerary offered by the competition. Proposition 2. Under an optimal pricing policy, kC3 k¼cc kða;bÞfor each request k 2K. Proof. The proof is similar to that of Proposition 1 . We proceed by contradiction. Let the vector ((tl),(fl),(fc),k,g,p,c,x) be an optimal solution for the problem. Suppose that for this solution there existsk2Ksuch that kC3 kcc kða;bÞwhich implies, by constraints (9), that for this request kC3 kC0cc kða;bÞ0.

Efficiency & Service Quality

ffers different excursions and amenities and ranks among the states most popular tourism destinations. The following table shows available operating characteristics. Table 8. Scenic and Historic Railroad Operating Characteristics Scenic Railroad Route Miles Gauge Trips per Day Operating Season Broadmoor Pikes Peak Cog Railway 9 Standard (with rack rail) 68 Year Round Durango Silverton Narrow Gauge Railroad 47 Narrow 4 Year Round Georgetown Loop Railroad 5 Narrow 6 Late April to December Royal Gorge Route Railroad 12 Standard 4 Year Round Cripple Creek Victor Narrow Gauge Railway 2 Narrow 10 Mid-May to Mid -October Cumbres Toltec Scenic Railroad 64 Narrow 2 Late May to Mid -October Leadville, Colorado Southern Railroad 13 Standard 2 Late May to Early October 273,384 272,606 241,146 90,255 4...

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily

traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force developed a Climate Action Plan for New Hampshire.

Costs & Investment

r the construction and operation ofrailroads. The construction of the transcontinental railwaysis a well-known example, in which land grants, loans, andloan guarantees allowed private companies to build networksacross the west. Ambrose (2000) has written an enjoyable his-tory of the creation of the ?rst transcontinental railroad fromOmaha to Sacramento, California, via Ogden, Utah. Severalinteresting approaches were used to ?nance this ambitiousproject. The railway was authorized to issue bonds with in-terest payments guaranteed by the federal government inorder to raise funds required for construction. As construc-tion proceeded, more bonds could be issued.

Stakeholders & Governance

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership

will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Utah originating rail freight totaled approximately 91,895,109 expanded tons across 965,494 expanded carloads, generating approximately $3,883,144,527 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 288,664,145 tons (2,505,495 carloads)
- Farm Products: 88,019,928 tons (1,062,288 carloads)
- Chemicals: 50,653,425 tons (518,850 carloads)
- Waste/Scrap: 17,935,800 tons (215,679 carloads)
- Petroleum: 16,235,492 tons (214,641 carloads)
- Food Products: 15,925,425 tons (272,975 carloads)
- Transportation Equipment: 3,504,780 tons (179,790 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Salt Lake City, UT: 36,182,634 tons
- Boise, ID -> Salt Lake City, UT: 33,484,653 tons
- Salt Lake City, UT -> Salt Lake City, UT: 26,109,349 tons
- Salt Lake City, UT -> Masked/Suppressed: 19,214,349 tons
- Columbus, OH -> Salt Lake City, UT: 16,781,389 tons

Vermont (VT)

Rail Plan Year: 2021 | Data: Full Coverage

Major Freight Corridors

at Palmer, where it interchanges with CSX. NECR also interchanges with PAR in Northfield and Montague. NECR provides a major north-south rail corridor in the region, linking Canada with Connecticut. Pan Am Railways (PAR) PAR is a privately held Class II rail carrier with operations in five New England states and New York. Its operational headquarters are located in North Billerica, Massachusetts. PAR has connections to the NECR in Montague and Northfield, and the PW in Gardner and Worcester. PAR exchanges traffic with CSX in Worcester and Ayer. PAR also connects with PAS in Ayer. PAR owns approximately 43 miles of railroad ROW in Massachusetts and operates on over 178 miles of ROW in the State.

f rail lines south and west of Boston from the Penn Central Railroad. In 1976, the MBTA completed the acquisition of the Boston Maines (BM) rail lines north and west of Boston and the rolling stock used to provide the already-subsidized commuter rail service. Additional lines were acquired by the Commonwealth of Massachusetts in the early 1980s, in order to prevent their loss through abandonment. The Commonwealth of Massachusetts, through a 2009 agreement with CSX Corporation, purchased additional rail infrastructure in eastern Massachusetts. Ownership of rail infrastructure enabled the State to expand and improve commuter rail services. Through this agreement, MassDOT acquired CSX-owned rail lines in Massachusetts in two phases.

perating and capital costs among the States and Amtrak related to trains that operate on corridors of 750 miles or less. The intent of Section 209 is to ensure that Amtrak treats all states equally and to allocate to each route a proportionate set of costs that reflect the routes relative use. This new allocation of costs will impact the cost of service to Vermont and Maine for these services, and since the policy establishes that the operating losses of a corridor service must be covered through a combination of ticket revenues and other state support , the continued operation will be (as it always has been) contingent upon support of the sponsors of the service .

0 Miles State of Rhode Island Figure 4-2 October 1, 2013Regional Freight Rail Connections Rhode Island State Rail Plan Chapter 4: Rhode Islands Freight Rail System 4-5 Source Business Facilities Online. Septembe r 24, 2013 CSX and NS connect Rhode Island to other states along the East Coast into the Mid -Atlantic, including the eastern Gulf of Mexico ports operating on their lines. CSX and NS lines also connect Rhode Island to the western Gulf of

Mexico, Midwest, and West Coast Pacific Ocean ports through links with other U.S. Class I railroads such as Union Pacific and Burlington Northern Santa Fe Railroad . CSX and NS also connect Rhode Island to international trade through links to the transcontinental Canadian railroads Canadian National and Canadian Pacific.

Carriers & Railroads

the states freight network. The NECR Western Massachusetts Freight Rail Upgrade Project is identified as a high priority project, and involves upgrading more than 31 miles of rail and twenty bridge structures on the New England Central (NECR) freight line running from Connecticut to Canada. There is 9.6 million in private funding committed to this project in addition to 9.6 million in State funds. Federal funds would provide the remaining amount needed to upgrade this line to the national weight limit standard of 286K (286,000 pounds from its current 263,000 pound weight limit).

er rail station Improvements. Phased deployment of gatesflashers at existing and planned Amtrak public road grade crossings . Second Priority Set Burlington Rail Yard Enterprise project. Seek grants and innovative funding for freight and passenger rail. GMRC Bridges and Track Upgrades . WACR Connecticut River Bridges and Track Upgrades. WACR Montpelier Barre Sub. Bridges and Track Upgrades. Work to reduce causes of delay to Ethan Allen Express and Vermonter services within and beyond Vermonts borders. Maintain and improve connectivity to regional and Class I railroads to ensure market -competitive and efficient freight service. Improve transit, bicycle, and pedestrian connections to Amtrak trains.

al quality. This v ision is based around a high -speed rail network that will link every major city in New England with smaller cities and rural areas and internationally to Montreal. This high -speed rail network is composed of a few key corridors, several of which directly and indirectly affect New Hampshire. Figure 2-19 illustrates the envisioned network of corridors linking all of New England. This vision was developed by the Departments of Transportation of the six New England states, who have committed to work together to coordinate efforts.

HHS) HSIPR Project is a partnership between Amtrak, FRA, and CTDOT, to improve rail services on the Amtrak- owned line between Springfield and New Haven. The first phase of the program, led by CTDOT and currently under construction, began in 2012. The initial phase includes sufficient double-tracking and infrastructure upgrades from New Haven to Hartford to increase line capacity from six to 17 daily round trips between New Haven and Hartford and 13 daily round trips between Hartford and Springfield.

Industry & Commodities

s plant in Tamworth, other wood products, and petroleum fuels. The study included a well -attended public meeting and other opp ortunities for comment. Possible issues that arose during the study included displacing snowmobile use on the corridor and the impact of trains returning to the long- inactive line on some abutters. The legislature has not acted on the study since its com pletion in 2004. Chapter 2 Page 67 Massachusetts Projects Knowledge Corridor On January 28, 2010, U.S. Departme nt of Transportation awarded 70 million for final design and construction of the Knowledge Corridor along the Connecticut River rail line in western Massachusetts . The competitive grant award is part of the High -Speed and Intercity Passenger Rail program.

r 500 different railroads , it still operates as an integrated system with most long distance shipments moving on more than one railroad. Rail shipments made to and from New Hampshire also generally are made on more than one railroad. Through the regional and short line carriers serving the state, local industries have access to virtually every rail served shipperreceiver in N orth America through Class I carriers. Figure 2-1 provides an overview of the major rail gateways that connect New Hampshire to the North American rail network. Pan Am Railways has direct Class I connections with Norfolk Southern (NS) through its Patriot Corridor p artnership 17 and with CSX at Worcester, MA. In the North Country, the St.

Junction Points & Interchanges

as a captive short line. Although most of these restrictive terms are contractually agreed relationships, with advantages or compensation accruing to both parties to the agreement, in a few cases the restrictions have led to ongoing inefficiencies, such as unintended increases in short-haul switching moves at or near the interchange point, and insufficient revenue yields with detrimental effects on the carriers ongoing viability. In some cases, short lines have had to forego new business that would have been logically routed onto another co nnecting Class 1, or divert natural rail traffic onto trucks to reach final destinations that are otherwise rail accessible.

5 feet six inches above rails. Rail tunnels were limited to providing clearances for only this height. Similarly, the buildout of the U.S. roadway network was designed to permit rail cars of this height, and in many instances, no greater than this height. Since that time, rail cars have increased in height to accommodate larger dimensioned payloads, exploiting the economics of rail transportation. The national fleet includes high cube boxcars that are 17 feet above rail and multilevel flatcars used for carrying motor vehicles that are as high as 19 feet above rail. The most important freight car, from the perspective of freight volume and number of cars, has been the double stack car. Railcars carrying stacked containers can be as much as 20 feet two

inches above rail.

Rail Yard Capacity

VT. The New En gland Central operates along their line which runs 366 miles between New London, CT and Alburgh, VT. The line enters New Hampshire for 24 miles between North Walpole and Cornish. St. Lawrence Atlantic Railroad (SLR) St. Lawrence Atlantic is a wholly -owned subsidiary of Genesee Wyoming, Inc., a publicly -traded short line ra ilroad holding company, headquartered in Greenwich, CT. SLRs corporate office is located in Auburn, ME. The SLR main line runs from Danville Junction, ME through New Hampshire and Vermont before connecting to its Canadian affiliate, the St. Lawrence A tlantic Railroad (Quebec) Inc., (SLQ), in Norton, VT.

sit -Oriented Development TSA Transportation Security Administration TSGP Transit Security Grant Program TVM Ticket Vending Machine U.S.C. United States Code UPS Uninterrupted Power Supply USDOT United States Department of Transportation VIPR Visible Intermodal Prevention and Respo nse VMT Vehicle Miles Traveled VRR Valley Railroad VTrans Vermont Agency of Transportation YOE year -of-expenditure dollars CT State Rail Plan Preliminary Review Draft Chapter 1 September 2022 1-1 1. Overview of the Role of Rail in Statewide Transportation This chapter provides a general orientation of Connecticuts rail system. Additionally, it reviews the role of rail in Connecticuts Statewide Long -Range Transportation Plan (CTDOT 2018) and other cu rrent or recent plans.

Volume & Trends

No specific data on volume & trends was identified in available sources for Vermont.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Vermont.

Efficiency & Service Quality

ustrial sector employers in the paper, lumber and steel industries could benefit through the improvement to the regional transportation sys tem. Evaluation of Benefits and Costs The improvements to the St. Lawrence Atlantic are expected to cost 12.5 million and take two years to construct . Material and labor cost estimates were developed by SLR and NHDOT for the 17-mile section of track in New Hampshire and 3.6 -mile section in Vermont . Maintenance costs are estimated to be 177,408 annually for a total of 7.3 million over the period from 2015 to 2044 , based on conversations with NHDOT and the railroad .

Class II regional freight railroad operating in Massachusetts, Rhode Island, Connecticut, and New York with headquarters in Worcester, Massachusetts. The PWs rail system extends over approximately 516 miles of track regionally, of which it owns approximately 163 miles. The company has the right to use the remaining 353 miles pursuant to perpetual easements and long-term trackage rights agreements. The PW owns about 62 miles of rail ROW in the Commonwealth, including lines running from Worcester to Gardner, and to the State line on routes to Providence, Rhode Island, and Norwich, Connecticut. The PW also has overhead7 trackage rights over various segments of MBTA, MassDOT and CSX- owned lines in southeastern Massachusetts to access and serve its Newport Secondary Track in Rhode Island.

es above the rail. If one assumes a 6 -inch buffer over railcars, 20 feet 8 inches are required to accommodate unrestricted double -stack operations. Figure 2-1 Clearance Requirements by Type of Rail Equipment displays maximum clearances assuming a 6 inch buffer. Indiana state law prescribes 22 feet clearance for constructing new structures over rail tracks to accommodate general rail operations. 40 Figure 2-1 Clearance Requirements by Type of Rail Equipment Source: Vermont 2015 State Rail Plan The v ertical clearance of rail lines is only an issue if the lines vertical clearance limits equipment types that use those rail lines. Ideally, any rail line in Indiana would be able to accommodate any rail equipment.

Costs & Investment

e 2-6). CSX serves 23 states, the District of Columbia, and the Canadian provinces of Ontario and Quebec. It serves every major population center east of the Mississippi River, including Atlanta, Boston, New York, and Chicago, among others. In 9 The FRA classifies freight railroads base d on their total revenue. This classification uses roman numerals and is separate from FRA track classification. CT State Rail Plan Preliminary Review Draft Chapter 2 September 2022 2-11 Connecticut, CSX sh ips products like lumber, municipal and construction waste, plywood, limestone, and wood pulp. Figure 2-6. CSX Service Area Source: CSX In 2022, CSX acquired PAR, the Northeasts largest regional railroad along with PAS, a subsidiary.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Vermont.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Vermont originating rail freight totaled approximately 7,935,774 expanded tons across 88,277 expanded carloads, generating approximately $313,413,065 in freight revenue.

Top Commodities by Tonnage (Origin):
- Waste/Scrap: 21,696,198 tons (232,068 carloads)
- Chemicals: 7,486,350 tons (95,100 carloads)
- Transportation Equipment: 470,130 tons (15,880 carloads)
- Petroleum: 249,739 tons (3,955 carloads)
- Stone/Clay/Glass: 58,430 tons (620 carloads)
- Paper Products: 44,460 tons (585 carloads)
- Non-Metallic Minerals: 6,660 tons (100 carloads)

Top Origin-Destination Pairs:
- Masked/Suppressed -> Burlington, VT: 4,889,202 tons
- Columbus, OH -> Burlington, VT: 2,872,955 tons
- Burlington, VT -> Evansville, IN: 2,754,967 tons
- Burlington, VT -> Masked/Suppressed: 2,594,943 tons
- Burlington, VT -> Louisville, KY: 1,003,004 tons

Washington (WA)

Rail Plan Year: 2019 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

DAKOTA NETWORK The BNS F North Dakota network consists of two operating divisions and their respective operating subdivisions. TWIN CITIES DIVISION The Twin Cities Division centers around the three BNSF main lines in the eastern part of the state . Two main lines connect at the M innesota border and Minot, one entering North Dakota at Grand Forks and the second crossing the state border in Fargo. The line through Grand Forks provides a link to Duluth; the line through Fargo, part of BNSFs Northern Transcontinental Corridor (Northe rn Transcon), between the Pacific Northwest and Chicago, provides a connection to the Twin Cities. The third main line proceeds from Fargo through Bismarck. The Twin Cities Division in

North Dakota comprises 16 operating subdivisions (Figure 2-12).

Carriers & Railroads

trucked in over the regions two lane highways from the nearest railroad served points whi ch are Rifle and Craig . 8.4.2 New M exico As already mentioned, there are no direct rail links between Utah and New Mexico. The primary railroad lines serving New Mexico are the BNSF Railways Chicago to Texas to California Transcon mainline across the north- central part of the state, and the UPs Sunset Route linking S outhern California with the Midw est and south via El Paso, located across the southern portion of the state. Both of these lines are eastwest in nature with no northsouth railroad in existence in that region of the west.

ed a short line but not large enough to span the country. Yet, Class II railroads fill a noticeable gap between the operations of Class I companies and the short lines. Idahos only Class II operator is the Montana Rail Link. Montana Rail Link In 1987, Burlington Northern (BN) spun off nearly 900 miles of track between northern Idaho and the plains of eastern Montana to the Montana Rail Link (MRL). MRL operates these rail lines, but, in an important distinction, still leases the track from BNSF, rendering it a BNSF bridge line. The main line between Sandpoint, Idaho and Huntley, Montana serves as an important link in the BNSF network.

he city for construction of the National Western Center . DRIR owns and operates two former UP industrial switch areas known as the Stock Yard Lead and North Washington Industrial Yard. DRIR has a third yard, Silver Yard, located west of Quebec Street in Commerce City and Denver. While DRIR has connections with both UP and BNSF, its only freight int erchange point with BNSF is at the north end of the Globeville yards just north of I- 70 in the National Western Complex. DRIR also has a maintenance facility located along the River Spur just south of Race Court, also in the National Western Complex area. DRIRs track and structures are all 286k lb. weight capable.

e two downtowns. While the CP line is the current Empire Builder route, operating with once daily service between Chicago and Seattle, either the CP or BNSF routes between the Twin Cities could serve larger purposes in the future. Red Rock commuter rail service has been studied along both the BNSF and CP alignments as part of the feasibility analysis conducted for the Red Rock Corridor Commission. 24 Coordination with existing freight rail and the associated cost for track and signal improvements have been two challenges to implementation. One of the potential draw- backs of the BNSF route is the need to back-out of the St. Paul Union Depot for trains coming from the south and east and wanting to go north and west.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

s the famous Vail ski resort and Glenwood Springs, which is the gateway to the Aspen ski complex. Amtraks California Zephyr passenger train uses the Rio Grande Line en route from Chicago to the San Francisco Bay Area. CDOT expressed concerns about the frequent rock falls and other geology and weather -related problems and delays found along the Rio Grande Line through the several cany ons of the Colorado River which the railroad uses to traverse the western slope of the Rocky Mountains. The single- tracked 6.21- mile long Moffat Tunnel , through the Continental Divide, which at 9,239 feet above sea level is the highest mainline railroad location in the United States, was also mentioned as a rail traffic chokepoint on the Rio Grande Line.

Junction Points & Interchanges

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is constructing storage tracks on either side of Lake Pend Oreille.

Phoenix Although Phoenix is connected to BNSF and UPRR by branch lines, neither of the two major rail corridors directly accesses Phoenix. UPRR at one time had a parallel line to its Sunset Corridor with a connection at Wellton to the west and Picacho, near Eloy, to the east. Today a major segment between Wellton and Phoenix is out of service, while the Phoenix-Picacho segment remains operational. BNSF has line into Phoenix connecting with the Transcon at Williams Junction 1.4.4 Rail Corridor Development Several rail lines within Arizona access coal, copper, and other mines.

e to connect with Americas first transcontinental railroad here in Utah. On May 17, 1869 ground was broken next to the UP depot in Og den on the UC , which began building south to Salt Lake City. This railroad was constructed under the direction of President Brigham Young of the Church of Jesus Chris t of Latter -day Saints with the aim of linking Salt Lake City with the transcontinental mainline. President Young drove the last spike on the UC near 600 North Street in Salt Lake City on January 10, 1870. As other feeder lines were built south of Salt Lake C ity, traffic on the UC grew.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

R. 2014. Mergers Have Led to More E?cient, Lower Cost U.S. Freight Railroads. May. Abel, Z. T. 2011. Getting Hazmat Transportation Back on Track: T_he Need for Hazmat Liability Reform for Rail Carriers. William and Mary Environmental Law and Policy Review, Vol. 35, No. 3, pp. 9731011. Averch, H., and L. L. Johnson. 1962. Behavior of the Firm Under Regulatory Constraint. American Economic Review, Vol. 52, No. 5, pp. 10521069. Berndt, E., A. Friedlaender, J. Chiang, and C. Vellturo. 1993. Mergers, Deregulation, and Cost Savings in the U.S. Rail Industry. Journal of Productivity Analysis, Vol. 4, pp. 127144. Biglaiser, G., and M. Riordan. 2000. Dynamics of Price Regulation. Rand Journal of Economics, Vol. 31, No. 4, pp. 744767. Branscomb, L. M., M. Fagan, P . Auerswald, R. N. Ellis, and N.

f con- straints (10)(13) and constraints (17)(20) . We can also show that, for every request, the optimal dual multiplier of the demand satisfaction constraint will always be equal to the least cost itinerary offered by the competition. Proposition 2. Under an optimal pricing policy, kC3 k¼cc kða;bÞfor each request k 2K. Proof. The proof is similar to that of Proposition 1 . We proceed by contradiction. Let the vector ((tl),(fl),(fc),k,g,p,c,x) be an optimal solution for the problem. Suppose that for this solution there existsk2Ksuch that kC3 kcc kða;bÞwhich implies, by constraints (9), that for this request kC3 kC0cc kða;bÞ0.

Efficiency & Service Quality

ear. First-last mile strategies, as defined by UTA and used for this project: The term last mile can be used to describe the difficulty in getting people from a transport hub, such as a railway station or bus depot, to their final destination and back again. When users have difficulty Utah State Rail Plan 2015 Page 134 getting from their starting location to a transport network, this can be described as the "first mile problem." Traditional solutions to the first mile problem in public transit have included the use of feeder buses, bicycling infrastructure, pedestrian amenities and urban planning reform, such as street and trail connectivity and mixing uses.

ect disguised as a passenger rail upgrade. The EIS mentions freight 46 times, while acknowledging that communities may object to freight. Yet their public messaging denies this reality, and Amtraks disingenuous Juneteenth 2021 project -renaming stunt was a classic example. 2. Remember: Despite Amtraks claims about downsizing the project, the Record of Decision hasnt changed, meaning the original plan (four massive double -stack tunnels, etc.) can still move forward! 3. The EIS also has big gaps and flaws when it comes to the negative impact of freight trains on communi ties and air quality. 4. Amtraks old tunnels are a problem but saying Its either this plan or nothing just isnt true because they havent studied any plan that did not allow for massive freight tunnels.

ties and Centers: What if our cities grow quickly and become centers of the state? Imagine you and your fam ily are living in a new high rise with your job just a few blocks away. You moved into the city recently because this is where all the opportunities are. No one travels very far anymore as your shopping, schools, workplaces, and even entertainment are all streamed or delivered right to you . 4 Ghost Towns: What if North Dakotas economy collapses and quality of life changes dramatically? Imagine yourself looking for a job half a world away. There isn't much left to do anymore after the energy industry col lapsed and frequent storms made agriculture unprofitable.

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

Costs & Investment

nes are used by a variety of freight and passenger services, each of which is summarized below and further explained in Chapter 2. Freight Services Connecticuts rail freight industry is operated by the private sector for profit and for public benefit un der federal common carrier regulations. The State of Connecticut owns five freight rail routes, and its nine freight operators operate over 577 right -of-way miles (AAR 2021) . These are depicted, along with passenger rail, on Figure 1-4. Collectively, more than 2.9 million gross tons of rail freight move in and through Connecticut each year. CT State Rail Plan Preliminary Review Draft Chapter 1 September 2022 1-8 Figure 1-4.

ast rail system. Major commodities in New Jersey driving the freight industry were manufactured products, coal, food, and goods moving through the ports. The Delaware, Lackawanna, and Western Railroad had become prosperous by transporting coal from Northeastern Pennsylvania to the New Jersey ports. For most of the 19th century, freight service was a larger revenue generator than passenger service. By the turn of the century, passenger rail service became more lucrative. In 1907, when the new ferry terminal opened in Hoboken, there were over 35,000 daily passengers com- ing off the commuter trains and transferring to the ferries. With the growing number of rail commuters in New Jersey, a major issue by the end of the 19th century was the lack of direct rail access to New Y ork City.

gton Resident Vice President CSX Transportation, Inc. 5200 Maryland Way Brentwood TN 37027 jane_covingtoncsx.com Norfolk Southern Railway Company NS www.nscorp.com Elizabeth Lawlor Manager, Government Relations Norfolk Southern Railway Company 770 Washington Avenue, Suite 192 Montgomery AL 36104-3816 Elizabeth.lawlornscorp.com CLASS II (REGIONAL) RAILROADS Alabama Gulf Coast Railway AGR www.gwrr.com Jerry Vest Vice President, Government Industry AffairsGenesee Wyoming Inc. PO Box 38652 Pittsburgh PA 15238 jvestgwrr.com CLASS III (LOCALSHORTLINE) RAILROADS Alabama Tennessee River Railway, LLC ATN www.omnitrax.com Wes Mundy General Manager Alabama Tennessee River Railway, LLC 3425 Forrest Avenue Gadsden AL 35904 wmundyomnitrax.com Alabama Railroad Co.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first

three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Washington originating rail freight totaled approximately 120,916,160 expanded tons across 2,076,187 expanded carloads, generating approximately $8,885,674,108 in freight revenue.

Top Commodities by Tonnage (Origin):

- Lumber/Wood: 189,092,752 tons (2,013,160 carloads)
- Farm Products: 184,859,376 tons (1,827,372 carloads)
- Chemicals: 79,054,890 tons (830,385 carloads)
- Intermodal: 43,960,640 tons (2,229,120 carloads)
- Paper Products: 28,152,720 tons (324,990 carloads)
- Food Products: 18,579,080 tons (207,740 carloads)
- Transportation Equipment: 17,813,845 tons (817,280 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> Olympia, WA: 38,752,174 tons
- Bismarck, ND -> Olympia, WA: 37,034,258 tons
- Masked/Suppressed -> Olympia, WA: 30,894,483 tons
- Davenport, IA -> Olympia, WA: 25,711,215 tons
- Sioux Falls, SD -> Olympia, WA: 25,494,030 tons

Wisconsin (WI)

Rail Plan Year: 2023 | Data: Full Coverage

Major Freight Corridors

via the adjacent state of Colorado, which provided the least expensive route alternative into the Basin. Several route alternatives were studied in the initial feasibility study, wit h the route from Rifle, Colorado north over Rio Blanco Divide to Meeker , Colorado and then west to the Rangely area where the line would enter Utah just east of the Bonanza plant location, being the preferred route. Rifle was selected since it provided access to UP s former Rio Grande mainline linking Salt Lake City with Denver over which the BNSF Railway has STB directed track age rights following the UPSP merger in 1996. As such the new railroad w ould have access to both major Class I railroads serving the west.

operated the lowest grade route serving S outhern California on its Los Angeles to El Paso Sunset Route. From 1996 to 2008 UP invested considerable capital in upgrading this route and expanding its capacity. The economic downturn that began in 2008 result ing in a drop in overall rail shipments, particularly imports from Asia, which when combined with increased capacity on the Sunset Route allowed UP to divert much of the freight on the Salt Lake Route over to the line via El Paso. Today, only those trains that need to operate through Utah use the Los Angeles to Salt Lake line with most of UPs Southern California Freight heading east and west via Texas.

sed new phosphate facility on the south slope of the Uinta Mountains. It was not projected that this line would be involved more than indirectly in the energy industry, which was in a slump at that time in the Uinta Basin. Aside from a fundi ng earmark for studying the feasibility of the project, there was no government funding available for the lines construction and operation should it be built. As a result of this lack of major funding support, the railroad was projected to travel into the Uinta Basin via the adjacent state of Colorado, which provided the least expense route alternative into the Basin.

a Final Environmental Impact Statement. More information regarding the Central Utah Rail Project Draft EIS can be found at the STB website. 6.1.1.2 Isolated Empire Rail Project (IERP) The Isolated Empire Rail Project (IERP) study fro m 1999 to 2001 resulted from interest by the counties and communities in northeastern Utahs resource- rich Uinta Basin in bringing railroad freight service into that area. The counties and communities involved in the Uinta Basin enli sted the help of the former Utah Department of Community and Economic Development to spearhead this hoped- for rail project.

Carriers & Railroads

reight rail density , and seven counties had no active freight movement in 2019. The high activity lines are in the southern portion of the Region. Concentrations of equity demographic grou ps are not common near these lines. Active Rail Lines in the North Central Region Among the five WisDOT Regions, the North Central Region has the least amount of linear active freight rail line per square mile. None of Wisconsins three railtruck intermod al facilities nor any of its three railport intermodal facilities are in the North Central Region. Rail line segments in Marathon, Wood, Portage, and Waupaca Counties had the greatest rail activity in 2019.

Neenah, Oshkosh, and Sheboygan. The only high- concentration zero- vehicle household census block groups in the Northeast Region not near freight rail is in Sturgeon Bay in Door County (Figure 9 -16). Intercity Passenger and Commuter Rail in the Northeast Region Summary: There are no intercity passenger rail stations in the Northeast Region, but several Thruway bus stops serve locations where there are concentrations of equity populations. There is no commuter rail in the Region. There are no intercity passenger or commuter rail stations in the Northeast Region. Eleven Amtrak Thruway bus stops along the I- 41 and I -43 corridors provide connections to Amt rak passenger rail stations in Milwaukee (Empire Builder and Hiawatha routes) and Columbus (Empire Builder route) to the south.

vice development. The FRA intends to initiate a Midwest Regional Rail Plan effort sometime in 2016 or 2017, which will look at updating and expanding previous work done for the Midwest Regional Rail Initiative. This effort will evaluate the potential for new service in the states of Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, and Wisconsin. 2-86 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System 2.3.2.1.3 Potential for Commuter Rail Commuter rail options have been explored for both the Des Moines and the Iowa City Cedar Rapids areas. Commuter rail assumes a predominance of peak-period and peak-direction travel at costs ranging from 15 to 20 cents per mile per rider.

ice and facility issues and planning initiatives. Iowa DOT invited rail coordinators in all neighboring states to participate in a Multi-State Rail Plan Presentation on February 24, 2016. Representatives from Iowa DOT, Illinois DOT, Kansas DOT, Minnesota DOT, Nebraska DOT, South Dakota DOT, Wisconsin DOT, Missouri DOT, and the Mid-America Freight Coalition participated in the coordination webinar. During the discussion, Iowa DOT learned more about the trends, best practices, and lessons learned from other states regarding approaches to multi-state planning coordination, passenger and freight rail planning and policy, and associated economic development efforts.

Industry & Commodities

banks where the company has about 1,000 customers. The trucks are special LNG carriers and about six trips a day are made to deliver the gas. Shipment of LNG While there is a history of gas export from Alaska and renewed interest in future gas exports, the more immediate concern is the movement of gas to customers within the State of Alaska and to potential customers in Yukon and British Columbia. The transportation of LNG is little different than the movement of propane, shipped as Liquefied Propane Gas or LPG. A key difference between the two gasses is that when released into atmosphere as gas, natural gas is lighter than air and will eventually dissipate with a small window of danger from ignition.

- Anchorage area. The pipeline would also serve the Fairbanks area with a short spur line. This project is also known as the bullet line, the in-state line, and the Alaska Stand Alone Pipeline (ASAP). The project is being sponsored by the Alaska Gasline Development Corporation, a s tate agency created in 2010. A final decision to proceed with the construction of this pipeline is expected in 2016. LNG Plant for export The Alaska LNG Project is for an approximately 800 -mile pipeline between the North Slope and a port in Southcentral Alaska. At the port, the gas would be converted to LNG and shipped to market. Three different groups are considering this type of project.

Project In the Post World War II nuclear era, Utah was one of the primary centers for uranium mining and processing. One of the best -known sites of this nuclear activity was located on the banks of the Colorado River across from the resort town of Moab in eastern Utah. The Uranium Reduction Company built the Moab mill in 1956 and operated it until it was sold to A tlas Minerals Corporation in 1962. When processing operations ceased in 1984, an estimated 16 million tons (12 million cubic yards) of radioactive mill tailings and contaminated soil was left in piles on site. Atlas proposed to cap the tailings in place when the facility closed.

ns Anchorage International (ANC) and Fairbanks International (FAI), are the primary cargo airports. In 2013, Ted Stevens Anchorage International Airport had a landed weight of 16,115,413,052 pounds while Fairbanks International Airport had a landed weight of 125,670,081 pounds (FAA 2014). A significant fraction of the landed weight at the Ted Stevens Anchorage International Airport is attributable to air freight flights between Asia, Europe and North America stopping to refuel in Anchorage. Most of the cargo shipped to or from Alaska by air uses one of these two airpo rts, and is then distributed throughout the rest of the s tate.

Junction Points & Interchanges

ia 30th Street station, previously operated by the PRSL. Hoboken Division: The lines in this division are primarily connect with Hoboken Termi- nal, and were formerly operated by the DLW or Erie Railroad. Today, these are identified as Morris Essex Line (includes Morristown line and Gladstone Line), Montclair-Boon- ton Line, Main Line, Bergen County Line, Port Jervis Line and Pascack Valley line. Since the opening of Kearny Connection in 1996, this division also includes Midtown Direct service trains that are bound for New Y ork City. Eight of the 11 lines lie solely within New Jersey and are profiled in this section on the fol- lowing pages. NJ TRANSIT operates two lines that serve both New Jersey and New Y ork, the Port Jervis Line and the Pascack Valley Line.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

See Main Line for details See Northeast Corridor for details Bergen County Line merges diverges with Main Line at Secaucus Junction Average weekday boardings are the total of Glen Rock (Main Line) and Glen Rock Boro Hall (Bergen County Line) stations. DRAFT December 2012 New Jersey Rail System3-19 Commuter Rail Services - Metro North NJ TRANSIT also operates commuter rail services under a contract with Metro North. The services are extensions of lines operated in New Jersey: Port Jervis Line The Port Jervis Line (PJL) service operates mainly between Port Jervis and Hoboken everyday of the week. Between Ridgewood and Secaucus, some Port Jervis Line trains are routed via Main Line tracks while others are routed via Bergen County Line tracks.

in line has five tracks. Toward Sandpoint to the north, however, the track ratio drops to 1.0 before expanding back to a double main line south of Athol. The double main line comes and goes until just south of one of the biggest chokepoints on the line the Lake Pend Oreille Bridge. The 0.9mile long bridge, which had its piers replaced in 200830, brings eastbound BNSF and Amtrak trains to Sandpoints lakefront; the track crosses Bridge Street atop an older, singletrack bridge before accessing the Amtrak depot. The Lake Pend Oreille Bridge remains, however, one of the largest chokepoints on the subdivision and is unofficially the northern terminus of The Funnel into Spokane. A solution to the constrained nature of the bridge is

constructing storage tracks on either side of Lake Pend Oreille.

Rail Yard Capacity

sseton Milbank Railroad in South Dakota Chapter 2: South Dakotas Existing Rail System South Dakota State Rail Plan 50 DAKOTA SOUTHERN RAILWAY Dakota Southern Railway Company (DSRC) was founded in 1985 for the purpose of operating local option service on the State -owned Napa -Platte Line. DSRC later assumed operation of the State -owned MRC Line between Mitchell and Presho from BN. In 2009, DSRC w as sold to MidWest Pacific Rail Net and Logistics. DSRC continued to operate the MRC Line under the new ownership until 2021. In 2021, DSRC ceased operations on the MRC Line as the State of South Dakota sold the line to the newly formed Ringneck Western Railroad. Under MidWest Pacific, DSRC continues to hold a lease on the State -owned Napa -Platte line.

cess and movement on each rail line. Medium-density rail lines are dispatched using automatic block (ABS) signal systems, where a set of circuits within the tracks controls signals that govern train movements. The signals ensure that train movements do not conflict with one another. The highest capacity rail lines are dispatched by centralized traffic control (CTC) systems, which include the same automatic control of signals control as ABS, but also add remote control of signals and track switches by a centrally located dispatcher. Low-density rail lines typically lack automatic signals and are so-called dark territory. Trains gain authority to occupy an area of track typically by communicating with a dispatcher via signal, radio, andor phone, etc.

d diesel -electric locomotives and historic passenger cars, the HVRX played a role in the 2002 Salt Lake Winter Olympics and has appeared in more than 20 motion pictures. HVR X no longer has a connection to the mainline rail network in Utah with equipment having to be truck ed-in. The HVRX is 16 miles long and operates from Heber City to Vivian Park in Provo Canyon in the nearby Wasatch Mountains. Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 55 Figure 20: Heber Valley Railroad Heber Valley Railroad Photo Utah State Rail Plan 2015 Page 56 2.1.7 Kenne cott Utah Copper LLC Table 8: Kennecott Utah Copper LLC Information Federal Railroad Administration Abbreviation: None Surface Transportation Board Classification: Class III Railroad Category: Freight National Rail System Co nnect...

ed as individual counties or NDDOT Districts, and commodity information is provided at the 4 -digit (not 2 - digit) level, albeit using a different commodity classification system, the Standard Transportation Commodity Code (STCC), rather than the SCTG , which is used by FAF . With this addition al detail, truck tonnage and value flows between North Dakota counties and between North Dakota and external origins and destinations can be assigned to the NHS to

generate density flow maps . Selected data from the full IHS Markit Transearch data was purchased by North Dakota for use in the State Freight and Rail Plan .

Volume & Trends

TransportationConnection.org FREIGHT MOVEMENT AND WILDLIFE HABITAT LOSS By its design , transportation infrastructure poses negative impacts on wildlife habitat and movement. In many western U.S. states migratory big game herds may have to cross major transportation corridors in the fall and the spring, resulting in significant nu mbers of wildlife killed and also posing significant safety risks . In 2019, North Dakota ranked number 17 for the most animal -vehicle collisions. These include but are not limited to whitetailed deer, mule deer, moose, bison, bighorn sheep, mountain lions, bobcats , foxes, coyotes, bears, and farm animals . NDDOT has an active program, the Wildlife Carcass Collection Program, to monitor and count the types and quantity of wildlife killed on roadways.

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

e likely to be retired and less likely to travel during peak commute hours. Many seniors also utilize urban and rural transit services in order to maintain their independence after they are no longer comfortable or physically able to drive. Within the State, urban centers have the highest number of seniors followed by suburban counties. In Tennessee, the trend in land use is sprawling development. Six of Tennessees Metropolitan Statistical Areas (MSAs) rank in the top 25 most sprawling in the U.S., according to Smart Growth Americas Measuring Sprawl 2014 report. Sprawling MSAs pose a set of issues. Sprawl leads to an inefficient transportation system. Congestion usually increases, with more people becoming dependent on automobiles.

y NAFTA. In addition, 70 percent of a vehicles steel and aluminum must originate in North America. Car companies also have to ensure 40 percent to 45 percent of the vehicle is made by workers earning at least 16.00 per hour, a provision aimed at steering more work to the U.S. to generate manufacturing jobs. Parts manufactured in the U.S. will also be used in cars manufactured in Canada and Mexico.44 TRUCKING TRENDS AND ISSUES Trucking availability fluctuates with economic conditions and demand from industry and consumers. The

long-term trend is for the availability of trucking to shrink.

Bottlenecks & Constraints

le of meeting its current and future service needs (ICC 1985, 11). However, ICC did not explain how it would implement the constraint and whether the application of a ?rmwide revenue adequacy constraint implied an intention to scru - tinize, or even cap, a railroads overall pro?tability. Absent further guidance on the application of a ?rmwide revenue adequacy constraintor any near-term prospects for its use given the still tenuous ?nancial condition of railroads in 1985the Coal Rate Guidelines two other constraints for judging rate reasonableness took precedence. First, the shipper would not be required to bear the cost 38 49 USC 10704(d), 10701(d)(3). 39 H.R. 1035, 96th Congress, Second Session, 54 (1980), as cited by ICC 1985, 1011.

y contracts, during the preStaggers Act period of greater rate scrutiny (ICC 1985, 3). T_he agencys other stated priority was to ensure that the assessment method introduced did not con?ict with the laws requirement that railroads be allowed to earn adequate revenues. 39 T_he 1985 Coal Rate Guidelines introduced the regulatory concept of constrained market pricing. T_he guidelines state that a railroads rates for the transportation of market-dominated tra?c would be sub - ject to several constraining factors. T_he primary constraint is revenue adequacy.

conditions where the x variables are introduced to ensure that at least one term of the corresponding complementarity constraint is equal to zero: ð14Þ()cl iða;bÞC0cc kða;bÞC0P a2Be i;kðge;aþpaÞC0P a2Be i;kP h2HachC0P r2RP p2Pyi r;pxr;p6M1 ix1 i fl i6M2 ix2 i x1iþx2 i61 x1 i;x2 i2f0;1g8 :ð29Þ ð17Þ()cap e;aC0P kje2EkP ija2Be i;kfl i6M1 e;ax1 e;a C0ge;a6M2 e;ax2 e;a x1 e;aþx2 e;a61 x1 e;a;x2 e;a2f0;1g8 :ð30Þ110 B. Crevier et al. Transportation Research Part B 46 (2012) 100119 Constant parameters Mrepresent valid upper bounds on the left-hand side of the corresponding constraints.

t is now cl iða;bÞ¼tl kþakDiþbe;kQi. Thus, the tariff now depends on request k, and not only on the considered itinerary. Further- more, it can be shown that Proposition 2 still holds in this context. For this pricing strategy, the linearized form of the objective function of the leader is: X k2KX e2EkX i2Il e;ktl kfl i¼X k2Kcc kða;bÞdkC0fc kC0C1 þX a2BX e2Eacape;age;aþX a2BcapapaþX h2Hcaphch þX r2RX p2Pcaprxr;pC0X k2KX e2EkX i2Il e;kqi;kða;bÞfl i: The linearization of the complementarity constraints of the second level reformulation can be expressed as follows. In order to simplify the presentation, only constraints (14) and (17) will be shown. Again constraints (15) and (16) are always satis- ?ed because, respectively, of Proposition 2 and of demand constraints (2).

Efficiency & Service Quality

nge Freight Rail Greater benefits and burdens Truck Borne Freight CAV Impacts on Freight Rail No change Long -term Viability of Rail Corridors for Rail Use No change Long -term Viability of Branch and Short - line Network No change Intercity Passenger Rail Network Investment Greater benefits and burdens Commuter Rail Greater benefits and burdens Supporting Programs for Both Intercity Passenger Rail and Commuter Rail Greater benefits and burdens Indirect and cumulative effects Safety and Security No change Freight Rail Greater benefits and burdens Truck Borne Freight CAV Impacts on Freight Rail No change Long -term Viability of Rail Corridors for Rail Use No change Long -term Viability of Branch and Short - line Network No change Intercity Passenger Rail Network Investment Greater benefits ...

il Plan and is informed by stak eholder and outreach feedback. FREIGHT ISSUES AND NEEDS Goal 1 Keeping You Safe . Safety is reflected in everything we do. Reduce the number and severity of truck -involved crashes. Between 2017 and 2020, there were 4,206 crashes on North Dakota highways involvin g commercial motor vehicles (CMV), and 6.5 of these resulted in a fatality or an incapacitating injury. A significant proportion of these crashes occurred in the states northwestern oil -producing region and North Dakotas major urban cen ters. Each year, the NDHP conducts one large oil field strike force and four smaller oil field strike forces in northwest North Dakota to target hazardous material and cargo tank loads for compliance purposes.

ovide access to individual pieces of property. Arterial roads are intended to satisfy the need for mobility by providing high speed roadways over longer distances. The FreewayInterstate class of roads, which provides the highest level of service, is actually a sub-class of Arterial roadways. Bridging the gap between Local roads and Arterials are the Collector Roads, which possess elements of both. Most traffic counts are reported in terms of annual average daily traffic (AADT) and represent an estimate of the number of vehicles traveling along a give n point on a highway on an average day in the year.

future of the states transportation network. The following section provides a summary of the goals for each of the plans. State Development Plan The State Development Plan, by statute, sets the statewide context for state planning and investment for all agencies. The Office of Energy and Planning (OEP) prepares the document in cooperation with other state agencies and for adoption by the Governor. By design , it is intended to integrate planning, programs, and investments mad e by the State. New Hampshire Climate Action Plan Over the course of 2008, through a process that engaged over 125 stakeholders and received input from over 200 citizens, the 29 members of Governor John Lynchs Climate Change Policy Task Force

developed a Climate Action Plan for New Hampshire.

Costs & Investment

is the backbone to improving the states freight movement and supporting economic development. FUNDING Securing funding for freight projects is an obvious need for implement ation. However, there are many funding mechanisms that can be used. The first step is to incorporate these projects in the fiscally constrained programs to ensure the funding is available given NDDOTs other funding priorities. STATE WIDE TRANSPORTATION IMP ROVEMENT PROGRAM (STIP) In addition to its investment strategies and legislative guidance, NDDOT considers numerous factors including available funding, statewide system needs, and workload type to annually develop the STIP.

ragic building collapses in Baltimore and in Florida have warned us, collapse does not always occur immediately. The structural integrity of a home or public building can be very difficult to diagnose before a disaster actually occurs. Even if we manage to avoid human injury and death, these historic structures, the fabric and charm of Baltimore City are at risk of damage, which is unconscionable. Again, the EIS acknowledges, then ignores that the plan affects heavily populated areas of antique homes and even designated Historic Districts but the disregards this.

vement for long -distance travel. The group also indicated that there could be an increase in inbound trucks and trains coming from large distribution centers outside urban centers and a corresponding need for additional intermodal facilities in the hinterlands. Trucking will likely become more automated for traveling into and out of the city and would require better curbside management for urban distribution . There would also be an upsurge in local drone deliveries and sidewalk bots. Air cargo tonnage as well as aircraft sizes would increase at nearby airports .

ice suppliers, including privately owned public river terminals, and is served by the CSX, NS, and CN (operating the Bessemer Lake Erie Railroad) Class I railroads, and Class II and III railroads. Pittsburgh is considered to be the start of the Federal Marine Highway, which extends from Kansas City an d connects with both the Mississippi River and the Intracoastal Waterway, reaching both domestic and foreign markets. The Port of Erie is Pennsylvanias only port on the Great Lakes. It is located along the southeastern shore of Lake Erie in a naturally f ormed bay sheltered by Presque Isle to its north. The 29 -foot-deep harbor entrance channel between the Port of Erie and Presque Isle is served by ocean -going freighter ships via the St. Lawrence Seaway.

Stakeholders & Governance

in attendance included Nathan Anderson, Eric Cheng, Brett Coulam, Jeff Gilbert, Ned Hacker, Val Halford, Dan Harbeke, Bryan Hendrickson, Vern Keeslar, Daniel Kuhn, Kelly Lund, Justin Morgran, Susan Odom, Andrea Olson, Walt Steinvorth, and Chris Weesner. 2. Plan Update and Chapters Vern Keeslar Vern Keeslar discussed an appropriate amount of time for the Working Group to review the first three chapters of the USRP. It was determined that a week per chapter would provide enough time for comments. Vern stated that he would send the first three chapters in PDF format by the end of the week. Comments are due bac k by Friday, February 21, 2014. Utah State Rail Plan 2015 Page 198 3.

COG is governed by two committees: the Policy Board and the Transportation Technical Committee (TTC). The Policy Board is the executive bo dy of Metro COG, comprised of 16 voting members who represent the metropolitan planning area. The Policy Board consists of at least three -fourths elected officials, and each jurisdictions voting power is based on its approximate share of the areas popula tion. The TTC advises the Policy Board on technical matters related to transportation planning in the region. The TTC is made up of planning and engineering staff from local jurisdictions, transit agencies, and representatives from both NDDOT and MnDOT. GRAND FORKS -EAST GRAND FORKS MPO41 The Grand Forks -East Grand Forks MPO spans across state lines between North Dakota and Minnesota.

both services has shown significant growth in recent years. Establishing goals for future ridership will provide a measure of the progress this service is making in increasi ng the personal mobility of people in New Hampshire. Currently annual rail ridership includes approximately 200,000 trips to and from New Hampshire stations, it is projected that ridership will increase by 3 percent per year. However there are several pr ojects on each of the Amtrak corridors, as well as plans for other services in the state that may increase rail ridership dramatically , including the New Hampshire Capitol Corridor service and MBTA Commuter Rail extension to Plaistow . The NHDOT goal for r ail ridership in 2016 is for over 1 million trips , which would include implementation of these two services.

code, which participants can easily access using the camera on their mobile device to scan and participate. The survey was publicly accessible for 14 days. There were a total of 16 survey questions, including thirteen multiple choice options, of which, two questions asking, but not requiring, respondents to provide further detailed comments; two ranking questions and one question asking, but not requiring, respondents to provide further general detailed comments on the State Rail Plan. On average, it took survey participants around eight minutes to complete the survey and initial introduction to survey completion took approximately 20 minutes. The comments helped inform the key issues and vetted the plan priorities.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Wisconsin originating rail freight totaled approximately 509,866,674 expanded tons across 5,765,296 expanded carloads, generating approximately $23,569,351,417 in freight revenue.

Top Commodities by Tonnage (Origin):
- Chemicals: 1,411,431,270 tons (15,092,310 carloads)
- Farm Products: 815,146,110 tons (7,821,414 carloads)
- Food Products: 625,791,125 tons (6,395,990 carloads)
- Non-Metallic Minerals: 494,000,180 tons (4,322,492 carloads)
- Transportation Equipment: 88,092,850 tons (4,638,550 carloads)
- Waste/Scrap: 32,594,562 tons (416,601 carloads)
- Primary Metals: 5,086,056 tons (55,964 carloads)

Top Origin-Destination Pairs:
- Boise, ID -> La Crosse, WI: 207,357,390 tons
- Eau Claire, WI -> Columbus, OH: 44,818,118 tons
- Boise, ID -> Eau Claire, WI: 42,399,417 tons
- Eau Claire, WI -> Masked/Suppressed: 40,185,362 tons
- Boise, ID -> Wausau, WI: 34,157,612 tons

West Virginia (WV)

Rail Plan Year: 2020 | Data: Summary Coverage

Major Freight Corridors

No specific data on major freight corridors was identified in available sources for West Virginia.

Carriers & Railroads

No specific data on carriers & railroads was identified in available sources for West Virginia.

Industry & Commodities

No specific data on industry & commodities was identified in available sources for West Virginia.

Volume & Trends

No specific data on volume & trends was identified in available sources for West Virginia.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for West Virginia.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, West Virginia originating rail freight totaled approximately 533,295,731 expanded tons across 5,054,015 expanded carloads, generating approximately $17,173,792,824 in freight revenue.

Top Commodities by Tonnage (Origin):
- Coal: 1,785,964,560 tons (15,637,710 carloads)
- Farm Products: 397,506,120 tons (3,728,784 carloads)
- Chemicals: 283,047,060 tons (3,099,765 carloads)
- Food Products: 177,659,410 tons (1,783,390 carloads)
- Petroleum: 150,748,290 tons (2,222,983 carloads)
- Primary Metals: 68,326,724 tons (754,036 carloads)
- Waste/Scrap: 19,652,208 tons (230,346 carloads)

Top Origin-Destination Pairs:

- Charleston, WV -> Hartford, CT: 175,936,818 tons
- Charleston, WV -> Charleston, WV: 70,283,027 tons
- Charleston, WV -> Masked/Suppressed: 67,358,367 tons
- Wheeling, WV -> Masked/Suppressed: 46,839,881 tons
- Masked/Suppressed -> Wheeling, WV: 29,914,137 tons

Wyoming (WY)

Rail Plan Year: 2021 | Data: Moderate Coverage

Major Freight Corridors

e two downtowns. While the CP line is the current Empire Builder route, operating with once daily service between Chicago and Seattle, either the CP or BNSF routes between the Twin Cities could serve larger purposes in the future. Red Rock commuter rail service has been studied along both the BNSF and CP alignments as part of the feasibility analysis conducted for the Red Rock Corridor Commission. 24 Coordination with existing freight rail and the associated cost for track and signal improvements have been two challenges to implementation. One of the potential draw- backs of the BNSF route is the need to back-out of the St. Paul Union Depot for trains coming from the south and east and wanting to go north and west.

the CT State Rail Plan Preliminary Review Draft Appendix H September 2022 H-8 development of the states ports and maritime industry, ter minal operator Gateway Terminal, and joint venture partners Ørsted and Eversource finalized a harbor development agreement to redevelop State Pier in New London into a state -of-the-art heavy -lift capable port facility and bring hundreds of well- paying jobs to the area. This agreement includes enhanced rail service that will develop additional container feeder and short sea shipping cargo business. New Haven Harbor The Port of New Haven is the largest deep -water port in Connecticut. The port is located appr oximately one-quarter mile south of the reconfigured I -95 I -91 Interchange (Figure H-6). Figure H-6.

your state that affect rail movement in Utah? 2. Are you aware of rail operations or service in Utah that affect rail movement in your state? 3. Are you aware of rail plans, projects or studies that would impact rail movement in Utah? 4. Are you aware of any mode shift to or from rail that would impact rail in Utah? 5. Are you aware of rail plans, projects or studies that you need input from Utah? Recipients were asked to respond by March 5, 2014. At the time of this writing, comments had been received from Colorado, New Mexico, Oregon, and Wyoming (a summary of their comments along with rail operation as it affects Utah is offered under section 8.4 below).

Railroad ARS Watco Class III Austin, Todd Ladd Railroad ATL Independent Class III Blackwell Northern Gateway Railroad BNGR US Rail Partners, Ltd Class III Cimarron Valley Railroad CVRR Jaguar Transport Holdings, LLC. Class III Farmrail Corporation FMRC FarmRail System, Inc Class III Grainbelt Corporation GNBC FarmRail System, Inc Class III Gateway

Eastern Railway GWER Kansas City Southern Class III Hollis and Eastern Railroad HE American Gypsum Class III Kiamichi Railroad KRR Genesee Wyoming Class III Northwestern Oklahoma Railroad NOKL Independent Class III Port of Catoosa Railroad POC Tulsa Ports Class III Sand Springs Railway SS OmniTRAX Class III South Kansas Oklahoma Railroad SKOL Watco Class III Stillwater Central Railroad SLWC Watco Class III Texas, Oklahoma Eastern Railroad TOE Pat...

Carriers & Railroads

und train s face a 2.4 percent climb out of aptly -named Helper. Grades along the rest of the line in U tah are more modest, though 2.0 percent grades are encountered on either side of the Continental Divide in Colorado where the line reaches an altitude of 9,239 f eet inside the 6.21 mile long Moffat Tunnel. The UPs former Rio Grande mainline is the highest mainline railroad in the United States. The original Rio Grande built south from Denver to Pueblo, then west via the famous Royal Gorge and over 10,221 feet Tennes see Pass to reach the Colorado River and a route into Utah. In 1934 the 44- mile Dotsero Cutoff was completed linking the original DRGW mainline with the existing Denver Salt Lake Railroad that passed through the Moffat Tunnel but dead- ended in Craig, C olorado.

do. Beyond these neighboring railroad- served states, Utahs rail service is also impacted by the states of California, Nebraska, and Oregon owing to the major Utah State Rail Plan 2015 Page 167 markets, ports or railroad yards loc ated in those states that affect train service to and through Utah. There are no railroad lines linking Utah directly with either Arizona or New Mexico. Table 45 above lists those states which were approached to provide input for this p lan, and the states which responded to Utahs request. 8.4.1 Colorado Colorado and Utah are linked via the UPs former Rio Grande Railroad line which links Salt Lake City with Denver via Provo and Grand Junction.

trucked in over the regions two lane highways from the nearest railroad served points whi ch are Rifle and Craig . 8.4.2 New M exico As already mentioned, there are no direct rail links between Utah and New Mexico. The primary railroad lines serving New Mexico are the BNSF Railways Chicago to Texas to California Transcon mainline across the north- central part of the state, and the UPs Sunset Route linking S outhern California with the Midw est and south via El Paso, located across the southern portion of the state. Both of these lines are eastwest in nature with no northsouth railroad in existence in that region of the west.

ke City on UPs Utah Central line in 1985. Utah State Rail Plan 2015 Page 41 The UP takeover of WP in 1982 put both the Rio Grande and SP in a difficult position as both had lost their primary connections in Utah. This resulted in both lines restructuring their operations toward

the OgdenSalt Lake City connection between the two railroads, and ultimately a merger of the two in 1988. From 1988 until the UP takeover in 1996, the Rio Grande mainline was a busy route hosting a wide variety of manifest freight trains , new automobile trains, priority intermodal trains as well as unit coal trains that originated along the line in Utah and Colorado.

Industry & Commodities

size and frequency of passing sidings. One issue that stakeholders have raised is that previous railroad owners historically relinquished capacity when they did not need it. As an example, Genesee Wyoming, Inc. (GW) has acquired rail lines in Ohio whose previous owners shrank their railroad networks because the infrastructure was not needed at the time and not expected to be needed in the future. The Columbus Ohio River Railroad (CUOH) between Columbus and Newark previously had two tracks but now has one. The Newark Yard was larger. As traffic has grown, this lost infrastructure is now needed. A potential need is to identify areas where the capacity of rail lines should be maintained even if the existing capacity is not needed at a given time. DRAFT 4.

g Toronto, Ontario, and the Montreal, Quebec, in Canada 54. The Central Corridor is identified in Figure 2.37 below and connects with CPs other two designated corridors as identified below 55: Western Corridor from Vancouver, British Columbia, to Calgary and Edmonton, Alberta; Saskatoon, Moose Jaw, and Regina, Saskatchewan; Winnipeg, Manitoba; and Thunder Bay, Ontario at Moose Jaw, Saskatchewan. 52 Ibid 53 CP Investor Fact Book, 2014 54 Ibid 55 Ibid. 2-77 Iowa State Rail Plan Chapter 2: Iowas Existing Rail System Eastern Corridor from Chicago, Illinois, and Thunder Bay, Ontario, to Detroit, Michigan; Toronto, Ontario; and Montreal, Quebec at Chicago, Illinois.

FBI Federal Bureau of Investigation FEMA Federal Emergency Management Agency FHWA Federal Highway Administration FRA Federal Railroad Administration FTA Federal Transit Administration FY Fiscal Year GC3 Governor's Council on Climate Change GCT Grand Central Terminal GDP Gross Domestic Product GHG Green house Gas GHMS Greater Hartford Mobility Study GSP Gross State Product GWI Genesee Wyoming Inc. HFD Hartford Amtrak Station HRRC Housatonic Railroad Company HSIP Highway Safety Improvement Program HSR High- Speed Rail Hz Hertz IIJA Infrastructure Investment and Jobs Act INFRA Infrastructure for Rebuilding America IRAP Industrial Rail Access Program IWT Independent Wheel Truing LQ Location Quotient MassDOT Massachusetts Department of Transportation MAT Middletown Area Transit MBB Messerschmit...

irect through route between Chicago and the Twin Cities. Combined with CP s existing lines west of the Twin Cities, a stronger link between Chicago, the upper Midwest and western

Canada could thus be established through gateways at Portal, North Dakota and Noyes, Minnesota. Subseque nt to the Milwaukee acquisition, the CP s Midwestern network shrank considerably through a series of line spin-offs. This trend was reversed in September 2007 when CP initiated acquisition of the Dakota Minnesota and Eastern (DME) and its affiliate the Iowa, Chicago, and Eastern (ICE); ir onically, the latter had been spun off by the CP in 1997, and had passed through several owners pr ior to its reacquisition.

Junction Points & Interchanges

one, limestone, iron ore, soda ash for glass, and kaolin clay for paper. Union Pacific Railroad The Union Pacific Railroad (UP) is the largest ra ilroad in North America, operating 32,400 route miles in the western United States, and employ ing over 50,000 people, of which 456 work in Minnesota. 2008 gross revenues virtually matched BNSF s revenues of 18 billion, and carloads totaled 9.26 million. The railroad serves 23 st ates, every major West Coast and Gulf Coast port, and the five largest gateways between the East and West at Chicago, St. Louis, Memphis, Kansas City, and New Orleans.

Rail Yard Capacity

No specific data on rail yard capacity was identified in available sources for Wyoming.

Volume & Trends

No specific data on volume & trends was identified in available sources for Wyoming.

Bottlenecks & Constraints

No specific data on bottlenecks & constraints was identified in available sources for Wyoming.

Efficiency & Service Quality

other storage facilities. CT State Rail Plan Preliminary Review Draft Chapter 2 September 2022 2-18 Figure 2-13. Transload Facility in New London Source: Genesee Wyoming Railroad Ports The three deep -water ports in Connecticut are in New London, New Haven, and Bridgeport. Ports can function as transload or intermodal yards for the transfer of freight from rail to ship or truck. The state has adopted a maritime policy that promotes and su pports projects that will facilitate the intermodal connection of water, rail, bus, and highway systems in cooperation with the industry, utilizing public - private resources. In alignment with this policy, in 2017, Connecticut built a rail link to the Port of New Haven. See Appendix H for detailed descriptions of the deep -water ports.

Costs & Investment

No specific data on costs & investment was identified in available sources for Wyoming.

Stakeholders & Governance

No specific data on stakeholders & governance was identified in available sources for Wyoming.

STB Waybill Data Summary

According to the STB Public Use Waybill Sample, Wyoming originating rail freight totaled approximately 182,044,089 expanded tons across 1,916,550 expanded carloads, generating approximately $9,455,707,368 in freight revenue.

Top Commodities by Tonnage (Origin):
- Farm Products: 754,011,294 tons (7,337,706 carloads)
- Chemicals: 411,704,010 tons (4,400,385 carloads)
- Food Products: 79,588,325 tons (809,065 carloads)
- Petroleum: 34,496,917 tons (456,547 carloads)
- Transportation Equipment: 8,428,545 tons (523,890 carloads)
- Waste/Scrap: 7,938,459 tons (87,840 carloads)
- Non-Metallic Minerals: 5,778,232 tons (56,708 carloads)

Top Origin-Destination Pairs:
- Billings, MT -> Olympia, WA: 25,203,650 tons
- Denver, CO -> Masked/Suppressed: 24,583,860 tons
- Denver, CO -> Dallas, TX: 23,180,514 tons
- Billings, MT -> Juneau, AK: 15,468,792 tons
- Billings, MT -> Masked/Suppressed: 9,369,773 tons

Appendix: Data Sources & Methodology

Data Sources

1. State Rail Plans: 46 state rail plan PDFs were downloaded from state DOT websites and processed into text chunks for analysis. Plans range from 2010 to 2025 in publication year.

2. STB Public Use Waybill Sample: The Surface Transportation Board's waybill sample provides a stratified sample of rail carload waybills, expanded to represent total traffic. Data includes commodity codes (STCC), origin/destination BEA economic areas, car types, tonnage, carloads, and revenue.

3. Federal Reports: Where available, supplemental federal reports from FRA, BTS, AAR, and ASLRRA were incorporated to provide national context.

4. Technical Rail Documents: 42 technical rail industry documents were also indexed, covering operations, signaling, economics, and equipment.

Methodology

Text Extraction: State rail plan PDFs were validated (magic bytes, minimum size, extractable text), then text was extracted page-by-page using PyPDF2. Text was cleaned and chunked into ~2000-character overlapping segments with sentence-boundary snapping.

RAG Indexing: All chunks (state plans + technical documents) were indexed using a TF-IDF inverted index. For each state and topic, targeted keyword queries were run against the index. Results were filtered to chunks from the state's own plan or chunks mentioning the state name, then ranked by TF-IDF score with a bonus for state-source chunks.

Waybill Enrichment: DuckDB queries against the STB waybill fact table joined with dimension tables (STCC commodities, BEA economic areas, car types) to extract quantitative freight metrics per state.

Report Generation: State profiles were compiled by synthesizing top-ranked text excerpts per topic into narrative sections, supplemented with waybill data tables. States were tiered by data richness (Tier 1: 7+ topics with data, Tier 2: 4+ topics, Tier 3: fewer).

Limitations

- State rail plans vary widely in scope, detail, and publication year. Some plans focus primarily on passenger rail with limited freight coverage.
- PDF text extraction quality varies; some plans with complex layouts or scanned pages may have lower extraction fidelity.
- The TF-IDF retrieval approach captures keyword relevance but may miss semantically related content that uses different terminology.
- Waybill data is a statistical sample with expansion factors; actual volumes may differ. BEA economic areas span multiple states, so state-level attribution is approximate.
- This report presents extracted content as-is from source documents. No independent verification of claims in state rail plans was performed.