

Development Economics: Project Analysis

Contents

1	Setup	3
2	Data	3
2.1	Loading	3
2.2	Explanation	3
2.2.1	Variable Names & Units	3
3	Descriptive Evidence	5
3.1	Summary Statistics	5
3.2	Raw Data Graphs	5
3.3	Graphs with Drought Dummy	17
3.4	Graphs with Drought Dummy and Quartiles	18
4	TWFE Regressions	21
4.1	Data	21
4.1.1	Variable Units	21
4.2	Data Choice Selection	21
4.3	Regression	22
4.3.1	Equation	22
4.3.2	Estimation Loop	22
4.4	Dependent Variable: income	25
4.4.1	Regressed on: SPEI	25
4.4.2	Regressed on: Share	25
4.4.3	Regressed on: AgricStress	26
4.5	Dependent Variable: agric_income	26
4.5.1	Regressed on: SPEI	26
4.5.2	Regressed on: Share	27
4.5.3	Regressed on: AgricStress	27
4.6	Dependent Variable: agric_output	28
4.6.1	Regressed on: SPEI	28

4.6.2	Regressed on: Share	28
4.6.3	Regressed on: AgricStress	29
4.7	Dependent Variable: fdcons	29
4.7.1	Regressed on: SPEI	29
4.7.2	Regressed on: Share	30
4.7.3	Regressed on: AgricStress	30
4.8	Dependent Variable: grains_harvest	31
4.8.1	Regressed on: SPEI	31
4.8.2	Regressed on: Share	31
4.8.3	Regressed on: AgricStress	32
4.9	Dependent Variable: vegetables_harvest	32
4.9.1	Regressed on: SPEI	32
4.9.2	Regressed on: Share	33
4.9.3	Regressed on: AgricStress	33
4.10	Dependent Variable: fruits_harvest	34
4.10.1	Regressed on: SPEI	34
4.10.2	Regressed on: Share	34
4.10.3	Regressed on: AgricStress	35
4.11	Dependent Variable: potatoes_harvest	35
4.11.1	Regressed on: SPEI	35
4.11.2	Regressed on: Share	36
4.11.3	Regressed on: AgricStress	36
4.12	Dependent Variable: output_per_field_grains	37
4.12.1	Regressed on: SPEI	37
4.12.2	Regressed on: Share	37
4.12.3	Regressed on: AgricStress	38
4.13	Dependent Variable: output_per_field_vegetables	38
4.13.1	Regressed on: SPEI	38
4.13.2	Regressed on: Share	39
4.13.3	Regressed on: AgricStress	39
4.14	Dependent Variable: output_per_field_fruits	40
4.14.1	Regressed on: SPEI	40
4.14.2	Regressed on: Share	40
4.14.3	Regressed on: AgricStress	41
4.15	Dependent Variable: output_per_field_potatoes	41
4.15.1	Regressed on: SPEI	41
4.15.2	Regressed on: Share	42
4.15.3	Regressed on: AgricStress	42

1 Setup

```
rm(list=ls())
require(tinytex) #LaTeX
require(ggplot2) #plots
require(haven) #load data
require(dplyr) #data management
require(lubridate) #data dates management
require(zoo) #for lagging
require(jtools) #tables
require(huxtable) #tables
require(lmtest) #reg tests
require(data.table) #for data filtering
require(sandwich) #regression errors
require(readxl) #for reading excel data
require(tidyr) #data
require(tidyverse) #data
require(fixest) #TWFE regression
require(purrr) #for looping plots
options(scipen=999)

latex_format = T

getwd()
setwd("...")
set.seed(123)
```

2 Data

2.1 Loading

```
load("final_data.Rdata")
load("final_data_quartiles.Rdata")
load("final_data_deciles.Rdata")
load("final_data_household.Rdata")
```

2.2 Explanation

We have district-level panel data for the 11 districts (Merz) of Armenia from the years 2004 to 2023. It consists of variables from aggregated household surveys, variables on detailed agricultural output and drought-related variables. Every variable represents the average level in a particular year in a particular district.

2.2.1 Variable Names & Units

- In Armenian Dram (currency):
 - income: Household income

- agric_income: Household agriculture income
 - fdcons: Household food consumption
 - fdpurch: Household food purchases
 - exp: Household expenditures
 - agric_output: Agriculture output **real?**
- In Percentage:
 - poverty: Rate of households in poverty
 - urban: Rate of households living in an urban area
 - share:
 - agric_stress:
 - spei: SPEI index something
- Dummies:
 - drought_dummy1:
 - drought_dummy2:
- Tons (1000kg)
 - grains_harvest: Tons of grains and leguminous plants harvested
 - vegetables_harvest: Tons of vegetables harvested
 - fruits_harvest: Tons of fruits and berries harvested
 - potatoes_harvest: Tons of potatoes harvested
 - watermelon_harvest: Tons of watermelons harvested
 - grapes_harvest: Tons of grapes harvested
- Hectare (10000km²)
 - grains_area: Hectares used for harvesting grains and leguminous plants
 - vegetables_area: Hectares used for harvesting vegetables
 - fruits_area: Hectares used for harvesting fruits and berries
 - potatoes_area: Hectares used for harvesting potatoes
 - watermelon_area: Hectares used for harvesting watermelons
 - grapes_area: Hectares used for harvesting grapes
- Tons per hectare (1000kg / 10000km²)
 - output_per_field_grains: Grains harvested divided by area
 - output_per_field_vegetables: Vegetables harvested divided by area
 - output_per_field_fruits: Fruits harvested divided by area
 - output_per_field_potatoes: Potatoes harvested divided by area
 - output_per_field_grapes: Grapes harvested divided by area

Table 1: Summary Statistics

Variable	Mean	SD	Median	Min	Max
agric_income	39837.36	30467.86	30956.55	0.00	161496.48
agric_output	75.97	47.23	69.05	4.90	225.10
agric_stress	0.06	0.12	0.01	0.00	0.78
fdcons	13102.63	6403.40	12615.93	1931.74	40376.19
income	174691.18	87785.61	151666.73	43655.19	429931.04
output_per_field_fruits	6.53	4.19	5.08	0.41	18.16
output_per_field_grains	2.55	0.98	2.55	0.00	4.87
poverty	0.24	0.09	0.24	0.02	0.43
share	0.19	0.16	0.15	0.00	0.64
spei	0.06	0.51	0.05	-1.03	1.31
urban	0.59	0.22	0.50	0.31	1.00

3 Descriptive Evidence

3.1 Summary Statistics

```
summary_stats_data <- dataset %>%
  pivot_longer(cols = c(income, agric_income, agric_output, fdcons, poverty,
                        urban, spei, share, agric_stress,
                        output_per_field_fruits, output_per_field_grains),
               names_to = "Variable",
               values_to = "value")

summary_stats_metric <- summary_stats_data %>%
  group_by(Variable) %>%
  summarize(Mean = mean(value, na.rm = TRUE),
            SD = sd(value, na.rm = TRUE),
            Median = median(value, na.rm = TRUE),
            Min = min(value, na.rm = TRUE),
            Max = max(value, na.rm = TRUE)) %>%
  ungroup()

if (latex_format) { format <- "latex"} else { format <- "html" }
summary_stats_metric %>%
  kableExtra::kable(format = format, digits = 2, caption = "Summary Statistics") %>%
  kableExtra::kable_styling(
    bootstrap_options = c("striped", "hover", "condensed"),
    full_width = FALSE )
```

3.2 Raw Data Graphs

```
plot_data <- dataset %>%
  pivot_longer(cols = c(income, agric_income, agric_output, fdcons, poverty,
                        spei, share, agric_stress, Total_Rainfall,
                        output_per_field_fruits, output_per_field_grains),
```

```

names_to = "metric",
values_to = "value" )


all_metrics <- unique(plot_data$metric)

plot_list_by_metric <- map(all_metrics, function(met) {


  plot_data <- plot_data %>%
    filter(metric == met)
  p <- ggplot(plot_data, aes(x = year, y = value)) +
    geom_line() +
    geom_point(size = 0.5) +
    facet_wrap(~ district, scales = "free_y", ncol = 3) +
    labs(title = paste("Evolution of:", met), x = "Year", y = "Value") +
    theme_light() +
    theme(plot.title = element_text(face = "bold", size = 14, hjust = 0.5),
          plot.subtitle = element_text(size = 12, hjust = 0.5),
          plot.caption = element_text(color = "grey50", face = "italic"),
          strip.text = element_text(face = "bold", color = "black", hjust = 0),
          strip.background = element_rect(fill = "grey90", color = NA),
          axis.title = element_text(size = 11),
          axis.text.x = element_text(angle = 45, hjust = 1, size = 9),
          axis.text.y = element_text(size = 9),
          panel.grid.minor = element_blank())
  print(p)
#ggsave(filename = paste0("plot_", met, ".png"), plot = p, width = 12, height = 10)
  return(p) } )

```


Evolution of: income




Evolution of: agric_income




Evolution of: agric_output




Evolution of: fdcons




Evolution of: poverty




Evolution of: spei




Evolution of: share




Evolution of: agric_stress




Evolution of: Total_Rainfall



Evolution of: output_per_field_fruits



Evolution of: output_per_field_grains




3.3 Graphs with Drought Dummy

Note: This graph should be interpreted with caution as the number of districts is very low, meaning that any kind of visible relationship is very likely due to confounding effects and between-district variation.

```
# Compute, for each years, the mean of agricultural output between districts
# that experience drought vs no drought
agrlic_plot <- dataset %>%
  group_by(year, drought_dummy) %>%
  summarise(mean_agric = mean(agrlic_output, na.rm = TRUE), n_district = n())

ggplot(agrlic_plot, aes(x = year, y = mean_agric,
                        color = factor(drought_dummy), group = factor(drought_dummy))) +
  geom_line(linewidth = 0.8) +
  geom_point(size = 1.2) +
  scale_color_manual(values = c("0" = "#0072B2", "1" = "#D55E00"),
                     labels = c("No Drought", "Drought")) +
  labs(x = "Year", y = "Mean Agricultural Output", color = "Drought Status",
       title = "Impact of Drought on Agricultural Output") +
  theme_minimal() +
  theme(legend.position = "top",
        axis.text.x = element_text(size = 5),
        axis.text.y = element_text(size = 5),
        plot.title = element_text(size = 14, face = "bold"),
        strip.text = element_text(size = 4, face = "bold"))
```

Impact of Drought on Agricultural Output



3.4 Graphs with Drought Dummy and Quartiles

```
# Data Prep
dataset_prep_q <- dataset_quartiles %>%
  mutate(drought_status = factor(drought_dummy,
                                 levels = c(0, 1),
                                 labels = c("No Drought Event", "Drought Event")),
         income_quartile = factor(national_quartile,
                                 levels = c(1, 2, 3, 4),
                                 labels = c("Q1 (Poorest)", "Q2", "Q3", "Q4 (Richest)")))


# A1. Aggregate the data: Find the mean income for each year and quartile
plot1_data_q <- dataset_prep_q %>%
  group_by(year, income_quartile) %>%
  summarize(avg_income = mean(income, na.rm = TRUE),
            avg_agr_income = mean(agric_income, na.rm = TRUE), .groups = 'drop')

# A2. Create the plot q
ggplot(plot1_data_q, aes(x = year, y = avg_income, color = income_quartile, group = income_quartile)) +
  geom_line(linewidth = 1.2, alpha = 0.8) +
  geom_point(size = 2) +
  scale_y_continuous(labels = scales::comma) +
  scale_color_brewer(palette = "RdYlBu", direction = -1) +
```

```

  labs(title = "Average Income by Income Quartile Over Time",
       subtitle = "Averaged across all districts",
       x = "Year",
       y = "Average Annual Income",
       color = "Income Quartile") +
  theme_minimal() + theme(legend.position = "bottom",
  axis.text.x = element_text(size = 5),
  axis.text.y = element_text(size = 5),
  plot.title = element_text(size = 14, face = "bold"),
  strip.text = element_text(size = 4, face = "bold"))

```



```

# B1. Aggregate data: Mean income by year, quartile, AND drought status
plot2_data_q <- dataset_prep_q %>%
  group_by(year, income_quartile, drought_status) %>%
  summarize(avg_income = mean(income, na.rm = TRUE),
            avg_agr_income = mean(agric_income, na.rm = TRUE), .groups = 'drop')

# B2. Create the faceted plot q
ggplot(plot2_data_q, aes(x = year, y = avg_income, color = drought_status, group = drought_status)) +
  geom_line(lineWidth = 1.1, alpha = 0.9) +
  # Create 4 separate plots, one for each 'income_quartile'
  facet_wrap(~ income_quartile, scales = "free_y") +
  scale_y_continuous(labels = scales::comma) +
  scale_color_manual(values = c("No Drought Event" = "#0072B2", "Drought Event" = "#D55E00"))

```


```

labs(title = "Impact of Drought Events on Income, by Income Quartile",
     subtitle = "Average income trends faceted by income group",
     x = "Year",
     y = "Average Annual Income",
     color = "Drought Status") +
theme_bw() +
theme(legend.position = "top",
      axis.text.x = element_text(size = 5),
      axis.text.y = element_text(size = 5),
      plot.title = element_text(size = 14, face = "bold"),
      strip.background = element_rect(fill = "grey90"),
      strip.text = element_text(face = "bold") )

```

Impact of Drought Events on Income, by Income Quartile

Average income trends faceted by income group



4 TWFE Regressions

4.1 Data

4.1.1 Variable Units

- Armenian Dram (currency):
 - Income
 - Agriculture income
 - Agriculture output
 - Food consumption
- Tons (1000kg)
 - Grains harvest
 - Vegetables harvest
 - Fruits harvest
 - Potatoes harvest
- Tons per hectare (1000kg / 10000km²)
 - Grains output per field
 - Vegetables output per field
 - Fruits output per field
 - Potatoes output per field

4.2 Data Choice Selection

```
# Select TRUE for having dependent variables in logs
dependent_in_logs <- TRUE

# Select TRUE to exclude "Yerevan" district from analysis
exclude_yerevan <- FALSE

# Select TRUE to focus on, on average, more rural districts
more_rural <- FALSE

# Select TRUE to focus on, on average, districts with more poverty
more_poverty <- FALSE

# Select TRUE to have up to 10 lags for all independent variables
more_lags <- FALSE
```

```
# Base case
twfe_data = dataset

# Dependent variables
dependent_vars <- c("income", "agric_income", "agric_output", "fdcons",
                     "grains_harvest", "vegetables_harvest", "fruits_harvest",
                     "potatoes_harvest", "output_per_field_grains",
                     "output_per_field_vegetables", "output_per_field_fruits",
                     "output_per_field_potatoes")
```

```

# Logs implementation
if (dependent_in_logs) {
  for (col in dependent_vars) {
    twfe_data[[col]] <- log(twfe_data[[col]]) }
  cat("Dependent variables are in logs.") }

## Dependent variables are in logs.

# Excluding Yerevan implementation
if (exclude_yerevan) {
  twfe_data = subset(twfe_data, district != "Yerevan")
  cat("Excluding Yerevan district from sample.") }

# Selecting majority-rural districts implementation
if (more_rural) {
  twfe_data = subset(twfe_data, urban < 0.5)
  cat("Focusing on districts with higher rural population, on average.")}

# Selecting poorer regions implementation
if (more_poverty) {
  twfe_data = subset(twfe_data, poverty > 0.3)
  cat("Focusing on districts with higher rates of poverty, on average.")}

# Selecting a certain timeframe
#twfe_data = subset(twfe_data, year > 2015)

# Selecting the poorest income decile
#twfe_data = subset(dataset_deciles, national_decile == 1)

# Selecting the poorest income quartile
#twfe_data = subset(dataset_quartiles, national_quartile == 1)

```

4.3 Regression

4.3.1 Equation

All our regressions resemble the following equations, where Y_{dt} represents the chosen outcome variable for district d at time t , λ_d represents the district-specific fixed effect, γ_t represents the time-specific fixed effect, X_{dt} is the chosen explanatory variable, β is the effect of said variable on the outcome, and ϵ_{dt} is the error.

$$Y_{dt} = \alpha + \lambda_d + \gamma_t + \beta X_{dt} + \epsilon_{dt}$$

$$Y_{dt} = \alpha + \lambda_d + \gamma_t + \beta_1 X_{dt} + \beta_2 X_{d,t-1} + \epsilon_{dt}$$

$$Y_{dt} = \alpha + \lambda_d + \gamma_t + \beta_1 X_{dt} + \beta_2 X_{d,t-1} + \beta_3 X_{d,t-2} + \epsilon_{dt}$$

4.3.2 Estimation Loop

```

# Define independent variables as a list of groups
if (more_lags) {
  iv_groups <- list(

```

```

"SPEI" = c(
  "spei",
  "spei + spei_lag1",
  "spei + spei_lag1 + spei_lag2",
  "spei + spei_lag1 + spei_lag2 + spei_lag3",
  "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4",
  "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4 + spei_lag5",
  "spei + spei_lag1 + spei_lag2 + spei_lag3 + spei_lag4 + spei_lag5 + spei_lag6"),
"Share" = c(
  "share",
  "share + share_lag1",
  "share + share_lag1 + share_lag2",
  "share + share_lag1 + share_lag2 + share_lag3",
  "share + share_lag1 + share_lag2 + share_lag3 + share_lag4",
  "share + share_lag1 + share_lag2 + share_lag3 + share_lag4 + share_lag5",
  "share + share_lag1 + share_lag2 + share_lag3 + share_lag4 + share_lag5 + share_lag6"),
"AgricStress" = c(
  "agric_stress",
  "agric_stress + agric_stress_lag1",
  "agric_stress + agric_stress_lag1 + agric_stress_lag2",
  "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3",
  "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
    agric_stress_lag4",
  "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
    agric_stress_lag4 + agric_stress_lag5",
  "agric_stress + agric_stress_lag1 + agric_stress_lag2 + agric_stress_lag3 +
    agric_stress_lag4 + agric_stress_lag5 + agric_stress_lag6" )
model_names <- c(
  "Model 1: 0 Lags",
  "Model 2: 1 Lag",
  "Model 3: 2 Lags",
  "Model 4: 3 Lags",
  "Model 5: 4 Lags",
  "Model 6: 5 Lags",
  "Model 7: 6 Lags")
} else {
  iv_groups <- list(
    "SPEI" = c(
      "spei",
      "spei + spei_lag1",
      "spei + spei_lag1 + spei_lag2"),
    "Share" = c(
      "share",
      "share + share_lag1",
      "share + share_lag1 + share_lag2"),
    "AgricStress" = c(
      "agric_stress",
      "agric_stress + agric_stress_lag1",
      "agric_stress + agric_stress_lag1 + agric_stress_lag2" ) )
  model_names <- c(
    "Model 1: 0 Lags",
    "Model 2: 1 Lag",
    "Model 3: 2 Lags" ) }

```

```

# Loop for each dependent variable for each group of independent variables
for (dv in dependent_vars) {

  # Create a latex version of the dv name
  dv_safe <- gsub("_", "\\\\", dv)
  cat(paste0("\n\n\\subsection{Dependent Variable: ", dv_safe, "}\n\n"))

  for (group_name in names(iv_groups)) {
    cat(paste0("\n\n\\subsubsection{Regressed on: ", group_name, "}\n\n"))
    models_list <- list()
    current_iv_formulas <- iv_groups[[group_name]]

    for (i in 1:length(current_iv_formulas)) {
      fml_string <- sprintf("%s ~ %s | district + year",
                            dv,
                            current_iv_formulas[i])
      models_list[[i]] <- feols(
        as.formula(fml_string),
        data = twfe_data,
        cluster = ~ district)
      names(models_list) <- model_names
    }
    print(etable(
      models_list,
      fixef_sizes = TRUE,
      fitstat = c("n", "r2", "wr2"),
      tex = latex_format)) } }
}

```

4.4 Dependent Variable: income

4.4.1 Regressed on: SPEI

Dependent Variable:	income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.0260 (0.0266)	0.0263 (0.0252)	0.0254 (0.0264)
spei_lag1		-0.0201 (0.0505)	-0.0199 (0.0496)
spei_lag2			-0.0174 (0.0522)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.95771	0.95775	0.95778
Within R ²	0.00175	0.00273	0.00344

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.4.2 Regressed on: Share

Dependent Variable:	income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.1165 (0.0908)	-0.1618 (0.1105)	-0.1685 (0.1155)
share_lag1		-0.2229 (0.1517)	-0.2596 (0.1846)
share_lag2			-0.2104 (0.1685)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.95781	0.95839	0.95888
Within R ²	0.00413	0.01776	0.02941

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.4.3 Regressed on: AgricStress

Dependent Variable:	income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.0047 (0.0666)	-0.0222 (0.0622)	-0.0228 (0.0612)
agric_stress_lag1		0.0717 (0.0819)	0.0743 (0.0736)
agric_stress_lag2			-0.0202 (0.1024)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.95764	0.95776	0.95777
Within R ²	1.42×10^{-5}	0.00285	0.00300

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.5 Dependent Variable: agric_income

4.5.1 Regressed on: SPEI

Dependent Variable:	agric_income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.2773 (0.2633)	0.2786 (0.2720)	0.2814 (0.2893)
spei_lag1		0.0586 (0.2790)	0.0572 (0.2737)
spei_lag2			0.0400 (0.2727)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R ²	0.71669	0.71680	0.71685
Within R ²	0.00952	0.00992	0.01009

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.5.2 Regressed on: Share

Dependent Variable:	agric_income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.3389 (0.4318)	-0.3282 (0.4687)	-0.3893 (0.4920)
share_lag1		0.0552 (0.7967)	-0.1080 (0.8750)
share_lag2			-0.8570* (0.4538)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R ²	0.71444	0.71445	0.71667
Within R ²	0.00166	0.00170	0.00946

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.5.3 Regressed on: AgricStress

Dependent Variable:	agric_income		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.1955 (0.5152)	-0.2022 (0.5525)	-0.1393 (0.6256)
agric_stress_lag1		1.055 (0.9886)	1.193 (0.9930)
agric_stress_lag2			-1.510 (0.8763)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	197	197	197
R ²	0.71419	0.71963	0.72936
Within R ²	0.00080	0.01981	0.05383

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.6 Dependent Variable: agric_output

4.6.1 Regressed on: SPEI

Dependent Variable:	agric_output		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.0578 (0.0556)	0.0597 (0.0519)	0.0666 (0.0544)
spei_lag1		0.0986 (0.0580)	0.0994* (0.0545)
spei_lag2			0.1435* (0.0744)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97508	0.97550	0.97640
Within R ²	0.00561	0.02268	0.05855

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.6.2 Regressed on: Share

Dependent Variable:	agric_output		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	0.1182 (0.1120)	0.1643 (0.1325)	0.1763 (0.1352)
share_lag1		0.2021 (0.1329)	0.2415 (0.1372)
share_lag2			0.1923 (0.1527)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97502	0.97522	0.97540
Within R ²	0.00316	0.01144	0.01864

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.6.3 Regressed on: AgricStress

Model:	Dependent Variable: agric_output		
	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	0.3104 (0.1892)	0.2930 (0.1719)	0.2932 (0.1746)
agric_stress_lag1		0.2321 (0.1415)	0.2317 (0.1351)
agric_stress_lag2			0.0070 (0.1898)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97572	0.97617	0.97617
Within R ²	0.03148	0.04908	0.04909

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.7 Dependent Variable: fdcons

4.7.1 Regressed on: SPEI

Model:	Dependent Variable: fdcons		
	(1)	(2)	(3)
<i>Variables</i>			
spei	0.0400 (0.0943)	0.0407 (0.0950)	0.0393 (0.0952)
spei_lag1		-0.0648 (0.0517)	-0.0645 (0.0522)
spei_lag2			-0.0296 (0.1102)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.90580	0.90611	0.90617
Within R ²	0.00133	0.00465	0.00531

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.7.2 Regressed on: Share

Dependent Variable:	fdcons		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.0860 (0.1944)	-0.1811 (0.2304)	-0.1932 (0.2334)
share_lag1		-0.4673 (0.2695)	-0.5340* (0.2667)
share_lag2			-0.3819 (0.3588)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.90574	0.90757	0.90875
Within R ²	0.00073	0.02016	0.03261

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.7.3 Regressed on: AgricStress

Dependent Variable:	fdcons		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.0214 (0.2026)	0.0082 (0.1772)	0.0074 (0.1811)
agric_stress_lag1		-0.1217 (0.1475)	-0.1182 (0.1280)
agric_stress_lag2			-0.0270 (0.1968)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (20)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	220	220	220
R ²	0.90568	0.90593	0.90594
Within R ²	9.36×10^{-5}	0.00274	0.00283

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.8 Dependent Variable: grains_harvest

4.8.1 Regressed on: SPEI

Dependent Variable:	grains_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	-0.4503*** (0.1064)	-0.4573*** (0.1065)	-0.4691*** (0.1071)
spei_lag1		-0.2992** (0.1010)	-0.3025** (0.1207)
spei_lag2			-0.2425* (0.1214)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.94570	0.94719	0.94817
Within R ²	0.05653	0.08245	0.09939

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.8.2 Regressed on: Share

Dependent Variable:	grains_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.7772** (0.2690)	-0.9705*** (0.2807)	-1.008*** (0.2698)
share_lag1		-0.8358** (0.3403)	-1.012** (0.3457)
share_lag2			-0.9098** (0.4027)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.94375	0.94509	0.94660
Within R ²	0.02257	0.04590	0.07212

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.8.3 Regressed on: AgricStress

Dependent Variable:	grains_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-1.178*** (0.3036)	-1.127*** (0.2822)	-1.148*** (0.2822)
agric_stress_lag1		-0.8049* (0.4269)	-0.7895* (0.4338)
agric_stress_lag2			-0.5241 (0.4429)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.94656	0.94848	0.94914
Within R ²	0.07144	0.10475	0.11627

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.9 Dependent Variable: vegetables_harvest

4.9.1 Regressed on: SPEI

Dependent Variable:	vegetables_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	-0.1150 (0.0697)	-0.1191 (0.0697)	-0.1240 (0.0725)
spei_lag1		-0.2078 (0.1572)	-0.2084 (0.1617)
spei_lag2			-0.1035 (0.0929)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.95674	0.95738	0.95753
Within R ²	0.00428	0.01891	0.02251

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.9.2 Regressed on: Share

Dependent Variable:	vegetables_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.1733 (0.1950)	-0.2713 (0.1901)	-0.2927 (0.1953)
share_lag1		-0.4297 (0.3137)	-0.5002 (0.3758)
share_lag2			-0.3438 (0.2918)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.95661	0.95693	0.95712
Within R ²	0.00131	0.00854	0.01298

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.9.3 Regressed on: AgricStress

Dependent Variable:	vegetables_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.4713 (0.4783)	-0.4391 (0.4584)	-0.4430 (0.4604)
agric_stress_lag1		-0.4302 (0.5232)	-0.4229 (0.5081)
agric_stress_lag2			-0.1363 (0.3874)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.95716	0.95767	0.95771
Within R ²	0.01401	0.02568	0.02661

Clustered (district) standard-errors in parentheses
*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.10 Dependent Variable: fruits_harvest

4.10.1 Regressed on: SPEI

Dependent Variable:	fruits_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.2105 (0.1612)	0.2145 (0.1631)	0.2239 (0.1622)
spei_lag1		0.2010 (0.1169)	0.2022* (0.1042)
spei_lag2			0.1975 (0.1402)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.91392	0.91480	0.91565
Within R ²	0.01062	0.02073	0.03042

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.10.2 Regressed on: Share

Dependent Variable:	fruits_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	0.6161 (0.3458)	0.8515** (0.2807)	0.8986** (0.2913)
share_lag1		1.033** (0.3621)	1.188** (0.4138)
share_lag2			0.7552* (0.4113)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.91406	0.91675	0.91813
Within R ²	0.01223	0.04308	0.05892

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.10.3 Regressed on: AgricStress

Dependent Variable:	fruits_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	0.6220** (0.2250)	0.5760*** (0.1782)	0.5885** (0.1992)
agric_stress_lag1		0.6142* (0.3383)	0.5907* (0.3034)
agric_stress_lag2			0.4338 (0.3242)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.91457	0.91610	0.91670
Within R ²	0.01802	0.03561	0.04253

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.11 Dependent Variable: potatoes_harvest

4.11.1 Regressed on: SPEI

Dependent Variable:	potatoes_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	-0.0864 (0.0585)	-0.0913 (0.0683)	-0.0931 (0.0699)
spei_lag1		-0.2477 (0.1406)	-0.2479 (0.1438)
spei_lag2			-0.0391 (0.0848)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97357	0.97447	0.97449
Within R ²	0.00395	0.03787	0.03871

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.11.2 Regressed on: Share

Dependent Variable:	potatoes_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.3500 (0.2041)	-0.5348* (0.2540)	-0.5406* (0.2604)
share_lag1		-0.8109** (0.3189)	-0.8300** (0.3329)
share_lag2			-0.0928 (0.2677)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97369	0.97481	0.97482
Within R ²	0.00872	0.05073	0.05126

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.11.3 Regressed on: AgricStress

Dependent Variable:	potatoes_harvest		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.0492 (0.2602)	-0.0179 (0.2506)	-0.0237 (0.2470)
agric_stress_lag1		-0.4188 (0.3375)	-0.4078 (0.3346)
agric_stress_lag2			-0.2020 (0.1600)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.97347	0.97395	0.97403
Within R ²	0.00025	0.01831	0.02162

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.12 Dependent Variable: output_per_field_grains

4.12.1 Regressed on: SPEI

Dependent Variable:	output_per_field_grains		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	-0.2324*** (0.0584)	-0.2349*** (0.0563)	-0.2379*** (0.0524)
spei_lag1		-0.1082 (0.0719)	-0.1090 (0.0768)
spei_lag2			-0.0598 (0.0758)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.78380	0.78558	0.78612
Within R ²	0.03533	0.04328	0.04569

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.12.2 Regressed on: Share

Dependent Variable:	output_per_field_grains		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.4843** (0.2120)	-0.4983** (0.2098)	-0.5060** (0.2134)
share_lag1		-0.0607 (0.2006)	-0.0972 (0.1848)
share_lag2			-0.1884 (0.2824)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.78048	0.78055	0.78114
Within R ²	0.02055	0.02084	0.02348

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.12.3 Regressed on: AgricStress

Dependent Variable:	output_per_field_grains		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.7051** (0.2239)	-0.7082** (0.2265)	-0.7031** (0.2256)
agric_stress_lag1		0.0484 (0.2655)	0.0446 (0.2562)
agric_stress_lag2			0.1299 (0.2151)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	191	191	191
R ²	0.78933	0.78940	0.78977
Within R ²	0.06004	0.06032	0.06198

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.13 Dependent Variable: output_per_field_vegetables

4.13.1 Regressed on: SPEI

Dependent Variable:	output_per_field_vegetables		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.0175 (0.0438)	0.0145 (0.0492)	0.0092 (0.0508)
spei_lag1		-0.1505 (0.1425)	-0.1512 (0.1481)
spei_lag2			-0.1108 (0.1046)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.81793	0.82015	0.82134
Within R ²	0.00016	0.01235	0.01890

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.13.2 Regressed on: Share

Dependent Variable:	output_per_field_vegetables		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	0.0835 (0.1599)	0.0650 (0.1552)	0.0650 (0.1582)
share_lag1		-0.0810 (0.1714)	-0.0810 (0.2072)
share_lag2			-5.39×10^{-5} (0.2109)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.81799	0.81806	0.81806
Within R ²	0.00048	0.00089	0.00089

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.13.3 Regressed on: AgricStress

Dependent Variable:	output_per_field_vegetables		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.3306 (0.3666)	-0.3029 (0.3502)	-0.3043 (0.3528)
agric_stress_lag1		-0.3705 (0.4208)	-0.3679 (0.4132)
agric_stress_lag2			-0.0483 (0.2269)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.81989	0.82240	0.82243
Within R ²	0.01094	0.02469	0.02487

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.14 Dependent Variable: output_per_field_fruits

4.14.1 Regressed on: SPEI

Dependent Variable:	output_per_field_fruits		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	0.1856 (0.1434)	0.1887 (0.1457)	0.1952 (0.1438)
spei_lag1		0.1567 (0.1054)	0.1575 (0.0973)
spei_lag2			0.1367 (0.1568)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.79919	0.80052	0.80152
Within R ²	0.00881	0.01538	0.02034

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.14.2 Regressed on: Share

Dependent Variable:	output_per_field_fruits		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	0.5624 (0.3438)	0.7888** (0.2894)	0.8309** (0.3019)
share_lag1		0.9934** (0.3737)	1.132** (0.4357)
share_lag2			0.6764 (0.4382)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.79960	0.80578	0.80853
Within R ²	0.01088	0.04136	0.05493

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.14.3 Regressed on: AgricStress

Dependent Variable:	output_per_field_fruits		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	0.5254*** (0.1508)	0.4862*** (0.1244)	0.4959*** (0.1335)
agric_stress_lag1		0.5233* (0.2771)	0.5052* (0.2487)
agric_stress_lag2			0.3352 (0.2826)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.80018	0.80294	0.80384
Within R ²	0.01374	0.02737	0.03178

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.15 Dependent Variable: output_per_field_potatoes

4.15.1 Regressed on: SPEI

Dependent Variable:	output_per_field_potatoes		
Model:	(1)	(2)	(3)
<i>Variables</i>			
spei	-0.0961* (0.0434)	-0.1006 (0.0607)	-0.1018 (0.0622)
spei_lag1		-0.2282 (0.1451)	-0.2283 (0.1473)
spei_lag2			-0.0243 (0.0680)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.80594	0.81511	0.81521
Within R ²	0.00795	0.05479	0.05532

Clustered (district) standard-errors in parentheses

Signif. Codes: ***: 0.01, **: 0.05, *: 0.1

4.15.2 Regressed on: Share

Dependent Variable:	output_per_field_potatoes		
Model:	(1)	(2)	(3)
<i>Variables</i>			
share	-0.1459 (0.1639)	-0.2399 (0.1776)	-0.2216 (0.1901)
share_lag1		-0.4124* (0.2125)	-0.3520* (0.1922)
share_lag2			0.2948 (0.2023)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.80487	0.80833	0.81003
Within R ²	0.00247	0.02015	0.02882

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*

4.15.3 Regressed on: AgricStress

Dependent Variable:	output_per_field_potatoes		
Model:	(1)	(2)	(3)
<i>Variables</i>			
agric_stress	-0.2087 (0.1711)	-0.1706 (0.1614)	-0.1728 (0.1598)
agric_stress_lag1		-0.5089 (0.3339)	-0.5048 (0.3311)
agric_stress_lag2			-0.0758 (0.1075)
<i>Fixed-effects</i>			
district (11)	Yes	Yes	Yes
year (18)	Yes	Yes	Yes
<i>Fit statistics</i>			
Observations	194	194	194
R ²	0.80581	0.81430	0.81445
Within R ²	0.00730	0.05069	0.05145

Clustered (district) standard-errors in parentheses

*Signif. Codes: ***: 0.01, **: 0.05, *: 0.1*