OLIcyber – Web 5
HTTP: Manual Cookie

Similar to challenge number 3, the goal is to get the resource `http://web-05.challs.olicyber.it/flag`providing the string `admin`in a cookie in name `password`. . It is recommended to use the parameter `cookies` of the function `get`used so far.

This challenge requires us to supply a specific cookie with our HTTP request

OLIcyber – Web 5
HTTP Cookie Header

Another extremely common HTTP header is the Cookie header, which is used to retain user settings or establish / maintain a user session on a website.

OLIcyber – Web 5
HTTP Cookie Header

For example, a website has a button on its user preferences page which sets the webpage background color for the website.

OLIcyber – Web 5
HTTP Cookie Header

Once the color is selected, the web server will send a Cookie to the web browser to be used anytime the website is visited, changing the webpage's background colors to whatever is specified in the Cookie.

OLIcyber – Web 5
HTTP Cookie Header

Similarly, when a user successfully logs into a website, the web server will send the web browser a Cookie that identifies which user session is being used, and the browser will use that Cookie each time that website is accessed.

OLIcyber – Web 5
HTTP Cookie Header

Any Cookie that is used for user sessions has the potential for security abuse, so it important that the Cookie values created for user sessions are not predictable at all.

OLIcyber – Web 5
Solve Method 1: Web Browser



In the web browser, navigate to the specified webpage, then bring up the Web Developer Tools, then click on the Storage tab, then click on the + symbol at the right-hand side of the window

OLIcyber – Web 5
Solve Method 1: Web Browser

Filter Items

Name	Value	Domain	Path
password	admin	web-05.challs....	/

In the resulting window, edit the values of the entry, typing in **password** for the Name column, and **admin** in the Value column

OLIcyber – Web 5
Solve Method 1: Web Browser



Lastly, reload the webpage, and the flag should be in the webpage response

OLIcyber – Web 5
Solve Method 2: Curl

```
curl                    ⟵ the command itself
-v                      ⟵ verbose output
-b "password=admin"     ⟵ send specific cookie
```

Solving the challenge with Curl requires the use of the -b parameter with the cookie name, then the equals sign, then the cookie value

OLIcyber – Web 5
Solve Method 3: Python

```python
import requests

URL = 'http://web-05.challs.olicyber.it/flag'

my_cookies = {'password': 'admin'}

get_req = requests.get(URL, cookies=my_cookies)
req_text = get_req.text
print(req_text)
```

Solving the challenge with Python requires us to use the Request module's **get()** method with the **cookies** parameter