

PicoCTF 2026 – Forensics Git 1

Forensics Git 1

Forensics

Medium

300 pts

by LT 'syreal' Jones

Can you find the flag in this disk image?

Download the disk image [here](#) ↗.

In this challenge, they want us to find the flag in the disk image

PicoCTF 2026 – Forensics Git 1

Filesystem Extraction

```
└─$ tsk_recover -f ext4 -e -o 1140736 -i raw -v disk.img .  
tsk_img_open: Type: 1   NumImg: 1   Img1: disk.img  
tsk_img_findFiles: disk.img found  
tsk_img_findFiles: 1 total segments found
```

Like the previous challenge, since we need to interact with the disk image's Git repository--

PicoCTF 2026 – Forensics Git 1

Filesystem Extraction

```
└─$ tsk_recover -f ext4 -e -o 1140736 -i raw -v disk.img .  
tsk_img_open: Type: 1   NumImg: 1   Img1: disk.img  
tsk_img_findFiles: disk.img found  
tsk_img_findFiles: 1 total segments found
```

We use the `tsk_recover` tool to extract the filesystem from the disk image

PicoCTF 2026 – Forensics Git 1

Locating the Git Repository

```
└─$ find . -name ".git"  
./home/ctf-player/Code/secrets/.git
```

Then use the `find` command to locate the Git repository

PicoCTF 2026 – Forensics Git 1

Recalling Git Commit History

```
diff --git a/flag.txt b/flag.txt
deleted file mode 100644
index f150f47..0000000
— a/flag.txt
++ /dev/null
@@ -1 +0,0 @@
-picoCTF{g17_r3m1mb3r5_d4dd7904}
\ No newline at end of file
```

If we use the Git `log` command with the `-p` parameter, we can retrieve the contents of the different commits