

Hack The Web – Click Me

What, I'm supposed to click a button 2000 times for this task? What kind of crap is that?

I hope you don't inflict this stupidity on yourself. Why don't you look into the page's source code and search for a hack or something similar. Or use a program that does the clicks for you ...

In this challenge, we're told to click a button 2000 times, or find some way to look into the web page's source code

Hack The Web – Click Me

Source Code Analysis

```
<script>  
  var solutionURL = "https://hack.arrrg.de/chals/klicker_en.png"  
  var count = 2000  
</script>
```

We can look at the web page's source code, and we notice there are a couple of JavaScript variables being defined on the page

Hack The Web – Click Me

Source Code Analysis



If we navigate to the link described in the `solutionURL` variable, we immediately get the answer to the challenge

Hack The Web – Click Me

Source Code Analysis

```
<script src="/chals/chal53.js"></script>
```

But if we want to learn another way to solve the challenge, we can look at the `chal53.js` file that is also being used by the webpage

Hack The Web – Click Me

Source Code Analysis

```
ans1.addEventListener('click', () => {  
    check()  
})
```

```
function check() {  
    correct++  
    if (correct >= window.count) {  
        correct = window.count  
        window.open(window.solutionURL.replace('https://hack.arrrg.de', ''))  
    }  
}
```

This code lets us know that if we click, then the `check` function activates, which increases the `correct` variable

Hack The Web – Click Me

Source Code Analysis


```
ans1.addEventListener('click', () => {  
    check()  
})
```

```
function check() {  
    correct++  
    if (correct >= window.count) {  
        correct = window.count  
        window.open(window.solutionURL.replace('https://hack.arrrg.de', ''))  
    }  
}
```

When the `correct` variable reaches the `count` variable (which was set to 2000), a new window will open that will lead to the answer

Hack The Web – Click Me

Source Code Analysis



```
1  var correct = 2000
```

We can go into the browser console and manually set the `correct` variable to 2000 to solve the challenge