


PicoCTF 2026 – Forensics Git 0



In this challenge, they want us to find the flag in the disk image

PicoCTF 2026 – Forensics Git 0

Mmls Tool

```
└─$ mmls disk.img
DOS Partition Table
Offset Sector: 0
Units are in 512-byte sectors
```

	Slot	Start	End	Length	Description
000:	Meta	0000000000	0000000000	0000000001	Primary Table (#0)
001:	_____	0000000000	0000002047	0000002048	Unallocated
002:	000:000	0000002048	0000616447	0000614400	Linux (0x83)
003:	000:001	0000616448	0001140735	0000524288	Linux Swap / Solaris x86 (0x82)
004:	000:002	0001140736	0002097151	0000956416	Linux (0x83)

First we use the mmls tool to identify all the disk partitions on the image

PicoCTF 2026 – Forensics Git 0

Mmls Tool

```
└─$ mmls disk.img
DOS Partition Table
Offset Sector: 0
Units are in 512-byte sectors
```

	Slot	Start	End	Length	Description
000:	Meta	0000000000	0000000000	0000000001	Primary Table (#0)
001:	_____	0000000000	0000002047	0000002048	Unallocated
002:	000:000	0000002048	0000616447	0000614400	Linux (0x83)
003:	000:001	0000616448	0001140735	0000524288	Linux Swap / Solaris x86 (0x82)
004:	000:002	0001140736	0002097151	0000956416	Linux (0x83)

The partition that starts at offset 1140736 is the one we want to look at

PicoCTF 2026 – Forensics Git 0

Fls Tool

```
└─$ fls -p -r -o 1140736 disk.img | grep 'git' | head
d/d 65665:      home/ctf-player/Code/secrets/.git
d/d 65666:      home/ctf-player/Code/secrets/.git/branches
r/r 65667:      home/ctf-player/Code/secrets/.git/description
d/d 65668:      home/ctf-player/Code/secrets/.git/hooks
```

We can then use the **fls** tool to list out the contents of the filesystem

PicoCTF 2026 – Forensics Git 0

Fls Tool

```
└─$ fls -p -r -o 1140736 disk.img | grep 'git' | head
d/d 65665:      home/ctf-player/Code/secrets/.git
d/d 65666:      home/ctf-player/Code/secrets/.git/branches
r/r 65667:      home/ctf-player/Code/secrets/.git/description
d/d 65668:      home/ctf-player/Code/secrets/.git/hooks
```

The name of the challenge is Forensics Git, and there is a Git repository here

PicoCTF 2026 – Forensics Git 0

Tsk_recover Tool

```
└─$ tsk_recover -f ext4 -e -o 1140736 -i raw -v disk.img .  
tsk_img_open: Type: 1    NumImg: 1  Img1: disk.img  
tsk_img_findFiles: disk.img found  
tsk_img_findFiles: 1 total segments found
```

We can use the `tsk_recover` tool to extract the filesystem so we can investigate the Git repo

PicoCTF 2026 – Forensics Git 0

Git Log

```
└─$ git log
commit 327681bb38cf467cec328eec9707b240e3e74ced (HEAD → master)
Author: ctf-player <ctf-player@example.com>
Date:   Wed Nov 19 08:49:27 2025 +0000

    Wrap this phrase in the flag format: git_1n_7h3_d1sk_041217d8
```

Finally, we can use the Git Log command to retrieve the flag