CLAfICLe: Cross Lingual Adaptation for In-Context Learning

Giulio Starace

University of Amsterdam / Amsterdam, The Netherlands giulio.starace@gmail.com

Abstract

This document is a supplement to the general instructions for *ACL authors. It contains instructions for using the LaTeX style files for ACL conferences. The document itself conforms to its own specifications, and is therefore an example of what your manuscript should look like. These instructions should be used both for papers submitted for review and for final versions of accepted papers.

1 Introduction

textwidth in inches: 6.30045in columnwidth in inches: 3.03209in

These instructions are for authors submitting papers to *ACL conferences using LATeX. They are not self-contained. All authors must follow the general instructions for *ACL proceedings, and this document contains additional instructions for the LATeX style files.

The templates include the LATEX source of this document (acl.tex), the LATEX style file used to format it (acl.sty), an ACL bibliography style (acl_natbib.bst), an example bibliography (custom.bib), and the bibliography for the ACL Anthology (anthology.bib).

2 Engines

To produce a PDF file, pdfLATEX is strongly recommended (over original LATEX plus dvips+ps2pdf or dvipdf). XeLATEX also produces PDF files, and is especially suitable for text in non-Latin scripts.

3 Preamble

The first line of the file must be

\documentclass[11pt] {article}

To load the style file in the review version:

\usepackage[review] {acl}

For the final version, omit the review option:

\usepackage{acl}

To use Times Roman, put the following in the preamble:

\usepackage{times}

(Alternatives like txfonts or newtx are also acceptable.)

Please see the LATEX source of this document for comments on other packages that may be useful.

Set the title and author using \title and \author. Within the author list, format multiple authors using \and and \And and \AND; please see the LATEX source for examples.

By default, the box containing the title and author names is set to the minimum of 5 cm. If you need more space, include the following in the preamble:

\setlength\titlebox{<dim>}

where <dim> is replaced with a length. Do not set this length smaller than 5 cm.

4 Document Body

4.1 Footnotes

Footnotes are inserted with the \setminus footnote command.²

4.2 Tables and figures

See Table 1 for an example of a table and its caption. **Do not override the default caption sizes.**

http://acl-org.github.io/ACLPUB/
formatting.html

²This is a footnote.

Command	Output	Command	Output
{\ " a}	ä	{\c c}	ç
{ \^e }	ê	{\u g}	ğ
{\ ' i}	ì	{\1}	ł
{\.I}	İ	{ \~n}	ñ
{\0}	Ø	{\H o}	ő
{\ ' u}	ú	{\v r}	ř
{\aa}	å	{\ss}	ß

Table 1: Example commands for accented characters, to be used in, *e.g.*, BibT_EX entries.

4.3 Hyperlinks

Users of older versions of LATEX may encounter the following error during compilation:

\pdfendlink ended up in
different nesting level
than \pdfstartlink.

This happens when pdfLATEX is used and a citation splits across a page boundary. The best way to fix this is to upgrade LATEX to 2018-12-01 or later.

4.4 Citations

Table 2 shows the syntax supported by the style files. We encourage you to use the natbib styles. You can use the command \citet (cite in text) to get "author (year)" citations, like this citation to a paper by Gusfield (1997). You can use the command \citep (cite in parentheses) to get "(author, year)" citations (Gusfield, 1997). You can use the command \citealp (alternative cite without parentheses) to get "author, year" citations, which is useful for using citations within parentheses (e.g. Gusfield, 1997).

4.5 References

The LATEX and BibTEX style files provided roughly follow the American Psychological Association format. If your own bib file is named custom.bib, then placing the following before any appendices in your LATEX file will generate the references section for you:

\bibliography{custom}

You can obtain the complete ACL Anthology as a BibTEX file from https://aclweb.org/anthology/anthology.bib.gz. To include both the Anthology and your own .bib file, use the following instead of the above.

\bibliography{anthology,custom}

Please see Section 5 for information on preparing BibT_EX files.

4.6 Appendices

Use \appendix before any appendix section to switch the section numbering over to letters. See Appendix A for an example.

5 BibT_EX Files

Unicode cannot be used in BibTEX entries, and some ways of typing special characters can disrupt BibTEX's alphabetization. The recommended way of typing special characters is shown in Table 1.

Please ensure that BibTEX records contain DOIs or URLs when possible, and for all the ACL materials that you reference. Use the doi field for DOIs and the url field for URLs. If a BibTEX entry has a URL or DOI field, the paper title in the references section will appear as a hyperlink to the paper, using the hyperref LATEX package.

Acknowledgements

This document has been adapted by Steven Bethard, Ryan Cotterell and Rui Yan from the instructions for earlier ACL and NAACL proceedings, including those for ACL 2019 by Douwe Kiela and Ivan Vulić, NAACL 2019 by Stephanie Lukin and Alla Roskovskaya, ACL 2018 by Shay Cohen, Kevin Gimpel, and Wei Lu, NAACL 2018 by Margaret Mitchell and Stephanie Lukin, BibTEX suggestions for (NA)ACL 2017/2018 from Jason Eisner, ACL 2017 by Dan Gildea and Min-Yen Kan, NAACL 2017 by Margaret Mitchell, ACL 2012 by Maggie Li and Michael White, ACL 2010 by Jing-Shin Chang and Philipp Koehn, ACL 2008 by Johanna D. Moore, Simone Teufel, James Allan, and Sadaoki Furui, ACL 2005 by Hwee Tou Ng and Kemal Oflazer, ACL 2002 by Eugene Charniak and Dekang Lin, and earlier ACL and EACL formats written by several people, including John Chen, Henry S. Thompson and Donald Walker. Additional elements were taken from the formatting instructions of the International Joint Conference on Artificial Intelligence and the Conference on Computer Vision and Pattern Recognition.

References

Rie Kubota Ando and Tong Zhang. 2005. A framework for learning predictive structures from multiple tasks and unlabeled data. *Journal of Machine Learning Research*, 6:1817–1853.

Output	natbib command	Old ACL-style command
(Gusfield, 1997)	\citep	\cite
Gusfield, 1997	\citealp	no equivalent
Gusfield (1997)	\citet	\newcite
(1997)	\citeyearpar	\shortcite

Table 2: Citation commands supported by the style file. The style is based on the natbib package and supports all natbib citation commands. It also supports commands defined in previous ACL style files for compatibility.

Galen Andrew and Jianfeng Gao. 2007. Scalable training of L1-regularized log-linear models. In *Proceedings of the 24th International Conference on Machine Learning*, pages 33–40.

Dan Gusfield. 1997. *Algorithms on Strings, Trees and Sequences*. Cambridge University Press, Cambridge, UK.

Mohammad Sadegh Rasooli and Joel R. Tetreault. 2015. Yara parser: A fast and accurate dependency parser. Computing Research Repository, arXiv:1503.06733. Version 2.

A Example Appendix

This is an appendix.