



CONTENT STUDIO · SETUP GUIDE

From zero to a working content brain, *in 30 minutes.*

Two parts. Part one: setup, every click, in under 30 minutes. Part two: how to use each tab, written so a 4th grader could follow it. No code knowledge required. By the last page you have a live dashboard, your data inside it, and a weekly routine.

Version 1.2 · 2026

See it live · studio.revenu-academy.nl

Support · hello@revenu-academy.nl

What you are about to set up

Content Studio is your personal dashboard for everything that goes into posting on Instagram with intention. Once it is live, it does four jobs that used to eat your week:

1. **Scrapes your last 90 days of posts** and the last 90 days of up to five competitors, on one click.
2. **Hands you five copy-paste prompts** that read that data and write your content pillars, your voice rules, your top hooks, your competitor patterns, and fresh caption drafts back into the dashboard.
3. **Holds your drafts** with status tags (draft, scheduled, posted), trigger words, slide counts, all in one place.
4. **Shows your performance trends** so you stop guessing which hook type works.

You are not learning to code. Every step in this guide is either a button click or a copy paste. If you can use Canva and Instagram, you can finish this setup.

What you need before you start

WHAT	WHY	COST
A GitHub account	Holds your copy of the dashboard code	Free
A Supabase account	Stores your scraped posts + drafts	Free
A Vercel account	Hosts your live dashboard at a real URL	Free
An Apify account	Does the actual Instagram scraping	Free tier (\$5/mo credit)
A Claude account	Runs the nine prompts on your data	\$20/mo (you have it)

Total new monthly cost if you already pay for Claude: **\$0**.

The next pages walk you through six steps, in order. Follow them top to bottom and you will have a live dashboard at your own URL by the end.

1

Get your own copy of the code

The dashboard lives in a public GitHub repository. You are going to make a personal copy (called a "fork") so the version you deploy is yours, on your account, under your control.

What to do

1. Click the button below. It opens the dashboard repository on GitHub.
2. If you do not have a GitHub account yet, click **Sign up** in the top right. Use your work email. Free.
3. Back on the repository page, click the **Fork** button (top right of the page, next to "Star").
4. On the next screen, leave everything as default and click **Create fork**.

[Open the dashboard on GitHub →](#)[I need a GitHub account first](#)

What just happened? You now have your own copy of the dashboard code at `github.com/YOUR-USERNAME/content-studio-dashboard`. Nothing is online yet. We will connect this to a host in Step 3.

Common slip

If the Fork button takes you to a "Choose owner" page with one option, that one option *is* your account. Just click it and continue. GitHub asks because some people belong to multiple organizations.

Set up your database

Supabase is where your scraped posts, drafts, pillars and voice rules live. The free tier covers everything you will ever need for one Instagram brand.

What to do

1. Click **Open Supabase** below. Sign up with your GitHub account, that is the fastest path.
2. Once you are in, click **New project** (green button, top right).
3. Project name: `content-studio`. Choose any region close to you. Choose a strong database password (write it down somewhere safe). Click **Create new project**.
4. Wait about a minute for the project to spin up.
5. Once it is ready, go to **Project Settings** → **API** in the left sidebar.
6. Copy two values into a notepad. You will paste them into Vercel in Step 3.
 - `Project URL` (looks like `https://abcd1234.supabase.co`)
 - `service_role` key (under "Project API keys", click "Reveal" first)

[Open Supabase →](#)[I need a Supabase account](#)

Important. The `service_role` key gives full access to your database. Treat it like a password. Never share it, never paste it into a public chat. We will store it only in Vercel where it stays private to your project.

Common slip

If you see `anon` and `service_role` in the API panel, copy the **service_role** one. The anon key is public-safe but the dashboard needs server-side access to write back your data.

Put your dashboard online

Vercel hosts the dashboard at a real URL. Free hobby plan covers it. The one-click button below clones your fork from Step 1 and walks you through the env vars.

What to do

1. Click **Deploy on Vercel** below.
2. Sign in with GitHub.
3. Vercel asks where to clone the repo, leave defaults, click **Continue**.
4. Vercel asks for environment variables. Paste from your Supabase notes:
 - `NEXT_PUBLIC_SUPABASE_URL` = your Supabase project URL
 - `SUPABASE_SERVICE_ROLE_KEY` = your service_role key
 - `FUNCTION_SECRET` = any long random string (open [1Password password generator](#), set length 32, copy the result, paste here)
5. Click **Deploy**.
6. Wait two minutes. Vercel will show a live URL like `content-studio-yourname.vercel.app`. Click it. Your dashboard is live. **Bookmark this URL now**, you will use it in every step from here on.

Deploy on Vercel →

What you should see. A working dashboard with six tabs: Drafts, Strategy, Performance, Competitor Intel, Vault, Settings. The tabs will all be in their empty state, that is normal, we fix that in Step 5. You will see a screenshot of the empty dashboard later in "Part 2, How to use each tab".

Create the database tables

Your Supabase project is empty right now. The dashboard needs six tables (posts, drafts, strategy, intel, settings, scrape_log). One SQL paste creates all of them.

What to do

1. Open your Supabase project (the one from Step 2).
2. In the left sidebar, click **SQL Editor**.
3. Click **+ New query**. Leave this tab open.
4. In a new browser tab, click the **Open the migration file** button below. GitHub opens the SQL file in your browser.
5. Click the **Raw** button (top right of the code area). The page reloads showing only the raw SQL text on a white background.
6. Select all and copy: **Mac** Cmd-A then Cmd-C. **Windows** Ctrl-A then Ctrl-C.
7. Back in the Supabase SQL Editor tab, click in the empty query box, paste (Cmd-V on Mac, Ctrl-V on Windows), then click the green **Run** button.
8. You should see "Success. No rows returned" at the bottom.
9. Click **Table Editor** in the sidebar. You should now see six tables.

[Open the migration file →](#)

If you see an error like "relation already exists", you ran the migration twice. That is fine, the tables already exist and the dashboard will work. Move on.

Your first scrape

The [Scrape now] button on every tab pulls your last 90 days of Instagram posts, plus the last 90 days of up to five competitors, into the Vault. The first scrape takes about 90 seconds.

Before you click

1. Open your live dashboard. This is the bookmark from Step 3, your URL looks like `content-studio-yourname.vercel.app`. Lost it? Go to vercel.com/dashboard, click your project, then click **Visit** in the top right.
2. Click the **Settings** tab (bottom of the left sidebar).
3. Set your brand name, your Instagram handle, and up to five competitor handles.
4. Paste your Apify token (Apify → Settings → Integrations → API tokens). New to Apify? Sign up free, you get \$5 in credits which is roughly three scrapes.
5. Click **Save**.

[Sign up for Apify →](#)

[Find my Apify token](#)

Your Brand
CONTENT STUDIO

- Drafts
- Strategy
- Performance
- Competitor Intel
- Vault
- Settings**

Settings

Connect Supabase to finish setup
Supabase env vars not set. Paste NEXT_PUBLIC_SUPABASE_URL and SUPABASE_SERVICE_ROLE_KEY into your Vercel project settings, then redeploy.

Your brand, competitors, and trigger words live here. Every other tab reads from this page. Save persists to Supabase; on demo deploys without Supabase keys it saves locally to your browser.

Brand

What this dashboard calls you. Brand name shows in the sidebar header, Instagram handle is the "self" account every scrape pulls and every prompt grounds in.

Brand name
Your Brand

Instagram handle
@ your_instagram_handle

Theme

Pick a preset or set a custom accent. The change applies instantly and is remembered in this browser. Use the reset button to fall back to your deploy default.

Burgundy #741616 Dark pink #663399 Custom #CCCCCC

Custom hex #741616 Apply

Reset to deploy default

Settings tab. Brand name, handle, competitors, Apify token, trigger words.

Run the scrape

1. Click the **Vault** tab.
2. Click the burgundy **[Scrape now]** button (top right of every page).
3. Wait. You will see a spinner and "Scraping..." for about 90 seconds.
4. When it finishes, the empty-state card disappears and you see your posts.

Run the nine prompts in Claude

The dashboard has a button on every tab labeled "Copy prompt with my data". One click does three things at once:


1. Loads the prompt template (one of the five you see at the back of this guide).
2. Splices in your freshest scraped data from the Vault.
3. Copies the whole thing to your clipboard *and* pops open a fresh Claude tab for you.

You paste into Claude, wait for the answer, copy Claude's reply, paste back into the editor on the tab you came from. Done.

[Open Claude →](#)

Order to run them in

1. **Strategy** → **Pillars**. Tells you what you actually post about.
2. **Strategy** → **Voice**. Extracts your rules of writing.
3. **Performance** → **Hooks**. Surfaces your top 10 scroll-stoppers.
4. **Competitor Intel** → **Patterns**. What your top 5 are winning with.
5. **Drafts** → **New caption**. Drafts in your voice on any topic.



Strategy tab. The [Copy prompt with my data] button lives at the top.

You are done with setup. Your dashboard reads your data, Claude reads your data, you have a working content brain. The next pages show you how to use each tab, one by one, so you know exactly what to do after you log in each week.

How to use each tab

Your dashboard has six tabs. Each tab has one job. The next six pages walk through them, one page per tab, in the order you will use them in real life.

1. **Settings.** Tell the dashboard who you are and who to watch.
2. **Vault.** Your scraped posts live here. This is the raw data.
3. **Strategy.** Your pillars and your voice rules. The foundation.
4. **Performance.** What is working for you right now.
5. **Competitor Intel.** What is working for the people you watch.
6. **Drafts.** Where you write new captions in your own voice.

The rhythm. Once a week, click **Scrape now** in the top right of any tab. That pulls fresh posts. Then re-run the prompts on the tabs that matter to you. The whole weekly check-in takes about 20 minutes once you know your way around.

The two buttons on every tab

Every tab (except Settings) has the same two buttons in the top right:

- **Scrape now**, a burgundy button. Pulls fresh data from Instagram. Takes about 90 seconds.
- **Last scraped at...**, small text under the button. Tells you how fresh your data is. "Offline" means you have not scraped yet.

The bottom of the sidebar shows the same status. A grey dot with "Offline" means no scrape yet. A glowing taupe dot with "Live" means your data is fresh.



Settings

What this tab does. Tells the dashboard your brand name, your Instagram handle, who your competitors are, and which words you watch for in DMs. Everything else builds on what you put here.

When you open it. The very first time you log in. After that, only when you want to add or swap a competitor, or change a trigger word.

How to fill it in (first time only)

1. **Brand name.** The name you want at the top of the sidebar. Can be your name, your business name, anything you want.
2. **Your handle.** Your own Instagram username, with no @ sign. Example: `thessa.revenu`.
3. **Competitor handles.** Up to five. The dashboard will read their posts every time you scrape. Pick people in your space who post well.
4. **Apify token.** Long string from Apify (Step 5 of setup showed you where). Paste it once, never again.
5. **Trigger words.** Words you tell people to comment so a bot or your DMs catch them. Like "SOLD" or "GUIDE". You can leave this blank and add later.
6. Click **Save**. The sidebar updates with your new brand name right away.

Settings tab. The brain of the dashboard. Fill it in once, edit when you need to.




Vault

What this tab does. Shows every post the dashboard pulled from your account and your competitor accounts. Think of it as a folder full of all the posts, with likes, comments, and the full caption on each one. You read it like a feed.

When you open it. Right after a scrape, to see what came back. Or any time you want to read a real post to spark an idea.

How to use it

1. Click **Scrape now** in the top right (burgundy button). Wait about 90 seconds.
2. When the spinner stops, the page fills with cards. Each card is one post.
3. Use the filter row at the top to flip between **My posts** and each competitor.
4. Click any card to see the full caption, the format (reel, carousel, image), and the likes and comments count.



Vault tab. Every post from you and your competitors, side by side.

You do not write here. Vault is read-only. It is the library Claude reads from when you run the other tabs' prompts. If Vault is empty, all the other tabs will tell you to scrape first.




Strategy

What this tab does. Holds two things: your **pillars** (the 3 to 5 topics you actually post about) and your **voice** (the rules of how you write). Both are filled in by Claude after one prompt each.

When you open it. The first time, right after your first scrape. After that, once a month, or when you feel your topics or voice have shifted.

How to use it

1. Click **Copy pillars prompt** in the top right of the Pillars box. A Claude tab opens. Paste with Cmd-V (or Ctrl-V on Windows). Press Enter.
2. Claude returns a JSON block. Copy everything from the first `[` to the matching `]`.
3. Back on your Strategy tab, paste it into the white **Paste pillars** box. Click **Apply**.
4. Your 3 to 5 pillars now show as colored chips at the top.
5. Scroll down and repeat for the **Voice rules** box. Same flow: copy prompt, paste in Claude, copy result, paste back, click Apply.



Strategy tab. Pillars on top, voice rules below. The base layer for every caption you write.




Performance

What this tab does. Shows you which of your own posts get the most love, which pillars perform best, and which hook types stop the scroll. One snapshot, no spreadsheets.

When you open it. Every week, after your fresh scrape. This is your "what to post more of" answer.

How to use it

1. Click **Copy analysis prompt** at the top of the page. A Claude tab opens with your data pre-filled.
2. Press Enter in Claude. Wait about 20 seconds.
3. Copy the full JSON block Claude returns (from `{` to the matching `}`).
4. Paste it back into the **Paste from Claude** box. Click **Apply**.
5. The page now shows your top posts, your best pillar, your best hook type, and a small pie chart of how your last 90 days break down.



Performance tab. Your top posts plus what is working broken down by pillar and hook.

Use this every week. If a pillar keeps showing up as the best one, post more of that pillar. If a hook type wins twice in a row, write more captions with that hook.




Competitor Intel

What this tab does. Reads the posts from the up to five competitors you set in Settings, then tells you what is working for them: their best hook types, their best formats, the topics they keep returning to, and what you can ethically learn from each one.

When you open it. Once a week, on the same day you check Performance. Or whenever a competitor pulls off a post that goes off and you want to know why.

How to use it

1. Click **Copy competitor prompt** at the top.
2. Paste in the open Claude tab, press Enter. This one runs a bit longer, about 30 to 45 seconds.
3. Copy Claude's full reply (this one is plain text, not JSON, that is fine).
4. Paste it back into the **Paste intel** box on the tab. Click **Apply**.
5. The tab now shows one block per handle, with their best hooks, best formats, and what is replicable.



Competitor Intel tab. One block per handle. The "what should I steal" map.

Steal the pattern, not the post. The point is to spot the underlying lever (a hook type, a topic angle, a format twist), then write your own version of it. Copy-paste is bad for your brand and your sleep.

Drafts

What this tab does. Where you write new captions. Each draft has a topic, a status (draft, scheduled, posted), a trigger word, a slide count, and a place for the full caption. You can also ask Claude to write 3 caption options on any topic, in your voice.


When you open it. Every time you want to write a post. Daily, weekly, however often you post.

How to write a draft from scratch

1. Click **New draft** in the top right.
2. Type a topic in one sentence. Example: *"why my best month was the one where I posted least"*.
3. Pick a format (carousel, reel, image), a slide count if it is a carousel, and a status (draft for now).
4. Write your caption in the box. Save.

How to get Claude to draft for you

1. On any draft, click **Copy draft prompt**.
2. A Claude tab opens. Paste, press Enter.
3. Claude returns 3 caption options written in your voice, each with a different hook pattern.
4. Pick one. Tweak it. Paste back into the caption box. Save.



Drafts tab. All your posts in one place, from idea to scheduled to live.

This is the tab you live in. Once your Strategy, Performance, and Intel tabs are filled in, every new draft has the full context. Claude knows your pillars, your voice, your top hooks, and your competitors. You just give it a topic.

Your weekly routine

The dashboard is only as useful as the rhythm you build around it. Here is the 20-minute weekly check-in we recommend. Do this on the same day every week (Monday morning works for most people).

1. **Open the dashboard.** Click any tab. Look at the sidebar footer. If the dot is grey ("Offline"), you have not scraped yet this week.
2. **Click Scrape now.** Wait 90 seconds. The dot turns taupe and glows. Your data is fresh.
3. **Open Performance.** Click Copy analysis prompt. Paste in Claude. Paste the JSON back. See what worked.
4. **Open Competitor Intel.** Click Copy competitor prompt. Same flow. See what your top 5 are winning with.
5. **Open Drafts.** Write the next 2 to 3 posts using what you just learned, with Claude doing the heavy lifting.

Once a month

Open **Strategy**. Re-run both the pillars prompt and the voice prompt. Your pillars and voice drift slowly. A monthly refresh keeps Claude on-brand.

Once a quarter

Open **Settings**. Review your competitors. Swap out anyone who has gone quiet or off-brand. Add a fresh handle whose work is making you think.

You will never feel "behind" again. The whole point of this dashboard is that the data, the patterns, and your voice are always one click away. You stop guessing, you start posting from evidence.

The nine prompts

For reference. You never have to type these out, the dashboard buttons do the copying for you. They are reproduced here so you can read what each prompt asks Claude to do, and tweak them in your own copy of the code if you want to.

All nine prompts live in `lib/promptBuilders.ts` in your GitHub fork. Each one is the "fat" version, framework baked in, schema-strict so the answer pastes cleanly back into the dashboard.

Prompt 1 · Extract content pillars

Strategy tab

Returns JSON

Reads your top 30 posts by engagement, extracts 3-5 content pillars you actually own.

```
You are a senior content strategist. From the DATA below (a creator's recent Instagram posts),
extract 3 to 5 content pillars that genuinely describe what they post about.
```

```
## What a pillar is
```

```
A pillar is a recurring topic territory the creator visibly owns. Not a category, not a "vibe", a
specific subject they keep returning to with their own angle.
```

```
Test for a real pillar:
```

1. Can you point to 4+ posts that clearly belong to it?
2. Could a stranger guess what kind of post comes next?
3. Does the name sound like something the creator would actually say (not a brand-deck buzzword)?

```
## How to find them
```

- Read every caption end-to-end. Note the actual subject, not just the hook.
- Group by subject, not by format. A reel and a carousel about the same thing belong together.
- Merge any two groups that overlap by more than ~60%.
- If you end up with 6+ pillars, you over-split. Collapse the weakest into the others.
- If you end up with 1-2, you under-grouped. Look harder for distinct angles.

```
## Output rules
```

- name: 1 to 3 words. Plain English. The creator's own framing if you can spot it.
- description: ONE sentence. Specific. What this pillar covers + what makes the creator's take on it different.
- color: hex. Pick warm, readable tones. Use distinct hues across pillars.
- share: 0..1, sums to roughly 1.0 across all pillars.

```
## Forbidden
```

- Generic marketing words: "lifestyle content", "value-driven posts", "educational content", "inspirational posts", "empowerment", "authentic", "raw".
- Buzzword pillars that fit any creator: "Mindset", "Motivation", "Tips", only allowed if the description proves the creator's specific spin.
- Em dashes. Use commas.

```
## Output
```

```
Return JSON only. No prose before or after. Match this schema exactly:
```

```
[
  { "name": "Passive income", "description": "...", "color": "#741616", "share": 0.32 }
]
```

Prompt 2 · Extract voice rules

Strategy tab

Returns JSON

Reads your top 20 captions by engagement. Returns tone, do/don't rules, signature phrases, forbidden patterns.

You are a senior voice coach. From the DATA below (the creator's top-performing captions by engagement), extract the rules of their voice so any caption written using these rules sounds like them.

What you are looking for

Voice = the patterns a reader would recognize as "this person" even with the handle removed. It shows up in:

- Sentence shape (long flowing vs short staccato; statements vs questions)
- Word choices they keep reusing (signature words, signature openers, signature closers)
- What they NEVER say (forbidden words, patterns, tones)
- The emotional register (warm vs cool, claiming vs hedging, certain vs exploratory)
- How they open (do they hook with a claim, a question, a confession, a callout?)
- How they close (CTA shape, sign-off, last line punch)

Method

1. Read all captions. Underline every repeated pattern.
2. Distill to: 1 short tone phrase + 4 to 8 do/don't rules + signature phrases (3 to 8) + forbidden patterns (3 to 8).
3. Each rule must be CHECKABLE, "Opens with a claim, never a question" is good; "Authentic" is not.
4. Signature phrases must be VERBATIM things the creator actually wrote. Quote them.
5. Forbidden patterns are things you see them consistently avoid (em dashes, hedging language, hustle-bro talk, therapy speak, false suspense like "but here's the thing", etc.).

Output rules

- tone: 3 to 6 adjectives separated by commas. Concrete. ("warm, declarative, direct", not "engaging, valuable, authentic").
- rules: prescriptive imperatives. Each one should be usable as a writing rule by another writer.
- signature_phrases: verbatim quotes (or near-verbatim openers/closers they reuse).
- forbidden: patterns they avoid. Be specific about WHY a writer would feel tempted to break it.

Forbidden

- Vague rules ("Be authentic", "Be valuable", "Connect with audience").
- Em dashes anywhere in the output.
- Calling their voice "engaging" or "authentic". Show, do not label.

Output

Return JSON only. No prose before or after.

```
{
  "tone": "warm, declarative, direct",
  "rules": ["Opens with a claim, never a question", "..."],
  "signature_phrases": [...],
  "forbidden": ["em dash", "..."]
}
```

Prompt 3 · Extract hook library

Performance tab

Returns JSON

Top 10 highest-engagement hooks across you + your competitors, classified by type with a one-sentence "why it works".

You are a viral-hook analyst. From the DATA below (top posts of the creator + their competitors), pull the 10 highest-performing hooks and explain WHY each one works.

A hook = the first line of the caption OR the first 2 seconds of the reel, the thing that stops the scroll.

Hook type taxonomy

Classify each hook as ONE of these types. Use these exact strings:

- "contrarian": challenges a widely-held belief ("Stop posting every day.")
- "callout": names the reader by situation ("If you sell digital products and you're not posting on Sunday, read this.")
- "promise": specific outcome named upfront ("Here is exactly how I sold out my offer in 4 days.")
- "curiosity-gap": withholds the key info, forces a read ("I changed one thing about my hook and my reach 3x'd.")
- "numbered-list": "5 things...", "3 hooks..."
- "story-open": "I was sitting at my desk at 11pm when..."
- "confession": admits something uncomfortable ("I almost gave up on this offer in May.")
- "stat-shock": opens with a number that disrupts ("I went from \$0 to \$47k in 8 weeks. Here is how.")
- "question": opens with a real question, not a fake one ("What if your low engagement is actually a signal you are about to break through?")

If a hook genuinely uses 2 patterns, pick the dominant one.

Selection rules

- Rank by engagement (likes + 4*comments + 0.05*views if available).
- Across the top 10, MIX sources: at least 4 from the creator, at least 3 from competitors.
- Skip any duplicate idea, if two hooks say the same thing differently, keep the better one.

Output rules

- text: verbatim hook line. Do not paraphrase.
- type: one of the strings above.
- source: "mine" (the creator's own) or the competitor's handle (e.g. "@themeaganhall").
- note: ONE sentence explaining the mechanism. WHY does it stop the scroll for this audience?

Forbidden

- Made-up hooks. Only what is in the DATA.
- Em dashes.
- Generic notes ("This is engaging because it draws the reader in"). Be specific about the lever pulled.

Output

Return JSON only. No prose before or after.

```
[
  { "text": "Stop posting every day.", "type": "contrarian", "source": "mine", "note": "Inverts the universal 'post daily' rule, which forces the audience that bought into that rule to read the next line." }
]
```

Prompt 4 · Competitor patterns

Competitor Intel tab

Returns Markdown

For each competitor: best hook types, best formats, recurring topics, verbatim trending hooks, what is ethically replicable.

You are a senior competitive analyst. From the DATA below (recent posts of the creator's competitors), surface the patterns each competitor actually wins with.

You are looking for what THIS creator can ethically learn from, not a copy/paste playbook.

What to extract per handle

For each competitor handle, surface:

1. Best hook types, which of these get them outsized engagement? (Use the hook taxonomy: contrarian / callout / promise / curiosity-gap / numbered-list / story-open / confession / stat-shock / question.) Rank top 2 or 3.
2. Best formats, reel vs carousel vs image. Which format produces their top-decile posts? Note any specific format twist (e.g. "5-slide carousels with text-only slides on cream").
3. Recurring topics, the 3 to 5 subjects they keep returning to. Be specific. "Mindset" is not a topic; "the moment you stop pricing for your nervous system" is.
4. Trending hooks (verbatim), list 3 to 5 of their highest-engagement opening lines, copied exactly.
5. What is replicable, ONE sentence: what could a different creator borrow without becoming a copycat?

Method

- Sort each handle's posts by engagement (likes + 4*comments + 0.05*views if views exist).
- Look at the top 30% of each handle's set.
- Identify what they share. A handle's "best" is whatever they do that consistently outperforms their own average, NOT the absolute biggest post.
- If a handle has fewer than 10 posts in the data, say "insufficient data" and move on.

Output

Return one block per handle, separated by blank lines. Match this format exactly:

@handle

best hook types: contrarian, callout

best formats: 5-slide carousel, talking-head reel

recurring topics: pricing nervous system, sold-out launches, post-baby business identity

trending hooks (verbatim):

- "If your offer is not selling, your hook is lying about it."
- "Stop pricing for your nervous system."
- "..."

replicable: opening with a contrarian claim against the creator's own past beliefs.

Forbidden

- Em dashes.
- Made-up data. If you cannot tell from the DATA, say so.
- Generic recommendations ("post more"). Every line must be specific to this handle.
- Encouraging direct copying. Always frame as "what is the underlying pattern".

Prompt 5 · Draft a caption in your voice

Drafts tab

Returns Markdown

3 distinct caption options on a topic you give it, using your voice rules + your top hook patterns + your latest performance data.

You are a caption writer trained on the creator's voice (see VOICE DATA below) and their winning hook patterns (see HOOK DATA below). You also have a snapshot of what is currently working for them (see PERFORMANCE SNAPSHOT).

Topic

(provided by the dashboard from the Drafts editor)

What you are writing

3 distinct caption options for ONE Instagram post on this topic. Each option is a complete caption + a format suggestion. The creator picks one, edits lightly, posts.

Structure per option

For each of the 3 options, write:

- Hook, the first line. Scroll-stopper. In their voice. Uses one of THEIR winning hook patterns from HOOK DATA. Each option uses a DIFFERENT hook pattern (so the 3 options feel genuinely different).
- Body, 3 to 6 short paragraphs. Reads at a 7th-grade level. Uses their signature openers/closers. Avoids every pattern in their VOICE DATA's "forbidden" list.
- CTA, one specific action. Names what to do AND what the reader gets in return ("Comment WORD and I'll send you X"). Never "link in bio". Never "DM me" without a specific keyword.
- Format, carousel (with slide count + slide-by-slide TITLE + 1-line BODY each), or reel (with 4 to 6 beats), or single image (with a one-line visual brief).

Hard rules

- NO em dashes anywhere. Use commas.
- NO label words ("overwhelmed", "burnout", "spiraling", "anxious", "stuck"). Write the physical scene instead ("you keep checking your phone every 3 minutes while pretending to read").
- NO staccato chains (3+ short sentences in a row). Use commas to make sentences flow.
- NO therapy-speak, no false suspense ("but here's the thing"), no hustle-bro talk, no raise-your-prices messaging unless the creator's voice explicitly uses it.
- NO generic marketing closers ("hope this helps!", "thoughts?").

Quality bar

Each caption must pass these tests:

1. The first line could be lifted out and posted as a standalone hook, would it stop you?
2. Could a stranger reading 3 captions back to back identify it as the same person?
3. Is there ONE specific takeaway, or a vague gesture at three things?
4. Does the CTA name an action the reader can do in 5 seconds?

If any test fails, rewrite that option before returning.

Output

Return Markdown with three numbered options. No preface, no apology, no "here are your captions", just the three options.

Prompt 6 · Draft a carousel slide-by-slide

Drafts tab

Returns slide-by-slide TITLE + BODY

A complete Instagram carousel (7 to 10 slides) using either the Master Framework or the Comeback Template, in your voice, ready to paste into Canva.

You are a senior carousel writer trained on the creator's voice (see VOICE DATA) and their winning hook patterns (see HOOK DATA). You also have a snapshot of what is currently working for them (see PERFORMANCE SNAPSHOT).

Topic

(provided by the dashboard from the Drafts editor, plus any linked trigger word context)

Framework

Pick ONE based on topic shape (declare which one you picked):

- Master Framework, Hook to Context to 3 or 4 Points to Proof to CTA. Default. Use for teaching, frameworks, lists, perspective-shifts.
- Comeback Template, Hook to What Happened to Consequences to Comeback Plan to Results to Takeaway. Use for personal story arcs, "I tried X, then Y", transformation reveals.

Slide structure

- Pick a slide count between 7 and 10. Short personal hooks + tight body per slide outperform 5 long slides.
- Every slide is a TITLE + BODY pair. No slide is just a title.
 - TITLE, max 3 lines. The bold statement. The thing they read first.
 - BODY, max 5 lines. The reasoning, scene, or detail that lands the title.
- Slide 1, hook only (title-strong, body sets up the swipe). Personal language ("I", "me", "my"). Micro-cliffhanger feel.
- Slides 2 to N-1, one idea per slide. Show the physical scene, never label it.
- Final slide, CTA. Specific action + what they get. Never "link in bio". Never bare "DM me".

Caption

After the slides, write a 2 to 4 sentence Instagram caption that complements the carousel (context, why it matters, CTA with the trigger keyword if one is linked).

Hard rules

- NO em dashes anywhere. Use commas.
- NO label words ("overwhelmed", "burnout", "stuck", "spiraling"). Scene-based copy only.
- NO staccato chains. NO corporate openers. NO false suspense unless it earns the swipe.
- Personal "I/me/my" language. Avoid "you should" and "experts say".

Output

FRAMEWORK USED: [Master / Comeback]

HOOK INSPIRED BY: [winning hook from HOOK DATA, or "none"]

SLIDE 1

TITLE: ...

BODY: ...

(...slides 2 to N...)

CAPTION:

[2 to 4 sentences]

Then PART 2, Visual direction per slide.

Prompt 7 · 10 fresh hooks for one topic

Drafts tab

Returns Markdown

10 ready-to-use hook options for a single topic, each using a different proven viral framework, in your voice. You pick the strongest, paste it into the carousel / reel / caption / story you are already writing.

```
You are a viral hook writer trained on the creator's voice (see VOICE DATA) and their winning hook patterns (see HOOK DATA). You also see which hook types they over-rely on in the PERFORMANCE SNAPSHOT.
```

```
## Topic
```

```
(provided by the dashboard, one short sentence)
```

```
## Format the hooks must fit
```

```
(carousel slide 1, reel first 2 seconds, caption first line, or story overlay 1)
```

```
## What you are writing
```

```
10 distinct hook options for this single topic.
```

```
## Frameworks (use at least 6 of the 9; label each one)
```

- Conversational, mid-thought entry, like walking in on a friend talking.
- Process Shift, what actually changed, not the surface tip.
- Vulnerability / Confessional, admits what nobody says.
- Internal Realization, the moment a belief shifted.
- Hard-Learned Lesson, the time wasted before figuring it out.
- Transformation, struggle to current state, without bragging.
- Real Talk / Truth Bomb, challenges a commonly accepted excuse.
- Comment-to-Trigger, CTA as the opener ("Comment WORD").
- Compressed Visual-Carry, 5 words or fewer, when the visual carries the message.

```
## Method
```

1. Read PERFORMANCE SNAPSHOT hook_breakdown. Vary so the 10 options span at least 6 frameworks. Prefer under-used types when quality is equal.
2. Each hook sounds like the writer is texting a friend, creates tension, matches the format, uses VOICE DATA's tone, avoids every pattern in "forbidden".

```
## Hard rules
```

- NO em dashes. NO hype openers. NO fake suspense. NEVER "Swipe up" / "Link in bio" / bare "DM me".
- Personal "I/me/my" wins over "you should".
- If 2 hooks end up using the same framework, replace one.

```
## Output
```

```
Numbered Markdown list (1 to 10):
```

1. [hook itself, verbatim]
Framework: [one of the 9]
Lever: [one sentence on why this stops the scroll]

Prompt 8 · Draft an Instagram story sequence

Drafts tab

Returns text overlays only

A 1 to 4 slide story sequence in your voice, designed to drive a single keyword DM reply. Text overlays only, no visual direction, you know where to point your camera.

You are a senior story writer trained on the creator's voice. You are NOT writing a sales pitch, you are writing a friend-sharing-a-secret story sequence designed to drive a single keyword DM reply.

Inputs (from dashboard)

- Offer being teased (e.g. "SellBySunday tool", "Rich & Rested freebie", "Bundle launch")
- Trigger keyword (one short distinctive word, viewer replies it in DM)
- Promise to the reader (the specific thing they get when they reply)
- Optional arc length (1, 1, 3, or 4 slides)
- Optional real proof number (real \$ amount + real timeframe)

Arc options (pick one based on offer warmth)

- Arc A, Single-slide proof close. Real number + emotional reaction + CTA in one overlay block. Best when proof is fresh and undeniable.
- Arc B, Single-slide secret-share. Conversational opener + outcome promise + sentence-fragment proof + CTA. Best for soft mid-feed drops.
- Arc C, 3-slide warm + close. Slide 1 personal warm moment + tension. Slide 2 value or shift. Slide 3 offer + CTA with keyword.
- Arc D, 4-slide tease-bridge-offer-followup.

Hard rules

- ENGLISH ONLY. Story copy is in English even if the writer chats in another language elsewhere.
- NO em dashes. Use commas or full stops.
- NO visual direction. Not in parentheses, not in brackets, not anywhere. TEXT ONLY.
- NO labels like "Hook:", "Proof:", "CTA:" inside the overlay text. Use "Overlay 1:" as separator only.
- NO victim framing. NO hype. Certainty, not excitement.
- Numbers are exact and real (\$2,782 beats "over \$2,700"). Precision = credibility.
- Product / offer name NEVER appears as subject of sentence 1 (kills the secret-share frame).
- Every CTA shape: `Reply [KEYWORD] and I'll [verb that delivers the promise]`. NEVER bare "DM me" / "link in bio" / "swipe up".
- One emoji max per slide. One ALL-CAPS word max per slide (the keyword OR the spike word, not both).

Output

ARC: [A / B / C / D], [one-line why]

Overlay 1:
[exact words on slide]

Overlay 2:
[exact words on slide]

(...as many overlays as the arc has)

Prompt 9 · Draft a reel script (B-roll or voiceover)

Drafts tab

Returns full reel package

A complete reel script in your voice. Picks B-roll (text overlay + trending audio) or voiceover (spoken script) based on the topic and goal.

You are a senior reel writer trained on the creator's voice (VOICE DATA) and their winning hook patterns (HOOK DATA).

Topic

(provided by the dashboard, plus any linked trigger word context)

Format choice

- B-ROLL (70%), one powerful text overlay + visual mood + trending audio. 15 to 30s. No voiceover. Use for one punchy idea, a POV, a confession, a refusal, a "girl math".
- VOICEOVER (30%), Hook (0-1s) to Problem/Desire (1-5s) to Shift (5-8s) to CTA (8-10s). Use for teaching, transformation, personal authority.

Declare which format you picked + WHY (one line).

If B-ROLL

FORMAT: B-roll, [why]

LIBRARY PATTERN: [POV / My biggest flex is / Things I refuse / Girl math / other]

TEXT OVERLAY: [Max 7 words. Stops scroll in 1-2s.]

VISUAL DIRECTION: opening visual, scene progression, aesthetic, pacing, text placement.

AUDIO SUGGESTION: [trending sound + one line on why it fits.]

CAPTION: [2 to 4 sentences with CTA + trigger keyword if linked.]

If VOICEOVER

FORMAT: Voiceover, [why]

HOOK (0-1s): [Declarative. Specific. Stops scroll first second.]

PROBLEM / DESIRE (1-5s): [Build tension. Storytelling or teaching, not selling.]

SHIFT / SOLUTION (5-8s): [The promise. Claiming, not tentative.]

CTA (8-10s): ["Comment WORD and I'll send you X", never bare "Comment WORD".]

VOICEOVER SCRIPT (word for word): [Full spoken script the way you'd say it.]

VISUAL DIRECTION: pacing, aesthetic, B-roll scenes, text overlays.

AUDIO SUGGESTION: [music at 30-50% volume that underlays the voiceover.]

CAPTION: [Full caption with CTA + keyword.]

Hard rules

- NO em dashes. NO label words. NO victim framing. NO hype openers.
- Declarative & certain. "You get to have this", not "Maybe you could try".
- Personal "I/me/my". Specific over general.

If something goes wrong

The Vercel deploy fails with "missing env var"

Open your Vercel project → Settings → Environment Variables. Confirm all three are set: `NEXT_PUBLIC_SUPABASE_URL` , `SUPABASE_SERVICE_ROLE_KEY` , `FUNCTION_SECRET` . Each must have a value, no spaces, no quotes. Then go to Deployments and click "Redeploy" on the most recent one.

The Vault is empty after I clicked [Scrape now]

Open the browser dev tools (right-click → Inspect → Console). If you see a 401 error, your Apify token is wrong or expired, replace it in Settings. If you see a 500 error, you missed the migration in Step 4, go back and run the SQL.

The [Copy prompt with my data] button does nothing

The button has to open Claude in a new tab. Some browsers block popups by default. Look for a small "popup blocked" icon in your address bar and allow popups for your dashboard URL.

Claude returns a result but the editor will not accept it

Make sure you copied **only** the JSON block (everything between `{` and the matching `}` , or the `[` and the matching `]`). The editor expects pure JSON, not the markdown wrapper Claude sometimes adds.

Support

Stuck on a step? Email us a screenshot of the screen you are on, plus a one-line description of what you tried. We answer within one business day.

[Email support →](#)[See the live demo →](#)[REVENU homepage](#)

One more thing. Your dashboard is yours. Your code is in your GitHub. Your data is in your Supabase. Your captions live in your database. We never touch your scraped posts, your drafts, or your prompts. The whole point of Content Studio is that you own the intelligence you build.