

The Steerway Final Scroll and Interaction Master Spec - Rebuilt V3

Corrected hero contract, uploaded HTML field-background integration, full scroll/motion
specification

July 2026

Contents

1 0. V3 implementation contract	3
2 1. The uploaded HTML background effect: exact translation	3
2.1 1.1 Behaviour requirements	3
2.2 1.2 What not to copy from the uploaded HTML	3
3 2. Hero section specification	4
3.1 2.1 Component	4
3.2 2.2 Hero content shell	4
3.3 2.3 Hero visual style	4
3.4 2.4 Hero motion	4
4 3. Needle loader specification	4
5 4. Service ticker bridge specification	5
6 5. Cinema sequence specification	5
6.1 5.1 Main rule	5
6.2 5.2 No-card rule	6
7 6. Cinema scroll timeline	6
8 7. Cinema text reveal grammar	6
9 8. Square traveller rules	7
10 9. Footer payoff	7
11 10. Hover and micro-interaction system	7
11.1 10.1 Hero	7
11.2 10.2 Ticker bridge	7
11.3 10.3 Cinema	7
11.4 10.4 Footer	8
12 11. Internal pages	8
13 12. Mobile and reduced-motion rules	8
13.1 Mobile	8
13.2 Reduced motion	8
14 13. Acceptance checklist	8




Figure 1: Spec cover

1 0. V3 implementation contract

This V3 rebuild corrects a major issue in the previous documents: the hero section was over-specified. The user explicitly said the hero section would be designed later.

Therefore, the hero section is now a **controlled placeholder system**, not a finished composition.

Locked homepage order:

NeedleLoader

-> Header

-> HeroTypographicField

-> ServiceTickerBridge

-> CinemaSequence

-> ConversionBridge

-> FooterPayoff

-> InternalPages

Hero rule:

Hero = powerful typography placeholder + subtle CTA/scroll cue + uploaded HTML vector-field background

The uploaded HTML file is used only for the hero canvas field. Do not copy anything else.

2 1. The uploaded HTML background effect: exact translation

The uploaded HTML hero has a canvas called field. It creates a directional vector field using many small line segments arranged in a grid. Each segment rotates toward an attractor. The attractor follows the mouse on desktop and moves in an ambient orbit when idle. Lines close to the attractor become warmer/champagne and slightly brighter.

Build this as a reusable component:

```
<HeroFieldBackground />
```

2.1 1.1 Behaviour requirements

- Canvas fills the hero section.
- Canvas sits behind typography.
- Strokes are short directional lines, not dots or particles.
- Grid spacing changes by screen width.
- Desktop: attractor follows cursor while cursor is inside or near the hero.
- Idle: attractor follows a slow orbit.
- Mobile/touch: ambient orbit only.
- Proximity brightens strokes and shifts some strokes to champagne.
- Distant strokes stay low-opacity ivory/graphite.
- Small node points can appear only near high proximity.
- Animation must pause when hero is off-screen.
- Reduced-motion mode must render a static field.

2.2 1.2 What not to copy from the uploaded HTML

Do not copy:

- hero text,
- Steer Intelligence naming,
- The Blank Group references,
- coordinates,
- HUD corner frame,
- custom cursor,
- header,

- navigation,
- service sections,
- pricing,
- forms,
- footer,
- any layout except the background-field concept.

3 2. Hero section specification

3.1 2.1 Component

```
<HeroTypographicField>
  <HeroFieldBackground />
  <HeroContentShell />
</HeroTypographicField>
```

3.2 2.2 Hero content shell

The hero content is not final. It should be implemented using placeholders that are easy to change.

Required placeholders:

```
[HERO_HEADLINE_TBD]
[HERO_SUBCOPY_TBD]
[PRIMARY_CTA_TBD]
[SCROLL_INSTRUCTION_TBD]
```

Do not write final marketing copy unless the user provides it.

3.3 2.3 Hero visual style

- Large Fraunces-led typography.
- Strong editorial spacing.
- Subtle IBM Plex Mono label/instruction.
- One or two restrained CTA elements only.
- No cards.
- No product mockups.
- No feature grid.
- No background images other than the vector-field canvas.

3.4 2.4 Hero motion

Allowed:

- text mask reveal on initial entry,
- subtle blur-to-sharp for hero type,
- background field responding to cursor/idle orbit,
- scroll cue hairline animation.

Not allowed:

- hero becoming the logo cinema,
- huge service carousel inside hero,
- random 3D objects,
- copying the uploaded HTML's exact content.

4 3. Needle loader specification

The needle loader remains the first site moment.

Scroll/timing behaviour:

1. Page opens in obsidian field.
2. Secondary needle appears.
3. Needle calibrates through small rotational correction.
4. Needle aligns to 0 degrees toward the right.
5. Needle traces/exits into hero field.
6. Hero field reveals.

The loader must be short. It should not delay the site unnecessarily.

5 4. Service ticker bridge specification

After hero, build a bridge that prepares the user for the cinema.

Component:

```
<ServiceTickerBridge>
  <MovingServiceBelt />
  <CenteredPrimarySeal />
  <ScrollToSteerInstruction />
</ServiceTickerBridge>
```

Allowed ticker terms:

WEBSITES · AI AUTOMATION · SAAS PRODUCTS · CRM SYSTEMS · DASHBOARDS · ANALYTICS · GROWTH INFRASTRUCTURE

Motion:

- slow horizontal motion,
- pause or slow on hover,
- no fast ticker-tape feeling,
- centered primary seal remains calm,
- scroll instruction pulses subtly.

6 5. Cinema sequence specification

The cinema starts after the ticker bridge.

Component:

```
<CinemaSequence>
  <CinemaPin>
    <CameraRig>
      <AmbientDepthLayer />
      <LogoWorldLayer />
      <SquareTraveler />
      <CinemaTextReveals />
      <ForegroundGrain />
    </CameraRig>
  </CinemaPin>
</CinemaSequence>
```

6.1 5.1 Main rule

The cinema is the blank canvas below the service bar. This is where the reference-inspired effects belong, but only in translated buildable form.

Effects to include:

- Radian-like route journey translated as camera-tracked logo-world travel.
- Ouro-like text reveal translated as masked Fraunces line reveal.

- New Genre-like storytelling translated as sparse node-based reveal sequence.
- Non-Linear-like text hover translated as restrained hover on selected words.
- Daylight/Ouro footer polish translated as final period landing and hover.
- MIUX-like smooth transition translated as clean bridge between ticker, cinema and footer.

6.2 5.2 No-card rule

Cinema must not use cards, boxes, icons, dashboards, SaaS grids or mockups.

Only use:

- primary seal geometry,
- S-route,
- champagne square,
- large typography,
- mono labels,
- hairlines,
- subtle CTAs,
- negative space,
- atmospheric depth.

7 6. Cinema scroll timeline

Suggested range: 500vh to 800vh pinned sequence.

Scroll progress	Zone	Behaviour
0-8%	Entry from ticker	primary seal begins to enlarge
8-18%	Logo-world entry	camera pushes into seal; S-cut becomes aperture
18-28%	Route lock	square becomes active traveler; path illumination begins
28-40%	Node 01	first phrase reveal
40-52%	Node 02	second phrase reveal
52-64%	Node 03	third phrase reveal
64-76%	Node 04	fourth phrase reveal
76-86%	Conversion	route slows; CTA phrase appears
86-100%	Footer payoff	square exits route and lands as period

8 7. Cinema text reveal grammar

Every cinema text reveal must be triggered by the square's progress, not independent scroll fade.

Reveal grammar:

1. Square approaches node.
2. S-route glow brightens.
3. Mono label appears first.
4. Fraunces phrase reveals through mask.
5. Optional short line appears.
6. Optional CTA appears.
7. Text softens/recedes as square leaves.

Example placeholder format:

```
NODE 01 / [CAPABILITY_LABEL]
[PHRASE_TBD]
[SUPPORTING_LINE_TBD]
```

Do not lock final copy unless supplied.

9 8. Square traveller rules

The champagne square is the main character of the cinema.

Required:

- visible size,
- soft glow,
- trail,
- acceleration/deceleration,
- node pulse,
- same element persists until footer period,
- no teleporting,
- no abrupt period appearance.

10 9. Footer payoff

The square completes the S-route, slows, exits the route, and lands after the IBM Plex Mono wordmark: STEERWAY.

The period must be the same square.

Sequence:

1. Route glow fades behind square.
2. Camera flattens from cinema to footer plane.
3. STEERWAY appears.
4. Square moves into exact period position.
5. Soft glow.
6. Stillness.

11 10. Hover and micro-interaction system

11.1 10.1 Hero

- CTA hover: champagne underline or edge trace.
- Scroll cue: hairline pulse.
- Background field: cursor-reactive attraction.

11.2 10.2 Ticker bridge

- Service terms may slow on hover.
- Center seal may have tiny champagne square pulse.
- No extra hover cards.

11.3 10.3 Cinema

- Selected large words may respond with subtle magnetic or blur-sharp hover.
- CTAs use champagne line trace.
- No popover cards.

11.4 10.4 Footer

- Hover on period triggers micro S-route pulse.
- Wordmark letters breathe subtly.
- Footer links use champagne path underline.

12 11. Internal pages

Internal pages use needle mapping, not homepage cinema.

Each internal page should have:

- powerful but simpler typographic hero,
- subtle version of hero field or static graph background if needed,
- needle route diagram,
- service explanation,
- use cases,
- proof or capability list,
- CTA to deck, audit, quote, roadmap, or discovery.

No public pricing unless approved later.

13 12. Mobile and reduced-motion rules

13.1 Mobile

- Hero field becomes lighter/static if performance requires.
- Ticker remains slow and readable.
- Cinema becomes a simplified vertical route or scroll-by-scenes.
- Text remains readable above motion.

13.2 Reduced motion

- Needle loader becomes quick fade.
- Hero field becomes static directional lines.
- Cinema becomes stepped static panels.
- Square period payoff becomes a simple controlled transition.

14 13. Acceptance checklist

Reject build if:

- Hero includes final copy not approved by user.
- Hero copies any text from uploaded HTML.
- Hero background is not the vector-field behaviour.
- Uploaded HTML influences anything other than hero background.
- Cinema starts before hero.
- Cards return in cinema.
- Square does not drive reveals.
- Footer period is not the same square.
- Internal pages repeat full cinema.
- Website mentions Blank Group or Steer Intelligence.

15 14. Final AI-platform prompt for V3

Use the V3 documents as source of truth.

Critical correction: the hero section is not final-designed. Build only a powerful typographic
After hero, build the service ticker bridge. Then start the primary-seal cinema: seal becomes 1
No cards in cinema. No generic SaaS layout. No Blank Group or Steer Intelligence traces.