

Contentful CMS Setup Guide

This document covers everything that needs to be configured in Contentful to support the current frontend. Work through each section before testing on staging.

Content Type: **Trip**

Field: **itinerary** (JSON Array)

Each element in the array must follow this structure:

```
{
  "day": "1",
  "activity": "Arrival in Cancun, Mexico",
  "description": "Once you've arrived, checked in and settled into your room, take some time to relax and enjoy the facilities after your journey. Grab some food, unwind and get comfortable.\n\nLater in the night, for those who still have the energy, we'll be hosting a late-night games night. A relaxed, low-pressure way to meet a few faces, ease into the group and kick things off.",
  "coverImage": "https://..."
}
```

Key	Type	Required	Notes
day	string	Yes	Day number, e.g. "1", "2"
activity	string	Yes	Title shown on the card
description	string	No	Body text shown below the title. Supports \n\n for paragraph breaks
coverImage	string	No	Full URL of the card image

Action: For each trip, add a **description** to every itinerary day entry.

Field: **whatsIncluded** (JSON Array)

All items in this array are treated as **Included** items and shown in the "Included" column on the trip detail page.

Each element must follow this structure:

```
{ "title": "All-Inclusive Resort" }
```

Key	Type	Required	Notes
title	string	Yes	Label shown in the "Included" list

Action: List every item that is included in the trip price.

Field: `whatsNotIncluded` (JSON Array)

Controls the "Not Included" column on the trip detail page. Each element must follow this structure:

```
{ "title": "Flight ticket" }
```

Leave this field empty in Contentful for standard trips. The frontend automatically falls back to these 3 defaults when the field is empty:

- Flight ticket
- Breakfast
- Airport pickup and transfer

Only fill in this field when a specific trip deviates from those defaults.

The migration script adds this field to the `Trip` content type automatically. No default value is set in Contentful (JSON Object fields don't support defaults) — the fallback lives in `whats-included.tsx` .

Field: `groupSize` (Short text)

Shown on the featured trip card on the homepage. Example value: `"12–18 people"` .

The migration script adds this field to the `Trip` content type automatically.

Checklist — Per Trip

For each trip entry in Contentful, verify:

- ☐ Every `itinerary` day has a `description` field filled in
- ☐ `whatsIncluded` lists all items that are included in the trip price (each just needs a `title`)
- ☐ All `coverImage` URLs in `itinerary` are valid and publicly accessible
- ☐ `groupSize` is filled in (e.g. `"12–18 people"`)
- ☐ `whatsNotIncluded` is left empty unless the trip differs from the 3 standard defaults

Content Type: `OurWallOfLove` (Reviews)

Field: `socialHandle` (Short text)

Shown on community review cards. Example value: `@lanreoladipo` .

The migration script adds this field to the `OurWallOfLove` content type automatically.

Action: Fill in `socialHandle` for each review entry in Contentful.

Content Type: `BlogPost`

Content type ID: `blogPost` — already created in Contentful.

Fields

Field	Type	Required	Notes
-------	------	----------	-------

title	Short text	Yes	Post headline
slug	Short text	Yes	URL-friendly ID (e.g. why-group-travel-is-the-new-solo-travel). Appearance: Slug , generated from title. Must be unique.
category	Short text	Yes	One of: travel-updates, company-updates, support, stories
author	Short text	Yes	Author name, e.g. Lanre O.
date	Date	Yes	Publication date
excerpt	Long text	Yes	Preview text shown on listing cards
coverImage	Asset (Image)	Yes	Cover photo for the card and article header
body	Rich text	Yes	Full article content

readTime is not a Contentful field. It is auto-calculated on the frontend from the word count of body at ~200 words/minute. No need to fill it in manually.

Content Type: CommunityStory

Content type ID: communityStory — already created in Contentful.

Fields

Field	Type	Required	Notes
title	Short text	Yes	Story headline
slug	Short text	Yes	URL-friendly ID (e.g. marrakech-tangier-2024). Appearance: Slug , generated from title. Must be unique.
author	Short text	Yes	Trippler's name
date	Date	Yes	Publication date
readTime	Short text	No	e.g. 5 min read — filled in manually (no structured body field)
excerpt	Long text	Yes	Preview text shown on the community grid card
image	Asset (Image)	Yes	Cover photo for the card
category	Short text	No	Default: stories

Pagination

The community page paginates stories at **9 per page** using URL search params (?page=2). Pages are shareable and back-navigation preserves position.

GraphQL query (uses skip and limit):

```

query CommunityStories($skip: Int!, $limit: Int!) {
  communityStoryCollection(skip: $skip, limit: $limit, order: date_DESC) {
    total
    items {
      sys { id }
      title
      slug
      author
      date
      readTime
      excerpt
      image { url title }
      category
    }
  }
}

```

- `limit = 9` (PAGE_SIZE constant in `alumni-grid.tsx`)
- `skip = (page - 1) * 9`
- `total` from the response drives `totalPages`

Other Fields (Reference)

Field	Type	Notes
<code>location</code>	String	Used to generate the trip URL slug (e.g. "Cancun, Mexico" → <code>/trips/cancun-mexico</code>)
<code>startDate / endDate</code>	Date	ISO 8601 format
<code>fullAmount</code>	Number	Full trip price
<code>downPayment</code>	Number	Deposit amount
<code>discount</code>	Number or null	Optional discount
<code>slots</code>	Number or null	Available seats
<code>installments</code>	JSON Array	Each: { "date", "type", "amount", "installment_number" }
<code>soldOut</code>	Boolean	Toggles sold-out state on the trip card
<code>isFeaturedTrip</code>	Boolean	Surfaces trip in featured sections
<code>travelWithOwners</code>	Boolean	Shows "Travel with Ovie and Lanre" badge
<code>bannerImagesCollection</code>	Asset Collection	Hero/banner images for the trip detail page

viewsOfLocationCollection	Asset Collection	Gallery images shown in the "Our view of..." section
description	Text	Short trip description shown in the overview