


localhost:8502



localhost:8502 2/6

	sepal.length	sepal.width	petal.length	petal.width	variety
0	5.1000	3.5000	1.4000	0.2000	Setosa
1	4.9000	3.0000	1.4000	0.2000	Setosa
2	4.7000	3.2000	1.3000	0.2000	Setosa
3	4.6000	3.1000	1.5000	0.2000	Setosa
Selec	t Assignment	3.6000	1.4000	0.2000	Setosa
5 A	5.4000 ssignment	3.9000 No.1	1.7000	0.4000	Setosa
	4.6000 ssignment	No.2 ^{3.4000}	1.4000	0.3000	Setosa
	ssignment		4 1.5000	0.2000	Setosa
• %	ssign#dnu	No.5 ^{2.9000}	1.4000	0.2000	Setosa
9	4.9000	3.1000	1.5000	0.1000	Setosa
10	5.4000	3.7000	1.5000	0.2000	Setosa
AS	ssign		5.6000	0.2000	Setosa
12	4.8000	3.0000	1.4000	0.1000	Setosa


Operation

k-NN classifier

Select k value

5

localhost:8502



Accuracy :0.965


Misclassification: 0.035000000000000003

Precision: 0.947

Recall : 0.947

Specificity: 0.974

Using Standard function





Setosà/ersicolò/rirginica Predicted label

Accuracy by standard function: 1.0

Misclassification Rate by standard function: 0.0

Precision by standard function: 1.0

Recall by standard function: [1.0]

Specificity by standard function: 1.0

Made with Streamlit