

Jira Ticket Planner

[USER](#) [MANUAL](#)

A single-file calendar planner for breaking Jira tickets into hour-sized blocks across two weeks.

[planner.html](#) / v1

JIRA-201

8h -- ready

API-77

6h -- rate limits

WEB-145

4h -- redesign

What it does

02 / 22

Drag-drop scheduling for Jira tickets

Each ticket becomes a colored block with an hour budget. Clone it into pieces, drop the pieces onto days, and watch the week fill up. No build step, no server, no install.

ONE FILE

No build, no deps. Just open the HTML.

2-WEEK GRID

Mon-Fri full size, Sat-Sun stacked.

DRAG-DROP

Grab the ticket key, drop on a day.

AUTO-SAVE

localStorage + optional file link.

Get going in 30 seconds

03 / 22

1

Open planner.html

Double-click the file in Explorer. It opens in your default browser. Use Chrome or Edge for full features.

2

Demo projects appear

On first run, 5 sample tickets seed into the right-pane Backlog so you have something to play with.

3

Drag the key

Grab the bold ticket key (e.g. AUTH-201) and drop the block onto any day.

FILE PATH

```
~\GitHub\jira-ticket-planner\planner.html
```

What you are looking at

Planner

[Today] [<] May 11-24 [>] [+]

[Import] [Export] [Link]

MON	TUE	WED	THU	FRI	SAT
		AUTH-201 8h - login			
					SUN

BACKLOG

SEARCH

PROJ-100

PROJ-101

PROJ-102

- 1

Toolbar
Navigation, import, export, theme.
- 2

Two weeks
Mon-Fri columns, Sat-Sun stacked.
- 3

Right pane
Backlog and Search tabs.
- 4

8h soft cap
Day turns red when over.

Anatomy of a block

05 / 22

JIRA KEY

Drag handle. Hover for grab cursor.

AUTH-201

Authentication overhaul

NAME

Inline editable. Truncates with ellipsis when too long.

HOURS

Inline editable. Accepts 8h, 1.5h, 1d 4h.

8h

-- check token storage

NOTE

~5 word description. Inline editable.

Jira key and Done state live in the edit modal -- see next slide.

Three ways to edit a block

06 / 22

01 INLINE

Click in the field

Click directly on Name, Hours, or Note inside any block. Type. Saves on every keystroke.

AUTH-201	Auth overhaul
8h	-- check tokens

02 CONTEXT MENU

Right-click -> Edit...

Opens a modal with every field including Jira key and Done. Save with Enter, cancel with Esc.

Edit...

Clone

Mark Done

Delete

03 SHORTCUT

Double-click the block

Anywhere except an input. Same modal as right-click Edit. Fastest path for a quick fix.

API-77	Rate limits
6h	-- (dbl-click)

The edit modal

07 / 22

EDIT BLOCK

X

JIRA KEY

AUTH-201

NAME

Authentication overhaul

HOURS

8h

NOTE

check token storage

☐ Mark this block as done

Delete

Cancel

Save

Every field, one place.

Surface the Jira key and Done state alongside the inline fields. Project color tints the top stripe.

Keyboard

Enter	saves and closes
Esc	Cancels (no save)
click-out	also cancels

Moving a block

08 / 22

Only the Jira key initiates a drag. Body inputs stay clickable for inline edits.

WED MAY 138h/8h

AUTH-201Auth overhaul

8h-- tokens



THU MAY 140h/8h

drop here

Drop target rules

Drop on any day cell to schedule.

Drop on the Backlog pane to un-schedule.

Drops always sort to the bottom of the day.

Drop highlighting hints valid targets.

HEADS UP

If a drag won't start, you're probably grabbing the body, not the key band.

Days have an 8h soft cap

WEDMAY 13

4h / 8h

AUTH-201Auth overhaul

2h-- tokens

API-77Rate limits

2h-- throttle

OK

Healthy day, well under cap

FRI MAY 15

10h / 8h

DATA-312ETL pipeline

4h-- migrate

INFRA-58k8s upgrade

4h-- rollout

WEB-145Redesign

2h-- hero

!

Over cap -- red border, red hours

Soft cap. Doesn't block drops -- just a visual warning. The total includes every block on the day, done or not.

Navigating the calendar

10 / 22



1. Today

Jump back to the current 2-week window.

2. Previous 2 weeks

Pages backward one full screen.

3. Next 2 weeks

Pages forward one full screen.

KEYBOARD

Alt + Right	Forward 2 weeks
Alt + Left	Back 2 weeks
Alt + T	Jump to today

Find any block -- Search tab

11 / 22

BACKLOG

SEARCH

auth x

2 MATCHES

AUTH-201

Authentication overhaul

8h

-- check token storage

MAY 13, 2026

AUTH-202

Auth refresh tokens

4h

-- rotation logic

IN BACKLOG

Instant filter across everything

Scheduled, backlog, done -- all searchable by Jira key or name (case-insensitive substring).

Click a date pill to jump

Scheduled results show the date. Click it -- calendar pages to that week, right pane switches back to Backlog.

Read-only display

Right-click or double-click any result to edit via modal.

Esc or x clears

Empty query shows a help hint.

Project colors

12 / 22

Each Jira key hashes deterministically to one of 12 palette slots.

#194B6A peacock e.g. PROJ-10	#0080A3 bondi e.g. PROJ-17	#492049 plum e.g. PROJ-24	#AC1A34 crimson e.g. PROJ-31
#2E7090 peacock-mid e.g. PROJ-38	#3F8FB0 bondi-lt e.g. PROJ-45	#5C2E5C plum-mid e.g. PROJ-52	#8E3A50 crimson-mute e.g. PROJ-59
#1F6680 peacock-sft e.g. PROJ-66	#6E456E plum-lt e.g. PROJ-73	#D14B5A crimson-lt e.g. PROJ-80	#0F3C56 peacock-dp e.g. PROJ-87

Cloned blocks inherit the parent's color. Same Jira key always gets the same color.

Import from Jira (1 of 2)

Drop a Jira CSV. Columns auto-detected by header (case-insensitive).

FIELD	HEADER NAMES LOOKED FOR	REQUIRED?
Jira key Identifier of the ticket	Issue key, Key, Issue ID Used to color, group, and re-import.	YES
Name Title of the ticket	Summary, Title, Name Defaults to blank if missing.	no
Hours Estimate / budget	Original Estimate, Remaining Estimate, Estimate, Time Estimate Defaults to 8h if missing or unparseable.	no

Import from Jira (2 of 2)

14 / 22

Hours parsing

8h	->	8 hours	explicit
1.5h	->	1.5 hours	decimal ok
0.5d 2h	->	6 hours	day fractions ok
1d 4h	->	12 hours	1 day = 8h
8	->	8 hours	bare number
28800	->	8 hours	>1000 = seconds
garbage	->	0 hours	CSV import substitutes 8h

Re-import behavior

NEW KEYS

Land in the Backlog as fresh blocks.

EXISTING KEYS

Kept right where they are. Stale flag cleared.

MISSING KEYS

Tagged with a red corner dot. Stale marker.

TIP

Drop in a fresh CSV every morning -- your schedule stays put, new tickets land in Backlog.

Three ways your data persists

15 / 22

01

ALWAYS ON

localStorage

- Automatic -- saves every change
- Per-file-path origin
- Survives browser restart
- Wiped by clearing site data

02

MANUAL

Export / Restore

- Export downloads a dated JSON
- Restore wholesale replaces state
- Bulletproof backup
- Portable across machines

03

AUTO TO DISK

Link File

- Pick a JSON file once
- Debounced 1.5s auto-write
- Persistence in IndexedDB
- Chrome / Edge only

Layer 1 -- localStorage

16 / 22

Automatic. Saves every change. Always on.

Built-in browser storage tied to the page origin. You don't have to do anything.

WHAT IT DOES

- Auto-saves on every keystroke and drop
- Restores on next page load
- Survives browser restart
- Zero setup, zero permissions

CAVEATS

- Tied to the exact file path
- Move planner.html -- fresh empty state
- Cleared when you wipe browser data
- Not a real backup on its own

Layer 2 -- Export / Restore

17 / 22

EXPORT

One-click backup

- 1 Click Export in the toolbar
- 2 Browser downloads planner-YYYY-MM-DD.json
- 3 Saves to your default Downloads folder
- 4 Repeat any time -- files are dated

FILENAME

planner-2026-05-12.json

RESTORE

Wholesale replace

- 1 Click Restore in the toolbar
- 2 Pick any planner-*.json file
- 3 Confirm the replace prompt
- 4 Calendar redraws from the backup

Restore replaces -- it does not merge.
Export first if you have unsaved blocks.

Layer 3 -- Link File (Chrome / Edge only)

18 / 22

Auto-save to a JSON file on disk. Picked once, debounced 1.5s.

1

Click Link File...

Toolbar button. A Save-As dialog opens.

2

Pick planner.json

Save anywhere -- e.g. inside the repo folder.

3

Auto-save kicks in

Every change writes to that file after 1.5s of quiet.

4

Survives reloads

File handle stored in IndexedDB. Click again to change or unlink.

AFTER A FRESH BROWSER SESSION

The button may show a warning icon. Click it once to re-grant write permission. Auto-save resumes.

Bootstrapping a blank planner.json

19 / 22

Order matters when first connecting to a fresh file.

WRONG

Link first, then Restore

- 1 Click Link File -- pick blank planner.json
- ! **Link writes current state to the file**
- X Blank file overwritten with old localStorage data

RIGHT

Restore first, then Link

- 1 Click Restore -- pick blank planner.json
- 2 Calendar wipes to empty state
- 3 Click Link File -- pick same file
- OK Auto-save linked, blank file preserved

Keyboard shortcuts

KEYS	ACTION
Alt + Right	Forward 2 weeks
Alt + Left	Back 2 weeks
Alt + T	Jump to today
Esc	Close modal / dismiss menu / clear search
Enter	Save modal (when in a text input inside the modal)
Right-click	Open context menu on a block
Double-click	Open edit modal on a block
Drag the key	Move a block to a day or back to backlog

Troubleshooting

21 / 22

Calendar is empty after reopening

You opened from a different file path. localStorage is per-path -- use the same location.

Link File button shows a warning

Chrome needs you to re-grant write permission. Click the button once.

Demo projects keep reappearing

seeded flag isn't true. Restore from a backup that has it, or delete demo blocks once.

CSV says 'No Key column found'

Rename the column to 'Key', 'Issue key', or 'Issue ID'.

Hours come in as huge numbers

CSV had estimate in seconds. Importer auto-converts; edit affected blocks if needed.

Drag doesn't start

Grab the Jira key band specifically. Body inputs don't initiate drags.

You're ready to plan.

Drag a key. Drop on a day. Repeat.

PLAN-001

8h -- ship it

[MANUAL.md](#)

~\GitHub\jira-ticket-planner\