




AUTH-201 8h

Jira Ticket Planner: The definitive guide to frictionless, single-file capacity scheduling.

The zero-install promise

No dependencies:

Zero build steps or servers.
Just drag the single HTML file
into your browser.



planner.html

Browser capabilities:

Chrome and Edge unlock the advanced
Link File auto-save. Firefox provides
bulletproof local storage.

Recommended



Reliable Offline

Instant staging:

On the very first run, 5 demo projects
automatically seed into your backlog
so you can immediately test
drag-and-drop mechanics.



The two-week viewport

The Main Toolbar


Houses calendar navigation, CSV Import/Export, Theme toggle, and the critical auto-save Link feature.

The 2-Week Grid

Displays a rolling 14-day window. Monday through Friday command full-height columns, while Saturday and Sunday are efficiently stacked into a single, narrower 6th column to maximize screen real estate.

The Right Pane

Your staging ground. Toggles instantly between the unscheduled Backlog and global Search.



Anatomy of the atomic unit

Jira Key (The Grab Zone)

Mono-spaced text on a colored band. This is the only place you can grab to drag. Keys are deterministically hashed to 1 of 12 project colors. Clones inherit the parent's color.



AUTH-201

Data Fields (The Edit Zone)

Name (auto-truncates), Hours (budget size), and Note (max 60 characters).



8h

-- check token storage


Hidden State

Sub-task details and Done toggles remain hidden on the surface but are exposed inside the Edit Modal.

11

The interaction spectrum


Inline (Fast / Micro)



Click any text body and type.
Saves automatically on every
keystroke. **I**

Click any text body and type. Saves **automatically** on every keystroke.
Best for rapid note tweaks.

Context Menu (Quick Actions)



Click any text body and type.
Saves automatic
keystroke.


Clone

✓ Mark Done

🗑 Delete

Right-click to access instant structural commands: Clone (creates an independent, undone copy), Mark Done, or Delete.

The Edit Modal (Deep / Macro)



Jira Key JIRA-123
Name Customized task
Hours 0
Note Write your note text here

Sub-task

Sub-task

Name

Enter your title here

☐ Done

Double-click a block (or right-click -> **Edit**) to open the master view.
Exposes all data, including the hidden Sub-task field and the Done checkbox.

Scheduling physics and sort order

The specific grab


Dragging only initiates if you pull from the **bold** Jira key band. Pulling from the body text initiates inline editing.

Omni-directional drops

Drop any block onto a date column to schedule it, or drag it back into the right pane to return it to the Backlog.

The Gravity Rule

Blocks always sink to the bottom of their target destination. The most recently moved block carries an order timestamp that ensures it lands lowest in the column.



Pacing, capacity, and block states

WED MAY 13
4h/8h

FRI MAY 15
10h/8h

The 8-Hour Soft Cap

Pushing a day past 8 hours triggers a red visual warning. This is a soft boundary—it will never block you from purposefully over-scheduling a day.

~~The Done State~~

The Done State: Checking a block as done immediately desaturates its color, strikes through the title, and subtracts its hours from the day's total capacity.

The Stale Marker (Red Dot): Automatically flags blocks that have vanished from your most recent Jira export, signaling a potential orphaned ticket.

Finding your way across the grid

Instant global filter


Case-insensitive search instantly scans across the backlog, scheduled tasks, and done blocks simultaneously.

Read-only results


Search cards are display-only to prevent accidental edits, but double-clicking immediately opens the Edit Modal.

The Teleporter

Clicking a scheduled block's date pill instantly jumps the calendar view exactly to that week, seamlessly switching the right pane back to your Backlog.



Frictionless data ingress



Intelligent Column Mapping

Drop any Jira export directly in. The engine auto-detects fields by exact match first, then by substring (e.g., matching "Issue ID" to Jira Key).

Smart Defaults

Only the Jira Key is strictly required. Missing names default to blank; missing time estimates safely default to an 8-hour budget.

The translation engine: parsing time

1.5h → **1.5 hours** (Understands decimals)

1d 4h → **12 hours** (Translates day fractions: 1d = 8h)

28800 → **8 hours** (Auto-converts raw seconds > 1000)

GarbageString → **0 hours** (Defaults gracefully)


Jira's default export dumps time estimates into raw, massive numbers of seconds. The planner intercepts any plain number over 1,000, mathematically divides it by 3,600, and outputs perfect hour budgets automatically. Unrecognized strings fallback to 8h on first import.

Non-destructive state synchronization



Takeaway: Drop your latest Jira export into the app every single morning. Your crafted schedule is preserved, duplicates are ignored, and missing tickets are flagged.

The persistence matrix



Bootstrapping the golden path



WRONG: Link File → Restore

Linking first writes your messy local storage state directly over the pristine blank file.



RIGHT: Restore → Link File

Restoring first wipes the canvas clean. Linking second activates auto-save on the clean slate.

To start fresh with the repository's blank `planner.json` file without polluting it, order of operations matters. Wipe the canvas first, link the auto-save second.

Keyboard mastery

Alt + Arrows:

Navigate the calendar in massive 2-week chunks.

Alt + Arrows:

Navigate the calendar in massive 2-week chunks.

Alt + T:

Instantly snap the calendar back to Today.

Esc:

The universal eject button. Closes modals, dismisses context menus, and clears search queries.



Enter:

Commits and saves immediately from within any modal text input.

Troubleshooting diagnostics

If this happens...	...do this.
Calendar is completely empty?	You likely moved the .html file. localStorage is tied strictly to the file path. Move it back.
Link button has a ⚠ warning?	Chrome requires explicit permission after a restart. Click the button to re-grant access.
Can't get a block to drag?	Ensure you are grabbing the colored Jira key band. Grabbing the text body will not initiate a drag.
CSV says "No Key column found"?	The planner needs specific headers. Rename your Jira column to 'Issue key', 'Key', or 'Issue ID'.