

PROCESSED AT :
Thyrocare,
Plot No.428,Phase-IV,
Udyog Vihar,
Gurgaon,Haryana - 122 015

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F),COMPLETE URINE ANALYSIS,HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE CENTER,
HCL HEALTHCARE,GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
TOTAL CHOLESTEROL	PHOTOMETRY	135	mg/dl	< 200
HDL CHOLESTEROL - DIRECT	PHOTOMETRY	36	mg/dl	40-60
HDL / LDL RATIO	CALCULATED	0.46	Ratio	> 0.40
LDL CHOLESTEROL - DIRECT	PHOTOMETRY	79	mg/dl	< 100
TRIG / HDL RATIO	CALCULATED	4.59	Ratio	< 3.12
TRIGLYCERIDES	PHOTOMETRY	165	mg/dl	< 150
TC/ HDL CHOLESTEROL RATIO	CALCULATED	3.8	Ratio	3 - 5
LDL / HDL RATIO	CALCULATED	2.2	Ratio	1.5-3.5
VLDL CHOLESTEROL	CALCULATED	32.92	mg/dl	5 - 40

Please correlate with clinical conditions.

Method :

CHOL - CHOLESTEROL OXIDASE, ESTERASE, PEROXIDASE
HCHO - DIRECT ENZYMATIC COLORIMETRIC
HD/LD - DERIVED FROM HDL AND LDL VALUES.
LDL - DIRECT MEASURE
TRI/H - DERIVED FROM TRIG AND HDL VALUES
TRIG - ENZYMATIC, END POINT
TC/H - DERIVED FROM SERUM CHOLESTEROL AND HDL VALUES
LDL/ - DERIVED FROM SERUM HDL AND LDL VALUES
VLDL - DERIVED FROM SERUM TRIGLYCERIDE VALUES

*REFERENCE RANGES AS PER NCEP ATP III GUIDELINES:

TOTAL CHOLESTEROL	(mg/dl)	HDL	(mg/dl)	LDL	(mg/dl)	TRIGLYCERIDES	(mg/dl)
DESIRABLE	<200	LOW	<40	OPTIMAL	<100	NORMAL	<150
BORDERLINE HIGH	200-239	HIGH	>60	NEAR OPTIMAL	100-129	BORDERLINE HIGH	150-199
HIGH	>240			BORDERLINE HIGH	130-159	HIGH	200-499
				HIGH	160-189	VERY HIGH	>500
				VERY HIGH	>190		

Alert !!! 10-12 hours fasting is mandatory for lipid parameters. If not, values might fluctuate.

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 15 Mar 2023 03:18
Report Released on (RRT) : 15 Mar 2023 05:55

Sample Type : SERUM
Labcode : 1403042589/HCL04
Barcode : AR559814



Saakshi

Dr Saakshi Mittal MD(Path)

Preet Kaur

Dr Preet Kaur MD(Path)

PROCESSED AT :
Thyrocare,
Plot No.428,Phase-IV,
Udyog Vihar,
Gurgaon,Haryana - 122 015

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F),COMPLETE URINE ANALYSIS,HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE CENTER,
HCL HEALTHCARE,GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
ALKALINE PHOSPHATASE	PHOTOMETRY	114.07	U/L	45-129
BILIRUBIN - TOTAL	PHOTOMETRY	0.89	mg/dl	0.3-1.2
BILIRUBIN -DIRECT	PHOTOMETRY	0.27	mg/dl	< 0.3
BILIRUBIN (INDIRECT)	CALCULATED	0.62	mg/dl	0-0.9
SGOT / SGPT RATIO	CALCULATED	1.04	Ratio	< 2
ASPARTATE AMINOTRANSFERASE (SGOT)	PHOTOMETRY	24.26	U/l	< 31
ALANINE TRANSAMINASE (SGPT)	PHOTOMETRY	23.3	U/l	< 34
PROTEIN - TOTAL	PHOTOMETRY	8.13	gm/dl	5.7-8.2
ALBUMIN - SERUM	PHOTOMETRY	4.81	gm/dl	3.2-4.8
SERUM GLOBULIN	CALCULATED	3.32	gm/dL	2.5-3.4
SERUM ALB/GLOBULIN RATIO	CALCULATED	1.45	Ratio	0.9 - 2

Please correlate with clinical conditions.

Method :

ALKP - MODIFIED IFCC METHOD
BILT - VANADATE OXIDATION
BILD - VANADATE OXIDATION
BILI - DERIVED FROM SERUM TOTAL AND DIRECT BILIRUBIN VALUES
OT/PT - DERIVED FROM SGOT AND SGPT VALUES.
SGOT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
SGPT - IFCC* WITHOUT PYRIDOXAL PHOSPHATE ACTIVATION
PROT - BIURET METHOD
SALB - ALBUMIN BCG*METHOD (COLORIMETRIC ASSAY ENDPOINT)
SEGB - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES
A/GR - DERIVED FROM SERUM ALBUMIN AND PROTEIN VALUES

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 15 Mar 2023 03:18
Report Released on (RRT) : 15 Mar 2023 05:55
Sample Type : SERUM
Labcode : 1403042589/HCL04
Barcode : AR559814

Saakshi

Dr Saakshi Mittal MD(Path)

Preet Kaur

Dr Preet Kaur MD(Path)

PROCESSED AT :**Thyrocare,**

Plot No.428,Phase-IV,

Udyog Vihar,

Gurgaon,Haryana - 122 015



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400

📞 9870666333

✉ wellness@thyrocare.com

🌐 www.thyrocare.com

REPORT**NAME** : ANAMIKA KUMARI (28Y/F)**REF. BY** : HCL**TEST ASKED** : BLOOD SUGAR (F),COMPLETE URINE ANALYSIS,HbA1c**SAMPLE COLLECTED AT :**

HCL HEALTHCARE NOIDA SEZ CORPORATE CENTER,

HCL HEALTHCARE,GATE 4, PLOT 3A, SECTOR-126,

NOIDA, UP - 201301, INDIA-201301

PATIENTID : AK21292058**MOBILE NO** : 8750200587**DOB** : 01/15/1995**PAN ID** : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS	REFERENCE RANGE
THYROID STIMULATING HORMONE (TSH)	C.L.I.A	2.88	μIU/ml	0.3-5.5
FREE TRIIODOTHYRONINE (FT3)	C.L.I.A	3.29	pg/ml	1.7-4.2
FREE THYROXINE (FT4)	C.L.I.A	1.22	ng/dl	0.7-1.8

Comments : SUGGESTING THYRONORMALCY**Please correlate with clinical conditions.****Method :**

TSH - Sandwich Chemi Luminescent Immuno Assay

FT3 - Competitive Chemi Luminescent Immuno Assay

FT4 - Competitive Chemi Luminescent Immuno Assay

Pregnancy reference ranges for TSH/USTSH :

Trimester || T3 (ng/dl) || T4 (μg/dl) || TSH/USTSH (μIU/ml)

1st || 83.9-196.6 || 4.4-11.5 || 0.1-2.5

2nd || 86.1-217.4 || 4.9-12.2 || 0.2-3.0

3rd || 79.9-186 || 5.1-13.2 || 0.3-3.5

References :

1. Carol Devilia, C I Parhon. First Trimester Pregnancy ranges for Serum TSH and Thyroid Tumor reclassified as Benign. Acta Endocrinol. 2016; 12(2) : 242 - 243

2. Kulhari K, Negi R, Kalra DK et al. Establishing Trimester specific Reference ranges for thyroid hormones in Indian women with normal pregnancy : New light through old window. Indian Journal of Contemporary medical research. 2019; 6(4)

Sample Collected on (SCT) : 14 Mar 2023 08:00**Sample Received on (SRT)** : 15 Mar 2023 03:18**Report Released on (RRT)** : 15 Mar 2023 05:55**Sample Type** : SERUM**Labcode** : 1403042589/HCL04**Barcode** : AR559814

Dr Saakshi Mittal MD(Path)

Dr Preet Kaur MD(Path)

Page : 3 of 11

PROCESSED AT :
Thyrocare,
Plot No.428,Phase-IV,
Udyog Vihar,
Gurgaon,Haryana - 122 015

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F),COMPLETE URINE ANALYSIS,HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE CENTER,
HCL HEALTHCARE,GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS	NORMAL RANGE
UREA (CALCULATED)	CALCULATED	24.61	mg/dL	Adult : 17-43
BLOOD UREA NITROGEN (BUN)	PHOTOMETRY	11.5	mg/dL	7.04-20.07
UREA / SR.CREATININE RATIO	CALCULATED	49.22	Ratio	< 52
CREATININE - SERUM	PHOTOMETRY	0.5	mg/dl	0.55-1.02
BUN / SR.CREATININE RATIO	CALCULATED	23	Ratio	9:1-23:1
CALCIUM	PHOTOMETRY	9.3	mg/dl	8.8-10.6
URIC ACID	PHOTOMETRY	3.79	mg/dl	3.2 - 6.1

Please correlate with clinical conditions.

Method :

UREAC - DERIVED FROM BUN VALUE.
BUN - KINETIC UV ASSAY.
UR/CR - DERIVED FROM UREA AND SR.CREATININE VALUES.
SCRE - CREATININE ENZYMATIC METHOD
B/CR - DERIVED FROM SERUM BUN AND CREATININE VALUES
CALC - ARSENAZO III METHOD, END POINT.
URIC - URICASE / PEROXIDASE METHOD

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 15 Mar 2023 03:18
Report Released on (RRT) : 15 Mar 2023 05:55
Sample Type : SERUM
Labcode : 1403042589/HCL04
Barcode : AR559814

Saakshi

Dr Saakshi Mittal MD(Path)

Preet Kaur

Dr Preet Kaur MD(Path)

PROCESSED AT :

Thyrocare,
Plot No.428,Phase-IV,
Udyog Vihar,
Gurgaon,Haryana - 122 015



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F), COMPLETE URINE
ANALYSIS, HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE, GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS
EST. GLOMERULAR FILTRATION RATE (eGFR)	CALCULATED	132	mL/min/1.73 m ²

Reference Range :-

> = 90 : Normal
60 - 89 : Mild Decrease
45 - 59 : Mild to Moderate Decrease
30 - 44 : Moderate to Severe Decrease
15 - 29 : Severe Decrease

Clinical Significance

The normal serum creatinine reference interval does not necessarily reflect a normal GFR for a patient. Because mild and moderate kidney injury is poorly inferred from serum creatinine alone. Thus, it is recommended for clinical laboratories to routinely estimate glomerular filtration rate (eGFR), a "gold standard" measurement for assessment of renal function, and report the value when serum creatinine is measured for patients 18 and older, when appropriate and feasible. It cannot be measured easily in clinical practice, instead, GFR is estimated from equations using serum creatinine, age, race and sex. This provides easy to interpret information for the doctor and patient on the degree of renal impairment since it approximately equates to the percentage of kidney function remaining. Application of CKD-EPI equation together with the other diagnostic tools in renal medicine will further improve the detection and management of patients with CKD.

Reference

Levey AS, Stevens LA, Schmid CH, Zhang YL, Castro AF, 3rd, Feldman HI, et al. A new equation to estimate glomerular filtration rate. Ann Intern Med. 2009;150(9):604-12.

Please correlate with clinical conditions.

Method:- CKD-EPI Creatinine Equation

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 15 Mar 2023 03:18
Report Released on (RRT) : 15 Mar 2023 05:55
Sample Type : SERUM
Labcode : 1403042589/HCL04
Barcode : AR559814

Saakshi

Dr Saakshi Mittal MD(Path)

Preet

Dr Preet Kaur MD(Path)

PROCESSED AT :**Thyrocare,**

Plot No.428,Phase-IV,

Udyog Vihar,

Gurgaon,Haryana - 122 015



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT**NAME** : ANAMIKA KUMARI (28Y/F)**REF. BY** : HCL**TEST ASKED** : BLOOD SUGAR (F),COMPLETE URINE ANALYSIS,HbA1c**PATIENTID** : AK21292058**MOBILE NO** : 8750200587**DOB** : 01/15/1995**SAMPLE COLLECTED AT :**HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE,GATE 4, PLOT 3A,
SECTOR-126, NOIDA, UP - 201301,
INDIA-201301**PAN ID** : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS
VITAMIN D2	LC-MS/MS	0.24	ng/mL

Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY

VITAMIN D3	LC-MS/MS	21.54	ng/mL
------------	----------	-------	-------

Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY

VITAMIN D TOTAL	LC-MS/MS	21.78	ng/mL
-----------------	----------	-------	-------

Reference Range :

Deficiency : <20 ng/mL

Insufficiency : 20-30 ng/mL

Sufficiency : 30-100 ng/mL

Toxicity : >100 ng/mL

Method : LIQUID CHROMATOGRAPHY TANDEM MASS SPECTROMETRY**Please correlate with clinical conditions.****Sample Collected on (SCT)** :14 Mar 2023 08:00**Sample Received on (SRT)** : 15 Mar 2023 03:18**Report Released on (RRT)** : 15 Mar 2023 05:55**Sample Type** : SERUM**Labcode** : 1403042589/HCL04**Barcode** : AR559814*Saakshi*

Dr Saakshi Mittal MD(Path)

Preet Kaur

Dr Preet Kaur MD(Path)

PROCESSED AT :**Thyrocare**

260 - 261, Tribhuvan Complex,
Ishwar Nagar,
New Delhi - 110 065



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F), COMPLETE URINE
ANALYSIS, HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE, GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR(GLUCOSE)	PHOTOMETRY	98.16	mg/dL

Reference Range :-

As per ADA Guideline: Fasting Plasma Glucose (FPG)	
Normal	70 to 100 mg/dl
Prediabetes	100 mg/dl to 125 mg/dl
Diabetes	126 mg/dl or higher

Note :

The assay could be affected mildly and may result in anomalous values if serum samples have heterophilic antibodies, hemolyzed, icteric or lipemic. The concentration of Glucose in a given specimen may vary due to differences in assay methods, calibration and reagent specificity. For diagnostic purposes results should always be assessed in conjunction with patients medical history, clinical findings and other findings.

Please correlate with clinical conditions.**Method:-** GOD-PAP METHOD

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 14 Mar 2023 17:33
Report Released on (RRT) : 14 Mar 2023 21:38
Sample Type : FLUORIDE
Labcode : 1403101082/HCL04
Barcode : AR161741

Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

PROCESSED AT :**Thyrocare**

260 - 261, Tribhuvan Complex,
Ishwar Nagar,
New Delhi - 110 065



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 📞 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F), COMPLETE URINE ANALYSIS, HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE, GATE 4, PLOT 3A,
SECTOR-126, NOIDA, UP - 201301,
INDIA-201301
PAN ID : HN1-20399

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC)	H.P.L.C	4.9	%

Reference Range :**Reference Range: As per ADA Guidelines**

Below 5.7% : Normal
5.7% - 6.4% : Prediabetic
≥ 6.5% : Diabetic

Guidance For Known Diabetics

Below 6.5% : Good Control
6.5% - 7% : Fair Control
7.0% - 8% : Unsatisfactory Control
≥ 8% : Poor Control

Method : Fully Automated H.P.L.C method

AVERAGE BLOOD GLUCOSE (ABG)	CALCULATED	94	mg/dl
------------------------------------	------------	----	-------

Reference Range :

90 - 120 mg/dl : Good Control
121 - 150 mg/dl : Fair Control
151 - 180 mg/dl : Unsatisfactory Control
> 180 mg/dl : Poor Control

Method : Derived from HbA1c values**Please correlate with clinical conditions.**

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 14 Mar 2023 17:38
Report Released on (RRT) : 14 Mar 2023 20:13
Sample Type : EDTA
Labcode : 1403101549/HCL04
Barcode : AR228551

Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

PROCESSED AT :**Thyrocare**

260 - 261, Tribhuvan Complex,
Ishwar Nagar,
New Delhi - 110 065



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703
☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : BLOOD SUGAR (F), COMPLETE URINE ANALYSIS, HbA1c
PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE, GATE 4, PLOT 3A,
SECTOR-126, NOIDA, UP - 201301,
PAN ID : HN1-20399

TEST NAME	VALUE	UNITS	REFERENCE RANGE
HEMOGLOBIN	11.3	g/dL	12.0-15.0
HEMATOCRIT(PCV)	36.2	%	36.0-46.0
TOTAL RBC	3.97	$\times 10^6/\mu\text{L}$	3.9-4.8
MEAN CORPUSCULAR VOLUME(MCV)	91.2	fL	83.0-101.0
MEAN CORPUSCULAR HEMOGLOBIN(MCH)	28.5	pg	27.0-32.0
MEAN CORP.HEMO.CONC(MCHC)	31.2	g/dL	31.5-34.5
RED CELL DISTRIBUTION WIDTH (RDW-CV)	15.3	%	11.6-14.0
TOTAL LEUCOCYTES COUNT (WBC)	10.71	$\times 10^3/\mu\text{L}$	4.0-10.0
NEUTROPHILS	78.7	%	40-80
LYMPHOCYTE PERCENTAGE	17.6	%	20.0-40.0
EOSINOPHILS	0.7	%	0.0-6.0
MONOCYTES	2.6	%	0.0-10.0
BASOPHILS	0.1	%	<2
NEUTROPHILS - ABSOLUTE COUNT	8.42	$\times 10^3/\mu\text{L}$	2.0-7.0
LYMPHOCYTES - ABSOLUTE COUNT	1.89	$\times 10^3/\mu\text{L}$	1.0-3.0
EOSINOPHILS - ABSOLUTE COUNT	0.08	$\times 10^3/\mu\text{L}$	0.02-0.5
MONOCYTES - ABSOLUTE COUNT	0.28	$\times 10^3/\mu\text{L}$	0.2-1.0
BASOPHILS - ABSOLUTE COUNT	0.01	$\times 10^3/\mu\text{L}$	0.02-0.1
PLATELET COUNT	172	$\times 10^3/\mu\text{L}$	150-400
IMMATURE GRANULOCYTES(IG)	0.03	$\times 10^3/\mu\text{L}$	0.0-0.3
IMMATURE GRANULOCYTE PERCENTAGE(IG%)	0.3	%	0.0-0.4
NUCLEATED RED BLOOD CELLS	Nil	$\times 10^3/\mu\text{L}$	<0.01
NUCLEATED RED BLOOD CELLS %	Nil	%	<0.01

Please Correlate with clinical conditions.

Method : Fully automated bidirectional analyser (6 Part Differential SYSMEX XN-1000)

(This device performs hematology analyses according to the Hydrodynamic Focussing (DC method), Flow Cytometry Method (using a semiconductor laser), and SLS- hemoglobin method)

Sample Collected on (SCT) : 14 Mar 2023 08:00
Sample Received on (SRT) : 14 Mar 2023 17:38
Report Released on (RRT) : 14 Mar 2023 20:13
Sample Type : EDTA
Labcode : 1403101549/HCL04
Barcode : AR228551

Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

PROCESSED AT :**Thyrocare**

260 - 261, Tribhuvan Complex, Ishwar Nagar,
New Delhi - 110 065



Tests you can trust

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 ☎ 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : ANAMIKA KUMARI (28Y/F)
REF. BY : HCL
TEST ASKED : COMPLETE URINE ANALYSIS

SAMPLE COLLECTED AT :
HCL HEALTHCARE NOIDA SEZ CORPORATE
CENTER,
HCL HEALTHCARE, GATE 4, PLOT 3A, SECTOR-126,
NOIDA, UP - 201301, INDIA-201301

PATIENTID : AK21292058
MOBILE NO : 8750200587
DOB : 01/15/1995

PAN ID : HN1-20399

TEST NAME	OBSERVATION	UNITS	REFERENCE RANGE
Complete Urinogram			
Physical Examination			
VOLUME	3	mL	-
COLOUR	PALE YELLOW	-	Pale Yellow
APPEARANCE	CLEAR	-	Clear
SPECIFIC GRAVITY	1.01	-	1.003-1.030
PH	6.5	-	5 - 8
Chemical Examination			
URINARY PROTEIN	ABSENT	mg/dl	Absent
URINARY GLUCOSE	ABSENT	mg/dl	Absent
URINE KETONE	ABSENT	mg/dl	Absent
URINARY BILIRUBIN	ABSENT	mg/dl	Absent
UROBILINOGEN	Normal	mg/dl	<=0.2
BILE SALT	ABSENT	-	Absent
BILE PIGMENT	ABSENT	-	Absent
URINE BLOOD	ABSENT	-	Absent
NITRITE	ABSENT	-	Absent
MICROALBUMIN	10	mg/l	< 30
Microscopic Examination			
MUCUS	PRESENT	-	Absent
RED BLOOD CELLS	ABSENT	Cells/HPF	0-5
URINARY LEUCOCYTES (PUS CELLS)	2	Cells/HPF	0-5
EPITHELIAL CELLS	4	Cells/HPF	0-5
CASTS	ABSENT	-	Absent
CRYSTALS	ABSENT	-	Absent
BACTERIA	ABSENT	-	Absent
YEAST	ABSENT	-	Absent
PARASITE	ABSENT	-	Absent

Method : Fully Automated Matrix AVE Urinalysis Dipstick Method, Microscopy

~~ End of report ~~

Sample Collected on (SCT) : 14 Mar 2023 08:00

Sample Received on (SRT) : 14 Mar 2023 19:04

Report Released on (RRT) : 14 Mar 2023 20:13

Sample Type : URINE

Labcode : 1403107328/HCL04

Barcode : AR733794



Dr Neha Prabhakar MD(Path)

Dr V Sandeep MD(Path)

CONDITIONS OF REPORTING

- ❖ The reported results are for information and interpretation of the referring doctor only.
- ❖ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ❖ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ❖ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ❖ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ❖ This report is not valid for medico-legal purpose.
- ❖ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.

EXPLANATIONS

- ❖ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ❖ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ❖ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ❖ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ❖ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ❖ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ❖ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ❖ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ❖ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ❖ **Reference Range** - Means the range of values in which 95% of the normal population would fall.