

Cabinet: monitoring, closing and inventory documents

This is an informational translation. The matching Russian revision is authoritative. Manager's guide for the work after an inventory is launched: watching the progress, corrections, closing, late events, final documents and completion.

Document code	MKR-INS-07
Revision	2026.08/03
Effective from	1 September 2026
Revision verification	https://markiro.app/d/MKR-INS-07/2026.08/03/01.09.2026
Language	EN
Operator	Богатырев Владислав Сергеевич
Contacts	https://markiro.app · hello@v-b.tech · +7 934 355-14-90

1. Purpose

This instruction covers the manager's work after an inventory is launched: watching the recount progress, corrections, closing the task, resolving late events, generating the final documents and completing the inventory. Preparation and launch are covered by instruction MKR-INS-06, and the operators' work on the terminals by MKR-INS-05.

A task goes through three states: “Running” — the recount is under way; “Closed” — the result is frozen, but late events can still be resolved and documents generated; “Completed” — the work is over and no changes are possible.

Note: The screenshots use demo data. The numbers, quantities and names in your cabinet will differ.

2. Inventory progress

Step 1. Watch the counters and the participants

The inventory page shows the current results: “Expected”, “Verified”, “Missing”, “Discrepancies”. Below them you see the participants — the terminals working on the task and the names of the operators on them — and their current state: in the screenshot these are “Active” and “Offline”; the cabinet also shows a state when an operator leaves the task. The “New boxes” and “Recent events” panels show the recount progress box by box — together with the print state of each — and the recent scans.





маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co
manager@example.test

☀

RU

Sign out

INVENTORY-26-0043

Cranberry syrup, 0.5 L · Line 1

✓ Running

Corrections

Expected

24

Verified

18

Missing

5

Discrepancies

2

3 events on stations have not synced yet

Close inventory

The system checks stations, local queues, boxes, and required discrepancies before closing.

Close inventory

Late events

Final documents

Generation will become available after the inventory is closed and its result is frozen.

Documents to generate

Select one or more formats from the approved server catalog.

☐ [CSV] Codes for current stock · CSV · v1

☐ [TXT] Codes to write off · TXT · v1

Generation history

No documents have been generated yet.

Participants

Terminal 1

Maria Kuznetsova

✓ Active

Terminal 2

Pyotr Smirnov

Offline

3 local events

New boxes

123456789012345675

Terminal 1

Not ready to print · 7 codes

Open

223456789012345672

Terminal 2

Printed · 12 codes

Closed

Recent events

(01)04600000000006 (21)000123

Terminal 1

Protected

(01)04600000000006 (21)000512

Terminal 1

Expected

(01)04600000000006 (21)000456

Terminal 2

Voided

TV

Igor Volkov
manager@example.test

Inventory progress: counters, participants, boxes

Note: A line about unsynced events means that some of the scans have not reached the server from the terminals yet. This is normal on a weak connection: wait for the sync before judging the discrepancies.

3. Corrections

Corrections are available only while the inventory is running. Every action requires a reason and is retained as immutable audit evidence: the record itself cannot be revoked. Some actions have a counterpart — a voided scan can be restored and a date can be set again; the rest have no counterpart.

Step 1. Find the event you need and pick an action

Open “Corrections”. The events are gathered in the “Scan events” panel: the “Discrepancies” tab shows only the items that need attention, “All scans” shows the whole list; the search and the “Event type” and “Classification” filters help you find a particular scan. Every event is labelled with its code in a readable

MKR-INS-07 · 2026.08/03 · 1 September 2026 · Page 2



form, and the full code is copied with the “Copy code” button. The set of buttons depends on the state of the item: on one event these are “Void scan” and “Change date”, on another “Void scan” and “Remove from box”, on an already voided one only “Restore scan”, and some events have no actions at all. The checkboxes on the left and “Select page” let you void scans or change the date on several events at once — the batch action buttons appear once you make a selection, and the reason and the outcome are recorded in the audit trail separately for every affected code. In the “New boxes” panel, “Invalidate box” is available on every box that has not been invalidated yet, while “Queue reprint request” is available only on a box that is closed and printed.

маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co

manager@example.test

RU

Sign out

Corrections · INVENTORY-26-0043

Back to inventory progress

Every action requires a reason and is retained as immutable audit evidence.

Scan events

Discrepancies

All scans

Search events

Event type

Classification

All

All

Select page

(01)04600000000006

(21)000123

010460000000000621000123

Copy code

Production date: 08/20/2026

Protected

Date mismatch

codes: 1 - discrepancies: 1 - Terminal 1 - 8/29/26, 12:55 PM

Void scan

Change date

(01)04600000000006

(21)000512

010460000000000621000512

Copy code

Production date: 08/15/2026

Expected

codes: 1 - discrepancies: 0 - Terminal 1 - 8/29/26, 12:50 PM

Void scan

Remove from box

(01)04600000000006

(21)000456

010460000000000621000456

Copy code

Production date: 08/16/2026

Voided

codes: 1 - discrepancies: 0 - Terminal 2 - 8/29/26, 12:20 PM

Restore scan

(00)046012345600000016

00046012345600000016

Copy code

Production date is not recorded

codes: 0 - discrepancies: 0 - Terminal 2 - 8/29/26, 12:10 PM

Previous page

Page 1 - 4 total

Next page

New boxes

123456789012345675

Terminal 1

Invalidate box

223456789012345672

Terminal 2

Invalidate box

Queue reprint request

IV

Igor Volkov

manager@example.test

Corrections: scan events and boxes

Important: “Invalidate box” is irreversible: there is no counter-correction for it, and the cabinet does not ask again — the box is invalidated as soon as you give a reason. A box invalidated from the cabinet stays a closing blocker forever: such an inventory can then only be closed as an emergency, and the box itself and its contents will not appear in the final box documents. Check the box number before saving. A box may also turn out invalidated without you — the cabinet marks such a box “Invalidated (scan conflict)”, and one invalidated from the cabinet “Invalidated (from the cabinet)”. The first one can still be returned to work on the line, see section 4.

MKR-INS-07 · 2026.08/03 · 1 September 2026 · Page 3



Step 2. Give a reason and save

The “Correction” form with the selected code opens below the list. Fill in “Correction reason” — the field is required — and, for a date change, also “New production date”. The confirmation button is named after the action — in the screenshot it is “Change date”. Press it and the record goes to the audit trail.

маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co
manager@example.test

RU

Sign out

Corrections · INVENTORY-26-0043

Back to inventory progress

Every action requires a reason and is retained as immutable audit evidence.

Scan events

Discrepancies

All scans

Search events

Event type

Classification

All

All

Select page

(01)04600000000006 (21)000123

010460000000000621000123

Copy code

Production date: 08/20/2026

Protected

Date mismatch

codes: 1 - discrepancies: 1 - Terminal 1 - 8/29/26, 12:55 PM

Void scan

Change date

(01)04600000000006 (21)000512

010460000000000621000512

Copy code

Production date: 08/15/2026

Expected

codes: 1 - discrepancies: 0 - Terminal 1 - 8/29/26, 12:50 PM

Void scan

Remove from box

(01)04600000000006 (21)000456

010460000000000621000456

Copy code

Production date: 08/16/2026

Voided

codes: 1 - discrepancies: 0 - Terminal 2 - 8/29/26, 12:20 PM

Restore scan

(00)046012345600000016

00046012345600000016

Copy code

Production date is not recorded

codes: 0 - discrepancies: 0 - Terminal 2 - 8/29/26, 12:10 PM

Previous page

Page 1 - 4 total

Next page

New boxes

123456789012345675

Terminal 1

Invalidate box

223456789012345672

Terminal 2

Invalidate box

Queue reprint request

Correction · (01)04600000000006 (21)000123

Correction reason

New production date

20.08.2026

Change date

Igor Volkov
manager@example.test

The correction form with a reason


Expected result: The cabinet reported that the correction was saved to the audit trail.



4. Closing the inventory

Step 1. Run the pre-close check

Press “Close inventory”. The system checks the stations, the local queues, the boxes and the required discrepancies. A safe close is available only when not a single blocker is left: the operators have left the task, the terminal queues are empty, every box is closed and printed, and there are no discrepancies. The cabinet then reports that there are no blockers and that the result will freeze at the current revision — press “Close safely”.




The pre-close check: no blockers

Expected result: The inventory is closed and the result is frozen.

Step 2. Resolve the blockers

The cabinet lists what stands in the way of closing. The blockers in the screenshot are cleared on the line: “Active stations” and “Offline stations” — ask the operators to leave the task; “Unsynced events” — wait until the terminals upload the scans; “Open boxes” and “Open boxes reported by stations” — ask for the boxes to be closed. Unfinished box printing is cleared the same way: the blocker goes away once the terminal finishes printing the label. Once the cause is gone, run the check again.






The pre-close check: the list of blockers

Important: Two more blockers are not that easy to clear. The cabinet lists invalidated boxes as two separate lines, and what to do with them depends on which line you are looking at. “Boxes invalidated by a scan conflict” — the system invalidated those itself; an operator can return such a box to work from the terminal, which the cabinet says in a hint under the line — the blocker then clears, but the box has to be packed again (this is covered by instruction MKR-INS-05). “Boxes invalidated from the cabinet” is your own “Invalidate box” action; it cannot be undone, and that blocker stays until an emergency close. The same marker is shown on the box itself in the “New boxes” panel and on the “Corrections” page: “Invalidated (scan conflict)” or “Invalidated (from the cabinet)”. Required discrepancies without a decision are resolved in the cabinet. An unknown or ineligible scan is cleared by the “Void scan” button: voided scans do not count as a discrepancy and do not stand in the way of closing, and if you voided too much, “Restore scan” returns the code to its original category. A production-date discrepancy is cleared by “Change date”: the blocker goes away once the date you set matches the date from the snapshot. A code that lies in an open box has no such button at first — press “Remove from box” first and “Change date” appears; a code in a closed or invalidated box has no “Remove from box” either, and such a discrepancy is closed with the “Void scan” button as well. Only the blocker of boxes invalidated from the cabinet cannot be cleared: with it the task is closed as an emergency.

Step 3. An emergency close — only when the blockers cannot be cleared

If waiting is not an option (a terminal broke down, for example), an emergency close is available: fill in “Emergency close reason”, confirm “I understand that the blockers will remain in the frozen result”, then press “Emergency close”.





An emergency close with a mandatory reason

Important: An emergency close does not clear the blockers: you confirm that they “will remain in the frozen result”. They will not be in the documents themselves — the final documents contain neither the list of blockers nor the reason for the emergency close, and both stay in the task and in the audit trail. The consequences show up differently: boxes left open or invalidated will not appear in the box documents at all, and the codes whose scans did not make it from the terminals stay missing and end up in the list of codes to write off. Use this path only when a normal close is truly impossible.

5. Late events

Step 1. Resolve the batches that arrived after the close

Events that caught up with the server after the close are gathered into batches with the “Decision required” status. Tick the batches you need, give a “Decision reason” and press “Exclude selected” — they will then not be counted in the result. No more than 100 batches can be selected at a time. If the data has to be reprocessed as a whole, use the “Reopen for replay” button: it returns the whole inventory to work rather than the selected batch alone, and works the same way as the “Reopen” button from section 7 — the result revision will increase, the close details will be cleared, and the documents that were already generated will be invalidated and can no longer be downloaded (see section 7).





The screenshot shows the Markiro web application interface. A modal dialog titled "Late events" is open, displaying a list of events for inventory "INVENTORY-26-0043". The background interface includes a sidebar with navigation links like "Production", "Overview", "Shifts", "Lines", "Inventories", "Code search", "Conflicts", "Disposal", "Disaggregation", "Reference data", "Catalog", "Counterparties", "Operators and employees", "Labels", "Equipment and exchange", and "Devices". The top right shows user information "Marka Co manager@example.test" and a "Sign out" button. The dialog box contains the following details:

Terminal	Batch	Events	Status
Terminal 2	batch-2026-08-29-01 8/30/26, 12:10 AM	6 events	Decision required
Terminal 1	batch-2026-08-29-02 8/30/26, 12:40 AM	2 events	Decision required

Below the list, there is a "Decision reason" text area containing the text: "The batch arrived after the regulated close, the boxes have already been recounted by hand." At the bottom of the dialog, there are buttons for "Exclude selected", "Reopen for replay", and "Cancel".

Late events: batches and decisions

Note: While there are batches with the “Decision required” status, the inventory cannot be completed — the cabinet will ask you to resolve the late events first.

6. Final documents

Step 1. Pick the formats and generate the documents

After the close, open “Final documents”, tick the formats you need from the approved catalog under “Documents to generate” and press “Generate documents”.





маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co
manager@example.test

🌞

RU

Sign out

INVENTORY-26-0043

Cranberry syrup, 0.5 L · Line 1

Closed

Expected

24

Verified

23

Missing

1

Discrepancies

0

Close inventory

🔗 The result is frozen. Review late events and final documents.

Late events

Reopen

Final documents

Documents to generate

Select one or more formats from the approved server catalog.

☐ [CSV] Codes for current stock · CSV · v1

☐ [TXT] Codes to write off · TXT · v1

Generate documents

Generation history

No documents have been generated yet.

Completion

🔗 Download every document for the current result first

☐ Final documents have been downloaded and checked

Complete Inventory

Participants

Terminal 1

Maria Kuznetsova

– Left

Terminal 2

Pyotr Smirnov

– Left

New boxes

323456789012345679

Terminal 2

🔗 Closed

Printed · 4 codes

223456789012345672

Terminal 2

🔗 Closed

Printed · 12 codes

123456789012345675

Terminal 1

🔗 Closed

Printed · 7 codes

Recent events

(01)04600000000006 (21)000123

Terminal 1

🔒 Protected

(01)04600000000006 (21)000512

Terminal 1

✓ Expected

(01)04600000000006 (21)000456

Terminal 2

✓ Expected

IV

Igor Volkov
manager@example.test

Picking the final document formats

Step 2. Wait until they are ready and download them

The “Generation history” block shows the state of every run, for example “Processing” or “Ready” — other states occur too, including queuing and a generation failure. Ready documents are downloaded one by one or with the “Download ZIP” button. If the generation failed, the retry button does not appear for every error: when it is missing, tick the formats under “Documents to generate” and generate the documents again.



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co
manager@example.test

☀

RU

Sign out

INVENTORY-26-0043

Cranberry syrup, 0.5 L · Line 1

Closed

Expected

24

Verified

23

Missing

1

Discrepancies

0

Close inventory

▸ The result is frozen. Review late events and final documents.

Late events

Reopen

Final documents

Documents to generate

Select one or more formats from the approved server catalog.

☐ [CSV] Codes for current stock · CSV · v1

☐ [TXT] Codes to write off · TXT · v1

Generate documents

Generation history

Result revision 1

Aug 30, 2026, 1:05 AM

▸ Processing

Result revision 1

Aug 30, 2026, 12:50 AM

✓ Ready

[CSV] Codes for current stock

inventory-INVENTORY-26-0043-current-stock.csv

codes: 23 · boxes: 0 · 856 bytes

Download

Download ZIP

Completion

▸ Download every document for the current result first

☐ Final documents have been downloaded and checked

Complete Inventory

Participants

Terminal 1

Maria Kuznetsova

– Left

Terminal 2

Pyotr Smirnov

– Left

New boxes

323456789012345679

Terminal 2

Printed · 4 codes

▸ Closed

223456789012345672

Terminal 2

Printed · 12 codes

▸ Closed

123456789012345675

Terminal 1

Printed · 7 codes

▸ Closed

Recent events

(01)04600000000006 (21)000123

Terminal 1

Protected

(01)04600000000006 (21)000512

Terminal 1

Expected

(01)04600000000006 (21)000456

Terminal 2

Expected

IV Igor Volkov
manager@example.test

The generation history and downloading

MKR-INS-07 · 2026.08/03 · 1 September 2026 · Page 10



Expected result: Every document of the current result has been downloaded.

Note: Documents are bound to the result revision. If the inventory is reopened, the documents generated earlier are invalidated and can no longer be downloaded. The task returns to work at the same time, so the documents can only be generated again after another close.

7. Completion and reopening

Step 1. Complete the inventory

Once the documents are downloaded and checked, tick “Final documents have been downloaded and checked” and press “Complete inventory”. After completion the task can no longer be changed.



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Marka Co
manager@example.test

☀

RU

Sign out

INVENTORY-26-0043

Closed

Cranberry syrup, 0.5 L · Line 1

Expected

24

Verified

23

Missing

1

Discrepancies

0

Close inventory

◁ The result is frozen. Review late events and final documents.

Late events

Reopen

Final documents

Documents to generate

Select one or more formats from the approved server catalog.

☐ [CSV] Codes for current stock · CSV · v1

☐ [TXT] Codes to write off · TXT · v1

Generate documents

Generation history

Result revision 1
Aug 30, 2026, 1:05 AM

✓ Ready

Download

[CSV] Codes for current stock
inventory-INVENTORY-26-0043-current-stock.csv
codes: 23 · boxes: 0 · 856 bytes
Downloaded

Download

[TXT] Codes to write off
inventory-INVENTORY-26-0043-write-off.txt
codes: 1 · boxes: 0 · 37 bytes
Downloaded

Download ZIP

Result revision 1
Aug 30, 2026, 12:50 AM

✓ Ready

Download

[CSV] Codes for current stock
inventory-INVENTORY-26-0043-current-stock.csv
codes: 23 · boxes: 0 · 856 bytes

Download ZIP

Completion

☒ Final documents have been downloaded and checked

Complete Inventory

Participants

Terminal 1
Maria Kuznetsova

← Left

Terminal 2
Pyotr Smirnov

← Left

New boxes

323456789012345679
Terminal 2
Printed · 4 codes

223456789012345672
Terminal 2
Printed · 12 codes

123456789012345675
Terminal 1
Printed · 7 codes

Recent events

(01)04600000000006 (21)000123
Terminal 1

Protected

(01)04600000000006 (21)000512
Terminal 1

Expected


MKR-INS-07 · 2026.08/03 · 1 September 2026 · Page 12

Completing the inventory

Expected result: The inventory is completed.

Step 2. Reopen only when it is truly necessary

A closed inventory can be reopened with the “Reopen” button. The cabinet lists the consequences and asks for a “Confirm reopen”. Reopening increases the result revision and clears the close details; the final documents that were already generated are invalidated and can no longer be downloaded — after another close they have to be generated again; pending late events become available for processing again. Confirm only if you are ready to rebuild the result and the documents from scratch.



Confirming the inventory reopen

8. Frequently asked questions

The close button does not work because of the terminals — The operators are still in the task or a terminal has lost the connection. Ask them to leave the task and wait for the sync, then run the check again.

There are more discrepancies than expected — First wait until every event is synced: unsynced scans are not counted in the counters. The remaining discrepancies are resolved with corrections: a mistaken or foreign scan is cleared by “Void scan” — voided scans do not count as a discrepancy — and a production-date discrepancy is closed by “Change date” (see section 4).

Completion is unavailable — Completion opens up after the final documents are generated, downloaded and marked as checked, and the late events are resolved.

The documents are marked as invalidated — The inventory was reopened — the documents belong to the previous result revision and can no longer be downloaded. Close the task once more, then generate the documents again and download them.

Made a mistake in a correction — Corrections are immutable and stay in the audit trail. A voided scan is brought back by the “Restore scan” button and a date can be set again — the history keeps both actions. “Invalidate box” has no counterpart: the box stays invalidated, and the inventory can then only be closed as an emergency.

If your problem is not listed above, contact Markiro support: hello@v-b.tech.

