Administration: backups and restore

This is an informational translation. The matching Russian revision is authoritative. Markiro Autonom administrator guide: what the host copies by itself, a copy on request, the second folder and Yandex Disk, the weekly check, when and how the host database is restored on the same or a new computer, and how to resume accepting station data after a restore.

Document code	MKR-INS-13
Revision	2026.10/02
Effective from	30 October 2026
Revision verification	https://markiro.app/d/MKR-INS-13/2026.10/02/30.10.2026
Language	EN
Operator	Богатырев Владислав Сергеевич
Contacts	https://markiro.app · hello@v-b.tech · +7 934 355-14-90

1. Purpose

This instruction covers backups of the Markiro Autonom main database: what the host does by itself, what the administrator sets up and how a restore goes. Installing the program is covered in MKR-INS-12.

Important: A backup holds everything the host knows: hashes of passwords, PINs and badges, and a file with the host's key lies beside the copy. Do not send copies by email or messengers; folders with copies must be closed to outsiders, and a USB stick with a copy belongs in a safe.


Note: The Markiro Autonom interface is in Russian only. Screen labels are quoted in Russian, with an English translation in brackets. The screenshots use demo data. The restore commands run in a Windows console on the host computer and have no screenshots.

2. What the host does by itself

- It makes a copy in the first minute of an hour if the database changed after the last successful copy — no more than once an hour; at least one copy a day, even if the database did not change; and a copy at every start of the host service.
- It checks every copy for integrity and writes its checksum beside it. A copy that fails the check is deleted.
- In each folder it keeps the 24 newest copies, the newest copy of each of the last 14 days and of each of the last 12 months. It deletes older copies by itself.
- It puts a file with the host's key beside the copy. With it, a host restored on a new computer stays the same host for the stations.

Step 1. Check the “Резервные копии” (Backups) page

In the “Сервис” (Service) menu open “Резервные копии” (Backups). “Папка на компьютере хоста” (Folder on the host computer) shows the “Последняя проверенная копия” (Latest verified copy) and the “Последняя попытка” (Latest attempt). Below is “Копии на компьютере хоста” (Copies on the host computer): when made, “Как” (How — “По расписанию”, scheduled, or “Вручную”, manual), the size and “Ключ хоста” (Host key) — “есть” (present) or “нет” (absent).




Backups: the folder on the host computer and the list of copies

The host does not check free disk space in advance: when the disk is full the copy fails and the last good copy stays. Watch the free space on the host computer's disk and in the second folder yourself.

3. A copy on request

Step 1. Make a copy now

Press “Сделать копию сейчас” (Make a copy now) — for example before replacing the host computer or before an update. Only an administrator can make a copy by hand.



The copy is made and verified


Expected result: “Копия сделана и проверена.” (The copy is made and verified.) appears, and the list shows a “Вручную” (Manual) copy.

4. The second folder

If the host computer breaks, no copies will be left in its folder. So set a second folder — on another computer or on a USB stick. After each verified copy the host copies it there and checks it.

Step 1. Set the second folder

In the “Вторая папка” (Second folder) block fill in “Путь ко второй папке” (Path to the second folder) or press “Выбрать папку…” (Choose folder…), then “Сохранить” (Save). The host checks the folder before saving. “Не копировать во вторую папку” (Do not copy to the second folder) turns it off.



Path to the second folder

- Give a shared folder on another computer as a full network path (\\ADMIN-PC\Copies), not as a mapped drive letter: the host service does not see drives mapped by a user.
- The host service writes to a shared folder under its own account. In a workgroup without a domain, the service's built-in account usually lacks rights to another computer's shared folder — the office then shows “у службы хоста нет прав на запись” (the host service has no write permission). The site's IT sets up the service account and the folder's permissions.
- On a FAT32 or exFAT USB stick the host cannot close the key file to outsiders and copies without it: the office warns that there is no host key beside the copy. To move to a new computer, take a copy from the host computer or from a folder on an NTFS disk.


5. Yandex Disk

Copies can also be sent to Yandex Disk. This is optional; the host service sends copies directly to Yandex, and Markiro servers take no part. Set up Yandex Disk together with a Markiro engineer.

Step 1. Connect Yandex Disk

In the enterprise's Yandex account create its own application for user authorization: the “Открыть Яндекс OAuth” (Open Yandex OAuth) button opens the Yandex console, and the required return address and

permissions are given right on the card. Enter the application's ClientID, tick the consent and press “Подключить / заменить ClientSecret” (Connect / replace ClientSecret). “Экспорт профиля” (Export profile) saves the connection profile without secrets: restoring from Yandex Disk needs the same ClientID.



The Yandex Disk card on the backups page

Disconnecting (“Отключить Яндекс Диск”, Disconnect Yandex Disk) deletes the sign-in data from the host, but the archives in the cloud are kept. The application's access can be revoked in Yandex.

6. Weekly check

1. Open “Резервные копии” (Backups): there are no warnings, and the latest verified copy in both folders is less than a day old.
2. Make a copy on a USB stick and keep it away from the host computer.
3. Check the free space on the host computer's disk and in the second folder.
4. Once a month do a practice restore on another computer together with an engineer.

7. When to restore and what is lost

The host database is restored when it is damaged and the host does not start, when the host computer is replaced (the disk failed, the computer was stolen), or when data was damaged by mistake and cannot be fixed in the office. Take the freshest verified copy: stations keep their confirmed records for 30 days and send them to the host again after a restore, and a copy older than 30 days is dangerous.


A restore does not bring back what was changed in the office after the copy: operators, badges, products, templates, lines, office users, devices paired after the copy, shifts created or opened after the copy, and password and PIN changes. Write them down beforehand.

8. Restoring

Markiro support or an engineer restores the copy, on the host computer. While the host is stopped, stations keep working and store their records locally. Before a restore, all computers of the site must run the same program version as the host.

Step 1. From the backups folder

The order is shown on the “Резервные копии” (Backups) page in the “Восстановление” (Restore) block: stop the host service, run markiro-host restore with the copy file (a .json file with the same name must lie beside it) and start the service again. The current database is kept beside it; the host raises the SSCC counters and shift numbers with a margin.




The Restore block: the order for support

On a new computer the steps are the same: install the program with the host role and do not go through the first-start wizard. A copy with the host key keeps the pairing of stations and office PCs: they only need the new host address (“Сменить адрес хоста”, Change host address, on the sign-in screen), and best of all the new computer gets the old one's address. Without the host key, every device is paired again.

Step 2. From Yandex Disk

On a new host computer the first-start wizard shows the “Восстановить из Яндекс Диска” (Restore from Yandex Disk) button. Press “Восстановить из Яндекс Диска” (Restore from Yandex Disk). Enter the ClientID of the application used to create the backups, or load the saved profile with “Импорт профиля” (Import profile). Then press “Войти в Яндекс” (Sign in to Yandex), choose the enterprise and the copy date (“Выберите предприятие и дату копии”), press “Скачать и проверить” (Download and check), confirm “Старый хост выключен и не будет запущен одновременно” (The old host is off and will not run at the same time) and press “Восстановить на этом ПК” (Restore on this PC). There is no need to create a new enterprise on this computer.




The first-start wizard with the restore from Yandex Disk button

Important: If the old host computer comes back to life, do not run it as a host: two hosts with one key on one network confuse the stations. Stop the host service on it and uninstall the program with the host role.

9. After the restore

Step 1. The host holds the stations' data


After a restore the host does not accept station data until an administrator resumes it. The “Резервные копии” (Backups) page shows the “Приём данных станций остановлен” (Accepting station data is stopped) block: since when, the restore epoch and the list of stations. Stations that come online return their SSCC blocks to the host themselves — the “Блоки SSCC” (SSCC blocks) column then reads “Вернула” (Returned), otherwise “Не вернула” (Not returned).



Accepting station data is stopped after the restore

Step 2. Resume after the checks

Together with an engineer, check the SSCC counters, the shift numbers, the revocations of devices, operators and office users made after the copy, and the stations paired after the copy. Then press “Возобновить приём данных станций” (Resume accepting station data), tick the confirmation of the checks and press “Возобновить приём данных станций” in the window. Only an administrator can resume.



Confirming the resume

10. Warnings

No verified copies yet — Press “Сделать копию сейчас” (Make a copy now) and make sure the copy appears in the list.

The latest verified copy is more than a day old — Check that the host service is running and that there is space on the disk; make a copy by hand.

Copying to the second folder failed — The office names the reason: “папка недоступна” (folder unavailable), “у службы хоста нет прав на запись” (the host service has no write permission), “диск заполнен” (disk full). Check that the computer or USB stick with the second folder is connected, and the service account's permissions.

There is no host key beside the copy — On a new computer such a copy will require pairing every device again. Make a copy now; if the warning stays, contact support.

The host computer's clock is behind — Fix the Windows date and time on the host computer and do not set the clock back: the backup schedule and retention follow the host's clock.

If the problem is not described above, contact Markiro support: hello@v-b.tech.