

Scanning station: inventory on the terminal

This is an informational translation. The matching Russian revision is authoritative. Operator's guide for inventory: opening a task, checking products and scan verdicts, repacking boxes with label printing, leaving the task.

Document code	MKR-INS-05
Revision	2026.09/02
Effective from	26 September 2026
Revision verification	https://markiro.app/d/MKR-INS-05/2026.09/02/26.09.2026
Language	EN
Operator	Богатырев Владислав Сергеевич
Contacts	https://markiro.app · hello@v-b.tech · +7 934 355-14-90

1. Purpose

An inventory is a full recount of the products in a warehouse or on a line. A manager prepares and starts the task in the cabinet, and the operator performs the recount on the terminal: scans the products and, when required, moves them into new boxes. This instruction covers the operator's work; signing in is covered by instruction MKR-INS-01.

A task comes in two methods: “Without repacking” — products are only scanned, the boxes stay as they are; “With repacking” — verified products are moved into new boxes and labels are printed for them. The manager picks the method when creating the task; the operator does not change it.

Note: The screenshots use demo data. Task numbers, boxes and products on your terminal will differ.

2. Opening a task

Step 1. Open the warehouse operations

On the shift selection screen switch to “Warehouse operations”. The terminal shows the inventory tasks of its line and offers to scan the task-form barcode.



Demo station 01 · Test line A
Sample Operator

● Sync 0

● Conflicts 0

Printers 3 / 3

! Change operator

☑

Warehouse operations

Back to shifts 0

☐ Scan the task-form barcode

Inventory opens automatically. A task assigned to another line requires confirmation.

TASK BARCODE

Inventory tasks for Test line A

1 task

INVENTORY - 26 - 0047 Water 0.5 L

Without repacking

Continue

Refresh tasks

Workstation setup

Conflicts

Warehouse operations: the line's inventory tasks

Step 2. Scan the task-form barcode

Take the printed task form prepared by the manager and scan its barcode — the task opens automatically. If there is no form, pick the task in the list with the “Continue” button.

Expected result: The terminal opened the “Product check” screen — the task is loaded and works offline.

Step 3. Confirm a task of another line

If the barcode belongs to a task of another line, the terminal asks for confirmation. Open such a task only when your supervisor says so: the inventory is counted per assigned line.



Task is assigned to another line

Scanned barcode INVENTORY-26-0047

Current station
Test line B

→

Task is assigned to
Test line A
INVENTORY-26-0047

Water 0.5 L
Without repacking

 After confirmation, scans from this station will belong to this inventory and will be identified as work from another line.

Cancel

Join INVENTORY-26-0047

Confirming a task of another line

Note: Once the snapshot is saved, the terminal works autonomously: the recount continues offline, and the results go to the server when the connection is back.

3. Product check and verdicts

On the “Product check” screen, scan a bottle or a box. Scanning a box marks all of its known contents as verified — this is faster than scanning bottles one by one. The counters show “Verified”, “Discrepancies” and “Protected from counting”.

Step 1. “Code accepted” and “Box accepted”

A green verdict means the item is counted. When a box is scanned, the terminal reports “Box accepted: N codes” — its contents do not need to be scanned separately.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Product check

INVENTORY-26-0047 Water 0.5 L Without repacking

Production date
8/19/2026

Applies from the next accepted scan

Change

Leave task

Pending events: 0

#

Scan a bottle or box

A box verifies all known contents

✓ Box accepted: 20 codes

BOX

Recent scans

No accepted scans yet.

Verified
20

Discrepancies
3

Protected from counting
2

20
checked by this terminal

1
boxes accepted whole

20
bottles scanned separately

The box is accepted whole

Step 2. “Code is absent from the source snapshot” — a discrepancy

The product is in the warehouse, but it is not in the task's snapshot. The scan is saved as a discrepancy — set such products aside and continue the recount. The manager will sort the discrepancies out.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Product check

INVENTORY-26-0047 Water 0.5 L Without repacking

Production date
8/19/2026

Applies from the next accepted scan

Change

Leave task

Pending events: 0

#

Scan a bottle or box

A box verifies all known contents

Code is absent from the source snapshot DISCREPANCY

Recent scans

No accepted scans yet.

Verified
124

Discrepancies
1

Protected from counting
2

87
checked by this terminal

4
boxes accepted whole

83
bottles scanned separately

A discrepancy: the code is not in the task's snapshot

Step 3. “Code not counted: already in shipment”

The code is protected from counting: the product has already been shipped or withdrawn from circulation. The terminal does not count it — remove such products from the batch being recounted.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Product check

INVENTORY-26-0047 Water 0.5 L Without repacking

Production date
8/19/2026

Applies from the next accepted scan

Change

Leave task

Pending events: 0

#

Scan a bottle or box

A box verifies all known contents

× Code not counted: already in shipment NOT COUNTED

Recent scans

No accepted scans yet.

Verified
124

Discrepancies
3

Protected from counting
1

87
checked by this terminal

4
boxes accepted whole

83
bottles scanned separately

A protected code: the product is already in shipment

Step 4. “Code is not part of this inventory”

The product does not match the task's parameters: a different product or a production date outside the set period. It does not go into the recount — set it aside and continue.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Product check

INVENTORY-26-0047 Water 0.5 L Without repacking

Production date
8/19/2026

Applies from the next accepted scan

Change

Leave task

Pending events: 0

#

Scan a bottle or box

A box verifies all known contents

Code is not part of this inventory

INELIGIBLE

Recent scans

No accepted scans yet.

Verified
124

Discrepancies
1

Protected from counting
2

87
checked by this terminal

4
boxes accepted whole

83
bottles scanned separately

The code is not part of this task

Step 5. “DUPLICATE” — the code is already checked

“Code was already checked on this terminal” or “Code was already checked on another terminal” means the item was counted earlier. Do not rescan it and do not repack it: it is already counted.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ●

! Change operator

Product check

INVENTORY-26-0047 Water 0.5 L Without repacking

Production date
8/19/2026

Applies from the next accepted scan

Change

Leave task

Pending events: 0

#

Scan a bottle or box

A box verifies all known contents

Code was already checked on another terminal

Another terminal · 1:00:00 PM

DUPLICATE

Recent scans

No accepted scans yet.

Verified
124

Discrepancies
3

Protected from counting
2

87
checked by this terminal

4
boxes accepted whole

83
bottles scanned separately

A duplicate: the code was already checked on another terminal

Important: “Code not recognized” — the scan was not a marking code: flatten the packaging and scan again. “Scan was not saved — scan again” means the terminal did not record the result: scan the same item again.

4. The production date

The terminal attributes scans to the active production date and takes it from the product itself: the bottling date of every code is known from the task's snapshot. There is no need to set the date manually before starting — follow the terminal's prompts.


Step 1. Just start scanning

The first scan on the terminal sets the active date by the scanned code's date on its own — nothing needs to be confirmed. Before the first scan, the “Production date” field holds the start of the task's period; the very first scan replaces it with the product's real date.

Step 2. The code's date does not match the active one

If the scanned code's date diverges from the active one, the terminal does not count the scan and shows “The code's date differs from the active one”. Tap “Set MM/DD/YYYY and count” to switch the active date to the code's date and count this bottle right away — this is how you move on to products of another date. The “Skip the code” button records nothing: set the bottle aside and continue. While the dialog is open, the scanner is held — further scans will not pass until you answer.






The code's date does not match the active date

Expected result: The scan is not recorded in either case until you pick an action.

Step 3. A box holds several bottling dates

If the scanned box holds products of different dates, no single date can be applied — the terminal shows “The box holds several production dates”. “Count as is” counts the box whole under the current active date, and the manager will sort the date discrepancies out. “Skip the code” leaves the box uncounted — then break it up and scan the bottles one by one.






The box contains several bottling dates

Step 4. The date during repacking

During repacking, the new box takes its date from the source box's contents: if everything in it has one date, the new box opens with it right away. When a bottle's date diverges from the box date, the terminal shows "This code's date is different from the box date". While the new box is empty, the "Set MM/DD/YYYY and count" button is available — it sets the box date by the bottle. If the box already holds bottles, dates must not be mixed: the terminal reports "The box already holds bottles of another date. Close or clear it." — leaving "Skip the code" and the "Corrections" button.





Repacking: the bottle's date does not match the box date

Step 5. Switch the date manually

Manual switching is needed only when the terminal did not set the date itself. Tap “Change” next to the date, pick the right one and confirm with the “Apply date” button. The new date applies from the next accepted scan — scans already made do not change.



Change production date

Cancel

Production date

19.08.2026

Applies from the next accepted scan

Apply date

Changing the production date

Important: If the terminal added “The code's date is outside the task range” under the mismatch message, the “Set MM/DD/YYYY and count” button will not appear: such products are not part of this task. Set them aside and tap “Skip the code”.

Important: During repacking the “Apply date” button is unavailable while the open box holds bottles — the terminal shows “Close the incomplete box or clear it first”. Close the box or clear it through the “Corrections” panel, then change the date.

5. The “With repacking” method

Step 1. Scan the source box

Repacking goes box by box: first scan the label of the source box you are moving products out of.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Repacking

INV-R-00012 Water 0.5 L With repacking

Production date
8/19/2026 Pending events: 0

Change Corrections Leave task

Source box
—

New box
—

Production date
—

0 / 20

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Scan the source box

Recent scans

No accepted scans yet.

Repacking: the terminal is waiting for the source box scan

Expected result: The terminal showed “Source box selected” and opened a new box.

Step 2. Scan every bottle into the new box

Move products one by one, scanning each unit: the terminal shows the taken and free slots in the open box. “Bottle added to the new box” — the item is placed; “Scan saved, but the bottle was not added” — the item is counted as a discrepancy and does not go into the new box.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Repacking

INV-R-00012 Water 0.5 L With repacking

Production date
8/19/2026

Pending events: 0

Change

Corrections

Leave task

Source box
_0014

New box
046006820000000015

Production date
8/19/2026

7 / 20

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Scan every bottle

Source box selected

Recent scans

No accepted scans yet.

Filling the new box

Step 3. The box closes automatically

When the box is full, the terminal closes it automatically and sends the label to print. A partial box cannot be closed manually — if needed, open the “Corrections” panel: the “Remove last bottle” button removes a mistakenly added item, and “Clear open box” removes the whole set.



Demo station 01 · Test line A
Sample Operator

Sync 0
Conflicts 0
!
Change operator

Repacking

INV-R-00012 Water 0.5 L With repacking

Production date
8/19/2026
Pending events: 0

Change Corrections Leave task

Printing label

Box · No printer saved for this label yet

Change printer

SSCC
046006820000000015

Bottle quantity
20

Production date
8/19/2026

Recent scans

No accepted scans yet.

The box is closed — printing the label

Important: “Box blocked by an ownership conflict” — the box was already processed by another terminal; clear the conflict and continue with another box. “Box invalidated by an administrator” — stop working on it and tell your supervisor.

6. Printing the new box label

Step 1. Stick the printed label on

After the box is closed, the terminal prints a label with the new SSCC number. Stick it onto this box right away — a box without a label cannot be identified in the warehouse.

Expected result: The terminal showed “Label printed”.

Step 2. If the label was not printed

The terminal reports the cause: “The task has no label template”, “Printer is not configured”, “Could not prepare the label” or “The printer did not confirm printing”. Fix the cause (ribbon, cable, jam) and tap “Retry printing”; the “Configure printer” button opens the workstation setup. The label's printer is shown above the buttons: to print the label on another printer of the station, tap “Change printer”, choose the printer and tap “Use for this label”.



Demo station 01 · Test line A
Sample Operator

● Sync 0 ● Conflicts 0 ● ● !

Change operator

Repacking

INV-R-00012 Water 0.5 L With repacking

Production date
8/19/2026

Pending events: 0

Change

Corrections

Leave task

!

Label was not printed

The printer did not confirm printing.

Box · No printer saved for this label yet

Change printer

SSCC
046006820000000015

Bottle quantity
20

Production date
8/19/2026

Retry printing

Configure printer

Recent scans

No accepted scans yet.

The label was not printed: retrying the print

Step 3. Reprint a lost label

Open the “Corrections” panel — in the “Reprint a box label” section enter at least four digits of the SSCC number, and the matching boxes appear by themselves. Pick the right one and tap “Reprint”. Destroy the old label if it turns up: only one may remain on the box.

Important: “The print result was not saved. Retry with the same SSCC” — do not create a new box: repeat the print for the same number, otherwise the warehouse ends up with two boxes holding the same contents.

7. Leaving the task

Step 1. Finish with the “Leave task” button

The terminal sends the accumulated events to the server and returns to the task list. The “Pending events” counter shows the queue — wait for it to be sent if the network is up.

Step 2. If leaving failed

The terminal showed “Could not leave. The task and pending scans are preserved.” — the task and all scans stay on the terminal, nothing is lost. With repacking, close the open box or clear it through the “Corrections” panel before retrying (in the screenshot the box is open: 4 of 20) — otherwise the packed products remain without a label or a record. Then tap “Leave task” again.



Demo station 01 · Test line A
Sample Operator
Sync 0 Conflicts 0
Change operator

Repacking

INV-R-00012 Water 0.5 L With repacking

Production date
8/19/2026
Could not leave. The task and pending scans are preserved.

Source box
_0014

New box
046006820000000015

Production date
8/19/2026

4 / 20

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20

Recent scans

No accepted scans yet.

* Scan every bottle

Leaving failed: the task and the scans are preserved on the terminal

8. Frequently asked questions

The task-form barcode cannot be read — Pick the task from the list on the warehouse operations screen with the “Continue” button — the form is only needed for quick opening.

The line has no inventory tasks — The task has not been started by the manager yet or is assigned to another line. Check with your supervisor; production shifts remain available meanwhile.

Many discrepancies in a row — The wrong batch or the wrong product is probably being recounted. Stop and check with your supervisor — the discrepancies stay in the inventory result.

The terminal is offline during the recount — Keep working: the task's snapshot is stored locally, and the scans go to the server when the connection is back.

Closed a box but there is no label — Reprint it by the SSCC number (section 6). Only a box printed by this terminal can be reprinted — if another terminal printed it, ask your supervisor. Until there is a label, the box must not go to the warehouse.

If your problem is not listed above, contact your organization's administrator or Markiro support: hello@v-b.tech.

