

Cabinet: the product catalog and the product card

This is an informational translation. The matching Russian revision is authoritative. Manager's guide: adding a product to the catalog, completing its card so it reaches the active status, checking readiness per operation, confirming the National Catalog category and filling in its attributes, adding a photo, and retiring a product.

Document code	MKR-INS-10
Revision	2026.09/02
Effective from	19 September 2026
Revision verification	https://markiro.app/d/MKR-INS-10/2026.09/02/19.09.2026
Language	EN
Operator	Богатырев Владислав Сергеевич
Contacts	https://markiro.app · hello@v-b.tech · +7 934 355-14-90

1. Purpose

The product catalog is the organization's product directory. A product card decides what is printed on the label and what can be picked when a shift is planned: until the card is complete the product stays a draft and no shift can run on it. This instruction is for a cabinet manager; importing products from the National Catalog is covered by a separate instruction.

- The product group is needed by the station and by label-template selection.
- The box capacity and the number of boxes per pallet decide what goes into a package during aggregation.
- “Print name” is the short name that goes on the label instead of a long full name.
- The National Catalog category and its attributes are needed not for a shift but for ordering codes and putting the product into circulation.

Note: The screenshots were taken on demonstration data. Product names, GTINs and counterparties will differ in your cabinet.

Note: The Chestny Znak product-group directory is maintained in Russian and the cabinet shows its names as received, so group names stay Russian on an English screen. National Catalog units of measure behave the same way. Everything else on these screens follows the interface language.

2. Product list

Step 1. Open the “Catalog” section

In the cabinet side menu pick “Catalog” under “Reference data”. The table shows GTIN, photo, name, group, per-box capacity, the card status and Chestny Znak information; the “Actions” column holds “Edit” and “Delete”. The product name is a link: clicking it opens the card just as “Edit” does.



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Integrations

Organization

Billing

IV Igor Volkov manager@example.test

Marka Co manager@example.test

RU Sign out

Product catalog

Add from National Catalog

Add product

Search: Name or GTIN

Status: All statuses

CHZ status: All statuses

Per page: 10

3 products

GTIN	PHOTO	NAME	GROUP	PER BOX	MARKIRO STATUS	CHESTNY ZNAK	ACTIONS
04600000000008		Cranberry syrup, 0.5 L	Соковая продукция и безалкогольные напитки	12	Active	Information unavailable CHZ link	Edit Delete
04600000000015	—	Raspberry syrup, 0.5 L	—	—	Draft	Information unavailable CHZ link	Edit Delete
04600000000022	—	Pear syrup, 0.5 L	Соковая продукция и безалкогольные напитки	12	Not in use	Information unavailable CHZ link	Edit Delete

Product catalog: three products in different statuses

Active — The card is complete: the product can be picked when planning a shift and during a stock count.

Draft — The card is missing the product group or a capacity. The product is visible in the catalog but unavailable in a shift.

Not in use — The product was retired by hand with the “Do not use” checkbox (section 9).

Step 2. Find the product you need

The “Search” field takes a name or a GTIN. The “Status” list filters by card status, “CHZ status” by the state of the card in Chestny Znak, and “Per page” sets the page size. The number of products found is printed under the filters.

маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Integrations

Organization

Billing

IV Igor Volkov manager@example.test

Marka Co manager@example.test

RU Sign out

Product catalog

Add from National Catalog

Add product

Search: Name or GTIN

Status: Draft

CHZ status: All statuses

Per page: 10

1 product

GTIN	PHOTO	NAME	GROUP	PER BOX	MARKIRO STATUS	CHESTNY ZNAK	ACTIONS
04600000000015	—	Raspberry syrup, 0.5 L	—	—	Draft	Information unavailable CHZ link	Edit Delete

The “Status” filter: only drafts are left in the list

Expected result: Only products with the chosen status remain in the table.



3. A new product: the basics

Step 1. Create the card

Press “Add product”. The “New product” panel opens with four sections: “Basic”, “Aggregation and price”, “Product photo” and “Defaults”. The new-product form has no tabs: everything that concerns the National Catalog appears only on a saved card.

A new product card: the “Basic” section

Step 2. Enter the GTIN and the names

“GTIN” is the product code; the cabinet checks its check digit immediately and answers a wrong one with “Invalid GTIN (check digit mismatch)”. “Name” is the full name used in the cabinet and in reports. Fill in “Print name” when the full name is too long for a label: “Short name for the station and label. Blank — the full name is used.”

Step 3. Check who owns the GTIN

For a valid GTIN the cabinet shows who it is registered to: “GTIN owner — ...”. If that is a counterparty — for example when you bottle under someone else's brand — the “Apply counterparty” button writes it straight into the defaults. The warning “GTIN owner could not be determined — double check the code before saving.” means the code was found neither behind you nor behind a known counterparty.



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Integrations

Organization

Billing

Marka Co
manager@example.test

Product catalog

Search

Status

CH

Name or GTIN

All statuses

3 products

GTIN	PHOTO	NAME	GROUP
0460000000008		Cranberry syrup, 0.5 L	Соковая пр и безалко напитки
0460000000015	—	Raspberry syrup, 0.5 L	—
0460000000022	—	Pear syrup, 0.5 L	Соковая пр и безалко напитки

Igor Volkov
manager@example.test

New product

Basic

GTIN

0460000000015

GTIN owner — Berry House LLC

Apply counterparty

Name

Print name

Short name for the station and label. Blank — the full name is used.

Product group

Not selected

Aggregation and price

Box capacity, units

Boxes per pallet

A count of boxes, not of product units.

Price per unit, ₽

Shelf life, days

Product photo

No photo added

Drop a file or click

JPEG, PNG, or WebP up to 5 MB

Defaults

Default counterparty

None selected

Cancel

Create

The GTIN is registered to a counterparty

4. Reaching the active status

The cabinet computes the card status itself; it is never set by hand. Until the product group and both capacities are filled in, the card stays a draft.

Step 1. Fill in what is missing

A draft carries the banner “Draft — fill in the group and capacities to run shifts” at the top of the card. Pick “Product group” from the Chestny Znak directory and set “Box capacity, units” and “Boxes per pallet” as whole numbers above zero. The second field counts boxes rather than product units, which the cabinet repeats in the hint “A count of boxes, not of product units.”



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Integrations

Organization

Billing

Marka Co
manager@example.test

Product catalog

Search

Status

CH

Name or GTIN

All statuses

3 products

GTIN	PHOTO	NAME	GROUP
0460000000008		Cranberry syrup, 0.5 L	Соковая пр и безалко напитки
0460000000015	—	Raspberry syrup, 0.5 L	—
0460000000022	—	Pear syrup, 0.5 L	Соковая пр и безалко напитки

IV Igor Volkov
manager@example.test

Edit product

Basic Chestny ZNAK

Basic

 Draft — fill in the group and capacities to run shifts

☐ Do not use
The product cannot be selected on kiosks, in shifts, or in integrations. It stays available for inventory and in history, and its GTIN can be reused in a new card.

GTIN

0460000000015

Name

Raspberry syrup, 0.5 L

Print name

Raspberry syrup 0.5

Short name for the station and label. Blank — the full name is used.

Product group

Not selected

Aggregation and price

Box capacity, units

Boxes per pallet

A count of boxes, not of product units.

Price per unit, ₽

Shelf life, days

Product photo

No photo added

 Drop a file or click

JPEG, PNG, or WebP up to 5 MB

Defaults

Default counterparty

None selected

Cancel

Save

A draft: the group and the capacities are empty

Step 2. Save the card

Press “Save”. The remaining fields of “Aggregation and price” — “Price per unit, ₽”, “Shelf life, days”, and for some EGAIS product groups also “EGAIS code” (see section 6) — are optional and do not affect the status. A saved card gains two tabs above the fields, “Basic” and “Chestny ZNAK”: readiness, the category and the attributes live on the second one (sections 5 and 6).



маркиро

Production

Overview

Shifts

Lines

Inventories

Code search

Conflicts

Disposal

Disaggregation

Reference data

Catalog

Counterparties

Operators and employees

Labels

Equipment and exchange

Devices

Integrations

Organization

Billing

Marka Co

manager@example.test

Product catalog

Search

Status

All statuses

3 products

GTIN	PHOTO	NAME	GROUP
0460000000008		Cranberry syrup, 0.5 L	Соковая пр и безалко напитки
0460000000015	—	Raspberry syrup, 0.5 L	—
0460000000022	—	Pear syrup, 0.5 L	Соковая пр и безалко напитки

IV

Igor Volkov

manager@example.test

Edit product

Basic

Chestny ZNAK

Basic

☐ Do not use

The product cannot be selected on kiosks, in shifts, or in integrations. It stays available for inventory and in history, and its GTIN can be reused in a new card.

GTIN

Name

Print name

Short name for the station and label. Blank — the full name is used.

Product group

Aggregation and price

Box capacity, units

Boxes per pallet

A count of boxes, not of product units.

Price per unit, ₽

Shelf life, days

Product photo

↓

Drop a file or click

Remove photo

JPEG, PNG, or WebP up to 5 MB

Defaults

Default counterparty

Cancel

Save

A complete card: the group and both capacities are in place

Expected result: The product reached the “Active” status in the list and became available when planning a shift.

Important: If a product cannot be found in the shift form, check its status in the catalog: a draft and a product marked “Do not use” are both unavailable in the product picker.

5. Readiness per operation

The card status and readiness are two different checks. The status — “Active” or “Draft” — answers only whether the product can be picked when planning a shift or during a stock count; it says nothing about National Catalog operations. Readiness is computed separately for each of four operations and against the saved card rather than against what is typed into an open form. So a product with the “Active” status can still be unready for ordering codes or for circulation.

Step 1. Open the “Chestny ZNAK” tab

Open a product from the list. A saved card with write access carries two tabs above the fields: “Basic” for the product's own fields and “Chestny ZNAK” for everything tied to the National Catalog. Readiness, the



category, the attributes and the EGAIS codes live on the second tab only; they are not below the basic fields. With read-only access the cabinet opens the card without tabs: the same blocks appear one after another on a single screen.

Step 2. Read the four dimensions

The “Readiness” block shows four dimensions — “Production”, “Code ordering”, “Putting into circulation” and “EGAIS” — and the state of each: “Ready”, “Not ready”, “Update required” or “Not applicable”. Under a dimension the cabinet lists what is missing; the paler lines below are recommendations and do not block the operation. “Not applicable” means the operation does not concern this product group — that is how “EGAIS” is marked for a non-alcoholic product.

Readiness

Readiness is checked against saved Markiro data separately for each operation.

Production	Ready
Code ordering Complete: Composition.	Not ready
Putting into circulation - A newer category schema is available. Review the category change and value transfer. - Recommended: Package.	Update required
EGAIS	Not applicable

Readiness per operation: production is ready, code ordering is not

Expected result: It is visible which operation is already available and which waits for data.

The product group is not selected — The line “Select a Chestny ZNAK product group.” — without a group “Production” is not ready, so no shift can run either.

The box or pallet count is missing — The lines “Enter the box capacity.” and “Enter the pallet capacity.” point at the fields of “Aggregation and price” on the “Basic” tab.

The category is not confirmed — The line “Confirm the National Catalog category.” — until a category is pinned, “Code ordering” and “Putting into circulation” stay “Not ready” (section 6).

A newer category schema is available — The line “A newer category schema is available. Review the category change and value transfer.” — the card is pinned to an outdated schema version, and the operation turns to “Update required” until you go through the category change.

Category attributes are incomplete — Lines such as “Complete: Composition.” list the mandatory category attributes; lines such as “Recommended: Package.” list the recommended ones, whose absence does not block the operation.

EGAIS codes are missing — The lines “Add an EGAIS AP code.” and “Select the primary EGAIS AP code.” appear only for the product group whose goods are tracked in EGAIS (section 6).



Note: Readiness is computed from saved data. Until you press “Save”, edits typed into the form do not change it.

6. The category and its attributes

The Chestny Znak product group describes the kind of product coarsely; the National Catalog category refines it and brings the set of attributes Chestny Znak expects when codes are ordered and when the product is put into circulation. The category, the attributes and the EGAIS codes sit on the “Chestny ZNAK” tab and are saved separately from the basic product fields, each block with its own button.

Note: While the form holds unsaved edits to “GTIN” or “Product group”, the cabinet locks these blocks and shows the hint “Save the main product details before editing its category and attributes.”.

Step 1. Check the pinned category

The “Category and classification” block shows which category the product is pinned to: “National Catalog category”, the “TN VED” and “OKPD2” codes, and “Source” — where the values came from. A card accepted from Chestny Znak names “National Catalog” as its source. The “Change category” button opens the change wizard.

Category and classification

National Catalog category	Syrups
TN VED	2106909200
OKPD2	10.89.19.190
Source	National Catalog

Change category

Category and classification of a pinned card

A card without a category carries a “Select category” button in the same place, and instead of the codes an explanation that the category can be taken from the Chestny Znak card or picked by hand. If no categories are configured for the product group yet, the cabinet says so in a separate message; the basic product fields can still be saved.

Step 2. Change the category through value transfer

Press “Change category” — on an empty card, “Select category” — pick a category from the list and correct “TN VED” and “OKPD2” if needed. When the chosen category is not matched to the product group unambiguously, the cabinet asks you to confirm the choice with the “I confirm this category matches the selected Chestny ZNAK product group.” checkbox. The “Review changes” button applies nothing: it opens the “Review value transfer” screen.

- “Compatible with the new category” — the value transfers as it is.
- “Will be converted to the new category format” — the value transfers with its format or unit converted.
- “Not applicable to the new category; kept in history” — the new schema has no such attribute.
- “Requires manual entry in the new category; current value kept in history” — the attribute exists, but the value does not transfer automatically.
- “EGAIS codes are preserved” — a category change does not touch the code list.

The checkboxes for “Compatible with the new category” and “Will be converted to the new category format” start ticked — clear the ones you do not want transferred. “Not applicable to the new category; kept in history” and “Requires manual entry in the new category; current value kept in history” have no checkbox at all: those values are not affected by the transfer. The cabinet states this in the line “Selected



values will transfer to the new category. Others will remain in history and no longer count towards current readiness.”. The “Confirm category” button applies the change, and only then is readiness recomputed against the new schema.

Step 3. Fill in the category attributes

The “Category attributes” block groups the fields by what they are needed for: the mandatory ones first, then the recommended and the additional ones. An empty picker reads “Not specified”. Some attributes carry a unit chosen next to the value; units come from the National Catalog registry and are not translated, so the volume unit still reads л on an English screen. Under a field the cabinet prints the value already accepted and its source — for example “National Catalog”. When the fields are filled in, press “Save attributes”.

Category attributes

Required for code ordering

Volume

0.5	л
----------------------------------	--------------------------------

National Catalog: 0.5 л

Required for circulation

Composition

Recommended

Package

Not specified
--

Custom value: Package

Save attributes

Category attributes grouped by their requirement

Expected result: After the save the closed attributes disappear from the reasons in the readiness block.

Required for code ordering — Without such an attribute the “Code ordering” dimension stays “Not ready”.

Required for circulation — The same for “Putting into circulation”: codes can be ordered, but the product cannot enter circulation.

Recommended — The attribute goes into the pale list of recommendations under the dimension and does not block the operation.

Additional — The attribute does not affect readiness; fill it in when the value is known.



Step 4. Add the EGAIS AP codes

The cabinet shows the “EGAIS AP codes” block only for the product group whose goods are tracked in EGAIS, and only once a category is pinned; for the other groups the “EGAIS” dimension is marked “Not applicable”. The “Add EGAIS AP code” button adds a row: every code is nineteen digits and repeats are rejected. As soon as the list holds at least one code, the cabinet requires a “Primary EGAIS AP code” and will not save the list without one. The list is saved by “Save EGAIS codes”, separately from the attributes.

While such a product has no pinned category, “Aggregation and price” keeps a single “EGAIS code” field — the former way of storing one code. Once the category is confirmed the field leaves the form and readiness is computed from the “EGAIS AP codes” list; while that list is empty, the saved value of the old field is used.



At the bottom of the “Chestny ZNAK” tab there is a “National Catalog” section with an “Open Chestny ZNAK data” link: it shows what Chestny Znak sent and the proposed card updates. That part of the work is covered by the separate instruction on importing from the National Catalog.

7. Photo

Step 1. Add a product photo

In the “Product photo” section drag a file onto “Drop a file or click” or pick it by hand. The limits are printed beside it: “JPEG, PNG, or WebP up to 5 MB”. The uploaded picture is visible in the catalog list and helps an operator not to confuse products; “Remove photo” takes it away.

Product photo



JPEG, PNG, or WebP up to 5 MB

The “Product photo” section with an upload

Expected result: A thumbnail appeared in the “Photo” column of the catalog list.

Note: Until a picture is uploaded the card shows “No photo added” and the list prints a dash in the “Photo” column. A photo affects neither the card status nor readiness.

8. Default values

Step 1. Name the default counterparty

“Default counterparty” is substituted into a shift when the product is bottled for another organization. The field is optional: leave “None selected” when the product is always your own.



Defaults

Default counterparty

Berry House LLC

Defaults: a counterparty is filled in

9. Retiring a product

A product that is no longer made is retired with a checkbox rather than deleted: the history of shifts and stock counts has to stay.

Step 1. Tick “Do not use”

Open the card and tick “Do not use” in the “Basic” section. The hint under the checkbox spells out the consequences: “The product cannot be selected on kiosks, in shifts, or in integrations. It stays available for inventory and in history, and its GTIN can be reused in a new card.”

The screenshot displays the 'Edit product' interface in the Markiro application. The left sidebar shows the navigation menu with 'Catalog' selected. The main area is divided into two panels. The left panel, titled 'Product catalog', shows a list of three products: 'Cranberry syrup, 0.5 L', 'Raspberry syrup, 0.5 L', and 'Pear syrup, 0.5 L'. The right panel, titled 'Edit product', shows the 'Basic' tab with the 'Do not use' checkbox checked. Below this, there are fields for GTIN, Name, Print name, Product group, Box capacity, Boxes per pallet, Price per unit, and Shelf life. The 'Product photo' section shows a placeholder for a photo and a button to 'Drop a file or click'. The 'Defaults' section shows the 'Default counterparty' set to 'None selected'. At the bottom right, there are 'Cancel' and 'Save' buttons.

GTIN	PHOTO	NAME	GROUP
04600000000008		Cranberry syrup, 0.5 L	Соковая продукция и безалкогольные напитки
04600000000015	—	Raspberry syrup, 0.5 L	—
04600000000022	—	Pear syrup, 0.5 L	Соковая продукция и безалкогольные напитки

Edit product

Basic Chestny ZNAK

☒ **Do not use**
The product cannot be selected on kiosks, in shifts, or in integrations. It stays available for inventory and in history, and its GTIN can be reused in a new card.

GTIN
04600000000022

Name
Pear syrup, 0.5 L

Print name
Pear syrup 0.5

Short name for the station and label. Blank — the full name is used.

Product group
Соковая продукция и безалкогольные напитки

Aggregation and price

Box capacity, units
12

Boxes per pallet
48

A count of boxes, not of product units.

Price per unit, ₽
189.00

Shelf life, days
365

Product photo

No photo added

Drop a file or click

JPEG, PNG, or WebP up to 5 MB

Defaults

Default counterparty
None selected

Cancel Save


The card of a retired product



Expected result: The product got the “Not in use” status in the list.

Step 2. Delete only cards created by mistake

The “Delete” button in a list row asks for confirmation: “Delete product?”, warning that the product “will be permanently deleted”. Delete only a card that was created by mistake and has not been used in production yet.



Confirming a product deletion

Important: Deletion cannot be undone. If shifts or stock counts already ran on the product, use “Do not use” instead — otherwise the documents are left without their product.

10. Products from external sources

Besides being entered by hand, a product reaches the catalog along two other paths, each with its own entry point.

Step 1. The 1C exchange

When the exchange delivers products that are not matched to the catalog yet, a plaque appears above the list: “New items arrived in the exchange (...) — check the unmatched queue.” The “Go to the queue” link opens the “Integrations” section, where a candidate is linked to a catalog card. The plaque and the linking are available to employees with integration rights.



Product catalog

New items arrived in the exchange (2) — check the unmatched queue. [Go to the queue](#)

Search: Name or GTIN

Status: All statuses

CHZ status: All statuses

Per page: 10

3 products

GTIN	PHOTO	NAME	GROUP	PER BOX	MARKIRO STATUS	CHESTNY ZNAK	ACTIONS
04600000000008		Cranberry syrup, 0.5 L	Соковая продукция и безалкогольные напитки	12	Active	Information unavailable CHZ link	Edit Delete
04600000000015	—	Raspberry syrup, 0.5 L	—	—	Draft	Information unavailable CHZ link	Edit Delete
04600000000022	—	Pear syrup, 0.5 L	Соковая продукция и безалкогольные напитки	12	Not in use	Information unavailable CHZ link	Edit Delete

The plaque for unmatched products from the exchange

The “Add from National Catalog” button in the section header creates cards from Chestny Znak data — that path is covered by the separate instruction on importing from the National Catalog.

11. Common questions

The cabinet rejects the GTIN — The message “Invalid GTIN (check digit mismatch)” points at the code itself, not at your rights: check the digits against the packaging or the supplier's documents.

The product is missing when planning a shift — Check its status in the catalog: a draft stays unavailable until the group and the capacities are filled in, and a product marked “Do not use” is hidden from the picker on purpose.

The product is active but codes cannot be ordered — The card status and readiness are different checks. Open the “Chestny ZNAK” tab and read the “Readiness” block: most often the category is not confirmed or the mandatory attributes are incomplete (sections 5 and 6).

The GTIN owner could not be determined — The code was found neither behind your organization nor behind a counterparty. Check it before saving: someone else's GTIN in a card leads to codes being rejected on the line.

The GTIN of a retired product is needed again — After “Do not use” that GTIN can be entered in a new card — the old one stays in history.

The “Chestny ZNAK” column is empty — The card is not linked to the National Catalog, or the information has not arrived yet. The link to a Chestny Znak card and readiness are different things: a product can be linked and still unready, and a category can also be picked by hand. Linking is covered by the instruction on importing from the National Catalog.

If your problem is not described above, contact your organization's administrator or Markiro support: hello@v-b.tech.

