

Mini Guía: Subir un Proyecto Java de NetBeans a GitHub usando Token Classic

Esta guía explica paso a paso cómo subir un proyecto Java realizado en NetBeans a GitHub utilizando un Personal Access Token (Classic).

Paso 1: Crear un repositorio en GitHub

- Ingresar a GitHub.
- Hacer clic en 'New Repository'.
- Elegir un nombre para el repositorio.
- Crear el repositorio vacío.

Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? [Import a repository](#).
Required fields are marked with an asterisk ()*.

1

General

Owner *

Profe-corsa ▾

Repository name *

Great repository names are short and memorable. How about [ideal-octo-couscous?](#)

Description

0 / 350 characters

2

Configuration

Choose visibility *

Choose who can see and commit to this repository

Public ▾

Add README

READMEs can be used as longer descriptions. [About READMEs](#)

Off ☐

Add .gitignore

.gitignore tells git which files not to track. [About ignoring files](#)

No .gitignore ▾

Add license

Licenses explain how others can use your code. [About licenses](#)

No license ▾

Create repository

Paso 2: Generar un Token Classic

- Ir a Settings → Developer settings → Personal access tokens → Tokens (classic).
- Seleccionar 'Generate new token (classic)'.
- Asignar permisos 'repo'.
- Guardar el token en un lugar seguro.


The screenshot shows the GitHub 'Personal access tokens (classic)' interface. On the left, a sidebar contains 'GitHub Apps', 'OAuth Apps', and 'Personal access tokens' (selected). Under 'Personal access tokens', there are options for 'Fine-grained tokens' and 'Tokens (classic)' (selected). The main content area is titled 'Personal access tokens (classic)' and includes a 'Generate new token' button. Below this, it states 'Tokens you have generated that can be used to access the [GitHub API](#).' There are two token entries: 1. 'Para curso 325' with permissions: `admin:enterprise, admin:gpg_key, admin:org, admin:org_hook, admin:repo_hook, admin:ssh_signing_key, audit_log, codespace, copilot, delete:packages, repo, user, workflow, write:discussion, write:network_configurations, write:packages`. It expires on 'Mon, Jul 20 2026'. 2. 'Token para netbeans java' with permissions: `admin:enterprise, admin:gpg_key, admin:org, admin:org_hook, admin:public_key, admin:repo_hook, admin:ssh_signing_key, audit_log, codespace, copilot, delete:packages, delete_repo, gist, notifications, project, repo, user, workflow, write:discussion, write:network_configurations, write:packages`. It was 'Last used within the last 12 months' and has a 'Delete' button. It expires on 'Sat, Aug 2 2025'. At the bottom, a note explains that personal access tokens (classic) function like ordinary OAuth access tokens and can be used to authenticate to the API over Basic Authentication. The footer includes the GitHub logo, copyright notice '© 2026 GitHub, Inc.', and links for Terms, Privacy, Security, Status, Community, Docs, Contact, Manage cookies, and Do not share my personal information.

3. Inicializar Git en NetBeans

En Apache NetBeans:

- Abrir el proyecto Java.
- Click derecho sobre el proyecto.
- Versioning → Initialize Git Repository

NetBeans va a crear automáticamente la carpeta .git.




4. Hacer el primer commit

- Luego:
- Click derecho sobre el proyecto.
- Git → Commit

Aparecerá:

- Lista de archivos.
- Mensaje del commit.




5. Conectar con GitHub

- Click derecho proyecto.
- Git → Remote → Push

En:

- Repository URL
pegás la URL HTTPS del repositorio.



Ejemplo:

<https://github.com/usuario/mi-proyecto.git>

Usuario:

tu usuario de GitHub

Contraseña:

PEGAR EL TOKEN CLASSIC

No tu contraseña real de GitHub.

6. Push final

NetBeans te mostrará:

- Rama main
- Archivos a subir.

