

2011
**HIGHER SCHOOL CERTIFICATE
EXAMINATION**

Physics

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Write using black or blue pen
Black pen is preferred
- Draw diagrams using pencil
- Board-approved calculators may be used
- A data sheet, formulae sheets and Periodic Table are provided at the back of this paper
- Write your Centre Number and Student Number at the top of pages 9, 13, 15, 19 and 21

Total marks – 100

Section I Pages 2–22

75 marks

This section has two parts, Part A and Part B

Part A – 20 marks

- Attempt Questions 1–20
- Allow about 35 minutes for this part

Part B – 55 marks

- Attempt Questions 21–30
- Allow about 1 hour and 40 minutes for this part

Section II Pages 23–30

25 marks

- Attempt ONE question from Questions 31–35
- Allow about 45 minutes for this section

Section I

75 marks

Part A – 20 marks

Attempt Questions 1–20

Allow about 35 minutes for this part

Use the multiple-choice answer sheet for Questions 1–20.

1 What is the main cause of orbital decay of a satellite in low Earth orbit?

- (A) Tidal effects of the Moon
- (B) The Sun's gravitational field
- (C) Friction between the atmosphere and the satellite
- (D) The interaction of the solar wind with the satellite

2 A 60 kg object has a weight of 240 N on the surface of Planet X.

What is the acceleration due to gravity on the surface of Planet X?

- (A) 0.25 m s^{-2}
- (B) 4 m s^{-2}
- (C) 250 m s^{-2}
- (D) $14\,400 \text{ m s}^{-2}$

3 Metals have a crystal lattice structure.

What part of the metal's structure does the lattice represent?





- (A) The number of Cooper pairs
- (B) The location of the metal ions
- (C) The position of the free electrons
- (D) The energy gap below the conduction band

4 Why are insulators poor conductors of electricity?


- (A) Insulators do not have a conduction band.
- (B) The valence bands of insulators do not contain any electrons.
- (C) Insulators have a large energy band gap and a full valence band.
- (D) Insulators have a small energy band gap and a partly filled conduction band.

- 5 Which law best applies to the operation of an electrical transformer?
- (A) Conservation of Mass
 (B) Conservation of Energy
 (C) Conservation of Charge
 (D) Conservation of Momentum
- 6 Why is the back emf induced in a motor greater when the motor is rotating faster?
- (A) A larger current is induced.
 (B) It takes a greater emf to spin the motor.
 (C) The rate of change of magnetic flux is greater.
 (D) More magnetic field lines are being cut per rotation.
- 7 Two parallel plates are 2 mm apart and have a potential difference of 100 V between them. An electron is placed halfway between the plates.
- What is the magnitude of the force on the electron?
- (A) 8.0×10^{-18} N
 (B) 1.6×10^{-17} N
 (C) 8.0×10^{-15} N
 (D) 1.6×10^{-14} N
- 8 A rocket is launched. Its engine produces a constant thrust for the first 10 seconds and is then switched off.

Which graph best illustrates the g-force experienced by an astronaut in the rocket?




- 9 The diagram shows a stationary spacecraft next to a building, as seen by an observer across the street.




A short time later the spacecraft is observed to be travelling vertically upwards at $0.8c$, relative to the building.

Which diagram best represents the appearance of the moving spacecraft, as seen by the observer?




- 10 A student performed an experiment using two identical metal rods connected to a power supply. Rod A was placed at different distances from Rod B, and the measurements on the electronic balance were recorded.



Which is the independent variable?


- (A) The length of the rods
- (B) The current in Rod A
- (C) The mass recorded on the balance
- (D) The distance between the two rods

- 11 A student set up the equipment shown to carry out a first-hand investigation.



What was the student investigating?

- (A) Gravity
 (B) The motor effect
 (C) Magnetic levitation
 (D) Electromagnetic induction
- 12 The diagram represents a DC electric motor.



What is the polarity of the magnetic pole at X, and the direction of the motion of wire Y?


	<i>Polarity of magnetic pole at X</i>	<i>Direction of motion of wire Y</i>
(A)	South	Into the page
(B)	South	Out of the page
(C)	North	Into the page
(D)	North	Out of the page

- 13 A sample of pure silicon is doped with arsenic.


How does the electrical conductivity of the doped silicon change, and for what reason?

	<i>Change in electrical conductivity</i>	<i>Reason</i>
(A)	Increases	Increased number of free electrons
(B)	Increases	Increased number of holes
(C)	Decreases	Decreased number of free electrons
(D)	Decreases	Decreased number of holes

- 14 A heavy copper split ring is attached by a light insulating rod to a pivot to form a pendulum. A region of uniform magnetic field B is present as shown. As the pendulum swings from Position 1 to Position 2, the induced emf in the ring is measured between points X and Y .



Which graph best represents the measured emf during the time that the pendulum swings from Position 1 to Position 2?



- 15** A marble rolls off a 1.0 m high horizontal table with an initial velocity of 4.0 m s^{-1} .

How long will it take the marble to hit the floor?





- (A) 0.20 s
 - (B) 0.25 s
 - (C) 0.45 s
 - (D) 3.20 s
- 16** A satellite is orbiting a planet at a constant speed.

Which of the following statements is correct?

- (A) The satellite is not accelerating.
 - (B) The orbit of the satellite has a fixed radius.
 - (C) Fuel must be used to supply a constant thrust to the satellite.
 - (D) The centripetal force on the satellite is balanced by the gravitational force.
- 17** When photons with energy E strike a metal surface, electrons may be emitted.

The maximum kinetic energy (E_k) of the electrons is given by $E_k = E - W$ where W is a constant for the metal.


Which of the following graphs shows the relationship between the maximum kinetic energy of these electrons (E_k) and the wavelength of the photons (λ)?



- 18 An electric motor is constructed using a square coil and a uniform magnetic field of strength 0.45 T. The coil has 3 turns and sides of 10 cm. A current of 0.5 A flows through the coil.

What is the maximum torque experienced by the coil as it rotates?

- (A) $2.25 \times 10^{-3} \text{ Nm}$
(B) $6.75 \times 10^{-3} \text{ Nm}$
(C) 22.5 Nm
(D) 67.5 Nm
- 19 An electron, e , travelling with a velocity, v , passes through an electric field, E , between two parallel plates.



What is the direction of the force that this electric field exerts on the electron?

- (A) $\uparrow$
(B) $\nwarrow$
(C) $\swarrow$
(D) $\downarrow$
- 20 A satellite, initially in a low Earth orbit, is moved to a new orbit where its gravitational potential energy is half its initial value.

What is the gravitational force experienced by the satellite in its new orbit?

- (A) Half the initial force
(B) Twice the initial force
(C) Four times the initial force
(D) One quarter the initial force

--	--	--	--	--

Centre Number

Section I (continued)

--	--	--	--	--	--	--	--	--

Part B – 55 marks

Attempt Questions 21–30

Student Number

Allow about 1 hour and 40 minutes for this part

Answer the questions in the spaces provided. These spaces provide guidance for the expected length of response.

Show all relevant working in questions involving calculations.


Question 21 (5 marks)

Please turn over

Question 21 (5 marks)

The electrical resistance, R , of a piece of wire was measured at different temperatures, T . Near room temperature, the resistance of the wire can be modelled by the equation $R = mT + b$.

Temperature ($^{\circ}\text{C}$)	Resistance (ohms)
12	0.122
16	0.125
32	0.129
36	0.131



- (a) Plot the TWO remaining data points on the graph provided. Draw a line of best fit on the graph and use it to estimate the electrical resistance of the wire at 24°C .

3

.....

- (b) Assess the validity of using the data from this experiment to estimate the electrical resistance at -100°C .

2

.....
.....
.....
.....


Question 22 (5 marks)

- (a) What was the purpose of the experiment that Michelson and Morley conducted in 1887? **1**

.....

.....

- (b) Draw a labelled diagram that outlines how the experiment was performed. **4**



BLANK PAGE

--	--	--	--	--

Centre Number

Section I – Part B (continued)

--	--	--	--	--	--	--	--	--

Student Number

Question 23 (7 marks)

A rocket launches a satellite into an orbit 350 km above Earth's surface. The weight of the satellite is 14.0 kN at launch, and is 12.6 kN when in orbit.

(Radius of Earth = 6380 km, mass of Earth = 5.97×10^{24} kg)

- (a) Why does the weight of the satellite change? **1**

.....

- (b) Calculate the orbital velocity of this satellite. **2**

.....

.....

.....

.....

.....

- (c) Explain TWO effects that a reduction in altitude would have on the motion of this satellite. **4**

.....

.....

.....

.....

.....

.....

.....


.....

Question 24 (4 marks)

4

Consider the following ‘thought experiment’.

A scientist on board a spaceship wishes to synchronise two clocks. To achieve this, beams of light from a source placed midway between the clocks activate photocells, turning on both clocks.



The scientist observes the synchronisation of the clocks as the rocket flies past Earth at $0.95c$. A person on Earth observes that the clocks are not synchronised. Account for these observations.

.....

.....

.....

.....

.....

.....

.....

.....

--	--	--	--	--

Centre Number


Section I – Part B (continued)

--	--	--	--	--	--	--	--	--

Student Number

Question 25 (4 marks)

Identical magnets *A* and *B* are suspended above vertical copper tubes as shown in the diagram.

4

The magnets are dropped at the same time. Each magnet falls straight through its tube without touching the tube walls.

Which magnet leaves its tube first and why?

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

Question 26 (9 marks)

- (a) Use a flowchart to show how electrical energy is transferred from a power station to its point of use. **3**



Question 26 continues on page 17

Question 26 (continued)

- (b) Discuss the effects on the environment of the development of AC generators.

6

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.

End of Question 26

BLANK PAGE

--	--	--	--	--

Centre Number


Section I – Part B (continued)

--	--	--	--	--	--	--	--

Student Number

Question 27 (4 marks)

A single turn coil is positioned in a region of uniform magnetic field with a strength of 0.2 T. The plane of the coil is at 45° to the magnetic field. The coil is a square with 5 cm sides, and carries a current of 10.0 A.



- (a) Calculate the magnitude of the force on side AB.

2

.....

.....

.....

- (b) Explain why the net force produced by the magnetic field on the coil is zero.

2

.....

.....

.....

Question 28 (6 marks)

- (a) How could a student test the hypothesis that cathode rays are streams of particles? In your answer refer to the results that would be observed. **3**

.....

.....

.....

.....

.....

.....

.....

- (b) How is an electron beam produced in an electron gun? **3**

.....

.....

.....

.....

.....

.....

.....

--	--	--	--	--

Centre Number

Section I – Part B (continued)

--	--	--	--	--	--	--	--	--

Student Number

Question 29 (5 marks)

- (a) Calculate the number of photons, $\lambda = 450 \text{ nm}$, which are required to transfer $1.0 \times 10^{-3} \text{ J}$ of energy. 3

.....

.....

.....

.....

.....

.....

.....

- (b) A 1 W beam of light transfers 1 J per second from one point to another. 2

With reference to the particle model of light, contrast a 1 W beam of red light and a 1 W beam of blue light.

.....

.....


.....

.....

.....

Question 30 (6 marks)

The graph shows the relationship between the resistance of a metal alloy sample and its temperature.



- (a) Why is the resistance of the sample higher at 60 K than at 30 K? **2**

.....

.....

.....

.....

- (b) Use BCS theory to explain why the resistance of the sample is zero at temperatures below 18 K. **4**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Physics

Section II

25 marks

Attempt ONE question from Questions 31–35

Allow about 45 minutes for this section

Answer the parts of the question as indicated in Section II Answer Booklet 1 and Section II Answer Booklet 2.

Extra writing booklets are available.

Show all relevant working in questions involving calculations.

	Pages
Question 31 Geophysics	24
Question 32 Medical Physics	25–26
Question 33 Astrophysics	27
Question 34 From Quanta to Quarks	28
Question 35 The Age of Silicon	29–30


Question 31 — Geophysics (25 marks)

Answer parts (a)–(c) in Section II Answer Booklet 1.

- (a) Describe how geophysicists have reduced the risks from a natural hazard. In your answer, refer to a specific natural hazard and the instruments used to monitor it. **3**

- (b) (i) How is the rate of sea-floor spreading determined from magnetic anomaly measurements? **3**

- (ii) The diagram represents the magnetic anomalies of the oceanic crust in a particular region where the rate of sea-floor spreading is 30 km per million years. **2**



Use this information to construct a graph of magnetic field polarity vs time.

- (c) (i) Describe a first-hand investigation that demonstrates the relationship between the nature of a surface and the radiation reflected from it. **4**

- (ii) How can remote sensing techniques be used to monitor the regrowth of vegetation in regions affected by bushfire? **2**

Answer parts (d)–(e) in Section II Answer Booklet 2.

- (d) (i) Explain why measurements of the gravitational field strength taken on Earth's surface at two different latitudes result in different values. **2**


- (ii) Explain how resource exploration has been aided by the use of gravity methods. **3**

- (e) Explain how seismic methods and a knowledge of wave properties have increased our understanding of the structure of Earth. **6**


Question 32 — Medical Physics (25 marks)

Answer parts (a)–(b) in Section II Answer Booklet 1.

An ultrasound probe fires a pulse of ultrasound into the abdomen as shown in the diagram.



Analysis of the reflected sound produced the following scan.




- (a) (i) Identify the type of scan and the information that can be obtained from it. **2**
- (ii) The peaks *X* and *Y* correspond to the ultrasound reflected from the muscle tissue and bone respectively. Explain why the signal strength at *Y* is greater than at *X*. **2**
- (iii) The acoustic impedance of the abdomen wall adjacent to the muscle is $1.56 \times 10^6 \text{ kg m}^{-2} \text{ s}^{-1}$. If muscle tissue has a density of $1.04 \times 10^3 \text{ kg m}^{-3}$ and an acoustic velocity of 1580 m s^{-1} , calculate the percentage of the incident ultrasound pulse that is reflected at boundary *X*. **3**

Question 32 continues on page 26

Question 32 (continued)

- (b) (i) Explain how X-rays are produced in an X-ray tube. **3**
- (ii) The photographs *A* and *B* show scans of the same part of the body. **3**



Compare the information provided by the two scans.

Answer parts (c)–(e) in Section II Answer Booklet 2.

- (c) Explain why MRI is an effective tool for diagnosing brain tumours. **3**
- (d) With reference to coherent and incoherent bundles of fibres, explain how an endoscope is used to observe internal organs. **3**
- (e) *An increased understanding of the properties of radioactive isotopes has been important in the development of medical technologies used to analyse bodily processes.* **6**

Justify this statement.


End of Question 32

Question 33 — Astrophysics (25 marks)

Answer parts (a)–(b) in Section II Answer Booklet 1.

- (a) (i) Using a diagram, define the term *parsec*. 2
- (ii) Why was the resolution of Galileo's telescope more important for his observations than its sensitivity? 3
- (iii) Describe ONE technology that has improved the resolution of telescopes. 2

(b)



- (i) Compare the nuclear processes in a star found at **W** to a star found at **Z** on the Hertzsprung-Russell diagram. 3
- (ii) In 2008, the distance to the Pleiades cluster was determined as 135 pc. Calculate the apparent magnitude of a star at **W**. 2
- (iii) Calculate the relative brightness of a star found at **W** to a star found at **Z**. 2

Answer parts (c)–(d) in Section II Answer Booklet 2.

- (c) Using a Cepheid and one other named example, explain the difference between intrinsic and extrinsic variable stars. 4
- (d) *Spectroscopy is an important tool in obtaining information about stars, but it is a much more powerful tool when combined with photometry.* 7


Justify this statement.

Question 34 — From Quanta to Quarks (25 marks)

Answer parts (a)–(c) in Section II Answer Booklet 1.

- (a) Name a radioisotope used in agriculture and describe its use. **2**

- (b) (i) Explain how the reaction rate in a nuclear reactor can be increased or decreased. **4**



Explain why energy is released in this reaction.

- (c) Copy and complete in your booklet the following table comparing forces in the atomic nucleus. **3**

Forces in atomic nucleus			
	<i>Gravitational</i>	<i>Electrostatic</i>	<i>Strong</i>
<i>Strength</i>	Low		
<i>Direction</i>	Attractive		
<i>Range</i>	Infinite		

Answer parts (d)–(g) in Section II Answer Booklet 2.

- (d) A cricket ball has a mass of 156 g and a velocity of 20 ms^{-1} . Calculate its de Broglie wavelength. **2**

- (e) Identify the types and number of quarks and leptons in a tritium (${}^3_1\text{H}$) atom. **2**

- (f) Outline the main contributions of Heisenberg and Pauli to the development of atomic theory. **4**


- (g) *Mathematical models, validated by experimental evidence, have improved our understanding of the atom.* **6**

Justify this statement, focusing on the models developed by Bohr and de Broglie.

Question 35 — The Age of Silicon (25 marks)

Answer parts (a)–(d) in Section II Answer Booklet 1.

A circuit for a solar battery charger is shown.



- (a) Construct a truth table for the logic circuit contained in Section D. 3
- (b) Explain whether the operational amplifiers in Section C of the circuit are used in an open loop or closed loop configuration. 2
- (c) Determine the formula relating V_{batt} to V_{in} . 2
- (d) Calculate the range of voltages for V_{batt} for which the LED indicator lights up. 3

Question 35 continues on page 30

Question 35 (continued)

Answer parts (e)–(g) in Section II Answer Booklet 2.

- | | | | |
|-----|------|---|----------|
| (e) | (i) | Using a labelled diagram, describe the construction of an LED. | 3 |
| | (ii) | Identify ONE advantage and ONE disadvantage of using LEDs for household lighting. | 2 |
| (f) | | What properties of silica make it a suitable material for use in optical fibres? | 3 |
| (g) | | The semiconductor integrated circuit industry is rapidly approaching fundamental physics limitations for the design of integrated circuits for computers. | 7 |

Explain what these limitations are and why this will require a reconceptualisation of the way computers are designed.

End of paper

DATA SHEET

Charge on electron, q_e	$-1.602 \times 10^{-19} \text{ C}$
Mass of electron, m_e	$9.109 \times 10^{-31} \text{ kg}$
Mass of neutron, m_n	$1.675 \times 10^{-27} \text{ kg}$
Mass of proton, m_p	$1.673 \times 10^{-27} \text{ kg}$
Speed of sound in air	340 m s^{-1}
Earth's gravitational acceleration, g	9.8 m s^{-2}
Speed of light, c	$3.00 \times 10^8 \text{ m s}^{-1}$
Magnetic force constant, $\left(k \equiv \frac{\mu_0}{2\pi} \right)$	$2.0 \times 10^{-7} \text{ N A}^{-2}$
Universal gravitational constant, G	$6.67 \times 10^{-11} \text{ N m}^2 \text{ kg}^{-2}$
Mass of Earth	$6.0 \times 10^{24} \text{ kg}$
Planck constant, h	$6.626 \times 10^{-34} \text{ J s}$
Rydberg constant, R (hydrogen)	$1.097 \times 10^7 \text{ m}^{-1}$
Atomic mass unit, u	$1.661 \times 10^{-27} \text{ kg}$ $931.5 \text{ MeV}/c^2$
1 eV	$1.602 \times 10^{-19} \text{ J}$
Density of water, ρ	$1.00 \times 10^3 \text{ kg m}^{-3}$
Specific heat capacity of water	$4.18 \times 10^3 \text{ J kg}^{-1} \text{ K}^{-1}$

FORMULAE SHEET

$$v = f\lambda$$

$$I \propto \frac{1}{d^2}$$

$$\frac{v_1}{v_2} = \frac{\sin i}{\sin r}$$

$$E = \frac{F}{q}$$

$$R = \frac{V}{I}$$

$$P = VI$$

$$\text{Energy} = VIt$$

$$v_{\text{av}} = \frac{\Delta r}{\Delta t}$$

$$a_{\text{av}} = \frac{\Delta v}{\Delta t} \text{ therefore } a_{\text{av}} = \frac{v - u}{t}$$

$$\Sigma F = ma$$

$$F = \frac{mv^2}{r}$$

$$E_k = \frac{1}{2}mv^2$$

$$W = Fs$$

$$p = mv$$

$$\text{Impulse} = Ft$$

$$E_p = -G \frac{m_1 m_2}{r}$$

$$F = mg$$

$$v_x^2 = u_x^2$$

$$v = u + at$$

$$v_y^2 = u_y^2 + 2a_y \Delta y$$

$$\Delta x = u_x t$$

$$\Delta y = u_y t + \frac{1}{2}a_y t^2$$

$$\frac{r^3}{T^2} = \frac{GM}{4\pi^2}$$

$$F = \frac{Gm_1 m_2}{d^2}$$

$$E = mc^2$$

$$l_v = l_0 \sqrt{1 - \frac{v^2}{c^2}}$$

$$t_v = \frac{t_0}{\sqrt{1 - \frac{v^2}{c^2}}}$$

$$m_v = \frac{m_0}{\sqrt{1 - \frac{v^2}{c^2}}}$$

FORMULAE SHEET

$$\frac{F}{l} = k \frac{I_1 I_2}{d}$$

$$d = \frac{1}{p}$$

$$F = BIl \sin \theta$$

$$M = m - 5 \log \left(\frac{d}{10} \right)$$

$$\tau = Fd$$

$$\frac{I_A}{I_B} = 100^{(m_B - m_A)/5}$$

$$\tau = nBIA \cos \theta$$

$$m_1 + m_2 = \frac{4\pi^2 r^3}{GT^2}$$

$$\frac{V_p}{V_s} = \frac{n_p}{n_s}$$

$$F = qvB \sin \theta$$

$$\frac{1}{\lambda} = R \left(\frac{1}{n_f^2} - \frac{1}{n_i^2} \right)$$

$$E = \frac{V}{d}$$

$$\lambda = \frac{h}{mv}$$

$$E = hf$$

$$c = f\lambda$$

$$A_0 = \frac{V_{\text{out}}}{V_{\text{in}}}$$

$$Z = \rho v$$

$$\frac{V_{\text{out}}}{V_{\text{in}}} = - \frac{R_{\text{f}}}{R_{\text{i}}}$$

$$\frac{I_r}{I_0} = \frac{[Z_2 - Z_1]^2}{[Z_2 + Z_1]^2}$$

PERIODIC TABLE OF THE ELEMENTS

1 H 1.008 Hydrogen		KEY																2 He 4.003 Helium																	
3 Li 6.941 Lithium		4 Be 9.012 Beryllium		Atomic Number Symbol Standard Atomic Weight Name																5 B 10.81 Boron		6 C 12.01 Carbon		7 N 14.01 Nitrogen		8 O 16.00 Oxygen		9 F 19.00 Fluorine		10 Ne 20.18 Neon					
		12 Mg 24.31 Magnesium																		13 Al 26.98 Aluminium		14 Si 28.09 Silicon		15 P 30.97 Phosphorus		16 S 32.07 Sulfur		17 Cl 35.45 Chlorine		18 Ar 39.95 Argon					
19 K 39.10 Potassium		20 Ca 40.08 Calcium		21 Sc 44.96 Scandium		22 Ti 47.87 Titanium		23 V 50.94 Vanadium		24 Cr 52.00 Chromium		25 Mn 54.94 Manganese		26 Fe 55.85 Iron		27 Co 58.93 Cobalt		28 Ni 58.69 Nickel		29 Cu 63.55 Copper		30 Zn 65.38 Zinc		31 Ga 69.72 Gallium		32 Ge 72.64 Germanium		33 As 74.92 Arsenic		34 Se 78.96 Selenium		35 Br 79.90 Bromine		36 Kr 83.80 Krypton	
37 Rb 85.47 Rubidium		38 Sr 87.61 Strontium		39 Y 88.91 Yttrium		40 Zr 91.22 Zirconium		41 Nb 92.91 Niobium		42 Mo 95.96 Molybdenum		43 Tc Technetium		44 Ru 101.1 Ruthenium		45 Rh 102.9 Rhodium		46 Pd 106.4 Palladium		47 Ag 107.9 Silver		48 Cd 112.4 Cadmium		49 In 114.8 Indium		50 Sn 118.7 Tin		51 Sb 121.8 Antimony		52 Te 127.6 Tellurium		53 I 126.9 Iodine		54 Xe 131.3 Xenon	
55 Cs 132.9 Caesium		56 Ba 137.3 Barium		57–71 Lanthanoids		72 Hf 178.5 Hafnium		73 Ta 180.9 Tantalum		74 W 183.9 Tungsten		75 Re 186.2 Rhenium		76 Os 190.2 Osmium		77 Ir 192.2 Iridium		78 Pt 195.1 Platinum		79 Au 197.0 Gold		80 Hg 200.6 Mercury		81 Tl 204.4 Thallium		82 Pb 207.2 Lead		83 Bi 209.0 Bismuth		84 Po Polonium		85 At Astatine		86 Rn Radon	
87 Fr Francium		88 Ra Radium		Actinoids		104 Rf Rutherfordium		105 Db Dubnium		106 Sg Seaborgium		107 Bh Bohrium		108 Hs Hassium		109 Mt Meitnerium		110 Ds Darmstadtium		111 Rg Roentgenium		112 Cn Copernicium													

Lanthanoids

57 La 138.9 Lanthanum	58 Ce 140.1 Cerium	59 Pr 140.9 Praseodymium	60 Nd 144.2 Neodymium	61 Pm Promethium	62 Sm 150.4 Samarium	63 Eu 152.0 Europium	64 Gd 157.3 Gadolinium	65 Tb 158.9 Terbium	66 Dy 162.5 Dysprosium	67 Ho 164.9 Holmium	68 Er 167.3 Erbium	69 Tm 168.9 Thulium	70 Yb 173.1 Ytterbium	71 Lu 175.0 Lutetium
--------------------------------	-----------------------------	-----------------------------------	--------------------------------	------------------------	-------------------------------	-------------------------------	---------------------------------	------------------------------	---------------------------------	------------------------------	-----------------------------	------------------------------	--------------------------------	-------------------------------

Actinoids


89 Ac Actinium	90 Th 232.0 Thorium	91 Pa 231.0 Protactinium	92 U 238.0 Uranium	93 Np Neptunium	94 Pu Plutonium	95 Am Americium	96 Cm Curium	97 Bk Berkelium	98 Cf Californium	99 Es Einsteinium	100 Fm Fermium	101 Md Mendelevium	102 No Nobelium	103 Lr Lawrencium
----------------------	------------------------------	-----------------------------------	-----------------------------	-----------------------	-----------------------	-----------------------	--------------------	-----------------------	-------------------------	-------------------------	----------------------	--------------------------	-----------------------	-------------------------

Elements with atomic numbers 113 and above have been reported but not fully authenticated.

Standard atomic weights are abridged to four significant figures.

Elements with no reported values in the table have no stable nuclides.

The International Union of Pure and Applied Chemistry Periodic Table of the Elements (February 2010 version) is the principal source of data. Some data may have been modified.



2011
HIGHER SCHOOL CERTIFICATE
EXAMINATION

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

--

Question Number

Physics

Section II Answer Booklet 1


- Question 31 Geophysics Parts (a), (b) and (c)
- Question 32 Medical Physics Parts (a) and (b)
- Question 33 Astrophysics Parts (a) and (b)
- Question 34 From Quanta to Quarks Parts (a), (b) and (c)
- Question 35 The Age of Silicon Parts (a), (b), (c) and (d)

Instructions

- Answer ONE question from Questions 31–35 in this booklet and in the Section II Answer Booklet 2
- Write your Centre Number and Student Number at the top of this page
- Write the question number in the space provided

This image shows a full page of a document template designed for writing. It features a series of evenly spaced, horizontal black dotted lines across the entire width of the page. The background is plain white, providing a clear space for text entry. There are no margins, headers, or footers visible on this page.

BLANK PAGE



2011
HIGHER SCHOOL CERTIFICATE
EXAMINATION

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

--

Question Number

Physics

Section II Answer Booklet 2

Question 31	Geophysics	Parts (d) and (e)
Question 32	Medical Physics	Parts (c), (d) and (e)
Question 33	Astrophysics	Parts (c) and (d)
Question 34	From Quanta to Quarks	Parts (d), (e), (f) and (g)
Question 35	The Age of Silicon	Parts (e), (f) and (g)

Instructions

- Answer ONE question from Questions 31–35 in this booklet and in the Section II Answer Booklet 1
- Write your Centre Number and Student Number at the top of this page
- Write the question number in the space provided

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

BLANK PAGE



2011 HSC Physics Marking Guidelines

Section I, Part A

Multiple-choice Answer Key

Question	Answer
1	C
2	B
3	B
4	C
5	B
6	C
7	C
8	A
9	B
10	D
11	D
12	A
13	A
14	A
15	C
16	B
17	B
18	B
19	D
20	D

Section I, Part B

Question 21 (a)

Criteria	Marks
- Correctly plots points - Draws line of best fit with similar number of points above and below the line - Correctly estimates electrical resistance	3
- Correctly plots points - Draws lines of best fit with similar numbers of points above and below the line OR - Estimates electrical resistance appropriate for their line	2
Correctly plots points	1

Question 21 (b)

Criteria	Marks
Gives judgement about the validity of using the data and supports this with a reason	2
Gives judgement or reason	1

Question 22 (a)

Criteria	Marks
Identifies the aim of the experiment	1

Question 22 (b)

Criteria	Marks
- Draws a clearly labelled diagram that indicates: - path of light - key components of apparatus - rotation of apparatus	4
- Draws a clearly labelled diagram that indicates TWO of the following: - path of light - key components of apparatus - rotation of apparatus OR - Draws a diagram that indicates: - path of light - key components of apparatus - rotation of apparatus	3
Draws a diagram correctly identifying some components and path of light	2
Draws a diagram correctly identifying some components	1

Question 23 (a)

Criteria	Marks
Gives a reason for weight change of the satellite	1

Question 23 (b)

Criteria	Marks
- Selects correct equations - Correctly substitutes	2
- Selects correct equations - Incorrectly substitutes	1

Question 23 (c)

Criteria	Marks
Identifies TWO effects and clearly relates TWO causes of these effects	4
Identifies TWO effects and relates ONE cause	3
- Identifies TWO effects OR - Identifies ONE effect and its cause	2
Identifies a cause or an effect	1

Question 24

Criteria	Marks
- Gives reasons why BOTH observations are correct - Outlines the relativity of simultaneity	4
- Gives reasons why ONE observation is correct - Relates this to special relativity	3
Relates the observations to the concept of special relativity	1–2

Question 25

Criteria	Marks
- Identifies that magnet <i>B</i> will leave its tube first and supports this by identifying that the falling magnet results in a changing magnetic flux in the tube walls - Identifies that this will result in eddy currents and braking effect for magnet <i>A</i> (Lenz's Law) - Identifies that because of the slots, there will be smaller eddy currents and no braking for magnet <i>B</i>	3–4
- Outlines the production of eddy currents and braking OR - Outlines that eddy currents will not occur in the slotted tube OR - Identifies the correct magnet	1–2

Question 26 (a)

Criteria	Marks
Draws a correctly labelled diagram that shows the key elements of the electrical distribution system and how they are connected	3
Draws a labelled diagram that shows some of the key elements of the electrical distribution system and how they are connected	2
Draws a labelled diagram that shows one of the key elements of the electrical distribution system	1

Question 26 (b)

Criteria	Marks
• Demonstrates coherence and logical progression and includes correct use of scientific principles and ideas • Demonstrates thorough knowledge and understanding of the effects on the environment of the development of AC generators • Provides the cause and effect of at least one significant positive effect and one significant negative effect OR • Provides the cause and effect of at least two significant positive effects OR • Provides the cause and effect of at least two significant negative effects	5–6
• Communicates some scientific principles and ideas in a clear manner • Demonstrates sound knowledge and understanding of the effects on the environment of the development of AC generators • Describes the effects on the environment • Identifies the effects as either positive or negative	3–4
• Communicates simple ideas • Demonstrates a basic knowledge of the effects on the environment of the development of AC generators • Identifies positive AND/OR negative effects	1–2

Question 27 (a)

Criteria	Marks
• Selects correct equation • Correctly substitutes	2
• Selects correct equation • Incorrectly substitutes	1

Question 27 (b)

Criteria	Marks
• Identifies that the magnitude of the forces on either side of the coil is equal • Correctly relates the direction of the current in the coil to the direction of the forces experienced	2
• Identifies the opposing forces on either side of the coil	1

Question 28 (a)

Criteria	Marks
- Identifies an appropriate investigation - Clearly demonstrates how the results support the hypothesis	3
- Identifies an appropriate investigation - Shows some understanding of how the results support the hypothesis	2
Identifies an appropriate investigation	1

Question 28 (b)

Criteria	Marks
- Describes how the beam is produced, including the role of the: - filament - electrodes - collimator/focusing system	3
- Outlines how the beam is produced, including the role of TWO of the following: - filament - electrodes - collimator/focusing system	2
- Identifies the role of ONE of the following: - filament - electrodes - collimator/focusing system in the production of an electron beam	1

Question 29 (a)

Criteria	Marks
- Selects correct equations - Correctly substitutes	3
- Correctly substitutes to determine photon energy OR - Selects correct equations but makes one error in substitution or incorrectly manipulates formulae	2
- Correctly calculates frequency of the photon OR - Identifies two correct equations	1

Question 29 (b)

Criteria	Marks
• Correctly outlines TWO significant differences	2
• Correctly outlines ONE significant difference	1

Question 30 (a)

Criteria	Marks
- Identifies that higher temperature results in increased lattice vibrations - Relates increased lattice vibrations to a greater number of collisions of the electrons with the lattice and therefore higher resistance	2
Identifies that higher temperature results in increased lattice vibrations or a greater number of collisions of the electrons with the lattice	1

Question 30 (b)

Criteria	Marks
- Clearly outlines the BCS theory, including: - formation of Cooper pairs - critical temperature - the role of the distortion of the lattice - unimpeded movement of the Cooper pairs through the lattice, resulting in zero resistance	4
- Outlines the BCS theory, including MOST of the following: - formation of Cooper pairs - critical temperature - the role of the distortion of the lattice - unimpeded movement of the Cooper pairs through the lattice, resulting in zero resistance	3
- Outlines the BCS theory, including SOME of the following: - formation of Cooper pairs - critical temperature - the role of the distortion of the lattice - unimpeded movement of the Cooper pairs through the lattice, resulting in zero resistance	1–2

Section II

Question 31 (a)

Criteria	Marks
- Identifies natural hazard and risks - Identifies appropriate instrument - Links use of instrument to reduction of risk	3
- Identifies hazard and instrument OR - Identifies hazard and describes how risk is reduced	2
Identifies hazard	1

Question 31 (b) (i)

Criteria	Marks
- Identifies magnetic anomaly profile as indicating reversals of magnetic field and radiometric dating as techniques used to date reversals - Provides a method of how this is used to determine spreading rate	3
Links radiometric dating to anomaly profile but fails to provide description of method	2
- Outlines radiometric dating OR - Outlines reversal of magnetic fields	1

Question 31 (b) (ii)

Criteria	Marks
Draws correct graph with time axis labelled	2
Draws correct graph shape	1

Question 31 (c) (i)

Criteria	Marks
- Describes a plausible investigation which includes the use of different wavelengths - Identifies items of apparatus	4
- Describes a plausible investigation but fails to include the use of a second wavelength - Identifies items of apparatus	3
Describes investigation but fails to give details of apparatus	2
Lists relevant apparatus	1

Question 31 (c) (ii)

Criteria	Marks
• Outlines method of observation and links observed property to state of vegetation	2
• Outlines method of observation and observed qualities without linking property to state of vegetation	1

Question 31 (d) (i)

Criteria	Marks
• Identifies at least one cause • Relates this to the effect	2
• Identifies one or more causes but fails to relate any effect	1

Question 31 (d) (ii)

Criteria	Marks
• Provides features of survey • Identifies the primary distinction between resource deposit and other surface features • Links this distinction to observed property	3
• Any TWO of the above	2
• Any ONE of the above	1

Question 31 (e)

Criteria	Marks
• Identifies types of waves • Provides a detailed description of wave properties and Earth structure • Links wave properties to deductions regarding Earth structure in a logical and coherent way	6
• Identifies wave properties and relates these to observation • Describes structure of Earth but does not link	4–5
• Provides limited information about each of wave properties and Earth's structure OR	2–3
• Provides detailed information about only one	
• Provides limited information about one only of wave properties and Earth structure	1

Question 32 (a) (i)

Criteria	Marks
Correctly identifies the type of scan AND the information that can be obtained from it	2
Correctly identifies the type of scan OR the information that can be obtained from it	1

Question 32 (a) (ii)

Criteria	Marks
- Identifies that the proportion of ultrasound reflected is determined by the difference in acoustic impedance of the tissues at the boundary - Relates this to the specific scan	2
Makes a correct, relevant statement about the reflection of ultrasound at a boundary	1

Question 32 (a) (iii)

Criteria	Marks
Substitutes correctly into both equations to determine the percentage of ultrasound reflected	3
Uses the two equations correctly but makes an error in substitution	2
Uses one formula correctly in an attempt to calculate the percentage reflected	1

Question 32 (b) (i)

Criteria	Marks
- States that the production of X-rays involves the conversion of kinetic energy of electrons with the target during the collision - Outlines the TWO ways this occurs	3
- States that the production of X-rays involves the conversion of kinetic energy of electrons - Outlines ONE way this occurs	2
States that the production of X-rays involves the conversion of kinetic energy of electrons	1

Question 32 (b) (ii)

Criteria	Marks
• Outlines THREE relevant similarities and/or differences between the information provided by the two scans	3
• Outlines TWO relevant similarities and/or differences between the information provided by the two scans	2
• Outlines ONE relevant similarity or difference between the information provided by the two scans	1

Question 32 (c)

Criteria	Marks
• Identifies that a tumour is a region with a greater water (hydrogen nuclei) content than normal tissue. • MRI scans measure hydrogen (proton) density AND therefore an MRI scan is effective in detecting the increased water content of brain tumours	3
• Identifies that a tumour is a region of different water content to the surrounding tissue • MRI scans measure hydrogen density	2
• Identifies that a tumour is a region of different water content OR • MRI scans measure hydrogen density OR • Relevant information about MRI	1

Question 32 (d)

Criteria	Marks
• Outlines the structure of coherent and incoherent optical fibre bundles • Identifies that an incoherent bundle transmits light to illuminate the internal organ • Identifies that a coherent bundle transmits the image of the organ to the observer	3
• Outlines the structure and/or function of coherent bundles • Outlines the structure and/or function of incoherent bundles	2
• Outlines the structure and/or function of coherent bundles OR • Outlines the structure and/or function of incoherent bundles	1

Question 32 (e)

Criteria	Marks
• Demonstrates a thorough understanding of the properties of radioactive isotopes • Describes the use of radioactive isotopes in two scanning techniques • Outlines at least two scanning techniques that use radioactive isotopes to produce an image • Correctly uses scientific principles and ideas to support the given statement • Demonstrates coherence and logical progression	5–6
• Demonstrates a sound understanding of the relevant properties of radioactive isotopes AND EITHER • Identifies TWO relevant scanning techniques OR • Outlines one relevant scanning technique	3–4
• Demonstrates a basic understanding of radioactive isotopes • Identifies at least one relevant scanning technique	1–2

Question 33 (a) (i)

Criteria	Marks
• Provides correct diagram as part of correct definition	2
• Provides correct definition without diagram OR • Provides diagram with incomplete definition	1

Question 33 (a) (ii)

Criteria	Marks
• Relates a reason to sensitivity and a reason to resolution and links the reasons to relevant observations	3
• Relates a reason to sensitivity and a reason to resolution OR • Distinguishes between sensitivity and resolution	2
• Relates a reason to sensitivity or resolution OR • Outlines sensitivity or resolution	1

Question 33 (a) (iii)

Criteria	Marks
• Describes features of a new technology that allow resolution to be improved	2
• Identifies a new technology related to resolution	1

Question 33 (b) (i)

Criteria	Marks
• Correctly identifies the key process in both stars • Provides a similarity between them and a characteristic of the differences between them	3
• Identifies the two processes and relates them to the correct star OR • Identifies characteristics of the differences between the processes OR • Correctly identifies the process in one star and one feature or characteristic	2
• Identifies a difference between the processes	1

Question 33 (b) (ii)

Criteria	Marks
• Correct substitution into the correct formula	2
• Incorrect substitution into correct formula	1

Question 33 (b) (iii)

Criteria	Marks
• Correctly identifies brighter star and correct substitution into correct formula	2
• Correct substitution into correct formula OR • Correctly identifies equation and which star is brighter	1

Question 33 (c)

Criteria	Marks
- Distinguishes between an intrinsic and extrinsic variable - Names a Cepheid as an intrinsic variable star and names a type of extrinsic variable star - Links the properties of the stars to the type of variable	3–4
- Distinguishes between an intrinsic and extrinsic variable AND EITHER - Names a Cepheid as an intrinsic variable star and names a type of extrinsic variable star OR - Links the properties of the stars to the type of variable OR - Names an intrinsic or extrinsic variable star and links its properties to the type of variable	2
- Distinguishes between intrinsic and extrinsic variables OR - Gives a definition of an intrinsic OR extrinsic variable OR - Names a Cepheid as an intrinsic variable and names another type of variable star	1

Question 33 (d)

Criteria	Marks
- Shows extensive knowledge of the type of information obtained by spectroscopy and photometry - Shows limitations of using spectroscopy by itself - Gives examples of when spectroscopy and photometry combined lead to a much greater understanding of stars - Shows a coherent and logical progression	6–7
Describes the information obtained by spectroscopy and the type of information that can be found by photometry	4–5
Identifies some information found by spectroscopy and some information that is found by photometry	3
Identifies some information about stars that can be found from spectroscopy or photometry	1–2

Question 34 (a)

Criteria	Marks
- Names a radioisotope that is used in agriculture - Describes its use	2
- Names a radioisotope OR - Identifies a use	1

Question 34 (b) (i)

Criteria	Marks
Describes the relationship between neutrons, their exposure to a moderator and the number of control rods in the reactor vessel and the resulting rate of reaction	4
- Outlines any TWO of the above factors AND describes their relationship to the reaction rate OR - Outlines all THREE factors	3
- Outlines ONE factor and its relationship to the reaction rate OR - Outlines TWO factors	2
Outlines ONE factor	1

Question 34 (b) (ii)

Criteria	Marks
- States that the mass of products is less than the mass of reactants - States the relationship to $E = mc^2$	2
States either one of the above	1

Question 34 (c)

Criteria	Marks
Completes the table correctly	3
Completes 2/3 or more of the table correctly	2
Completes between 1/3 and 2/3 correctly	1

Question 34 (d)

Criteria	Marks
- Selects correct formula - Correct substitution	2
Selects correct formula	1

Question 34 (e)

Criteria	Marks
• Correctly states the number of up and down quarks and leptons	2
• Correctly calculates the number of TWO of the above three amounts	1

Question 34 (f)

Criteria	Marks
• Clearly and accurately outlines the important contributions made by Heisenberg and Pauli	4
• Clearly and accurately outlines ONE contribution and identifies another	3
• Accurately outlines two contributions	2
• Outlines one contribution	1

Question 34 (g)

Criteria	Marks
• Clearly describes and justifies examples of mathematical models that have been validated by experimental evidence which relate to Bohr and/or de Broglie	5–6
• Describe Bohr's and de Broglie's models	3–4
• Describes one mathematical model and/or one example of experimental evidence	2–3
• Demonstrates some knowledge of models of the atom	1

Question 35 (a)

Criteria	Marks
• Constructs a valid truth table for the situation • Correctly enters all elements in the table	3
• Constructs a valid truth table for the situation • Correctly enters the majority of the elements in the table	2
• Constructs a valid truth table for the situation OR • Shows some understanding of the correct elements in the table	1

Question 35 (b)

Criteria	Marks
- Explains that no feedback circuit is present - Shows understanding that this implies an open loop only	2
- Explains that no feedback circuit is present OR - Shows understanding that the circuit configuration is open loop	1

Question 35 (c)

Criteria	Marks
- Identifies correct formula - Correctly substitutes variable to arrive at algebraic answer	2
- Identifies correct formula - Incorrectly substitutes variables	1

Question 35 (d)

Criteria	Marks
- Correctly identifies that the LED lights up when $O_O = 0$ - Correctly identifies that $O_O = 0$ for a range of V_{in} values set by the potential divider in Question 35 (c) AND - Correctly connects this to a range of V_{batt} values through the potential divider in Question 35 (c)	3
- Correctly identifies that the LED lights up when $O_O = 0$ - Shows understanding that this corresponds to a range of V_{batt} voltages through the potential dividers in Question 35 (c)	2
Shows understanding that the state of output O_O is related to the value of V_{batt} or V_{in}	1

Question 35 (e) (i)

Criteria	Marks
Draws a clear labelled diagram that describes all the key elements of an LED	3
- Draws a clear labelled diagram that describes the majority of the elements of an LED OR - Draws an unclear diagram that describes all the key elements of an LED	2
Draws a diagram that demonstrates an understanding of the construction of an LED	1

Question 35 (e) (ii)

Criteria	Marks
- Identifies one advantage - Identifies one disadvantage	2
- Identifies one advantage OR - Identifies one disadvantage	1

Question 35 (f)

Criteria	Marks
Identifies in clear language three key optical properties that are desirable	3
Identifies at least two key optical properties that are desirable	2
Shows understanding of the desirable optical properties	1

Question 35 (g)

Criteria	Marks
- Provides a clear and concise explanation of the fundamental physics limitations that restrict the reduction in size and speed of digital integrated circuits - Makes a clear connection between these size/speed limitations and the operation of computers - Makes a clear connection between the limitations and the need to fundamentally change the way computers are designed	6–7
- Provides an explanation of the key physics limitations of size reduction and speed increase on digital circuits AND - Connects these limitations to the operation of computers OR - Makes a connection between the limits and the need to change the design of computers	4–5
Shows some understanding of the limitations that physics places on the operation and the design of computers	1–3

Physics

2011 HSC Examination Mapping Grid

Section I Part A

Question	Marks	Content	Syllabus outcomes
1	1	9.2.2.2.11	H9
2	1	9.2.1.2.3, 9.2.3.3.2	H9
3	1	9.4.4.2.2	H10
4	1	9.4.3.2.2	H9, H10
5	1	9.3.4.2.4	H7
6	1	9.3.2.2.4	H9
7	1	9.4.1.3.3	H9
8	1	9.2.2.2.7, 9.2.2.2.5	H9
9	1	9.2.4.2.9	H6
10	1	9.3.1.2.2	H9, H11
11	1	9.3.2.3.2, 9.3.2.3.3	H9
12	1	9.3.1.2.4, 9.3.1.2.5	H9
13	1	9.4.3.2.6	H10
14	1	9.3.2.2.3	H9
15	1	9.2.2.3.1	H6
16	1	9.2.2.2.10	H9
17	1	9.4.2.2.5	H10, H13, H14
18	1	9.3.1.3.4	H9
19	1	9.4.2.1.6, 9.4.2.1.7	H6, H9
20	1	9.2.1.2.3, 9.2.3.3.2	H9

Section I Part B

Question	Marks	Content	Syllabus outcomes
21 (a)	3	9.4.4.2.4	H13, H14
21 (b)	2	9.4.4.2.4	H12, H14
22 (a)	1	9.2.4.2.2, 9.2.4.2.3	H8
22 (b)	4	9.2.4.2.2, 9.2.4.2.3	H13
23 (a)	1	9.2.1.2.1	H9
23 (b)	2	9.2.2.2.10, 9.2.2.3.4	H9
23 (c)	4	9.2.2.2.10, 9.2.2.2.11, 9.2.2.3.5	H9
24	4	9.2.4.2.9	
25	4	9.3.2.2.7	H9
26 (a)	3	9.3.3	H7, H9
26 (b)	6	9.3.3.2.5	H4
27 (a)	2	9.3.1.3.3	H9, H12

27 (b)	2	9.3.1.2.5	H6, H9
28 (a)	3	9.4.1.3.2	H2, H10
28 (b)	3	9.4.1.2.9	H9
29 (a)	3	9.4.2.3.4	H7, H10, H12
29 (b)	3	9.4.2.2.5	H10
30 (a)	1	9.4.4.2.4	H10
30 (b)	4	9.4.4.2.6	H9

Section II

Question	Marks	Content	Syllabus outcomes
Question 31 — Geophysics			
31 (a)	3	9.5.5.2.2	H4, H7, H9
31 (b) (i)	3	9.5.4.3.2	H9, H14
31 (b) (ii)	2	9.5.4.3.2	H9, H14
31 (c) (i)	4	9.5.2.3.1, 9.5.2.2.1	H3, H8, H14
31 (c) (ii)	2	9.5.2.2.2	H3, H8, H14
31 (d) (i)	2	9.5.2.2.4, 9.5.1.3.1	H9
31 (d) (ii)	3	9.5.2.2.9	H9
31 (e)	6	9.5.3.2.1, 9.5.3.2.2, 9.5.3.2.3, 9.5.3.2.5, 9.5.3.2.6	H8
Question 32 — Medical Physics			
32 (a) (i)	2	9.6.1.2.7	H8
32 (a) (ii)	2	9.6.1.2.3, 9.6.1.2.4, 9.6.1.2.5	H7, H8
32 (a) (iii)	3	9.6.1.3.5	H7, H8
32 (b) (i)	3	9.6.2.2.1	H9, H10
32 (b) (ii)	3	9.6.2.3.2	H10
32 (c)	3	9.6.4.3.2	H9
32 (d)	3	9.6.2.2.5, 9.6.2.2.6, 9.6.2.2.7	H3, H10
32 (e)	6	9.6.3.all	H3, H4
Question 33 — Astrophysics			
33 (a) (i)	2	9.7.2.2.1	H13.1d
33 (a) (ii)	3	9.7.1.2.3, 9.7.2.1.2.1	H3, H10
33 (a) (iii)	2	9.7.1.2.5	H3, H10
33 (b) (i)	3	9.7.6.2.3, 9.7.6.3.3	H7
33 (b) (ii)	2	9.7.4.3.1	H12
33 (b) (iii)	2	9.7.4.3.1	H12
33 (c)	4	9.7.5.2.3	H12
33 (d)	7	9.7.4.2.2, 9.7.5.2.4, 9.7.5.2.2, 9.7.6.2.5, 9.7.6.3.2, 9.7.2.2.3	H10

Question 34 — From Quanta to Quarks			
34 (a)	2	9.8.4.3.2	H3
34 (b) (i)	4	9.8.4.2.1, 9.8.3.2.11	H7
34 (b) (ii)	2	9.8.3.2.9	H7
34 (c)	3	9.8.4.2.5	H9
34 (d)	2	9.8.2.3.1	H8
34 (e)	2	9.8.4.2.5, 9.8.3.2.1	H12
34 (f)	4	9.8.2.3.2	H2
34 (g)	6	9.8.1, 9.8.2	H2
Question 35 — The Age of Silicon			
35 (a)	3	9.9.5.3.1	H12
35 (b)	2	9.9.6.2.5	H9
35 (c)	2	9.9.2.3.3	H9, H12
35 (d)	3	9.9.6.3.1, 9.9.2.3.3, 9.9.6.3.5	H12
35 (e) (i)	3	9.9.4.2.3	H9
35 (e) (ii)	2	9.9.4.3.3	H9
35 (f)	3	9.9.1.3.2	H10
35 (g)	7	9.9.7.2.2, 9.9.7.3.1	H3, H4, H5, H8