

Killara HIGH SCHOOL

MATHEMATICS DEPARTMENT



Student Name

Course: Advanced Mathematics

Year: 11

Task Number: 3

Weighting: 40%

Task Type: Assignment

Date issued: Monday 23/08/21 (Week 7)

Date Due: Monday 06/09/21 (Week 9)

Task Description	There are two sections to this assignment: - Section 1 a set of multiple choice questions. Q 1-5 - Section 2 is a set of short answer response questions. Q 6-23 - Both sections are to be completed at home. Both sections are compulsory. Failure to complete either section of this assignment will be recorded as non-completion of the assignment with subsequent penalties. If you find that you have an incorrect answer, do not use white-out, but cross out your working with one line and begin your solution again. This demonstrates reflection on your working. The mark allocation is provided for each question below.	
Submission Instructions	- You must submit a PDF on Compass. You may wish to use Adobe Scan on your phone to convert your photos to a PDF - You can choose to print the assignment, complete your working, and then convert to a PDF - or - You can write the solutions on blank paper, clearly labelling each question, and then convert to PDF form - Write using blue or black pen. - Use appropriate mathematical language and notation in each of your responses - Show all relevant mathematical reasoning and/or calculations. - Your written responses must be legible and logically structured - Failure to comply with these instructions may incur a penalty	
Section I	Multiple Choice	/5
Section II	Short Answer Response	/65
		/70

Topics and Outcomes	• Working with Functions, Ch 1, 2, 3, 4, 6 • Trigonometric Functions Ch 5,9 • Introduction to Differentiation Ch 8 • Probability and Discrete Probability Distributions Ch 10, 11 • MA11-2: uses the concepts of functions and relations to model, analyse and solve practical problems • MA11-3:uses the concepts and techniques of trigonometry in the solution of equations and problems involving geometric shapes • MA11-4:uses the concepts and techniques of periodic functions in the solutions of trigonometric equations or proof of trigonometric identities • MA11-5:interprets the meaning of the derivative, determines the derivative of functions and applies these to solve simple practical problems • MA11-7 uses concepts and techniques from probability to present and interpret data and solve problems in a variety of contexts, including the use of probability distributions
If you need help...	• Reach out to your teacher on your class online learning platform or via email. • All official advice will be given on the combined Year 11 Advanced Google Classroom ONLY
Late Submissions	• Printer/computer failure is not an acceptable reason for late submission of work. • Late submission or completion of a hand-in task or class task will incur a penalty of 10% per day from the total value of the task up to five days after which a zero mark will apply.
Illness/ Misadventure	• In circumstances where a Stage 6 student is absent due to illness or misadventure on the day an assessment task is scheduled or due, you must provide the school with documentary evidence from a medical professional or from their parents/carers explaining the specific reason for the absence. • It is the student's responsibility to arrange for an Illness/Misadventure Application to be submitted by 3.00pm within five (5) school days of the due date of the assessment task or upon the first day of return to school. Whichever occurs earlier applies. Stage 6 students need to complete pages 44, 45 and 46 of the Illness/Misadventure Application Process.
Malpractice or Non-Serious Attempts	Students determined to have been involved in malpractice of any kind in relation to any assessment task, including exams, may expect to receive a zero mark for that task. Students who are determined to have made a non-serious attempt at an assessment task may also expect to receive a zero for that task. In the case where a teacher and Head Teacher agree that the student has been involved in malpractice or has made a non-serious attempt at the task, students will be informed of the allegation and be required to respond within five school days. The Head Teacher will make a determination on a suitable penalty. Malpractice is any activity that allows you to gain an unfair advantage over other students. It includes, but is not limited to: • copying someone else's work in part or in whole, and presenting it as your own • using material directly from another source • building on the ideas of another person without reference to the source • submitting work that another person, such as a parent, coach or subject expert, has contributed to substantially • breaching school examination rules • contriving false explanations to explain work not handed in by the due date • assisting another student to engage in malpractice.

Section I

5 marks

Allow about 5 minutes for this section

Use the multiple-choice sheet for Question 1–5

- 1** What is the angle of inclination of the line $3x + 2y = 7$ with the positive direction of the x -axis?


- (A) $33^\circ 41'$
- (B) $56^\circ 19'$
- (C) $123^\circ 41'$
- (D) $146^\circ 19'$

- 2** If $f(x) = \frac{1}{\sqrt{x+1}}$ and $g(x) = 35 - x^2$

What is the domain of $f(g(x))$?

- (A) $x \geq 6, x \leq -6$
- (B) $-6 \leq x \leq 6$
- (C) $-6 < x < 6$
- (D) $x > 6, x < -6$

- 3 For the function $y = f(x)$, $a < x < b$ graphed below:




Which of the following is true?

- (A) $f'(x) > 0$ and $f''(x) > 0$
- (B) $f'(x) > 0$ and $f''(x) < 0$
- (C) $f'(x) < 0$ and $f''(x) > 0$
- (D) $f'(x) < 0$ and $f''(x) < 0$
- 4 Sixty tickets are sold in a raffle. There are two prizes. Rachel buys five tickets. Which expression gives the probability that Rachel wins both prizes?

- (A) $\frac{5}{60} + \frac{4}{59}$
- (B) $\frac{5}{60} + \frac{4}{60}$
- (C) $\frac{5}{60} \times \frac{4}{59}$
- (D) $\frac{5}{60} \times \frac{4}{60}$

- 5 The graph $y = f'(x)$ is shown below.



Not to scale

The curve $y = f(x)$ has a minimum value of 6. What is the equation of the curve?

- (A) $y = x^2 - 4x + 2$
- (B) $y = x^2 - 4x + 10$
- (C) $y = x^2 + 4x + 2$
- (D) $y = x^2 + 4x + 10$

Section II

In Questions 6 – 23, your response should include relevant mathematical reasoning and/or calculations.

Question 6 (4 marks)

(a) Rationalise

2

$$\frac{3}{\sqrt{7} + 2}$$

.....

.....

.....

.....

(b) Simplify the following:

2

$$\frac{5}{x^2 - 4} - \frac{3}{x^2 - 3x + 2}$$

.....

.....

.....

.....

Question 7 (3 marks)

If $f(x) = x^2 - 4x + 8$, show that $f'(x) = 2x - 4$ using first principles.

3

.....

.....

.....

.....

.....

.....

.....

.....

Question 8 (2 marks)

Fully simplify

$$\frac{\sin 33^\circ + \cos 57^\circ}{\cos 57^\circ}$$

2

.....

.....

.....

.....

Question 9 (4 marks)

Given the piecewise function below,

2

$$f(x) = \begin{cases} 2x - 1 & x < -5 \\ 3 & -5 \leq x < 0 \\ (x - 1)^2 + 2 & x \geq 0 \end{cases}$$

Solve the following:

(a) $f(-7) + f(-2)$

.....

.....

.....

.....

(b) $f(a^2)$ in simplest form.

2

.....

.....

.....

.....

Question 10 (3 marks)

A factory produces strawberry milkshake and vanilla milkshake both in regular and low fat options. Each day, $\frac{3}{5}$ of the milkshakes produced are strawberry flavoured and the rest are vanilla flavoured. In terms of demand, $\frac{5}{7}$ of the strawberry milkshakes are regular and the rest of the strawberry milkshakes are low fat in option. $\frac{2}{3}$ of the vanilla milkshakes are low fat and the rest of the vanilla milkshakes are regular.

- (a) Draw a probability tree diagram below, labelling all the branches with the correct probabilities. **1**

Use the symbols given below in your tree diagram.

- S represents the strawberry milkshake
- V represents the vanilla milkshake
- L represents a low fat milkshake
- R represents a regular milkshake

- (b) A milkshake is selected at random. Given that a low-fat milkshake is selected, find the probability that the milkshake was vanilla flavoured. **2**

.....

.....

.....

.....

Question 11 (6 marks)

Differentiate the following functions.

(a) $y = \frac{x^3 - 3x}{x^2}$ **2**

.....

.....

.....

.....

.....

(b) $y = (4x^3 - x)^7$ **2**

.....

.....

.....

.....

(c) $y = \frac{x}{x^2 + 1}$ **2**

.....

.....

.....

.....

.....

Question 12 (3 marks)

Prove the following identity:

3

$$\frac{1 - \tan^2 x}{1 + \tan^2 x} = 1 - 2 \sin^2 x$$

Question 13 (3 marks)

Find the equation of the tangent to $y = x\sqrt{7 - 2x}$ at $x = 1$.

3

Question 14 (3 marks)

A company tracked the number of sales made by each sales staff in a day. Using the data from a large number of days, the company estimated the probability of the number of sales made by each sales staff in a day. 3

Let the random variable S be the number of sales made by Khaled per day. The following table shows the probability distribution for Khaled's daily sales.

s	2	3	4	5	6	7
$P(S = s)$	0.05	0.1	0.15	0.35	0.15	0.2

Khaled is expected to make 5.05 sales per day.

Find Khaled's variance and standard deviation to 2 decimal places.

Hint: Add any required rows in the table using space above.

.....

.....

.....

Question 15 (2 marks)

If $\sin\theta = \frac{4}{7}$, find the exact value of $\sec\theta$

2

.....

.....


.....

.....

Question 16 (3 marks)

Sketch the function $y = f(x)$ on the coordinate axes below, given the following information: **3**


- $f(0) = 3$, $f'(2) = 0$, $f(2) = 6$
- $f'(x) > 0$ for $x < 2$
- $f'(x) < 0$ for $x > 2$
- $f'(x) \rightarrow 0$ as $x \rightarrow \infty$



Question 17 (2 marks)

The area of $\triangle ABC$ is $18\sqrt{3} \text{ cm}^2$. Calculate the value of x .

2



NOT TO
SCALE

.....

.....

.....

.....

.....

Question 18 (3 marks)

Solve $\sqrt{3} \sin^2 \theta = \sin \theta \cos \theta$ for $0 \leq \theta \leq 2\pi$. Give your answers in radians.

3

.....

.....

.....

.....

.....


.....

.....

.....

Question 19 (3 marks)

The diagram shows a sector OAB with measurements as shown.



- (a) Find the length of the radius

2

.....

.....

.....

.....

- (b) Hence, or otherwise find the size of angle θ to the nearest degree.

1

.....

.....

.....

.....

Question 20 (7 marks)

The displacement in metres of a particle travelling in a straight line is given by $x = 4t^3 - 12t$ where t is the time taken in seconds.

- (a) Find the initial displacement of the particle 1

.....

.....

.....

.....

- (b) Find the velocity (v) of the particle as a function of time. 1

.....

.....

.....

.....

- (c) When is the particle stationary? 1

.....

.....

.....

.....

.....

- (d) When is the particle changing direction? Show full working out. You may draw a diagram to assist you 2

.....

.....

.....

.....

.....

.....

.....

- (e) What is the total distance travelled by the particle in the first 3 seconds? You may draw a diagram to assist you 2

.....

.....

.....

.....

.....


.....

.....

Question 21 (3 marks)

The graph shows the velocity (v) of a particle moving along a straight line as a function of time (t).

3



Describe the motion of the particle between $t = 0$ and $t = 3$ in terms of velocity and acceleration.

.....

.....

.....


.....

.....

.....

Question 22 (4 marks)

Chandler starts walking from a camping place P on a bearing of 120° for 5 km to a place Q. He then walks on a bearing of 200° for 2km to a place R.



- (a) What is the size of $\angle PQR$?

2

.....

.....

.....

.....

- (b) What is the distance between the camping place P and the place R?
Answer correct to 2 decimal places.

2

.....

.....

.....

.....

Question 23 (7 marks)

A petrol tank holds 35 000 litres of petrol. Petrol is draining from the tank and the volume of petrol remaining in the petrol tank after t minutes is given by:

$$V = 35\,000 \left(1 - \frac{t}{30}\right)^2, \text{ where } V \text{ is measured in litres.}$$

- (a) Find the average rate of flow between $t = 10$ and $t = 20$ 2

.....

.....

.....

.....

.....

- (b) Find the instantaneous rate of flow at $t = 15$ 2

.....

.....

.....

.....

- (c) Explain why time (t) has to be restricted to $[0, 30]$. 1

.....

.....

.....

.....

- (d) How much time will it take until only half of the initial volume of petrol remains in the tank? 2

.....

.....

.....

.....

Killara HIGH SCHOOL

MATHEMATICS DEPARTMENT



Student Name

Course: Advanced Mathematics

Year: 11

Task Number: 3

Weighting: 40%

Task Type: Assignment

Date issued: Monday 23/08/21 (Week 7)

Date Due: Monday 06/09/21 (Week 9)

Task Description	There are two sections to this assignment: - Section 1 a set of multiple choice questions. Q 1-5 - Section 2 is a set of short answer response questions. Q 6-23 - Both sections are to be completed at home. Both sections are compulsory. Failure to complete either section of this assignment will be recorded as non-completion of the assignment with subsequent penalties. If you find that you have an incorrect answer, do not use white-out, but cross out your working with one line and begin your solution again. This demonstrates reflection on your working. The mark allocation is provided for each question below.
-------------------------	---

Submission Instructions	- You must submit a PDF on Compass. You may wish to use Adobe Scan on your phone to convert your photos to a PDF - You can choose to print the assignment, complete your working, and then convert to a PDF - or - You can write the solutions on blank paper, clearly labelling each question, and then convert to PDF form - Write using blue or black pen. - Use appropriate mathematical language and notation in each of your responses - Show all relevant mathematical reasoning and/or calculations. - Your written responses must be legible and logically structured - Failure to comply with these instructions may incur a penalty
--------------------------------	---

Section I	Multiple Choice	/5
Section II	Short Answer Response	/65
		/70

Topics and Outcomes	- Working with Functions, Ch 1, 2, 3, 4, 6 - Trigonometric Functions Ch 5,9 - Introduction to Differentiation Ch 8 - Probability and Discrete Probability Distributions Ch 10, 11 - MA11-2: uses the concepts of functions and relations to model, analyse and solve practical problems - MA11-3:uses the concepts and techniques of trigonometry in the solution of equations and problems involving geometric shapes - MA11-4:uses the concepts and techniques of periodic functions in the solutions of trigonometric equations or proof of trigonometric identities - MA11-5:interprets the meaning of the derivative, determines the derivative of functions and applies these to solve simple practical problems - MA11-7 uses concepts and techniques from probability to present and interpret data and solve problems in a variety of contexts, including the use of probability distributions
If you need help...	- Reach out to your teacher on your class online learning platform or via email. - All official advice will be given on the combined Year 11 Advanced Google Classroom ONLY
Late Submissions	- Printer/computer failure is not an acceptable reason for late submission of work. - Late submission or completion of a hand-in task or class task will incur a penalty of 10% per day from the total value of the task up to five days after which a zero mark will apply.
Illness/ Misadventure	- In circumstances where a Stage 6 student is absent due to illness or misadventure on the day an assessment task is scheduled or due, you must provide the school with documentary evidence from a medical professional or from their parents/carers explaining the specific reason for the absence. - It is the student's responsibility to arrange for an Illness/Misadventure Application to be submitted by 3.00pm within five (5) school days of the due date of the assessment task or upon the first day of return to school. Whichever occurs earlier applies. Stage 6 students need to complete pages 44, 45 and 46 of the Illness/Misadventure Application Process.
Malpractice or Non-Serious Attempts	Students determined to have been involved in malpractice of any kind in relation to any assessment task, including exams, may expect to receive a zero mark for that task. Students who are determined to have made a non-serious attempt at an assessment task may also expect to receive a zero for that task. In the case where a teacher and Head Teacher agree that the student has been involved in malpractice or has made a non-serious attempt at the task, students will be informed of the allegation and be required to respond within five school days. The Head Teacher will make a determination on a suitable penalty. Malpractice is any activity that allows you to gain an unfair advantage over other students. It includes, but is not limited to: - copying someone else's work in part or in whole, and presenting it as your own - using material directly from another source - building on the ideas of another person without reference to the source - submitting work that another person, such as a parent, coach or subject expert, has contributed to substantially - breaching school examination rules - contriving false explanations to explain work not handed in by the due date - assisting another student to engage in malpractice.

Section I

5 marks

Allow about 5 minutes for this section

Use the multiple-choice sheet for Question 1–5

- 1 What is the angle of inclination of the line $3x + 2y = 7$ with the positive direction of the x -axis?


- (A) $33^\circ 41'$
- (B) $56^\circ 19'$
- (C) $123^\circ 41'$
- (D) $146^\circ 19'$

- 2 If $f(x) = \frac{1}{\sqrt{x+1}}$ and $g(x) = 35 - x^2$

What is the domain of $f(g(x))$?

- (A) $x \geq 6, x \leq -6$
- (B) $-6 \leq x \leq 6$
- (C) $-6 < x < 6$
- (D) $x > 6, x < -6$

- 3 For the function $y = f(x)$, $a < x < b$ graphed below:




Which of the following is true?

- (A) $f'(x) > 0$ and $f''(x) > 0$
- (B) $f'(x) > 0$ and $f''(x) < 0$
- (C) $f'(x) < 0$ and $f''(x) > 0$
- (D) $f'(x) < 0$ and $f''(x) < 0$
- 4 Sixty tickets are sold in a raffle. There are two prizes. Rachel buys five tickets. Which expression gives the probability that Rachel wins both prizes?

- (A) $\frac{5}{60} + \frac{4}{59}$
- (B) $\frac{5}{60} + \frac{4}{60}$
- (C) $\frac{5}{60} \times \frac{4}{59}$
- (D) $\frac{5}{60} \times \frac{4}{60}$

- 5 The graph $y = f'(x)$ is shown below.



The curve $y = f(x)$ has a minimum value of 6. What is the equation of the curve?

- (A) $y = x^2 - 4x + 2$
- (B) $y = x^2 - 4x + 10$
- (C) $y = x^2 + 4x + 2$
- (D) $y = x^2 + 4x + 10$

Section II

In Questions 6 – 23, your response should include relevant mathematical reasoning and/or calculations.

Question 6 (4 marks)

(a) Rationalise 2

$$\frac{3}{\sqrt{7} + 2}$$

$\frac{3(\sqrt{7}-2)}{(\sqrt{7}+2)(\sqrt{7}-2)}$ 1 mark

$= \frac{3(\sqrt{7}-2)}{3}$

$= \sqrt{7}-2$ 1 mark

(b) Simplify the following: 2

$$\frac{5}{x^2 - 4} - \frac{3}{x^2 - 3x + 2}$$

$= \frac{5(x-1)(x-1)}{(x+2)(x-2)(x-1)} - \frac{3(x+2)(x+2)}{(x-1)(x-2)(x+2)}$ 1 mark

$= \frac{5x-5-3x-6}{(x-2)(x+2)(x-1)}$

$= \frac{2x-11}{(x-2)(x+2)(x-1)}$ 1 mark

Question 7 (3 marks)

If $f(x) = x^2 - 4x + 8$, show that $f'(x) = 2x - 4$ using first principles.

3

$$\lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h} = \lim_{h \rightarrow 0} \frac{(x+h)^2 - 4(x+h) + 8 - (x^2 - 4x + 8)}{h}$$

1 mark

$$= \lim_{h \rightarrow 0} \frac{x^2 + 2xh + h^2 - 4x - 4h + 8 - x^2 + 4x - 8}{h}$$

1 mark

$$= \lim_{h \rightarrow 0} (h + 2x - 4)$$

1 mark

$$= 2x - 4$$

Question 8 (2 marks)

Fully simplify

2

$$\frac{\sin 33^\circ + \cos 57^\circ}{\cos 57^\circ}$$

$$= \frac{\cos 57^\circ + \cos 57^\circ}{\cos 57^\circ}$$

1 mark

$$= 2$$

1 mark

Question 9 (4 marks)

Given the piecewise function below,

2

$$f(x) = \begin{cases} 2x - 1 & x < -5 \\ 3 & -5 \leq x < 0 \\ (x - 1)^2 + 2 & x \geq 0 \end{cases}$$

Solve the following:

(a) $f(-7) + f(-2)$

$= 2 \times (-7) - 1 + 3$ 1 mark

$= -12$ 1 mark

(b) $f(a^2)$ in simplest form.

2

$= (a^2 - 1)^2 + 2$ 1 mark

$= a^4 - 2a^2 + 1 + 2$

$= a^4 - 2a^2 + 3$ 1 mark


Question 10 (3 marks)

A factory produces strawberry milkshake and vanilla milkshake both in regular and low fat options. Each day, $\frac{3}{5}$ of the milkshakes produced are strawberry flavoured and the rest are vanilla flavoured. In terms of demand, $\frac{5}{7}$ of the strawberry milkshakes are regular and the rest of the strawberry milkshakes are low fat in option. $\frac{2}{3}$ of the vanilla milkshakes are low fat and the rest of the vanilla milkshakes are regular.

- (a) Draw a probability tree diagram below, labelling all the branches with the correct probabilities. 1

Use the symbols given below in your tree diagram.

- S represents the strawberry milkshake
- V represents the vanilla milkshake
- L represents a low fat milkshake
- R represents a regular milkshake



Outcomes

$P(SL) = \frac{3}{5} \times \frac{2}{7} = \frac{6}{35}$

$P(SR) = \frac{3}{5} \times \frac{5}{7} = \frac{15}{35}$

$P(VL) = \frac{2}{5} \times \frac{2}{3} = \frac{4}{15}$

$P(VR) = \frac{2}{5} \times \frac{1}{3} = \frac{2}{15}$

- (b) A milkshake is selected at random. Given that a low-fat milkshake is selected, find the probability that the milkshake was vanilla flavoured. 2

$$P(L) = P(SL) + P(VL)$$
$$= \frac{6}{35} + \frac{4}{15} \text{ 1mark}$$
$$= \frac{46}{105}$$

$$\frac{P(V \cap L)}{P(L)} = \frac{\frac{4}{15}}{\frac{46}{105}}$$
$$= \frac{14}{23} \text{ 1mark}$$

Question 11 (6 marks)

Differentiate the following functions.

(a) $y = \frac{x^3 - 3x}{x^2}$ $y = x - 3x^{-1}$ 2

$y' = 1 - 3x(-1)x^{-2}$ 1 mark

$y' = 1 + 3x^{-2}$ or $1 + \frac{3}{x^2}$ 1 mark

(b) $y = (4x^3 - x)^7$ 2

$y' = 7(4x^3 - x)^6 (12x^2 - 1)$

$\downarrow$ $\downarrow$
1 mark 1 mark

(c) $y = \frac{x}{x^2 + 1}$ $u = x$ $v = x^2 + 1$ 2
 $u' = 1$ $v' = 2x$

$y' = \frac{x^2 + 1 - x \cdot 2x}{(x^2 + 1)^2}$ 1 mark

$y' = \frac{1 - x^2}{(x^2 + 1)^2}$ 1 mark

Question 12 (3 marks)

Prove the following identity:

3

$$\frac{1 - \tan^2 x}{1 + \tan^2 x} = 1 - 2 \sin^2 x$$

$$\text{LHS} = \frac{1 - \frac{\sin^2 x}{\cos^2 x}}{1 + \frac{\sin^2 x}{\cos^2 x}} \quad 1 \text{ mark}$$

$$= \frac{\cos^2 x - \sin^2 x}{\cos^2 x + \sin^2 x} \quad 1 \text{ mark}$$

$$= 1$$

$$= \cos^2 x - \sin^2 x$$

$$= 1 - \sin^2 x - \sin^2 x \quad 1 \text{ mark}$$

$$= 1 - 2\sin^2 x = \text{RHS}$$

Question 13 (3 marks)

Find the equation of the tangent to $y = x\sqrt{7-2x}$ at $x = 1$.

$$u = x$$

$$v = (7-2x)^{\frac{1}{2}}$$

$$u' = 1$$

$$v' = \frac{1}{2}(7-2x)^{-\frac{1}{2}} \cdot (-2)$$

$$v' = -\frac{1}{\sqrt{7-2x}}$$

$$y' = uv' + uv''$$

$$y' = \sqrt{7-2x} - \frac{x}{\sqrt{7-2x}}$$

$$\bullet \text{ find gradient at } x=1 \quad m = \sqrt{5} - \frac{1}{\sqrt{5}} = \frac{4}{\sqrt{5}} \quad 1 \text{ mark}$$

$$\bullet \text{ point } (1, \sqrt{5}) \quad 1 \text{ mark}$$

$$\bullet \text{ equation } y - \sqrt{5} = \frac{4}{\sqrt{5}}(x-1)$$

$$y - \sqrt{5} = \frac{4x}{\sqrt{5}} - \frac{4}{\sqrt{5}}$$

$$y = \frac{4x}{\sqrt{5}} + \frac{1}{\sqrt{5}} \quad 1 \text{ mark}$$

$$\text{or } y = \frac{4x+1}{\sqrt{5}}$$

Question 14 (3 marks)

A company tracked the number of sales made by each sales staff in a day. Using the data from a large number of days, the company estimated the probability of the number of sales made by each sales staff in a day.

Let the random variable S be the number of sales made by Khaled per day. The following table shows the probability distribution for Khaled's daily sales.

s^2	4	9	16	25	36	49	
s	2	3	4	5	6	7	
$P(S = s)$	0.05	0.1	0.15	0.35	0.15	0.2	sum
$p(s) s^2$	0.2	0.9	2.4	8.75	5.4	9.8	27.45

Khaled is expected to make 5.05 sales per day.

Find Khaled's variance and standard deviation to 2 decimal places.


Hint: Add any required rows in the table using space above.

$$E(S^2) = 27.45 \text{ 1mark}$$
$$Var(S) = E(S^2) - E(S)^2$$
$$= 27.45 - 5.05^2$$
$$= 1.95 \text{ 1mark}$$

$$\sigma(S) = \sqrt{Var}$$
$$= 1.40 \text{ 1mark}$$

Question 15 (2 marks)

If $\sin\theta = \frac{4}{7}$, find the exact value of $\sec\theta$



$$\cos\theta = \pm \frac{\sqrt{33}}{7} \text{ 1mark}$$
$$\sec\theta = \frac{1}{\cos\theta}$$
$$= \pm \frac{7}{\sqrt{33}}$$
$$= \pm \frac{7\sqrt{33}}{33} \text{ 1mark}$$

$$\text{or } \frac{7\sqrt{33}}{33}$$
$$\text{(1mark)}$$


$$-\frac{7\sqrt{33}}{33}$$
$$\text{(1mark)}$$

Question 16 (3 marks)

Sketch the function $y = f(x)$ on the coordinate axes below, given the following information: 3

- $f(0) = 3$, $f'(2) = 0$, $f(2) = 6$
- $f'(x) > 0$ for $x < 2$
- $f'(x) < 0$ for $x > 2$
- $f'(x) \rightarrow 0$ as $x \rightarrow \infty$


- 1 mark for key points (0,3) (2,6)
- 1 mark for gradients for $x < 2$ and $x > 2$
correct
- 1 mark for gradient approaching 0 when $x \rightarrow +\infty$
- full mark for all details correct



Question 17 (2 marks)

The area of $\triangle ABC$ is $18\sqrt{3} \text{ cm}^2$. Calculate the value of x .

2



NOT TO
SCALE

$$A = \frac{1}{2}(x-2)(x+4)\sin 60^\circ = 18\sqrt{3}$$

$$\frac{1}{2}(x-2)(x+4)\frac{\sqrt{3}}{2} = 18\sqrt{3} \quad 1 \text{ mark}$$

$$x^2 - 2x - 8 = 72$$

$$(x-8)(x+10) = 0$$

$$x = 8 \quad 1 \text{ mark}$$

Question 18 (3 marks)

Solve $\sqrt{3}\sin^2\theta = \sin\theta\cos\theta$ for $0 \leq \theta \leq 2\pi$. Give your answers in radians.

3

$$\sqrt{3}\sin^2\theta - \sin\theta\cos\theta = 0$$

$$\sin\theta(\sqrt{3}\sin\theta - \cos\theta) = 0$$


$$\sin\theta = 0 \text{ or } \sqrt{3}\sin\theta - \cos\theta = 0 \quad 1 \text{ mark}$$

$$\sin\theta = 0 \text{ or } \tan\theta = \frac{1}{\sqrt{3}} \quad 1 \text{ mark}$$

$$\theta = 0, \pi, 2\pi \text{ or } \frac{\pi}{6}, \frac{7\pi}{6} \quad 1 \text{ mark}$$

Question 19 (3 marks)

The diagram shows a sector OAB with measurements as shown.



- (a) Find the length of the radius
- 2

$$\theta r = 8$$

$$\frac{1}{2}\theta r^2 = 40$$
 1 mark

$$\theta r \cdot \frac{1}{2}r = 40$$

$$8 \times \frac{1}{2}r = 40$$

$$r = 10\text{ cm}$$
 1 mark

- (b) Hence, or otherwise find the size of angle θ to the nearest degree.
- 1

$$\theta r = 8$$

$$\theta = \frac{8}{10}$$

$$\theta = 0.8 \times \frac{180}{\pi}$$

$$\approx 46^\circ$$

Question 20 (7 marks)

The displacement in metres of a particle travelling in a straight line is given by $x = 4t^3 - 12t$ where t is the time taken in seconds.

- (a) Find the initial displacement of the particle

1

when, $t=0$ $x=0$ at the origin

- (b) Find the velocity (v) of the particle as a function of time.

1

$$v = \dot{x}$$

$$v = 12t^2 - 12$$

- (c) When is the particle stationary?

1

$$v = 12t^2 - 12 = 0$$

$$t = 1$$

- (d) When is the particle changing direction? Show full working out. You may draw a diagram to assist you


2

$$v=0 \text{ and } a \neq 0$$

From part (c) when $t=1$ $v=0$ 1 mark

$$a = \ddot{x} = 24 \neq 0 \quad \text{1 mark}$$

$\therefore$ when $t=1$ the particle is changing direction



- (e) What is the total distance travelled by the particle in the first 3 seconds? You may draw a diagram to assist you

2

- distance travelled between $t=0$ and $t=1$ is 8m

$$x(0) = 0 \quad x(1) = -8$$

1 mark

- distance travelled between $t=1$ and $t=3$ is 80


$$x(1) = -8 \quad x(3) = 72$$

$\therefore$ distance travelled between $t=0$ and $t=3$ is 88 1 mark

Question 21 (2 marks)

The graph shows the velocity (v) of a particle moving along a straight line as a function of time (t).

3




Describe the motion of the particle between $t = 0$ and $t = 3$ in terms of velocity and acceleration.

- At $t=0$ the particle is at rest, about to move to the right and speed up, and when $t=1$ it reaches its maximum speed. (1 mark)
- between $1 < t < 2$, the particle slows down with positive velocity and negative acceleration. It comes to rest at $t=2$, and it is furthest from the origin at this point (1 mark)
- when $t > 2$, the particle begins to move to the left ($v < 0$ and $a < 0$) until it reaches $t=3$ (1 mark)

Question 22 (4 marks)

Chandler starts walking from a camping place P on a bearing of 120° for 5 km to a place Q. He then walks on a bearing of 200° for 2km to a place R.



- (a) What is the size of $\angle PQR$? 2

$\angle PQR = 100^\circ$ 1 mark

- (b) What is the distance between the camping place P and the place R? 2
Answer correct to 2 decimal places.

$PR^2 = 5^2 + 2^2 - 2 \times 5 \times 2 \times \cos 100^\circ$

$PR \approx 5.70 \text{ km}$

Question 23 (8 marks)

A petrol tank holds 35 000 litres of petrol. Petrol is draining from the tank and the volume of petrol remaining in the petrol tank after t minutes is given by:

$$V = 35\,000 \left(1 - \frac{t}{30}\right)^2, \text{ where } V \text{ is measured in litres.}$$

- (a) Find the average rate of flow between $t = 10$ and $t = 20$

2

$$r = \frac{V(20) - V(10)}{20 - 10} \quad \text{1 mark}$$

$$= \frac{-3500}{3} \text{ L/m} \quad \text{1 mark}$$

$$(-1166.67 \text{ L/m})$$

- (b) Find the instantaneous rate of flow at $t = 15$

2

$$V' = 35000 \times 2 \left(1 - \frac{t}{30}\right) \times \left(-\frac{1}{30}\right)$$

$$V' = -\frac{7000}{3} \left(1 - \frac{t}{30}\right) \quad \text{1 mark}$$

$$V'(15) = -\frac{3500}{3} \text{ L/m} \quad \text{1 mark}$$

$$(-1166.67 \text{ L/m})$$

- (c) Explain why time (t) has to be restricted to $[0, 30]$.

1

$$V' = -\frac{7000}{3} \left(1 - \frac{t}{30}\right)$$

petrol is draining $V' < 0$

$$1 - \frac{t}{30} > 0$$

$$\text{when } t > 30 \quad V' > 0$$

- (d) How much time will it take until only half of the initial volume of petrol remains in the tank?

2

$$17500 = 35000 \left(1 - \frac{t}{30}\right)^2$$

$$\frac{1}{2} = \left(1 - \frac{t}{30}\right)^2$$

$$1 - \frac{t}{30} = \frac{\sqrt{2}}{2}$$

$$30 - t = 15\sqrt{2}$$

$$t = 30 - 15\sqrt{2}$$

$$t \approx 8.79 \text{ m}$$