



Barker College

**2003
TRIAL
HIGHER SCHOOL
CERTIFICATE**

Chemistry

Staff Involved:

PM THURSDAY 7 AUGUST

- RJP*
- KJB
- ASM
- KHW

85 copies

General Instructions

- Reading time – 5 minutes
- Working time – 3 hours
- Write using blue or black pen
- Board-approved calculators may be used
- Draw diagrams using pencil
- A Data Sheet and Periodic Table are provided at the back of this paper
- Write your Barker Student Number at the top of this page and on ALL answer pages

Total marks – 100

Section I

Pages 2 - 18

Total – 90 marks

This section has two parts, Part A and Part B

Part A

15 marks

- Indicate all answers on the Answer Sheet provided
- Allow about 30 minutes for this part

Part B

75 marks

- Attempt Questions 16 – 28
- Indicate all answers in the spaces provided on the paper
- Allow about 2 hours for this part

Section II

Pages 19 – 22

10 marks

- Attempt EITHER Question 29 OR Question 30
- Indicate all answers in the spaces provided on paper
- Allow about 30 minutes for this section

Section I

Total marks – 90

Part A

15 marks

Attempt Questions 1–15

Allow about 30 minutes for this part

Use the multiple-choice answer sheet

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9

(A) ☐ (B) ☒ (C) ☐ (D) ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

(A) ☒ (B) ☒ (C) ☐ (D) ☐

If you change your mind and have crossed out what you consider to be the correct answer, then indicate this by writing the word *correct* and drawing an arrow as follows.


(A) ☒ (B) ☒ (C) ☐ (D) ☐

correct ↖

- Ethylene serves as a monomer from which polymers are made. The correct structural formula for ethylene is:
 - $\text{CH}_3\text{CH}_2 = \text{CH}_2$
 - $\text{CH}_3 = \text{CH}_2$
 - CH_3CH_3
 - $\text{CH}_2 = \text{CH}_2$

- Which of the following molecules is an example of a condensation polymer?
 - Teflon
 - Cellulose
 - Polystyrene
 - Poly (vinyl chloride)

- The correct IUPAC name for the following alkanol is:



- 5-heptanol
 - 2-hexanol
 - 3-pentanol
 - 3-heptanol
- Which statement concerning galvanic cells is correct?
 - Reduction occurs at the anode.
 - They are also known as electrolytic cells.
 - The cathode is assigned a positive charge.
 - An external power source must be present.
 - Which acid is **not** found in either food, drink or your stomach?
 - 2-hydroxypropane-1,2,3-tricarboxylic
 - sulfuric
 - acetic
 - hydrochloric

6. A group of students carried out an investigation to compare the ability of different types of radiation to penetrate target materials in a vacuum. They used a computer simulation to carry out the investigation. In their investigation they selected a number of sources that emitted different types of radiation and measured the radiation count a distance of 1cm from the source. A time of 10s was allowed for each count. Different materials were placed between the source and the counter, a distance of 0.5cm from the radiation source. Each sample of target material was 0.10mm thick. The students recorded their results in a table.


	Alpha radiation source	Beta radiation source	Gamma radiation source
No target	728	791	762
Paper	9	787	746
Aluminium	3	656	733
Gold	0	152	710

The students also measured the radiation produced by a cobalt-60 source under the same conditions and obtained the following results:

No target	793
Paper	780
Aluminium	746
Gold	714

From this information it is reasonable to conclude that the cobalt-60 was emitting:

- (A) alpha radiation
 - (B) beta radiation
 - (C) gamma radiation
 - (D) either beta or gamma radiation
7. The equation for the production of the transuranic element plutonium (Pu) is:



Species X in this reaction is:

- (A) a neutron
 - (B) a proton
 - (C) an electron
 - (D) an alpha particle
8. Which of the following scientists did **not** contribute to the historical development of ideas about acids?
- (A) Davy
 - (B) Arrhenius
 - (C) Lavoisier
 - (D) Dalton
9. Which of the following is the conjugate acid of H_2PO_4^- ?
- (A) H_2PO_4
 - (B) H_3PO_4
 - (C) HPO_4^{2-}
 - (D) PO_4^{3-}

10. 25 mL of a solution of H_2SO_4 that has a pH of 3 is pipetted into a 250 mL volumetric flask and distilled water added up to 250 mL. What is the pH of the diluted solution?
- (A) 0.5
(B) 4.5
(C) 4
(D) 5
11. Acid strength is a measure of the:
- (A) concentration of an acid solution
(B) extent to which an acid neutralises a base
(C) extent to which an acid ionises in water
(D) number of acidic protons present in the acid molecule
12. The formation of a coordinate covalent bond **does not** occur in which of the following molecules?
- (A) ozone
(B) oxygen
(C) hydronium ion
(D) ammonium ion
13. Chemists are employed in industry to monitor and manage industrial processes. There are many aspects to the role of the chemist. Which of the following is **NOT** a role performed by a chemist working in industry?
- (A) The chemist ensures that the raw materials meet specifications and they do not contain impurities that would upset the process.
(B) The chemist ensures that the products are sufficiently pure and free from dangerous contaminants.
(C) The chemist ensures that the products are sold in an ethical and environmentally responsible manner.
(D) The chemist ensures that the workplace remains safe and healthy.
14. Atomic absorption spectroscopy (AAS) would be a suitable method for determining the concentration of:
- (A) Phosphorus in detergents
(B) Ethanol in wine
(C) Mercury in fish
(D) Nitrogen in fertilisers
15. During the tests for biochemical oxygen demand (BOD), a sample of water is kept in the dark for five days before being tested for its dissolved oxygen level.

What is the purpose of keeping the sample in the dark?

- (A) To prevent photosynthesis occurring and adding oxygen to the water.
(B) To prevent photosynthesis occurring and removing oxygen from the water.
(C) To prevent respiration occurring and adding oxygen to the water.
(D) To prevent respiration occurring and removing oxygen from the water.

Section I (continued)

Part B – 75 marks

Attempt ALL questions

Allow about 2 hours for this part

Answer the questions in the spaces provided.

Show all relevant working in questions involving calculations.

Marks

Question 16 (5 marks)

Styrene is an example of a commercially significant monomer

- (a) Give another example of a commercially significant monomer, stating both its systematic and common names. 2

systematic name:

common name:

- (b) Describe **TWO** uses of polystyrene in terms of its properties. 3

.....

.....

.....

.....

.....

.....

Student No. _____

Marks

Question 17 (8 marks)

Ethanol is currently being used to supplement the use of petrol in cars.

- (a) Discuss the need for alternative sources of the compounds presently obtained from the petrochemical industry.

2

- (b) Write a balanced equation for the fermentation of glucose to ethanol.

1

- (c) Assess the potential of ethanol as an alternative fuel by discussing the advantages and disadvantages of its use.

5

Question 18 (6 marks)

In class you performed a first-hand investigation to measure the difference in potential of different combinations of metals in an electrolyte solution.

- (a) Draw a neat, fully labelled diagram of the experimental set-up when using iron and copper electrodes in solutions of iron sulfate and copper sulfate respectively. Indicate the direction of electron flow as well as the direction of ion movement in the salt bridge.

4

- (b) Calculate the potential $E^\ominus$ of the above cell and write the overall equation for the reaction.

2

.....

.....

.....

Question 19 (5 marks)

Cobalt-60 (Co – 60) is a gamma emitter. It is produced by the neutron bombardment of Co – 59.

- (a) Name an instrument that can be used to detect gamma radiation. 1

.....

- (b) Write a nuclear equation to show the formation of Co – 60. 1

.....

- (c) Evaluate Co – 60's use in the treatment of certain cancers. 3

.....

.....

.....

.....

.....

.....

.....

Question 20 (7 marks)

Le Chatelier's Principle can be used to predict what happens to a system at equilibrium.

- (a) Define Le Chatelier's Principle.


1

.....



.....

.....

- (b) Carbon dioxide is slightly soluble in water and establishes the following equilibria in a fizzy drink.



The dissolved carbon dioxide reacts with water to form a weakly acidic solution of carbonic acid.



Explain, in terms of Le Chatelier's Principle, what will happen to the solubility of carbon dioxide when:

- (i) an open soft drink is warmed

2

.....

.....

.....

.....

- (ii) a base is added to the fizzy drink

2

.....

.....

.....

.....

- (c) Calculate the mass of carbon dioxide released at RTP if the volume of the collected CO_2 gas was 365 mL.

2

Student No. _____

Marks

Question 21 (5 marks)

Potassium hydrogen phosphate (K_2HPO_4) forms an amphiprotic species in water that is involved in the buffering of living cells.

- (a) Write an equation showing how K_2HPO_4 can act as an acid in water. **1**

.....

- (b) Write an equation showing how K_2HPO_4 can act as a base in water. **1**

.....

- (c) From one of your equations above clearly identify a conjugate acid-base pair **1**

.....

- (d) Qualitatively describe the effect of the above buffer on the pH of a solution. **2**

.....

.....

.....

.....

Student No. _____

Marks

Question 22 (6 marks)

- (a) Using acetic (ethanoic) acid and hydrochloric acid in your answer, draw diagrams to represent:



1. a concentrated, weak acid solution 2. a dilute, strong acid solution

Make sure you use correct formulae for ions and molecules in your diagrams.

2

Concentrated, weak acid solution

strong, dilute acid solution



- (b) Describe the difference between acetic acid and hydrochloric acid in terms of an equilibrium between the intact molecule and its ions.

4

.....

.....

.....

.....

.....

.....

.....

Question 23 (8 marks)

Titration is an important technique for finding accurately the concentration of a solution.

- (a) Describe the correct technique for preparing a standard solution of sodium hydrogen carbonate and the correct technique for conducting a titration to determine the concentration of a solution of sulfuric acid.

6

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

- (b) If 25.0 mL of a 0.0452 M sodium hydrogen carbonate solution gave a mean titre of 17.37 mL of sulfuric acid calculate the concentration of the acid.

2

Question 24 (5 marks)

Ammonia is prepared from its elements via a catalytic reaction known as the Haber process.

- (a) Write down the balanced equation for the formation of Ammonia in the Haber process.

1

- (b) Identify the catalyst used in the Haber process.

1

- (c) Use Le Chatelier's principle to explain the following data on yields of ammonia at 300°C.

3

Pressure	100 atm	200 atm
Yield	53%	67%

Student No. _____

Marks

Question 25 (6 marks)

Describe and assess the effectiveness of methods used to purify and sanitise mass water supplies.

6

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000 1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 104

Question 26 (5 marks)

Chemists monitor changes in the levels of ozone so that further damage can be limited.

- (a) Use Lewis electron dot structures to demonstrate the formation of the coordinate covalent bond in ozone.

2

- (b) The boiling point of oxygen is -183°C whereas the boiling point of ozone is -111°C . Account for this difference.

3

.....

.....

.....

.....

.....

.....

Question 27 (6 marks)

In class you analysed, by means of titration, a sample of fertiliser to determine the percentage of sulfate it contained. Below is a typical table of results.

Titre	Volume (mL)
1	29.50
2	29.35
3	29.42

9.32 g of the original fertiliser were dissolved in 250 mL of deionised water. 10 mL of this solution were pipetted into a conical flask. The burette contained 0.051 M barium chloride.

Calculate the percentage of sulfate in the fertiliser. Show all your working as a means of explaining the chemistry involved.

6

Question 28 (3 marks)

Human activity impacts on waterways and so it is important to monitor our waterways.

- (a) Water quality can be determined by considering factors like turbidity.
Identify **FOUR** other factors that help determine water quality.

2

.....

.....

.....

.....

- (b) Define the term eutrophication.

1

.....

.....

.....

.....

.....

End of Section I

Student No. _____

Section II

10 marks

Attempt EITHER Question 29 OR Question 30

Allow about 30 minutes for this section

Use the spaces provided on the paper.

Marks

EITHER

Shipwrecks, Corrosion and Conservation

Question 29 (10 marks)

(a) Identify the ion which has the highest concentration in seawater.

1

.....

(b) Account for the origins of dissolved minerals in the oceans.

2

.....

.....

.....

.....

Question 29 continues on page 20

- (c) Outline and analyse the impact of the work of Galvani, Volta, Davy and Faraday in understanding electron transfer reactions.

7

End of Question 29

OR

Forensic Chemistry

Question 30 (10 marks)

(a) (i) Define *inorganic compounds*.

1

(ii) Describe tests you could do in the laboratory to distinguish between two colourless liquids - ethanol and ethanoic acid (acetic acid).

2

Question 30 continues on page 22

- (b) Forensic chemists identify materials and trace their origins. Outline precautions that may be necessary to prevent contamination of samples for analysis and discuss ethical issues that may need to be addressed during an analytical investigation.

7

End of Question 30

End of Paper


1. Ethylene serves as a monomer from which polymers are made. The correct structural formula for ethylene is:

(A) $\text{CH}_3\text{CH}_2 = \text{CH}_2$
 (B) $\text{CH}_3 = \text{CH}_2$
 (C) CH_3CH_3
 (D) $\text{CH}_2 = \text{CH}_2$

2. Which of the following molecules is an example of a condensation polymer?

(A) Teflon
 (B) Cellulose
 (C) Polystyrene
 (D) Poly (vinyl chloride)

3. The correct IUPAC name for the following alkanol is:



(A) 5-heptanol
 (B) 2-hexanol
 (C) 3-pentanol
 (D) 3-heptanol

4. Which statement concerning galvanic cells is correct?

(A) Reduction occurs at the anode.
 (B) They are also known as electrolytic cells.
 (C) The cathode is assigned a positive charge.
 (D) An external power source must be present.

5. Which acid is **not** found in either food, drink or your stomach?

(A) 2-hydroxypropane-1,2,3-tricarboxylic
 (B) sulfuric
 (C) acetic
 (D) hydrochloric

6. A group of students carried out an investigation to compare the ability of different types of radiation to penetrate target materials in a vacuum. They used a computer simulation to carry out the investigation. In their investigation they selected a number of sources that emitted different types of radiation and measured the radiation count a distance of 1cm from the source. A time of 10s was allowed for each count. Different materials were placed between the source and the counter, a distance of 0.5cm from the radiation source. Each sample of target material was 0.10mm thick. The students recorded their results in a table.

	Alpha radiation source	Beta radiation source	Gamma radiation source
No target	728	791	762
Paper	9	787	746
Aluminium	3	656	733
Gold	0	152	710


The students also measured the radiation produced by a cobalt-60 source under the same conditions and obtained the following results:

No target	793
Paper	780
Aluminium	746
Gold	714

From this information it is reasonable to conclude that the cobalt-60 was emitting:

(A) alpha radiation
 (B) beta radiation
 (C) gamma radiation
 (D) either beta or gamma radiation

7. The equation for the production of the transuranic element plutonium (Pu) is:



Species X in this reaction is:

(A) a neutron
 (B) a proton
 (C) an electron
 (D) an alpha particle

8. Which of the following scientists did **not** contribute to the historical development of ideas about acids?

(A) Davy
 (B) Arrhenius
 (C) Lavoisier
 (D) Dalton

9. Which of the following is the conjugate acid of H_2PO_4^- ?

(A) H_2PO_4
 (B) H_3PO_4
 (C) HPO_4^{2-}
 (D) PO_4^{3-}

10. 25 mL of a solution of H_2SO_4 that has a pH of 3 is pipetted into a 250 mL volumetric flask and distilled water added up to 250 mL. What is the pH of the diluted solution?

(A) 0.5
(B) 4.5
(C) 4
(D) 5

11. Acid strength is a measure of the:

(A) concentration of an acid solution
(B) extent to which an acid neutralises a base
(C) extent to which an acid ionises in water
(D) number of acidic protons present in the acid molecule

12. The formation of a coordinate covalent bond does not occur in which of the following molecules?

(A) ozone
(B) oxygen
(C) hydronium ion
(D) ammonium ion

13. Chemists are employed in industry to monitor and manage industrial processes. There are many aspects to the role of the chemist. Which of the following is NOT a role performed by a chemist working in industry?

(A) The chemist ensures that the raw materials meet specifications and they do not contain impurities that would upset the process.
(B) The chemist ensures that the products are sufficiently pure and free from dangerous contaminants.
(C) The chemist ensures that the products are sold in an ethical and environmentally responsible manner.
(D) The chemist ensures that the workplace remains safe and healthy.

14. Atomic absorption spectroscopy (AAS) would be a suitable method for determining the concentration of:

(A) Phosphorus in detergents
(B) Ethanol in wine
(C) Mercury in fish
(D) Nitrogen in fertilisers

15. During the tests for biochemical oxygen demand (BOD), a sample of water is kept in the dark for five days before being tested for its dissolved oxygen level.

What is the purpose of keeping the sample in the dark?

(A) To prevent photosynthesis occurring and adding oxygen to the water.
(B) To prevent photosynthesis occurring and removing oxygen from the water.
(C) To prevent respiration occurring and adding oxygen to the water.
(D) To prevent respiration occurring and removing oxygen from the water.

Student No. _____

Section I (continued)

Part B – 75 marks

Attempt ALL questions

Allow about 2 hours for this part

Answer the questions in the spaces provided.

Show all relevant working in questions involving calculations.

Marks

Question 16 (5 marks)

Styrene is an example of a commercially significant monomer

- (a) Give another example of a commercially significant monomer, stating both its systematic and common names.

systematic name: chloroethene / ethene / cyanoethene
common name: vinyl chloride / ethylene / acrylonitrile

- (b) Describe TWO uses of polystyrene in terms of its properties.

Tool handles (screwdriver, chisel) because of its hardness or rigidity.

Styrofoam cups because of its rigidity, OR INSULATION (the spaces in the foam are filled with insulating gas held in place (sealed) by non-porous polystyrene).

Question 17 (8 marks)


Ethanol is currently being used to supplement the use of petrol in cars.

- (a) Discuss the need for alternative sources of the compounds presently obtained from the petrochemical industry.

2

Petrol as a fuel for cars comes from non-renewable petroleum, hence ethanol as a supplement to petrol can extend the lifetime of petroleum resources. Ethanol is a "cleaner" more environmentally friendly fuel than hydrocarbon petrol. However ethanol does not provide as much energy per kg as petrol.

- (b) Write a balanced equation for the fermentation of glucose to ethanol.



No 2 marks 1

- (c) Assess the potential of ethanol as an alternative fuel by discussing the advantages and disadvantages of its use.

5

Ethanol is a renewable resource and can reduce greenhouse gas emissions. These are two wonderful advantages of ethanol as an alternative fuel. However currently much energy is used to distil the ethanol, this produces more greenhouse gases. Other disadvantages are the large agricultural land with its pollution by fertiliser of streams, and much smelly waste from fermentation. If solar energy could be harnessed for distillation, ethanol would have high potential as a fuel alternative. At the moment ethanol's disadvantages outweigh its advantages.


2 advant
+ 2 disadv
+ (1) conclusion
statement of value

Question 18 (6 marks)

In class you performed a first-hand investigation to measure the difference in potential of different combinations of metals in an electrolyte solution.

- (a) Draw a neat, fully labelled diagram of the experimental set-up when using iron and copper electrodes in solutions of iron sulfate and copper sulfate respectively. Indicate the direction of electron flow as well as the direction of ion movement in the salt bridge.

4




- (b) Calculate the potential $E^\ominus$ of the above cell and write the overall equation for the reaction.

2

$$E_{\text{cell}}^\ominus = E_{\text{cathode}}^\ominus - E_{\text{anode}}^\ominus \quad \left| \quad E^\ominus = E_{\text{red}}^\ominus + E_{\text{ox}}^\ominus \right.$$

$$= 0.34V - (-0.44V) \quad \left| \quad = 0.34V + 0.44V \right.$$

$$= 0.78V \quad \checkmark \quad \left| \quad = 0.78V \right.$$



Student No. _____

Marks

Question 19 (5 marks)

Cobalt-60 (Co-60) is a gamma emitter. It is produced by the neutron bombardment of Co-59.


- (a) Name an instrument that can be used to detect gamma radiation.

1

Gieger (-Müller) counter, (scintillation counter)
photographic film

- (b) Write a nuclear equation to show the formation of Co-60.

1



- (c) Evaluate Co-60's use in the treatment of certain cancers.

3

Co-60 is an efficient agent for the treatment of some cancers because the ^{energetic} gamma radiation it emits can penetrate deep into body tissue to kill the cancer cells. It has a short half life and therefore can emit intense enough radiation, but long enough to make its use in therapy machines economical. Even though its gamma radiation kills healthy cells as well as cancerous, Co-60 is very effective for treatment of cancers.

Student No. _____ Marks

Question 20 (7 marks)

Le Chatelier's Principle can be used to predict what happens to a system at equilibrium.

- (a) Define Le Chatelier's Principle.



1

If a system at equilibrium is disturbed, then the system will adjust itself to minimise the disturbance (or to partially counteract the disturbance)

- (b) Carbon dioxide is slightly soluble in water and establishes the following equilibria in a fizzy drink.



The dissolved carbon dioxide reacts with water to form a weakly acidic solution of carbonic acid.



Explain, in terms of Le Chatelier's Principle, what will happen to the solubility of carbon dioxide when:

- (i) an open soft drink is warmed

2

Heat causes the position of equilibrium to shift to ward $\text{CO}_{2(g)}$. OR HEAT disturbance can be minimised by the endothermic (reverse) reaction proceeding $[\text{CO}_{2(aq)}]$ decreases $[\text{CO}_{2(g)}]$ increases
solubility of carbon dioxide decreases

- (ii) a base is added to the fizzy drink

2

A base contains hydroxide ions OH^- , OH^- neutralises the hydrogen ions in solution. This decrease of $[\text{H}^+]$ is minimised by more $\text{H}_2\text{CO}_{3(aq)}$ ionising. In turn this decrease of $[\text{H}_2\text{CO}_3]$ will be minimised by more $\text{CO}_{2(aq)}$ forming $\text{H}_2\text{CO}_{3(aq)}$. decrease $[\text{CO}_{2(aq)}]$ minimised by more $\text{CO}_{2(g)}$ dissolving
 $\therefore$ Solubility of CO_2 increases

- (c) Calculate the mass of carbon dioxide released at RTP if the volume of the collected
- CO_2
- gas was 365 mL.

$$\begin{aligned} 1 \text{ mol } \text{CO}_2 @ \text{ RTP} &= 24.79 \text{ L} \\ 44.01 \text{ g } \text{CO}_2 &= 24.79 \text{ L} \\ x \text{ g} &= 0.365 \text{ L} \\ 2x &= 0.648 \text{ g} \end{aligned}$$

Student No. _____


Marks

Question 21 (5 marks)

Potassium hydrogen phosphate (K_2HPO_4) forms an amphiprotic species in water that is involved in the buffering of living cells.


- (a) Write an equation showing how K_2HPO_4 can act as an acid in water.

1




- (b) Write an equation showing how K_2HPO_4 can act as a base in water.

1



- (c) From one of your equations above clearly identify a conjugate acid-base pair

1



- (d) Qualitatively describe the effect of the above buffer on the pH of a solution.

2

If small amounts of acid or base (H^+ or OH^-) are added to a solution of K_2HPO_4 , they will be neutralised so that the pH is almost constant to what it was before the addition of the H^+ or OH^- .

Student No. _____

Marks

Question 22 (6 marks)


- (a) Using acetic (ethanoic) acid and hydrochloric acid in your answer, draw diagrams to represent:

1. a concentrated, weak acid solution 2. a dilute, strong acid solution


Make sure you use correct formulae for ions and molecules in your diagrams.

2

Concentrated, weak acid solution




strong, dilute acid solution



- (b) Describe the difference between acetic acid and hydrochloric acid in terms of an equilibrium between the intact molecule and its ions.


4

Hydrochloric molecules react completely with water to form hydronium ions and chloride ions.



There is no reverse reaction and no equilibrium.

Ethanoic acid molecules only partially react with water (few percent) to form ethanoate ions and hydronium ions once the reacting species are in equilibrium a constant concentration of species is present.



Student No. _____

Marks

Question 23 (8 marks)

Titration is an important technique for finding accurately the concentration of a solution.


- (a) Describe the correct technique for preparing a standard solution of sodium hydrogen carbonate and the correct technique for conducting a titration to determine the concentration of a solution of sulfuric acid.

Pure anhydrous sodium hydrogen carbonate is heated cooled and massed. The appropriate amount is transferred to a (standard) volumetric flask quantitatively & dissolved in distilled water and made up to the mark with distilled water. The solution is shaken thoroughly. A storage bottle is washed with distilled water, rinsed with the standard solution and filled with the standard solution. Bottle labelled.

A burette is washed, rinsed with distilled water, rinsed with standard sulfuric acid, fill stem, set to 0.00 mL.

or appropriate indicator (Iron-phenanthroline)
A pipette is washed, rinsed with (distilled water), rinsed with the sodium hydroxide, filled with base using pipette filler to mark, transferred to conical flask (drained 30s). Two drops of methyl orange added. Sulfuric acid titrated until permanent red in yellow. Conical flask has side washed down with distilled water.

- (b) If 25.0 mL of a 0.0452 M sodium hydrogen carbonate solution gave a mean titre of 17.37 mL of sulfuric acid calculate the concentration of the acid.



$$\text{quantity NaHCO}_3 = 0.0250 \times 0.0452 \text{ mol} \quad (\frac{1}{2})$$

$$\text{quantity H}_2\text{SO}_4 = \frac{1}{2} \times 0.0250 \times 0.0452 \text{ mol} \quad (\frac{1}{2})$$

$$\text{conc H}_2\text{SO}_4 = \frac{n}{V}$$

$$= \frac{\frac{1}{2} \times 0.0250 \times 0.0452 \text{ mol}}{0.01737 \text{ L}}$$

$$= 0.0325 \text{ mol L}^{-1} \quad (\frac{1}{2})$$


Student No. _____

Marks


Question 24 (5 marks)

Ammonia is prepared from its elements via a catalytic reaction known as the Haber process.

- (a) Write down the balanced equation for the formation of Ammonia in the Haber process.



- (b) Identify the catalyst used in the Haber process.



- (c) Use Le Chatelier's principle to explain the following data on yields of ammonia at 300°C.

Pressure	100 atm	200 atm
Yield	53%	67%

The yield at 200 atmospheres pressure is higher than at 100 atm. If we imagine the equilibrium mixture at 100 atm and then disturb the equilibrium to 200 atm, the system tries to minimise the increased pressure by reducing the number of molecules causing the collisions with the container. By shifting the position of equilibrium to NH_3 (right). 4 molecules are changed to 2. Less molecules, less collisions per second, lessened pressure but higher yield of ammonia.

Question 25 (6 marks)

Describe and assess the effectiveness of methods used to purify and sanitise mass water supplies.

6

Water from the catchment area is passed through grids of iron to remove vegetation and carcasses of animals. Flocculation of very fine negatively charged silt particles is achieved by adding substances containing Fe^{3+} or Al^{3+} ions. The enlarged silt particles sink into the mud at the bottom of the dam.

The water is filtered through a bed of sand to remove any small particles in the water.

The water might still contain microorganisms such as giardia or cryptosporidium, these can be killed by chlorination. Either chlorine gas or sodium hypochlorite can be bubbled/added to the water while fluoride ions don't sanitise they can assist dental strength of the population.


Some minute silt particles do get to the domestic households particularly after heavy rain in the catchment, but the physical methods & chemical methods are very effective in purifying and sanitising huge volumes of mass water supplies.

Question 26 (5 marks)

Chemists monitor changes in the levels of ozone so that further damage can be limited.

- (a) Use Lewis electron dot structures to demonstrate the formation of the coordinate covalent bond in ozone.

2



- (b) The boiling point of oxygen is -183°C whereas the boiling point of ozone is -111°C . Account for this difference.

3

oxygen molecules have 16 electrons
 ozone molecules have 24 electrons
 ozone $\therefore$ has higher dispersion forces
 ozone is polar, oxygen is non-polar
 ozone has extra dipole-dipole forces between its molecules $\therefore$ more energy needed to separate liquid ozone molecules than oxygen
 $\therefore$ higher boiling point of ozone than oxygen.

Student No. _____

Marks

Question 27 (6 marks)


In class you analysed, by means of titration, a sample of fertiliser to determine the percentage of sulfate it contained. Below is a typical table of results.

Titre	Volume (mL)
1	29.50
2	29.35
3	29.42

9.32 g of the original fertiliser were dissolved in 250 mL of deionised water. 10 mL of this solution were pipetted into a conical flask. The burette contained 0.051 M barium chloride.

Calculate the percentage of sulfate in the fertiliser. Show all your working as a means of explaining the chemistry involved.

Average titre of barium chloride = 29.42 mL.



$$\text{quantity Ba}^{2+} = 0.02942 \times 0.051 \text{ mol}$$

$$\text{quantity SO}_4^{2-} = 0.02942 \times 0.051 \text{ mol}$$

BUT THIS WAS ONLY IN 10 mL of fertiliser solution
in 250 mL of fertiliser is:

$$= \frac{250}{10} \times \frac{0.02942}{1} \times 0.051 \text{ mol SO}_4^{2-}$$

which all came from the 9.32 g fertiliser

$$\text{mass of SO}_4^{2-} = \frac{250}{10} \times \frac{0.02942}{1} \times \frac{0.051}{1} \times 96.06 \text{ g}$$

$$\begin{aligned} \% \text{ sulfate in sample} &= \frac{250}{10} \times \frac{0.02942 \times 0.051 \times 96.06}{9.32} \times 100 \\ &= 38.7\% \end{aligned}$$

Student No. _____

Marks

Question 28 (3 marks)

Human activity impacts on waterways and so it is important to monitor our waterways.

- (a) Water quality can be determined by considering factors like turbidity. Identify FOUR other factors that help determine water quality.

dissolved oxygen
concentration of common ions
hardness
acidity (pH) TDS

- (b) Define the term eutrophication.

The conversion of deep lakes into firm land
by the cyclic algal blooms and death filling
up the lake. Eventually the shallow lakes
change to swamps & marshes & finally firm land.

End of Section I

Student No. _____

Section II

10 marks

Attempt EITHER Question 29 OR Question 30

Allow about 30 minutes for this section

Use the spaces provided on the paper.

Marks

EITHER

Shipwrecks, Corrosion and Conservation

Question 29 (10 marks)

- (a) Identify the ion which has the highest concentration in seawater.

1

chloride

- (b) Account for the origins of dissolved minerals in the oceans.

2

The dissolution of salts by water passing through thermal vents in sea floor
the leaching of soils by rain and ground water into run-off into oceans.

Question 29 continues on page 20

Question 29 (continued)

Student No. _____

Marks

- (c) Outline and analyse the impact of the work of Galvani, Volta, Davy and Faraday in understanding electron transfer reactions.

7

The work of scientists including Luigi Galvani, Alessandro Volta, Humphry Davy and Michael Faraday, in the eighteenth and then nineteenth centuries improved our understanding of oxidation – reduction reactions and role in generating electricity. The importance of electrolytes in these processes was also increasingly understood.

Luigi Galvani (1737 – 1798)

Galvani investigated the effect of static charges on the nerves and muscles of frog's legs. He showed that the muscles twitched when a charge was applied. Following further experimentation, he discovered that the muscles would twitch without the application of a static charge as long as two different metals formed the circuit with the muscle tissue. He wrongly concluded that the tissues themselves produced an electric fluid that moved between the nerves and the muscles. He called this animal electricity.

Alessandro Volta (1745 – 1827)

Volta was a friend of Galvani who disagreed with his interpretation of the frog experiments. He demonstrated electric currents could be produced, by alternating two different metals (copper and zinc disks) in a stack, and separating them with cardboard, soaked in brine. This stack of conductors and an electrolyte was called Volta Pile. Volta thought (incorrectly) that it was the contact between the metals that generated the electrical current.

Humphrey Davy (1778 – 1829)

Davy experimented with improved versions of Volta's Pile to pass electric currents into water and other electrolytes including molten salts. The electrical energy caused the decomposition (electrolysis) of the electrolytes through which it passed. He produced the first samples of sodium, potassium and calcium by this method. Davy concluded that the electric currents were generated by chemical reactions.

Michael Faraday (1791 – 1867)

Faraday initially worked with Davy as his assistant. Later, he extended Davy's experiments and developed quantitative laws relating to the quantity of electrical charge transferred and the mass of products formed during electrolytic decomposition reactions. He measured the amount of charge in his experimental electrolytic cells in terms of the volume of oxygen released from a second sulfuric acid electrolytic cell connected in series with his cell.

The complete understanding of the redox reactions in terms of electron and ion transfer was not fully understood until the end of the nineteenth century. The theory of ions as proposed by Arrhenius and the discovery of the electron by Thomson allowed chemists to fully understand the processes involved.

End of Question 29

OR

Student No. _____

Forensic Chemistry

Question 30 (10 marks)

- (a) (i) Define *inorganic compounds*.

1

- (ii) Describe tests you could do in the laboratory to distinguish between two colourless liquids - ethanol and ethanoic acid (acetic acid).

2

Question 30 continues on page 22

Question 30 (continued)

Student No. _____

Marks

- (b) Forensic chemists identify materials and trace their origins. Outline precautions that may be necessary to prevent contamination of samples for analysis and discuss ethical issues that may need to be addressed during an analytical investigation.

7

End of Question 30

End of Paper

- (c) Outline and analyse the impact of the work of Galvani, Volta, Davy and Faraday in understanding electron transfer reactions.

Galvani is credited with the first production of an electric current. He joined two different metal wires together and stuck the unjoined ends into ^{freshly extracted} the muscle of a frog. He noticed the muscle contract (due to the passage of current). Galvani incorrectly concluded that it was the muscle which generated the current naming the phenomenon 'animal electricity'.

Volta realised that it was not the muscle but the metals in solution which generated the current. Volta is credited with the first production of a galvanic cell. He sandwiched a sheet of zinc, soaked and covered (carbon and soaked in NaCl) between a ~~old~~ copper and ~~an~~ electrode. Volta was able to produce greater currents by his development of the volta pile which utilised stacks of electric cells. Volta incorrectly concluded that it was contact between pairs of metals which generated the electric current.

Davy ~~who~~ used improved versions of Volta's pile in order to ~~electrolyse~~ decompose many substances including the electrolysis of water. Davy was the first person to correctly identify the current generated. He proposed that the current was generated due to a chemical reaction occurring.

End of Question 29

OR

P.T.O.

Faraday was ^{initially} Davy's assistant. Faraday extended

Davy's work with decomposition reactions. Faraday also created a device to measure the size of a current. ~~He did this through an~~ Faraday's sulphuric acid coulometer produced ~~and measured~~ oxygen gas and measured its volume. Faraday discovered that the volume of oxygen gas produced was proportional to the current travelling through the circuit.

All four chemists have impacted on the understanding of electron transfer reactions. Originally through the discovery that a current could be generated ~~and~~ (Galvani) and the production of equipment to generate a current (Volta). Then later ~~with~~ through the correct understanding of the electron transfer chemical reactions ~~caused~~ involved (Davy) and a means to determine the rate of electron transfer - current (Faraday).

Too much detail in the earlier paragraphs. Answer will need to be far more succinct in the HSC.

This paragraph is good and shows the impact.

- (c) Outline and analyse the impact of the work of Galvani, Volta, Davy and Faraday in understanding electron transfer reactions.

7

Galvani was the first to stumble upon electron transfer reactions between metals. He had created a circuit with frogs legs, 2 different metals and a static electric charge when he found that the frog's legs still twitched ^(sign of electricity) without a static charge as long as the 2 metals were in contact to create the circuit. Although his conclusions were incorrect as to the reason for this, the impact was that he 'opened the door' for further research ^{made the initial breakthrough} into this field of science. Volta used Galvani's findings and with them he believed that biological material wasn't necessary for electric flow. He thus created the ^{Voltaic} Pile, a stack of alternating different metals separated by ~~thin~~ brine soaked cardboard. This was the first battery or Galvanic cell. The impact was that now people could generate power via this 'Pile' which ^{utilised electron transfer reactions and} revolutionised science and the world. Davy, using an improved Voltaic Pile, was the first to carry out electrolysis of water & molten salts. He ^{thus} produced ~~some~~ the first samples of Ca^{2+} , K^{+} , Na^{+} and also figured that it was a chemical change in the Voltaic Pile (a chemical reaction between metals) that was causing the flow of electrons. Thus, Davy impacted by making the vital connection that a chemical reaction was the base of the electron transfer taking place.

7

Faraday used Davy's work and results to attempt to establish a set of rules & results relating to the amount of charge produced in relation to the quantity of reactants. ~~Thus~~ The impact of this was that it created the first Quantitative laws/figures to do with electron transfer reactions which thus increased the ~~best~~ understanding of the topic.

OR

Using the 4 above scientists' ^{initial} results/conclusions refined versions and understanding of electron transfer reactions were compiled at a later date.

End of Question 29

Markers comments for Shipwrecks Question

RJP

29

- (a) A lot of students said Na^+ or NaCl but I only accepted chloride or Cl^- .
- (b) Needed leaching into groundwater (1 mark) and hydrothermal vents (1 mark)
- (c) **Outline (sketch in general terms, indicate the main features of)**

Had to outline the work (say what they did) for each of Galvani, Volta,, Davy and Faraday. (max four marks for this, 1 mark for each)

Analyse (Identify components and the relationship between them; draw out and relate implications)

Had to say something about the work in the context of understanding of electron transfer.

Galvani – discovery of electricity (before that only static electricity)

Volta – first battery etc.

Davy – Chemical reactions responsible for the current

Faraday – quantified electrolysis (electron transfer)

A concluding paragraph that summed up the impact of the four of them on electron transfer reactions.

Max of 3 marks for this section.

To get a mark of 7, it also had to read well.

- 17c) This question was not answered well. Many general statements were made that gave no actual facts or meaning without specific explanation eg - "can be easily made" "is CO₂ neutral" "burns clean" "is expensive"

The best answers gave succinct facts with specific detail of 2 significant advantages, 2 significant disadvantages, and a judgement of ethanol's suitability as an alternative fuel.

- Be careful of your expressions - eg "it saves the greenhouse" - what is the greenhouse it is saving?

- A zero mark answer said that ethanol -

"is more efficient"

"obtained from a natural source"

"environmentally friendly"

All of these expressions need qualifying. Oil is also "natural". It's waste from fermentation is not environmentally friendly.

- An answer that gained 5 points

"Ethanol has potential as an alternative fuel because it

- is a renewable resource, produced from fermentation of sugar cane or corn; the products of combustion are CO₂ + H₂O which as non-polluting and can be recycled to grow more plants; it is presently a petrol extender (10% of petrol fuel) without any modifications.

However there are, as yet, several disadvantages which need to be overcome. Although it is renewable, the vast land area needed would cause deforestation and land degradation.

Production of fertilisers, running machinery for ploughing, planting, harvesting and distilling all require vast amounts of energy which is currently supplied by fossil fuels.

This fossil fuel use would have to be replaced by solar energy for the CO₂ emissions of ethanol combustion to be considered recyclable.

At the present ethanol's disadvantages still outweigh its advantages, and the present price + availability of petrol from oil makes ethanol an unviable alternative."

- The above answer was a bit long but did not go over the page!

Many good English

Most marks are lost because of 2 things

- 1) General waffle rather than facts
- 2) Very poor English - grammar, spelling + expressions

8 " Ethanol can be obtained from plant sugars (glucose) and is therefore more environmentally friendly than fossil fuels, which contribute to the greenhouse effect"

"therefore" and "which" join the parts of this sentence assuming linked, consistent facts with a cause + effect relationships.

BUT

Ethanol coming from plants has nothing to do with fossil fuels contributing to the greenhouse effect, without lots of other links in between.

Comments Q 16

Most common mistake was reversing the systematic and common names or putting poly- in front. This was a monomer question.

	Use	Property
b) <u>Polystyrene</u>	tool handles	Hard + rigid (1/2) due to large chain stiffening side group of the benzene ring (1/2)
	(1/2) disposable plastic wine glasses or CD covers	transparent due to low (1/2) crystallinity

one of these	(1/2) { - insulated coffee cups, - packaging, - insulation around electrical components - bean bag type furniture	gas can be blown into the polymer filling the spaces between the polymer chain. It still has some rigidity but the gas makes it an insulator (1)
--------------	---	--

Marker's Comments - Questions 17-19

17 a) The petrochemical industry is the plastics (polymer) industry. The compounds are polymer. The chemicals for them are ethene + propene from the catalytic cracking of crude oil. Crude oil is a non-renewable resource that is running out. So to keep making plastics, alternative sources of ethene + propene are needed. e.g. ethanol from biomass or polymers from plants + bacteria.

The Facts

Answers that got full marks

"Petrochemicals that are the basis for the plastics industry (ethene + propene) are mostly obtained from the cracking of fractions of crude oil. Crude oil is a non-renewable resource and world reserves are expected to be depleted in the next 2-4 decades. It is therefore necessary to consider alternative sources of ethene and propene, such as ethanol from biomass, or develop biopolymers in plants and bacteria."

"The basic chemicals used in the petrochemical industry are ethene and propene. These are obtained from the catalytic cracking of oil. Since oil is a non-renewable resource and being quickly depleted, it will soon no longer be able to supply the chemicals needed for production of plastics in the petrochemical industry. Therefore it would be advisable to have alternative sources of propene + ethene e.g. ethanol, or to develop plastics that can be grown in plants or bacteria."

- Q18 a) neat with correct apparatus
iron & copper electrodes
anode & cathode correctly labelled
ion flow correctly directed
electrolytes correctly labelled
voltmeter present
salt bridge labelled with suitable solution
electron flow in correct direction
} $\frac{1}{2}$ each.
→ if attached to a battery



- Q19 a) Accepted Geiger counter Scintillation counter
Cloud chamber Photographic film

b) No half marks - be careful where the numbers are placed and that upper & lower case are observed

- c) To get 3 marks the following had to be mentioned
- emits γ rays which penetrate deep into tissue
 - kills cancerous cells
 - can kill healthy cells also so must be specifically targetted to avoid harming the patient
 - has a half life of 15 years
 - the half life makes production & use of the isotope in hospital equipment economical (replace after 5 years)
 - the γ emissions are high intensity & thus effective in small doses

Many students waffled with information that would suit any radio isotope, some students were obviously mixing it up with technetium or iodine wanting to use it to diagnose, or inject it, or ingest it.

The half-life needed to be stated because short & long when talking about radioisotopes is very relative, 5.3 years is short compared to 15 years but quite long compared to 15 minutes.