



Name: _____

2023

**YEAR 11
ASSESSMENT TASK 3**

Mathematics Advanced

General Instructions

- Reading time – 10 minutes
- Working time – 2 hours
- Write using black or blue pen
- Diagrams are not to scale
- Calculators may be used
- For questions in Section II, show relevant mathematical reasoning and/or calculations

**Total marks:
64**

Section I – 10 marks (page 2-4)

- Attempt Questions 1–10
- Allow about 15 minutes for this section

Section II – 54 marks (pages 5–20)

- Attempt Questions 11–13
- Allow about 1 hour 45 minutes for this section

BLANK PAGE

Section I: Multiple Choice Questions**10 marks***Circle the correct answer.*

1. What is the derivative of $\frac{2}{x^3}$?

- A. $-\frac{3}{x^4}$
- B. $\frac{6}{x^4}$
- C. $\frac{3}{x^4}$
- D. $-\frac{6}{x^4}$

2. What is the value of $\tan x$ given that $\sin x = \frac{2}{5}$ for $\frac{\pi}{2} \leq x \leq \pi$

- A. $-\frac{\sqrt{21}}{2}$
- B. $-\frac{5}{\sqrt{21}}$
- C. $\frac{2}{\sqrt{21}}$
- D. $-\frac{2}{\sqrt{21}}$


3. Which of the following is the equation of the line that passes through $(2, -1)$ and $(5, 3)$?

- A. $4x + 3y - 11 = 0$
- B. $3x - 4y + 11 = 0$
- C. $4x - 3y - 11 = 0$
- D. $3x - 4y - 11 = 0$

4. Which of the following is equivalent to $7x^2 - 56x + 105$?

- A. $(x - 8)(x + 7)$
- B. $7(x - 3)(x - 5)$
- C. $(x - 3)(x - 5)$
- D. $7(x - 8)(x + 7)$

5. What is the length of arc AB in the diagram below?



- A. 10π cm
- B. 5 cm
- C. 5π cm
- D. 10 cm

6. The domain for the function $f(x) = \sqrt{2 - x}$ is:

- A. $[0, \infty)$
- B. $(-\infty, 2]$
- C. $[2, \infty)$
- D. $(-\infty, \infty)$

7. Solve $\tan x = 1$ for $0 \leq x \leq 2\pi$.

- A. $x = \frac{\pi}{4}, \frac{5\pi}{4}$
- B. $x = \frac{\pi}{4}$
- C. $x = \frac{\pi}{4}, \frac{3\pi}{4}$
- D. $x = \frac{\pi}{4}, \frac{7\pi}{4}$

8. Megan tries to differentiate the function $y = \frac{3x}{(10 - x)^2}$ with respect to x .

Her working out is shown below.

$$\begin{aligned} \frac{dy}{dx} &= \frac{3(10 - x)^2 + 3x \times 2(10 - x)}{(10 - x)^4} && \text{Line (1)} \\ &= \frac{3(10 - x)^2 - 6x(10 - x)}{(10 - x)^4} && \text{Line (2)} \\ &= \frac{(10 - x)[3(10 - x) + 6x]}{(10 - x)^4} && \text{Line (3)} \\ &= \frac{30 + 3x}{(10 - x)^3} && \text{Line (4)} \\ &= \frac{10 + x}{(10 - x)^3} && \text{Line (5)} \end{aligned}$$


Where did Megan make mistakes?

- A. Line 1 & Line 5
- B. Line 3 & Line 4
- C. Line 1 & Line 3
- D. Line 3 & Line 5

9. The height of a ball thrown in the air is given by the formula $h = 10t - 3t^2$ in metres, where t is measured in seconds. When the ball is thrown, what is the average rate of change of the height in the first second?

- A. 4 metres per second
- B. 7 metres
- C. $10 - 6t$
- D. 7 metres per second

10. The diagram below shows the graph of the gradient function of a curve.



For what value(s) of x does $f(x)$ have a local minimum?

- A. $x = 1$
- B. $x = 3$
- C. $x = 1, x = 5$
- D. $x = 5$

End of Section I

Section II**54 marks***Answer the questions in the spaces provided.**Show all necessary working.***Question 11** (1 marks)**1**Show that $f(x) = x^3 + 3x$ is an odd function.

Question 12 (2 marks)**2**What is the centre and radius of the circle $x^2 + y^2 - 6x + 4y - 12 = 0$?

Question 13 (2 marks)**2**Express $\frac{4}{4 - \sqrt{13}}$ in the form $a + \sqrt{b}$, where a and b are integers.

Question 14 (7 marks)Differentiate the following with respect to x .

(a) $y = 3x^5 - 2x^3 + 7$

1

(b) $y = (x^2 - 2)^3(x + 3)^2$

2

(c) $y = \sqrt[4]{4x + 3}$

2

(d) $y = \frac{2x}{5 - x}$

2

Question 15 (3 marks)**3**

Find the equation of the normal to the curve $y = 2x^2 - 5x + 1$ at the point $(2, -1)$

Question 16 (2 marks)**2**

Differentiate $f(x) = 2x + 3$ from first principles to show that $f'(x) = 2$.

Hint: Use the formula $f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$.


Question 17 (2 marks)**2**

Let $f(x) = 2x$ and $g(x) = \frac{x}{x+1}$. Solve $f(g(x)) = 3$.

Question 18 (2 marks)**2**

The function $y = f(x)$ is graphed in the diagram below. The points $(2, -4)$ and the origin are stationary points and the point $(1, -2)$ is a point of inflexion.


Sketch the graph of the curve $y = f'(x)$ on the same cartesian plane, showing the shape of the curve and any x intercepts.



Question 19 (3 marks)

3


Find the value of x , correct to 2 decimal places.

[illegible]


Question 20 (4 marks)

Sketch the graphs of the following, showing any asymptotes and any intercepts with the axes.

(a) $y = \frac{2}{2x - 5}$

2

(b) $y = |4x + 5|$

2

Question 22 (3 marks)

Consider the function $x^4 - 12x^2 + 32 = 0$.

(a) Solve for x by first letting $u = x^2$.

2

(b) If $x = \sin \theta$, explain why there are no solutions for θ .

1

Question 23 (8 marks)

Consider the curve $f(x) = x^3 - 6x^2 + 9x - 4$.


- (a) Find any stationary points and determine the nature.

3

- (b) Find the co-ordinates of the point of inflexion.

2

- (c) Hence, sketch the curve, showing all turning points, the y -intercept and the point of inflexion. **3**




Question 24 (4 marks)

4

Solve $2 \cos^2 x + 3 \sin x = 0$ for $0 \leq x \leq 2\pi$.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Question 25 (3 marks)

The diagram above shows a circle with centre O , radius 5 cm and $\angle POQ = \frac{\pi}{4}$. The points P and Q lie on the circumference of the circle.

- (a) Find the exact area of the sector OPQ .

1

- (b) Find the exact area of $\triangle OPQ$

1

- (c) Hence find the exact area of the minor shaded segment.

1

Question 26 (5 marks)

Farmer Anneka wants to make a rectangular paddock with an area of 4000m^2 .

However, fencing costs are sky-high so she wants the paddock to have a minimum perimeter.

- (a) Show that the perimeter is given by the equation $P = 2x + \frac{8000}{x}$.

2

- (b) Find the dimensions of the rectangle that will give the minimum perimeter.
Give your answer correct to 1 decimal place.

3

[illegible]

End of Task



Name: _____

2023

YEAR 11
ASSESSMENT TASK 3

Mathematics Advanced

General Instructions

- Reading time – 10 minutes
- Working time – 2 hours
- Write using black or blue pen
- Diagrams are not to scale
- Calculators may be used
- For questions in Section II, show relevant mathematical reasoning and/or calculations

Total marks:
64

Section I – 10 marks (page 2-4)

- Attempt Questions 1–10
- Allow about 15 minutes for this section

Section II – 54 marks (pages 5–20)

- Attempt Questions 11–13
- Allow about 1 hour 45 minutes for this section

BLANK PAGE

Section I: Multiple Choice Questions**10 marks***Circle the correct answer.*

1. What is the derivative of $\frac{2}{x^3}$?

- A. $-\frac{3}{x^4}$
 B. $\frac{6}{x^4}$
 C. $\frac{3}{x^4}$
 D. $-\frac{6}{x^4}$

$$y = 2x^{-3}$$

$$y' = -6x^{-4}$$

$$= -\frac{6}{x^4}$$

2. What is the value of $\tan x$ given that $\sin x = \frac{2}{5}$ for $\frac{\pi}{2} \leq x \leq \pi$

- A. $-\frac{\sqrt{21}}{2}$
 B. $-\frac{5}{\sqrt{21}}$
 C. $\frac{2}{\sqrt{21}}$
 D. $-\frac{2}{\sqrt{21}}$



3. Which of the following is the equation of the line that passes through $(2, -1)$ and $(5, 3)$?

- A. $4x + 3y - 11 = 0$
 B. $3x - 4y + 11 = 0$
 C. $4x - 3y - 11 = 0$
 D. $3x - 4y - 11 = 0$

$$y_1 y_2 \quad x_1 y_2$$

$$y + 1 = \frac{4}{3}(x - 2)$$

$$3y + 3 = 4x - 8$$

$$0 = 4x - 3y - 11$$

$$m = \frac{3+1}{2-5} = \frac{4}{-3} = -\frac{4}{3}$$


4. Which of the following is equivalent to $7x^2 - 56x + 105$?

- A. $(x - 8)(x + 7)$
 B. $7(x - 3)(x - 5)$
 C. $(x - 3)(x - 5)$
 D. $7(x - 8)(x + 7)$

$$7(x^2 - 8x + 15)$$

$$= 7(x - 3)(x - 5)$$

5. What is the length of arc AB in the diagram below?



- A. 10π cm
 B. 5 cm
 C. 5π cm
 D. 10 cm

$$\frac{150^\circ \pi}{180} = \frac{5\pi}{6}$$

$$l = r\theta$$

$$l = 12 \times \frac{5\pi}{6}$$

6. The domain for the function $f(x) = \sqrt{2-x}$ is:

A. $[0, \infty)$
☒ B. $(-\infty, 2]$
 C. $[2, \infty)$
 D. $(-\infty, \infty)$

$$\begin{aligned} 2-x &\geq 0 \\ -x &\geq -2 \\ x &\leq 2 \end{aligned}$$

7. Solve $\tan x = 1$ for $0 \leq x \leq 2\pi$.

☒ A. $x = \frac{\pi}{4}, \frac{5\pi}{4}$
 B. $x = \frac{\pi}{4}$
 C. $x = \frac{\pi}{4}, \frac{3\pi}{4}$
 D. $x = \frac{\pi}{4}, \frac{7\pi}{4}$

8. Megan tries to differentiate the function $y = \frac{3x}{(10-x)^2}$ with respect to x .

Her working out is shown below.

ambiguous

$$\begin{aligned} \frac{dy}{dx} &= \frac{3(10-x)^2 + 3x \times 2(10-x)}{(10-x)^4} && \text{Line (1)} \\ &= \frac{3(10-x)^2 - 6x(10-x)}{(10-x)^4} && \text{Line (2)} \\ &= \frac{(10-x)[3(10-x) + 6x]}{(10-x)^4} && \text{Line (3)} \\ &= \frac{30 + 3x}{(10-x)^3} && \text{Line (4)} \\ &= \frac{10+x}{(10-x)^3} && \text{Line (5)} \end{aligned}$$


Where did Megan make mistakes?

A. Line 1 & Line 5
 B. Line 3 & Line 4
 C. Line 1 & Line 3
☒ D. Line 3 & Line 5

9. The height of a ball thrown in the air is given by the formula $h = 10t - 3t^2$ in metres, where t is measured in seconds. When the ball is thrown, what is the average rate of change of the height in the first second?

A. 4 metres per second
 B. 7 metres
 C. $10 - 6t$
☒ D. 7 metres per second

10. The diagram below shows the graph of the gradient function of a curve.



For what value(s) of x does $f(x)$ have a local minimum?

- A. $x = 1$
- B. $x = 3$
- C. $x = 1, x = 5$
- ☒ D. $x = 5$

End of Section I

Section II**54 marks**

Answer the questions in the spaces provided.
Show all necessary working.

Question 11 (1 marks)**1**

Show that $f(x) = x^3 + 3x$ is an odd function.

$$\begin{aligned} f(-x) &= (-x)^3 + 3(-x) \\ &= -x^3 - 3x \\ &= -(x^3 + 3x) \\ \therefore f(-x) &= -f(x) \\ \therefore \text{odd} \end{aligned}$$

① Mark for correct answer

Question 12 (2 marks)**2**

What is the centre and radius of the circle $x^2 + y^2 - 6x + 4y - 12 = 0$?

$$\begin{aligned} x^2 - 6x + y^2 + 4y &= 12 \\ x^2 - 6x + 9 + y^2 + 4y + 4 &= 12 + 9 + 4 \\ (x-3)^2 + (y+2)^2 &= 25 \\ \therefore \text{centre: } (3, -2) \quad r &= 5 \end{aligned}$$

① Mark for correctly completing the square.

① Mark for correct centre and radius

Question 13 (2 marks)**2**

Rationalise the denominator of $\frac{\sqrt{2}+4}{2\sqrt{2}-1}$. Write your answer in the form $a + b\sqrt{2}$, where a and b are rational.

$$\begin{aligned} \frac{\sqrt{2}+4}{2\sqrt{2}-1} &\times \frac{2\sqrt{2}+1}{2\sqrt{2}+1} \\ \frac{(\sqrt{2}+4)(2\sqrt{2}+1)}{7} &= \frac{4+5\sqrt{2}+8\sqrt{2}+4}{7} \\ &= \frac{8+9\sqrt{2}}{7} \\ \therefore a &= \frac{8}{7} \quad b = \frac{9}{7} \end{aligned}$$

① Mark for multiplying with conjugate

① Mark for correct solution.

Question 14 (7 marks)Differentiate the following with respect to x .

(a) $y = 3x^5 - 2x^3 + 7$

1

$$y' = 15x^4 - 6x^2$$

① Mark for correct answer

(b) $y = (x^2 - 2)^3(x + 3)^2$

2

$$u = (x^2 - 2)^3 \quad v = (x + 3)^2$$

$$u' = 6x(x^2 - 2)^2 \quad v' = 2(x + 3)$$

① mark for correct chain rule

$$y' = 6x(x^2 - 2)^2(x + 3)^2 + 2(x + 3)(x^2 - 2)^3$$

$$y' = 2(x^2 - 2)^2(x + 3)[3x(x + 3) + x^2 - 2]$$

$$y' = 2(x^2 - 2)^2(x + 3)(4x^2 + 9x - 2)$$

① Mark for correct factorisation.

(c) $y = \sqrt[4]{4x + 3}$

2

$$y = (4x + 3)^{\frac{1}{4}}$$

$$y' = \frac{1}{4}(4x + 3)^{-\frac{3}{4}} \times 4$$

$$y' = (4x + 3)^{-\frac{3}{4}}$$

$$y' = \frac{1}{\sqrt[4]{(4x + 3)^3}}$$

① Mark for converting to fractional index

① Mark for correct solution

(d) $y = \frac{2x}{5 - x}$

2

$$u = 2x \quad v = 5 - x$$

$$u' = 2 \quad v' = -1$$

$$y' = \frac{2(5 - x) + 2x}{(5 - x)^2}$$

$$y' = \frac{10}{(5 - x)^2}$$

① Mark for recognising quotient rule

① Mark for correct solution

Question 15 (3 marks)

3

Find the equation of the normal to the curve $y = 2x^2 - 5x + 1$ at the point $(2, -1)$

$$\begin{array}{l|l}
 y' = 4x - 5 & y - y_1 = m(x - x_1) \\
 m = 4(2) - 5 & \\
 m_1 = 3 & y + 1 = -\frac{1}{3}(x - 2) \\
 m_2 = -\frac{1}{3} \quad (2, -1) & y + 1 = -\frac{1}{3}x + \frac{2}{3} \\
 & y = -\frac{1}{3}x - \frac{1}{3}
 \end{array}$$

Question 16 (2 marks)

2

Differentiate $f(x) = 2x + 3$ from first principles to show that $f'(x) = 2$.Hint: Use the formula $f'(x) = \lim_{h \rightarrow 0} \frac{f(x+h) - f(x)}{h}$.

$$\begin{array}{l|l}
 f(x) = 2x + 3 & f'(x) = \lim_{h \rightarrow 0} \frac{2x + 2h + 3 - 2x - 3}{h} \\
 f(x+h) = 2(x+h) + 3 & \\
 = 2x + 2h + 3 & = \lim_{h \rightarrow 0} \frac{2h}{h} \\
 & = 2
 \end{array}$$

① Mark for differentiating

① Mark for finding gradient of normal

① Mark for correct equation.

① Mark for correctly substituting $f(x)$ and $f(x+h)$ into formula.

① Mark for correct simplification

Question 17 (2 marks)

2

Let $f(x) = 2x$ and $g(x) = \frac{x}{x+1}$. Solve $f(g(x)) = 3$.

$$f\left(\frac{x}{x+1}\right) = 2\left(\frac{x}{x+1}\right) = 3$$

$$\frac{2x}{x+1} = 3$$

$$2x = 3x + 3$$

$$-3 = x$$


$$\therefore x = -3$$

Question 18 (2 marks)

2

The function $y = f(x)$ is graphed in the diagram below. The points $(2, -4)$ and the origin are stationary points and the point $(1, -2)$ is a point of inflexion.

Sketch the graph of the curve $y = f'(x)$ on the same cartesian plane, showing the shape of the curve and any x intercepts.



① Mark for correct substitution into correct function.


① Mark for correct value of x

① Mark for correct intercepts.

① Mark for correct shape.

Question 19 (3 marks)

3

Find the value of x , correct to 2 decimal places.

$$\angle BDA = 180 - 115 = 65$$

$$\angle DAC = 180 - 115 - 26 = 39$$

$$\frac{AD}{\sin 26} = \frac{25}{\sin 39}$$

$$AD = \frac{25 \sin 26}{\sin 39}$$

$$AD = 17.41$$

$$\therefore \sin 65 = \frac{x}{17.41}$$

$$x = 15.78 \text{ cm}$$

① Mark for identifying $\angle BDA = 65^\circ$

① Mark for correct use of sine rule

① Mark for correct use of trigonometry.

Question 20 (4 marks)

Sketch the graphs of the following, showing any asymptotes and any intercepts with the axes.


(a) $y = \frac{2}{2x-5}$

2

vertical asymptote: $2x-5 \neq 0$
 $2x \neq 5$
 $x \neq \frac{5}{2}$

y-int when $x=0$:

$$y = \frac{2}{-5}$$



① mark for calculating correct vertical asymptote and y-intercept.


① mark for correct general shape of curve

(b) $y = |4x + 5|$

2

 y -int when $x = 0$

$y\text{-int} = 5$



Question 21 (3 marks)

3

Prove the identity $(\sec \theta + \tan \theta)^2 = \frac{1 + \sin \theta}{1 - \sin \theta}$.

L.H.S.

$$(\sec \theta + \tan \theta)^2$$

$$= \sec^2 \theta + 2 \sec \theta \tan \theta + \tan^2 \theta$$

$$= \frac{1}{\cos^2 \theta} + \frac{\sin^2 \theta}{\cos^2 \theta} + 2 \times \frac{1}{\cos \theta} \times \frac{\sin \theta}{\cos \theta}$$

$$= \frac{1 + \sin^2 \theta}{\cos^2 \theta} + \frac{2 \sin \theta}{\cos^2 \theta}$$

$$= \frac{\sin^2 \theta + 2 \sin \theta + 1}{1 - \sin^2 \theta}$$

$$= \frac{(\sin \theta + 1)^2}{1 - \sin^2 \theta}$$

$$= \frac{(1 + \sin \theta)^2}{(1 - \sin \theta)(1 + \sin \theta)}$$

$$= \frac{1 + \sin \theta}{1 - \sin \theta} = \text{R.H.S.}$$

① Mark for correct expansion.

① Mark for combining fractions together

① Mark for factorising difference of two squares.

Question 22 (3 marks)Consider the function $x^4 - 12x^2 + 32 = 0$.

- (a) Solve for
- x
- by first letting
- $u = x^2$
- .

$$u^2 - 12u + 32 = 0$$

$$(u - 8)(u - 4) = 0$$

$$u = 8$$

$$u = 4$$

$$x^2 = 8$$

$$x^2 = 4$$

$$x = \pm 2\sqrt{2}$$

$$x = \pm 2$$

- (b) If
- $x = \sin \theta$
- , explain why there are no solutions for
- θ
- .

lies outside amplitude for
the sine wave which is
between 1 and -1.

2 ① Mark for correct factorisation.

① Mark for finding correct solutions.

1 ① Mark for correct solutions.

Question 23 (8 marks)Consider the curve $f(x) = x^3 - 6x^2 + 9x - 4$.

(a) Find any stationary points and determine the nature.

3

$f'(x) = 3x^2 - 12x + 9$	$f''(x) = 6x - 12$
let $f'(x) = 0$ to find	sub $x=1$ for concavity:
st. p + c	$f''(1) = 6 - 12$
$0 = 3(x^2 - 4x + 3)$	$= -6$
$0 = (x-3)(x-1)$	$\therefore$ concave down
$x=1$ $x=3$	$f''(3) = 6(3) - 12$
$y=0$ $y=-4$	$= 6$
	$\therefore$ concave up

(b) Find the co-ordinates of the point of inflexion.

2

let $f''(x) = 0$
$6x - 12 = 0$
$x = 2$ $y = -2$

① Mark for correct differentiation.

① Mark for finding stationary points

① Mark for proving concavity

① Mark for finding x-coordinate


①

Must show change in concavity for second mark
by showing value not just sign

- (c) Hence, sketch the curve, showing all turning points, the y -intercept and the point of inflexion. 3

y -int: when $x = 0$

y -int = -4



Question 24 (4 marks)

4

Solve $2 \cos^2 x + 3 \sin x = 0$ for $0 \leq x \leq 2\pi$.

$$2(1 - \sin^2 x) + 3 \sin x = 0$$

$$2 - 2 \sin^2 x + 3 \sin x = 0$$

$$0 = 2 \sin^2 x - 3 \sin x - 2$$

$$0 = 2 \sin^2 x - 4 \sin x + \sin x - 2$$

$$0 = 2 \sin x (\sin x - 2) + (\sin x - 2)$$

$$0 = (\sin x - 2)(2 \sin x + 1)$$

$$\sin x = 2 \quad \sin x = -\frac{1}{2}$$

↓

no sol

↓

$$\sin x = -\frac{1}{2}$$

$$x = \frac{7\pi}{6}$$

$$\therefore x = \pi + \frac{\pi}{6}, 2\pi - \frac{\pi}{6}$$


$$x = \frac{7\pi}{6}, \frac{11\pi}{6}$$

① Mark for substitution of $1 - \sin^2 x$

① Mark for correct factorisation.

① Mark for finding $\sin x = 2$ and $\sin x = -\frac{1}{2}$

① Mark for finding all correct solutions

Question 25 (3 marks)

The diagram above shows a circle with centre O , radius 5 cm and $\angle POQ = \frac{\pi}{4}$. The points P and Q lie on the circumference of the circle.

- (a) Find the exact area of the sector OPQ .

1

$$A = \frac{1}{2} r^2 \theta$$

$$A = \frac{1}{2} \times 25 \times \frac{\pi}{4}$$

$$A = \frac{25\pi}{8} \text{ cm}^2$$

① Mark for correct answer

- (b) Find the exact area of $\triangle OPQ$

1

$$A = \frac{1}{2} ab \sin C$$

$$A = \frac{1}{2} \times 25 \times \sin \frac{\pi}{4}$$

$$A = \frac{25\sqrt{2}}{4} \text{ cm}^2$$

① Mark for correct answer

- (c) Hence find the exact area of the minor shaded segment.

1

$$A = \frac{25\pi}{8} - \frac{25\sqrt{2}}{4}$$

$$A = \frac{25\pi - 50\sqrt{2}}{8}$$

$$A = \frac{25(\pi - 2\sqrt{2})}{8} \text{ cm}^2$$

① Mark for correct answer,

Question 26 (5 marks)

Farmer Anneka wants to make a rectangular paddock with an area of 4000m^2 .

However, fencing costs are sky-high so she wants the paddock to have a minimum perimeter.

- (a) Show that the perimeter is given by the equation $P = 2x + \frac{8000}{x}$.

2

$$\begin{aligned} A &= x \times y & P &= 2x + 2y \\ 4000 &= x \times y & & \downarrow \\ & & P &= 2x + 2\left(\frac{4000}{x}\right) \\ y &= \frac{4000}{x} & P &= 2x + \frac{8000}{x} \end{aligned}$$

① Mark for making y the subject.
① Mark for correct substitution

- (b) Find the dimensions of the rectangle that will give the minimum perimeter. Give your answer correct to 1 decimal place.

3

$$\text{Let } P' = 0 \text{ For st. pt.}$$

① Mark for st. pt.

$$P = 2x + 8000x^{-1}$$

② Mark for finding minimum

$$P' = 2 - 8000x^{-2}$$

$$P' = 2 - \frac{8000}{x^2}$$

③ Mark for finding dimensions of rectangle

$$\text{Let } P' = 0$$

$$\frac{8000}{x^2} = 2$$

$$8000 = 2x^2$$

KAMBALA

CAUTION: No marks deducted for not explaining why positive v positive and negative. Always communicate mathematically why you chose positive. Otherwise, full marks will not be awarded in the future.

$$\begin{aligned} x^2 &= 4000 \\ x &= \pm \sqrt{4000} = \sqrt{4000} \quad (x > 0) \end{aligned}$$

$$P'' = 16000x^{-3}$$

$$P'' = \frac{16000}{x^3}$$

$$\text{sub } x = \sqrt{4000}$$

$$= \frac{16000}{(\sqrt{4000})^3}$$

$$= 0.06 \dots$$

= minimum

Max 3 marks awarded if the stationary point was not proven to be a minimum via a table of values or 2nd derivative test.

$\therefore$ at $x = \sqrt{4000}$ it will give minimum

$$A = x \times y$$

$$4000 = \sqrt{4000} \times y$$

$$y = \frac{4000}{\sqrt{4000}} \times \frac{\sqrt{4000}}{\sqrt{4000}}$$

$$= \sqrt{4000}$$

End of Task