



**FINAL MARK**

**GIRRAWEEEN HIGH SCHOOL  
MATHEMATICS  
PRELIMINARY ASSESSMENT Task 1 2010  
ANSWERS COVER SHEET**

**Name:**

---

| QUESTION     | MARK        | P2 | P3         | P4         | P5         | P6 | P7 | P8 |
|--------------|-------------|----|------------|------------|------------|----|----|----|
| Q1           | /23         |    | ✓          | ✓          |            |    |    |    |
| <b>Total</b> | <b>/23</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| Q2           | /16         |    | ✓          | ✓          |            |    |    |    |
| <b>Total</b> | <b>/16</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| Q3           | /12         |    | ✓          | ✓          |            |    |    |    |
| <b>Total</b> | <b>/12</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| Q4           | /17         |    | ✓          | ✓          |            |    |    |    |
| <b>Total</b> | <b>/17</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| Q5           | /15         |    | ✓          | ✓          |            |    |    |    |
| <b>Total</b> | <b>/15</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| Q6           | /18         |    |            |            | ✓          |    |    |    |
| <b>Total</b> | <b>/18</b>  |    |            |            |            |    |    |    |
|              |             |    |            |            |            |    |    |    |
| <b>TOTAL</b> |             |    |            |            |            |    |    |    |
|              | <b>/101</b> |    | <b>/83</b> | <b>/83</b> | <b>/18</b> |    |    |    |

## **Preliminary Learning Outcomes    Mathematics**

- P1    demonstrates confidence in using mathematics to obtain realistic solutions to problems
- P2    provides reasoning to support conclusions which are appropriate to the context
- P3    performs routine arithmetic and algebraic manipulation involving surds, simple rational expressions and trigonometric identities
- P4    chooses and applies appropriate arithmetic, algebraic, graphical, trigonometric and geometric techniques
- P5    understands the concept of a function and the relationship between a function and its graph
- P6    relates the derivative of a function to the slope of its graph
- P7    determines the derivative of a function through routine application of the rules of differentiation
- P8    understands and uses the language and notation of calculus

# Girraween High School

Year 11

## Mathematics Task 1 2010

Instructions: \*Attempt all questions.

\*Write all answers on your own paper. Remember to start each of Questions 1, 2, 3, 4, 5 and 6 on a separate sheet of paper.

\*Show all necessary working.

\*Marks may be deducted for careless or badly arranged work.

Time allowed: 90 minutes (45 minutes for each of Part A and Part B)

Part A (Time allowed: 45 minutes)

### Question 1 (23 marks)

Marks

(a) Evaluate  $\sqrt{\frac{31.6^2 \times 12.7^5}{3.62 + 0.71 \times 5}}$ . Answer in scientific notation correct to

3 significant figures.

2

(b) Express  $1.5\dot{7}0\dot{3}$  as a fraction in simplest form.

3

(c) If  $p = 2.3$  and  $q = \frac{-1}{7}$  find  $\pi p^2 q$ . Answer correct to 3 decimal

1

places.

(d) Simplify fully:

(i)  $\sqrt{45}$

1

(ii)  $2\sqrt{7} + \sqrt{28} - 3\sqrt{63}$

2

(iii)  $\frac{2\sqrt{6} \times 5\sqrt{8}}{4\sqrt{2}}$

2

**Question 1 (continued)****Marks**

(e) Expand and simplify:

(i)  $2\sqrt{3}(5\sqrt{7} - \sqrt{5})$

**1**

(ii)  $(6\sqrt{5} + 2\sqrt{2})^2$

**2**

(f) Express with a rational denominator:

(i)  $\frac{4\sqrt{3}}{\sqrt{5}}$

**1**

(ii)  $\frac{2\sqrt{5}-1}{5\sqrt{7}}$

**2**

(iii)  $\frac{5\sqrt{3}+1}{2\sqrt{3}-4\sqrt{5}}$

**3**

(g) If  $\frac{7-4\sqrt{3}}{7+4\sqrt{3}} = a + b\sqrt{3}$  where  $a$  and  $b$  are rational numbers,

**3**find the value of  $a$  and  $b$ .**Question 2 (16 marks)**

(a) Expand and simplify:

(i)  $3a(2a - 3b) - 5b(4a - b)$

**2**

(ii)  $(2a + 3b)(2a - 3b)$

**1**

(iii)  $(5x + 4y)(x + 3)$

**1**

(iv)  $\left(7x - \frac{2}{x}\right)^2$

**1**

(v)  $(2a + 3)(5a^2 - 6a + 1)$

**2**

**Question 2 (continued)****Marks**

(b) Factorise FULLY:

(i)  $2ab + 6a + b + 3$

**2**

(ii)  $x^2 - 3x - 4$

**1**

(iii)  $6x^2 + x - 2$

**2**

(iv)  $8a^3 + 27$

**1**

(v)  $x^6 - 64$

**3****Question 3 (12 marks)**

(a) Simplify FULLY:

(i)  $\frac{5x}{6} + \frac{3x}{4}$

**2**

(ii)  $\frac{3x}{2x-3} - \frac{4x}{5x+2}$

**3**

(b) Simplify fully:

(i)  $\frac{x^2-4}{x+2}$

**2**

(ii)  $\frac{x^4-y^4}{x^2y-2xy^2+y^3}$

**3**

(iii)  $\frac{x^2+x-6}{2x^2-3x+1} \times \frac{2x^2+3x-2}{x^2+3x}$

**2**

**Girraween High School**

**Year 11**

**Mathematics Task 1 2010**

Part B (Time allowed: 45 minutes)

**Question 4 (17 marks)**

**Marks**

(a) Solve:

(i)  $3x + 2 = 5 - 3x$

2

(ii)  $\frac{3x+1}{4} = 2 - \frac{x-9}{2}$

4

(iii)  $(3x + 2)(2x - 1) = 0$

2

(iv)  $3x^2 + x - 4 = 0$

2

(b) Complete:  $x^2 - 10x + \underline{\hspace{1cm}} = (x - \underline{\hspace{1cm}})^2$

2

(c) Solve the equation  $x^2 + 6x = 10$  by completing the square.

3

(d) Solve the equation  $-2x^2 + x + 4 = 0$  using the quadratic

2

formula.

**Question 5 (15 marks)**

(a) Solve for  $x$ :

(i)  $-3x \geq 6$

2

(ii)  $2 - 3x < 16 + 4x$

2

**Question 5 (continued)****Marks**

(b) Solve simultaneously:

$$\begin{aligned} \text{(i)} \quad & 3x + 5y = 18 \\ & 4x - 5y = -46 \end{aligned}$$

**3**

$$\begin{aligned} \text{(ii)} \quad & 2x + 3y = 7 \\ & 3x - 4y = 2 \end{aligned}$$

**4**

$$\begin{aligned} \text{(iii)} \quad & y = x + 6 \\ & 2x^2 + 2y^2 = 85 \end{aligned}$$

**4****Question 6 (18 marks)**(a) State whether each of the following relations is a *function*

or not. Also state the domain of each relation.

$$\text{(i)} \quad y = 4x - 3$$

**2**

$$\text{(ii)} \quad x^2 + y^2 = 36$$

**2**

$$\text{(iii)} \quad y = \sqrt{x + 4}$$

**2**

$$\text{(iv)} \quad y = \sqrt{9 - x^2}$$

**2**

$$\text{(v)} \quad y = \frac{2}{2x+1}$$

**2**

**Question 6 (continued)**

**Marks**

(b) (i) Sketch the graph of  $2x + 3y = 6$  showing the

**3**

intercepts with the co-ordinate axes.

(ii) Sketch the graph of  $y = x^2 + 8x + 12$  showing

**5**

the vertex and the intercepts with the co-ordinate axes.



(23)

Year 11 2 Unit Test 1 2010 p.1

— Solutions & Marking Scheme

$$Q.(1)(a) \sqrt{\frac{31.6^2 \times 12.7^5}{3.62 + 0.71 \times 5}}$$

$$= 6783.234126 \dots \quad | \quad \underline{\underline{2}}$$

$$= 6.78 \times 10^3 [3SF] \quad |$$

$$(b) \text{ Let } x = 1.5703$$

$$10000x - 10x = 15703.703 - 15.703 \quad |$$

$$9990x = 15688$$

$$x = \frac{15688}{9990} \quad | \quad \underline{\underline{3}}$$

$$= \frac{212}{135} \quad |$$

$$= 1 \frac{77}{135}$$

$$(c) \pi p^2 q$$

$$= \pi \times 2.3^2 \times \left(-\frac{1}{7}\right) \quad | \quad \underline{\underline{1}}$$

$$= -2.374146 \dots$$

$$= -2.37 [2DP]$$

$$(d) (i) \sqrt{45}$$

$$= \sqrt{9 \times 5} \quad |$$

$$= 3\sqrt{5}$$

$$(ii) 2\sqrt{7} + \sqrt{28} - 3\sqrt{63}$$

$$= 2\sqrt{7} + 2\sqrt{7} - 3 \times 3\sqrt{7} \quad |$$

$$= 4\sqrt{7} - 9\sqrt{7} \quad | \quad \underline{\underline{2}}$$

$$= -5\sqrt{7} \quad |$$

$$(iii) \frac{2\sqrt{6} \times 5\sqrt{8}}{4\sqrt{2}}$$

$$= \frac{2\sqrt{6} \times 10\sqrt{2}}{4\sqrt{2}} \quad | \quad \underline{\underline{2}}$$

$$= \frac{20\sqrt{12}}{4\sqrt{2}} \quad |$$

$$= 5\sqrt{6}$$

$$= 5\sqrt{6}$$

Y11 2U p. 2

Task 1 '10

$$Q. (1)(e)(i) 2\sqrt{3}(5\sqrt{7} - \sqrt{5})$$

$$= 10\sqrt{21} - 2\sqrt{15} \quad \underline{1}$$

$$(ii) (6\sqrt{5} + 2\sqrt{2})^2$$

$$= 180 + 24\sqrt{10} + 8 \quad \underline{2}$$

$$= 188 + 24\sqrt{10}$$

$$(f)(i) \frac{4\sqrt{3}}{\sqrt{5}} \times \frac{\sqrt{5}}{\sqrt{5}}$$

$$= \frac{4\sqrt{15}}{5} \quad \underline{1}$$

$$(ii) \frac{2\sqrt{5}-1}{5\sqrt{7}} \times \frac{\sqrt{7}}{\sqrt{7}}$$

$$= \frac{2\sqrt{35}-\sqrt{7}}{35} \quad \underline{2}$$

! if they use  
 $\times 5\sqrt{7}$   
& have to  
simplify.

$$(iii) \frac{5\sqrt{3}+1}{2\sqrt{3}-4\sqrt{5}} \times \frac{(2\sqrt{3}+4\sqrt{5})}{(2\sqrt{3}+4\sqrt{5})} \quad \underline{1}$$

$$= \frac{30 + 20\sqrt{15} + 2\sqrt{3} + 4\sqrt{5}}{12 - 80}$$

3

$$= \frac{-15 - 10\sqrt{15} - \sqrt{3} - 2\sqrt{5}}{34} \quad \underline{1}$$

$$(g) \frac{7-4\sqrt{3}}{7+4\sqrt{3}} \times \frac{(7-4\sqrt{3})}{(7-4\sqrt{3})} \quad \underline{1}$$

$$= \frac{49 - 56\sqrt{3} + 48}{49 - 48}$$

$$= 97 - 56\sqrt{3} \quad \underline{3}$$

$$\text{If } 97 - 56\sqrt{3} = a + b\sqrt{3},$$

$$a = 97, b = -56. \quad \underline{1}$$

Y11 Task 1 '10 p. 3 Solutions:

$$\begin{aligned} Q. (2) (a) (i) & 3a(2a-3b) - 5b(4a-b) \\ & = 6a^2 - 9ab - 20ab + 5b^2 \quad | \quad \underline{2} \\ & = 6a^2 - 29ab + 5b^2 \quad | \end{aligned}$$

$$\begin{aligned} (ii) & (2a+3b)(2a-3b) \\ & = 4a^2 - 9b^2 \quad | \end{aligned}$$

$$\begin{aligned} (iii) & (5x+4y)(x+3) \\ & = 5x^2 + 15x + 4xy + 12y \quad | \end{aligned}$$

$$\begin{aligned} (iv) & \left(7x - \frac{2}{x}\right)^2 \\ & = 49x^2 - 28 + \frac{4}{x^2} \quad | \end{aligned}$$

$$\begin{aligned} (v) & (7a+3)(5a^2-6a+1) \\ & = 10a^3 - 12a^2 + 2a + 15a^2 - 18a + 3 \quad | \quad \underline{2} \\ & = 10a^3 + 3a^2 - 16a + 3 \quad | \end{aligned}$$

$$\begin{aligned} (b) (i) & 2ab + 6a + b + 2 \\ & = 2a(b+3) + 1(b+3) \quad | \quad \underline{2} \\ & = (2a+1)(b+3) \quad | \end{aligned}$$

$$\begin{aligned} (ii) & x^2 - 3x - 4 \\ & = (x-4)(x+1) \quad | \end{aligned}$$

$$\begin{aligned} (iii) & 6x^2 + x - 2 \\ & = 6x^2 + 4x - 3x - 2 \\ & = 2x(3x+2) - 1(3x+2) \quad | \quad \underline{2} \\ & = (2x-1)(3x+2) \quad | \end{aligned}$$

$$\begin{aligned} (iv) & 8a^3 + 27 \\ & = (2a+3)(4a^2-6a+9) \quad | \end{aligned}$$

$$\begin{aligned} (v) & x^6 - 64 \\ & = (x^3-8)(x^3+8) \quad | \quad \underline{3} \\ & = (x-2)(x^2+2x+4)(x+2)(x^2-2x+4) \quad | \end{aligned}$$

→ OR

$$\begin{aligned} & (x^2-4)(x^4+4x^2+16) \quad | \\ & = (x-2)(x+2)(x^4+4x^2+16) \quad | \\ & = (x-2)(x+2)(x^4+8x^2+16-4x^2) \\ & = (x-2)(x+2)(x^2+4)^2 - 4x^2 \quad | \\ & = (x-2)(x+2)(x^2-2x+4)(x^2+2x+4) \quad | \end{aligned}$$

(12) Y11 Task 1 10 Solutions: p. 4

Q. (3) (a) (i)  $\frac{5x}{6} + \frac{3x}{4}$

$= \frac{10x}{12} + \frac{9x}{12}$  |

$= \frac{19x}{12}$  | 2

(ii)  $\frac{3x}{2x-3} - \frac{4x}{5x+2}$

$= \frac{3x(5x+2) - 4x(2x-3)}{(2x-3)(5x+2)}$  |

$= \frac{15x^2 + 6x - 8x^2 + 12x}{(2x-3)(5x+2)}$  | 3

$= \frac{7x^2 + 18x}{(2x-3)(5x+2)}$  |

(b) (i)  $\frac{x^2-4}{x+2}$

$= \frac{(x-2)(x+2)}{(x+2)}$  |

$= x-2$  | 2

(ii)  $\frac{x^4-y^4}{x^2y-2xy^2+y^3}$

$= \frac{(x^2-y^2)(x^2+y^2)}{y(x^2-2xy+y^2)}$  |

$= \frac{(x-y)(x+y)(x^2+y^2)}{y(x-y)^2}$  | 3

$= \frac{(x+y)(x^2+y^2)}{y(x-y)}$  |

(iii)  $\frac{x^2+x-6}{2x^2-3x+1} \times \frac{2x^2+3x-2}{x^2+3x}$

$= \frac{(x+3)(x-2)}{(2x-1)(x-1)} \times \frac{(2x-1)(x+2)}{x(x+3)}$  |

$= \frac{(x-2)(x+2)}{x(x-1)}$  or  $= \frac{x^2-4}{x^2-x}$  | 2

→ Note: Give 1 mark for some factorisations right, cancelling & general right idea.

FULL MARKS TO HERE.

Year 11 2 Unit Test: p.5  
Solutions & Marking Scheme:

17

Q. (4)(a)(i)  $3x+2 = 5-3x$   $+3x-2$   $2$   
 $6x = 3$   
 $x = \frac{1}{2}$

(ii)  $\frac{3x+1}{4} = 2 - \frac{x-9}{2}$   
 $\times 4$  by 4:

$3x+1 = 8 - 2(x-9)$   $1$   
 $3x+1 = 8 - 2x + 18$   
 $3x+1 = 26 - 2x$   $1$   
 $5x = 25$   $+2x-1$   $1$   $4$   
 $x = 5$   $1$

(iii)  $(3x+2)(2x-1) = 0$   $2$   
 $x = -\frac{2}{3}$  or  $x = \frac{1}{2}$

(iv)  $3x^2+x-4 = 0$   
 $(x-1)(3x+4) = 0$   $1$   $2$   
 $x=1$  or  $x = -\frac{4}{3}$   $1$

(b)  $x^2-10x+25 = (x-5)^2$   $2$

(c)  $x^2+6x=10$   
 $x^2+6x+9=19$   
 $(x+3)^2=19$   $1$   
 $x+3 = \pm\sqrt{19}$   $1$   
 $x = -3 \pm \sqrt{19}$   $1$   
 $3$

(d)  $-2x^2+x+4=0$   
 $x = \frac{-b \pm \sqrt{b^2-4ac}}{2a}$   
 $= \frac{-1 \pm \sqrt{1^2-4(-2)(4)}}{2(-2)}$   $1$   
 $= \frac{-1 \pm \sqrt{33}}{-4}$   
 $= \frac{1 \pm \sqrt{33}}{4}$   $1$   $2$

Note: Fine if they choose to  $x-1$  1st

Penalty of 1 if they don't get rid of this!

Solutions: Y11 2U Test 1 210 p.6

Q. (5) (a) (i)  $-3x \geq 6$

$\div 85 \text{ by } -3.$

$x \leq -2$   $\geq$  (1 for sign change)

(15)

(ii)  $2-3x < 16 + 4x$

$+3x - 16.$

$-14 < 7x$

$\underline{2}$

$-2 < x \text{ or } x > -2$

(6) (i)  $3x + 5y = 18$  (1)

$4x - 5y = -46$  (2)

$7x = -28$

$x = -4$

Sub.  $x = -4$  in (1):  $3x - 4 + 5y = 18$

$5y = 30$

$y = 6$

$\therefore x = -4, y = 6$

(ii)  $2x + 3y = 7$  (1)  $\times 3 = (3)$   
 $3x - 4y = 2$  (2)  $\times 2 = (4)$

$6x + 9y = 21$  (3)

$6x - 8y = 4$  (4)

$17y = 17$

$y = 1$

Sub.  $y = 1$  in (1):

$2x + 3 \times 1 = 7$

$2x = 4$

$x = 2$

$\therefore x = 2, y = 1$

(iii)  $y = x + 6$  (1)

$2x^2 + 2y^2 = 85$  (2)

Sub. (1) in (2):

$2x^2 + 2(x+6)^2 = 85$

$2x^2 + 2x^2 + 24x + 72 = 85$

$4x^2 + 24x - 13 = 0$

$(2x-1)(2x+13) = 0$

$x = \frac{1}{2} \text{ or } x = -\frac{13}{2}$  2 in total for answers

If  $x = \frac{1}{2}$ ,

$y = \frac{1}{2} + 6$  [from (1)]  
 $= \frac{13}{2}$

If  $x = -\frac{13}{2}$ ,  $y = 4$

$y = -\frac{13}{2} + 6$  [from (1)]  
 $= -\frac{1}{2}$

$\therefore$  Either

$x = \frac{1}{2}, y = \frac{13}{2}$  OR  $x = -\frac{13}{2}, y = -\frac{1}{2}$

Solutions Y11 Test 1 2010 p. 7

Q. (6) (a) (i)  $y = 4x - 3$  is a function.

Domain = all reals.

2

(ii)  $x^2 + y^2 = 36$  is NOT a function.

Domain =  $-6 \leq x \leq 6$ .

2

(iii)  $y = \sqrt{x+4}$  is a function.

Domain =  $x \geq -4$ .

2

(iv)  $y = \sqrt{9-x^2}$  is a function.

Domain =  $-3 \leq x \leq 3$ .

2

(v)  $y = \frac{2}{2x+1}$  is a function.

2

Domain = all reals except  $-\frac{1}{2}$  [ $x \neq -\frac{1}{2}$ ].

(b) (i)  $2x + 3y = 6$ .

y intercept [ $x=0$ ]

$$3y = 6$$


$$y = 2.$$

x intercept [ $y=0$ ]

$$2x = 6$$

$$x = 3.$$

Graph:



1 for graph 3

(ii)  $y = x^2 + 8x + 12$

y intercept = 12

x intercepts:

$$x^2 + 8x + 12 = 0$$

$$(x+6)(x+2) = 0$$

$$x = -6 \text{ or } x = -2$$

Axis of symmetry:

$$x = -\frac{b}{2a}$$

$$= -\frac{8}{2 \times 1}$$

$$= -4$$

y co-ordinate of turning point

$$= (-4)^2 + 8(-4) + 12$$

$$= -4 \quad \text{Vertex} = (-4, -4)$$

Solutions: Y11 2U Test 1 2010 p.8

Graph of  $y = x^2 + 8x + 12$ .

