



**BAULKHAM HILLS HIGH SCHOOL
YEAR 11 ASSESSMENT TASK 2 2025
MATHEMATICS ADVANCED**

MARKING COVER SHEET

FINAL MARK

Student Name: _____ **Teacher:** _____

Page	Outcomes			Total
	Functions	Trigonometry	Statistics	
	F1	T1& T2	S1	
Multiple Choice	4 /1	2,3 /2	1,5 /2	/5
Page 7	7 /2	6 /1		/3
Page 8-9			8 /7	/7
Page 10	9 /3			/3
Page 11	10 /5			/5
Page 12	11 /3			/3
Page 13	12 /4			/4
Page 14	13 /2	14 /2		/4
Page 15			15 /3	/3
Page 16	16 /4			/4
Page 17	17 /3			/3
Page 18	18 /3			/3
Page 19		19 /3		/3
Pages 20	20 /3			/3
TOTAL	/33	/8	/12	/53



BAULKHAM HILLS HIGH SCHOOL

YEAR 11 ASSESSMENT TASK 2 2025

Mathematics Advanced

General Instructions

- Reading time – 5 minutes
- Working time – 1 hour
- Write using black pen
- Board-approved calculators may be used
- Show all necessary working in Questions 6 to 20
- Marks may be deducted for careless or badly arranged work
- Reference sheet has been attached

Total marks – 53

Exam consists of 22 pages.

This paper consists of TWO sections.

Section I – (5 marks) Pages (4-5)

Questions 1-5

- Attempt Questions 1-5
- Answer on answer sheet provided
- Allow about 8 minutes for this section

Section II – (47 marks) Pages (6-20)

- Attempt Questions 6 - 20
- Allow about 52 minutes



BAULKHAM HILLS HIGH SCHOOL

YEAR 11 ASSESSMENT TASK 2 2025

MATHEMATICS ADVANCED

Student Name: _____

Teacher: _____

Mathematics

Section I – Multiple Choice

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample: $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9
A ☐ B ☒ C ☐ D ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

A ☒ B ☒ C ☐ D ☐

If you change your mind and have crossed out what you consider to be the correct answer, then indicate the correct answer by writing the word *correct* and drawing an arrow as follows.

A ☒ B ☒ C ☐ D ☐
correct (arrow pointing to B)

-
- Start Here → 1. A ☐ B ☐ C ☐ D ☐
2. A ☐ B ☐ C ☐ D ☐
3. A ☐ B ☐ C ☐ D ☐
4. A ☐ B ☐ C ☐ D ☐
5. A ☐ B ☐ C ☐ D ☐
-

Section I – 5 marks**Use the multiple choice sheet for questions 1-5****Question 1**

A bag contains 6 red marbles and 4 blue marbles. Two marbles are drawn at random, one after the other without replacement. What is the probability that both marbles are of the same colour?

- (A) $\frac{1}{5}$
- (B) $\frac{7}{15}$
- (C) $\frac{7}{20}$
- (D) $\frac{1}{2}$

Question 2

A ship sails on a course of 045°T for 10 km and then changes its course to 120°T for another 15 km. What is the ship's approximate final distance from the starting point?

- (A) 15.50 km
- (B) 18.30 km
- (C) 20.07 km
- (D) 22.45 km

Question 3


What is the solution to the equation $4\sin\theta = -2$ for $0^\circ \leq \theta \leq 360^\circ$?

- (A) $240^\circ, 300^\circ$
- (B) $120^\circ, 240^\circ$
- (C) $150^\circ, 210^\circ$
- (D) $210^\circ, 330^\circ$


Question 4

Which diagram best shows the graph of the parabola $y = 4 - (x - 3)^2$?


(A)




(B)



(C)



(D)



Question 5

Given $P(A) = 0.6$, $P(B) = 0.5$, and $P(A \cap B) = 0.3$, which of the following correctly describes the events A and B?

- (A) A and B are mutually exclusive and independent
- (B) A and B are mutually exclusive and non-independent
- (C) A and B are non-mutually exclusive and independent
- (D) A and B are non-mutually exclusive and non-independent

End of Section I

Mathematics Advanced
Section II Answer Booklet

48 marks

Attempt Questions 6-20

Allow about 52 minutes for this section

Instructions:

- Answer the questions in the spaces provided. These spaces provide guidance for the expected length of response.
- Your responses should include relevant mathematical reasoning and/or calculations.

Please turn over

Question 6 (1 mark)

Find the exact value of $\cos 210^\circ$.

1

.....

.....

.....

.....

.....

.....

.....

.....

Question 7 (2 marks)

How far and in which direction has the hyperbola $y = \frac{1}{x+3}$ been translated to produce the

2

hyperbola $y = \frac{1}{x-2}$?

.....

.....

.....

.....

.....

.....

.....

.....


.....

Question 8 (7 marks)

A box contains 5 red balls (R) and 5 yellow balls (Y). Three balls are drawn in succession. At each draw, if the ball is red, it is replaced, and if it is yellow, it is not replaced.

- a) Complete the probability tree diagram showing the above information.

2



- b) Find the probability of drawing no yellow balls.

1

.....

.....

.....

.....

.....

.....

c) Find the probability of drawing two yellow balls.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

d) Given that at least one yellow ball has been drawn, what is the probability that exactly two yellow balls were drawn?

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

Question 9 (3 marks)

3

The circle $(x-3)^2 + y^2 = 25$ intersects with the positive y - axis and positive x - axis at points A and B respectively. Find the length of AB in exact form.



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 10 (5 marks)

a) Given $f(x) = 2x^2 + 3x + 1$ and $g(x) = 2x - 5$, find $f(g(x))$.

2

.....

.....

.....

.....

.....

.....

.....

b) What is the domain of $f(g(x))$?

1

.....

.....

c) What is the range of $f(g(x))$?

2

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

Question 11 (3 marks)

A line AB passes through the point $C(-2,9)$. If the line drawn from the origin to C is perpendicular to AB , find the equation of AB in general form.

3



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 12 (4 marks)

Justify if the following functions are even, odd or neither.

a) $f(x) = x^2 + 1$

2

.....

.....

.....

.....

.....

.....

.....

b) $g(x) = \frac{x^5 - x^3}{x^2 + 1}$

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 13 (2 marks)

Given $f(x)=3x+a$, $g(x)=ax+4$, and $f(g(x))=9x+b$, where a and b are constants, find the value of b .

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 14 (2 marks)

If $\tan \theta = \frac{5}{12}$ and $180^\circ < \theta < 270^\circ$, find the exact value of $\operatorname{cosec} \theta$.

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 15 (3 marks)

a) A family has two children. What is the probability that they have exactly one boy?

1

.....

.....

.....

.....

.....

.....

b) Another family has three children. What is the probability that they have an odd number of boys?

2

.....

.....

.....

.....

.....

.....

.....

.....

Question 16 (4 marks)

The straight line l passes through the points $P(2,5)$ and $Q(6,17)$.

- a) Find an equation for l in gradient-intercept form.

2

.....

.....

.....

.....

.....

.....

.....

- b) The point D has coordinates $(-4, -11)$. Justify with calculation whether D lies above or below l .

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

3

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.


3

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

Question 19 (3 marks)

3

In the $\triangle PQR$, $PQ=10\text{cm}$, and $QR=8\text{cm}$. The point T is on QR such that RT is 2cm . Calculate the exact area of $\triangle PTR$.



.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Question 20 (3 marks)

For every pair of numbers a and b , the function $g(x)$ satisfies the equation $a^3 g(b) = b^3 g(a)$.

3

Find the value of $\frac{g(9) - g(3)}{g(1)}$ given that $g(1) \neq 0$.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- End of paper -

Section II extra writing space

If you use this space, clearly indicate which question you are answering.

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

Section II extra writing space

If you use this space, clearly indicate which question you are answering.

[illegible]

Question	Solution	Marks
Question 1	B $P(RR) + P(BB) = \frac{6}{10} \times \frac{5}{9} + \frac{4}{10} \times \frac{3}{9}$ $= \frac{7}{15}$	1 – mark
Question 2	C Distance d from the starting position using cosine rule $d^2 = 10^2 + 15^2 - 2(10)(15)\cos 105^\circ$ $d = 20.066$ $d = 20.07 \text{ km}$	1 – mark
Question 3	D $\sin \theta = \frac{-2}{4} = -\frac{1}{2}$ Reference angle : 30° 3rd quadrant : $\theta = 180^\circ + 30^\circ$ $= 210^\circ$ 4th quadrant : $\theta = 360^\circ - 30^\circ$ $= 330^\circ$ $210^\circ, 330^\circ$	1 – mark
Question 4	D The equation is in the form of a vertex form of a parabola, which is $y = a(x - h)^2 + k$ and vertex being (h, k). Vertex is now (3,4), parabola concave downwards as a is negative	1 - mark
Question 5	C A and B are non-mutually exclusive and independent $P(A \cap B) \neq 0, A \text{ and } B \text{ are not mutually exclusive}$ $P(A \cap B) = P(A) \times P(B)$ Therefore independent	1 - mark

Question 6	$\cos 210^\circ$ is in the 3 rd quadrant (cosine negative) Reference angle: $210^\circ - 180^\circ = 30^\circ$ $\cos 30^\circ = \frac{\sqrt{3}}{2}$ $\cos 210^\circ = -\frac{\sqrt{3}}{2}$	1 – Correct solution
Question 7	$y = \frac{1}{x}$ has translated 3 units to the left $y = \frac{1}{x}$ has translated 2 units to the right Total translation $(-3) - (-2) = -3 + 2 = -5$ $y = \frac{1}{x+3}$ has translated 5 units to the right	2 – Correct solution 1- Correctly identifies at least one of the horizontal transformations
Question 8	a)	2 – correct probability tree 1 – correct probability tree for stages one and two
	b) $P(\text{No Yellow}) = P(RRR)$ $= \frac{5}{10} \times \frac{5}{10} \times \frac{5}{10}$ $= \frac{1}{8}$	1 – Correct solution

	$P(\text{two Y}) = P(RYY) + P(YRY) + P(YYR)$ $\text{c) } = \left(\frac{5}{10} \times \frac{5}{10} \times \frac{4}{9} \right) + \left(\frac{5}{10} \times \frac{5}{9} \times \frac{4}{9} \right) + \left(\frac{5}{10} \times \frac{4}{9} \times \frac{5}{8} \right)$ $= \frac{121}{324}$	2 – Correct solution 1 – at least one correct case
	$\text{d) } P(\text{at least 1 Y}) = 1 - P(\text{zero Y})$ $= 1 - \frac{1}{8} = \frac{7}{8}$ $P(\text{exactly 2 Y} \mid \text{at least 1 Y}) = \frac{P(\text{exactly 2 yellow})}{P(\text{at least 1 yellow})}$ $= \frac{\frac{121}{324}}{\frac{7}{8}}$ $= \frac{121}{324} \times \frac{8}{7}$ $= \frac{968}{2268}$ $= \frac{242}{567}$	2 – Correct solution 1- correctly finds the probability of at least 1 Yellow as $\frac{7}{8}$
Question 9	This represents a circle with: To find point A, set $x = 0$ $(0 - 3)^2 + y^2 = 25$ $9 + y^2 = 25$ $y^2 = 16$ $y = \pm 4$ Since A is on the positive y-axis, $A = (0, 4)$ To find point B, set $y = 0$ $(x - 3)^2 + 0^2 = 25$ $(x - 3)^2 = 25$ $x - 3 = \pm 5$ Since B is on the positive x-axis, $x = 8$ $B = (8, 0)$ $AB = \sqrt{(8 - 0)^2 + (0 - 4)^2}$ $= \sqrt{8^2 + (-4)^2}$ $= \sqrt{80}$ $= 4\sqrt{5}$	3 – Correct solution (must be exact values) 2 – Correct intercepts for both A and B 1 – One correct intercept point or evidence of distance formula correctly applied

Question 10	a) $f(g(x)) = 2(g(x))^2 + 3(g(x)) + 1$ $= 2(2x - 5)^2 + 3(2x - 5) + 1$ $= 2(4x^2 - 20x + 25) + 3(2x - 5) + 1$ $= 8x^2 - 40x + 50 + 6x - 15 + 1$ $= 8x^2 - 34x + 36$	2 – Correct solution 1- correctly substituting $g(x)$ into $f(x)$
	b) Domain is all Real Numbers or Domain: $x \in \mathbb{R}$ or $x \in (-\infty, \infty)$	1 – Correct solution (must have correct notation)
	c) $f(g(x)) = 8x^2 - 34x + 36$ parabola concave up: minimum value $x = -\frac{(-34)}{2(8)}$ $= \frac{17}{8}$ $f\left(\frac{17}{8}\right) = 8\left(\frac{17}{8}\right)^2 - 34\left(\frac{17}{8}\right) + 36$ $= -\frac{1}{8}$ $\therefore$ Range: $y \in [-\frac{1}{8}, \infty)$	2 – Correct solution (must have correct notation) 1- for any of the below. - Identify the parabola has a minimum - Correct x and y values
Question 11	Gradient of OC: $m_{OC} = \frac{9-0}{-2-0} = -\frac{9}{2}$ Gradient of AB perpendicular to OC: $m_{AB} = \frac{2}{9}; (m_{OC} m_{AB} = -1)$ Equation of AB : $y - 9 = \frac{2}{9}(x + 2)$ $9y - 81 = 2x + 4$ $2x - 9y + 85 = 0$	3 – correct solution (general form) 2 – finds the gradient of OC + correct perpendicular gradient 1 – correct gradient of OC

Question 12	a) $f(x) = x^2 + 1$ $f(-x) = (-x)^2 + 1 = x^2 + 1 = f(x)$ Even function	2 – correct solution 1 – Finds $f(-x)$
	b) $g(x) = \frac{x^5 - x^3}{x^2 + 1}$ $g(-x) = \frac{(-x)^5 - (-x)^3}{(-x)^2 + 1}$ $= \frac{-x^5 + x^3}{x^2 + 1}$ $= -\left(\frac{x^5 - x^3}{x^2 + 1}\right)$ $= -g(x)$ Odd function	2 – correct solution 1 – Finds $g(-x)$
Question 13	$f(g(x)) = f(ax + 4)$ $f(ax + 4) = 3(ax + 4) + a$ $= 3ax + 12 + a$ $3ax + 12 + a = 9x + b$ compare the coefficients and constant terms $3a = 9$ $a = 3$ $12 + a = b$ $b = 12 + 3$ $= 15$ $\therefore a = 3 \text{ and } b = 15$	2 - Correct solution 1 – Obtains correct equation containing a and b OR correctly finds the value of a or b.
Question 14	The range $180^\circ < \theta < 270^\circ$ falls within the 3rd quadrant. $\tan \theta = \frac{5}{12}$ hypotenuse $= \sqrt{5^2 + 12^2}$ $= \sqrt{169}$ $= 13$ In the 3rd quadrant: $\sin \theta = -\frac{5}{13}$ $\csc \theta = -\frac{13}{5}$	2 - Correct solution 1 – Finds hypotenuse

Question 15	a) Possible outcomes Boy, Boy (BB) Boy, Girl (BG) Girl, Boy (GB) Girl, Girl (GG) $P(\text{exactly one boy}) = \frac{\text{favorable outcomes}}{\text{Total outcomes}} = \frac{2}{4} = \frac{1}{2}$	1 – Correct solution
	b) 8 possible outcomes BBB, BBG, BGB, BGG, GBB, GBG, GGB, GGG Outcomes with 1 boy: BGG,GBG,GGB Outcomes with 3 boys: BBB $P(\text{odd number of boys}) = \frac{4}{8} = \frac{1}{2}$	2 – Correct solution 1 – correctly identifies all outcomes
Question 16	a) $y - 5 = \frac{17-5}{6-2}(x-2)$ $y - 5 = 3(x-2)$ $y = 3x - 1$	2 - correct solution (in gradient intercept form) 1 – correct gradient
	b) y – value of the line l at $x = -4$ $y_l = 3 \times (-4) - 1 = -13$ Compare the coordinate of D: $y_D = -11$ $y_l = -13$ Since $-11 > -13$, point $D(-4, -11)$ lies above the line l.	2 – correct solution 1- Substitute $x = -4$ and finds correct y_l value -13

Question 17	$3x - 5y + 2 = 0$ $5y = 3x + 2$ $y = \frac{3}{5}x + \frac{2}{5}$ The gradient m_1 of this line is $\frac{3}{5}$. Gradient joining points $(0, 3)$ and $(a, a + 4)$ is $m_2 = \frac{(a + 4) - 3}{a - 0} = \frac{a + 1}{a}$ Parallel lines have the same slope. $\frac{a + 1}{a} = \frac{3}{5}$ $5(a + 1) = 3a$ $2a = -5$ $a = -\frac{5}{2}$	3 – correct solution 2 – Finds the gradient $\frac{3}{5}$ and use the two given points to find the gradient $\frac{a+1}{a}$ 1 - rearrange the equation $3x - 5y + 2 = 0$ into gradient-intercept form to find the gradient $\frac{3}{5}$
Question 18	$x + y = 5 \quad (1)$ $2x + ky = 7 \quad (2)$ $3x - y = 3 \quad (3)$ Find intersection point : solve (1) and (3) $3x - (5 - x) = 3$ $3x - 5 + x = 3$ $x = 2$ Substitute back to find y: $y = 5 - 2$ $= 3$ intersect at $(2, 3)$ Substitute Intersection Point into Second Line $2x + ky = 7$ $2(2) + k(3) = 7$ $3k = 3$ $k = 1$ For $k = 1$, all the three lines meet at a single point	3 – correct solution 2 – obtains correct intersection $(2, 3)$ 1 – correctly finds either x or y.

Question 19	Area of $\Delta PQR = \frac{1}{2} \times 10 \times 8 \sin 60^\circ$ $= 40 \times \frac{\sqrt{3}}{2}$ $= 20\sqrt{3} \text{ cm}^2$ ΔPQR and ΔPTR have the same perpendicular height when their bases are RT and RQ respectively. $\therefore$ area $\Delta PQR : \Delta PTR = RT : RQ = 1 : 4$ $\therefore$ area $\Delta PTR = \frac{1}{4} \times$ area of ΔPQR $= \frac{1}{4} \times 20\sqrt{3}$ $= 5\sqrt{3} \text{ cm}^2$ <u>Alternate solution:</u> Area of $\Delta PTQ = \frac{1}{2} \times 10 \times 6 \sin 60^\circ$ $= 15\sqrt{3} \text{ cm}^2$ Area of $\Delta PRT = 20\sqrt{3} - 15\sqrt{3}$ $= 5\sqrt{3} \text{ cm}^2$	1 mark – Finds exact area of PQR 2 marks – correct solution 1 mark- Substantial progress (e.g. finds the area of PQT)
Question 20	$a^3 g(b) = b^3 g(a)$ $\frac{g(a)}{g(b)} = \frac{a^3}{b^3}$ $\frac{g(9)}{g(1)} - \frac{g(3)}{g(1)} = \frac{9^3}{1^3} - \frac{3^3}{1^3} = 702$	3 - Correct solution 2 - Successfully apply the derived expression to at least one specific value pair (either $\frac{g(9)}{g(1)}$ or $\frac{g(3)}{g(1)}$) 1 – derives the ratio $\frac{g(a)}{g(b)} = \frac{a^3}{b^3}$ or use this understanding correctly to set up the problem Note: Simplifying $g(x) = x^2$ did not qualify for any marks.