

GIRRAWEE HIGH SCHOOL

Year 11

MATHEMATICS

May 2008

Task 2

Time: 90 mins

INSTRUCTIONS:

- Attempt all questions
- Write your answers on your own paper.
- All necessary working must be shown.
- Marks will be deducted for careless or badly arranged work.

Question 1 (12 marks)


- (a) Find correct to 3 decimal places: 2
- (i) $\sin 39^\circ 25'$ (ii) $\tan 218^\circ 43'$
- (b) Find θ correct to the nearest minute: 2
- (i) $\cos \theta = 0.827$ (ii) $\tan \theta = 1.056$
- (c) The angle of elevation of a tower is $39^\circ 44'$ when measured at a point 100m from its base. Find the height of the tower, correct to 1 decimal place. 2
- (d) A plane flies north from Sydney for 560 km, then turns and flies west for 390 km. What is its bearing from Sydney, to the nearest degree. 3
- (e) If $\sin \theta = \frac{4}{7}$ and $\tan \theta < 0$, find the exact value of $\cos \theta$ and $\tan \theta$. 3

Question 2 (28 marks)

- (a) Find the exact value of : 3
- (i) $\sin 300^\circ$ (ii) $\cos 225^\circ$ (iii) $\tan (-150^\circ)$
- (b) Solve for $0^\circ \leq \theta \leq 360^\circ$
- (i) $\cos \theta = \frac{1}{2}$ (ii) $\tan \theta = -\frac{1}{\sqrt{3}}$ (iii) $4 \sin^2 \theta = 1$
- (iv) $\cos^2 \theta = 1 - 2 \sin^2 \theta$
- (v) $\cos 2\theta = 0.4684$ (write answer to the nearest minute) 15
- (c) Simplify:
- (i) $2 - 2 \cos^2 \theta$ (ii) $\sec^2 \theta - \tan^2 \theta$ 4
- (d) Sketch $y = \sin x$, $-360^\circ \leq x \leq 360^\circ$ 3
- (e) Prove the following identity:
- $1 - 2 \sin^2 \theta = 2 \cos^2 \theta - 1$ 3

Question 3 (14 marks)(a) Find the value of h correct to one decimal place.

3




(b) Find

(i) θ to the nearest minute.


3

(ii) the area of $\triangle ABC$ (correct to one decimal place)

3



(c)

(i) Show that $AC = \frac{100 \sin 27^\circ}{\sin 21^\circ}$

2

(ii) Calculate the length of AB correct to one decimal place.

3

Question 4 (18 marks)

(a) Solve:

(i) $|y - 8| = 20$

(ii) $|7x - 3| = |4x - 5|$

6

(b) Solve and graph on a number line: $|3x + 2| > 4$

3

(c) Solve the quadratic inequality: $2x^2 - 13x - 7 < 0$

3

(d) Solve:

(i) $144^x = 12$

(ii) $\left(\frac{1}{16}\right)^x = \frac{1}{2}$

6

Question 5 (18 marks)

(a) Find the centre and radius of the circle

(i) $(x + 2)^2 + (y - 3)^2 = 144$

2

(ii) $x^2 + y^2 - 6x + 3y - 1 = 0$

4

(b) If $f(x) = x^2 + 1$, find

(i) $f(-2)$

(ii) $f(0)$

(iii) $f(\sqrt{x})$







3

(c) Given $f(x) = \frac{x}{x-1}$. Find $f\left(\frac{1}{x}\right)$ in the simplest form.

3

(d) Determine whether the following curves are functions or not. Indicate your answer by writing either yes or no.

6



Question 6 (12 marks)

(a) Given $f(x) = \frac{12}{ax+b}$, $f(0) = 3$ and $f(2) = -3$. Find

the values of a and b .

4

(b) A function is defined by the rule

$$g(x) = \begin{cases} 4 & x \leq -2 \\ x^2 & -2 < x < 2 \\ -x + 6 & x \geq 2 \end{cases}$$

Evaluate $g(-3) + g(1) - g(4)$.

3

(c) Show that $f(x) = x^3 - 16x$ is an odd function. Hence find $f(x) - f(-x)$.

5

Question 7 (26 marks)

(a) For each of the following curves (α) , (β) , (γ) and (δ)

- (i) Draw a neat sketch.
- (ii) Name the type of curve
- (iii) State the domain and range.

$$(\alpha) \ y = (x-1)^2 + 1$$

$$(\beta) \ y = |x| - 3$$

$$(\gamma) \ y = 2^x$$

$$(\delta) \ y = \frac{1}{x+4}$$

16

(b) Find the domain of the following:

$$(i) \ y = \sqrt{x-5}$$

$$(ii) \ y = \sqrt{64-x^2}$$

4

(c) Sketch the following regions.

$$(i) \ x^2 + y^2 < 25$$

2

$$(ii) \ x + y \geq 0 \text{ and } y \leq 1 - x^2$$

4


Year 11 Mathematics Task 2, 2008 - Solutions

Question 1 (12 marks)


(a) (i) 0.635 (ii) 0.802 (2)

(b) (i) $34^{\circ}12'$ (ii) $46^{\circ}34'$ (2)

(c)




(d)



bearing = $360^{\circ} - 35^{\circ}$
 $= 325^{\circ}$ (3)

(e) $\sin \theta$ is positive and $\tan \theta$ is negative $\Rightarrow \theta$ is in the 2nd quadrant



$\cos \theta = -\frac{\sqrt{33}}{7}$ (3)

$\tan \theta = -\frac{4}{\sqrt{33}}$

Question 2 (28 marks)

(a) (i) $\sin 300^{\circ} = -\sin 60$
 $= -\frac{\sqrt{3}}{2}$ (1)

(ii) $\cos 225^{\circ} = -\cos 45$
 $= -\frac{1}{\sqrt{2}}$ (1)

(iii) $\tan (-150^{\circ}) = -\tan 150^{\circ}$
 $= \frac{1}{\sqrt{3}}$ (1)

(b) (i) $\cos \theta = \frac{1}{2}$
 $\theta = 60^{\circ}, 300^{\circ}$ (2)

(ii) $\tan \theta = -\frac{1}{\sqrt{3}}$
 $\theta = 150^{\circ}, 330^{\circ}$ (2)

(iii) $4 \sin^2 \theta = 1$

$\sin^2 \theta = \frac{1}{4}$

$\sin \theta = \pm \frac{1}{2}$

$\sin \theta = \frac{1}{2} \quad \theta = 30^{\circ}, 150^{\circ}$

$\sin \theta = -\frac{1}{2} \quad \theta = 210^{\circ}, 330^{\circ}$

$\theta = 30^{\circ}, 150^{\circ}, 210^{\circ}, 330^{\circ}$ (4)

$$(IV) \cos 2\theta = 1 - 2\sin^2\theta$$

$$1 - \sin^2\theta = 1 - 2\sin^2\theta$$

$$2\sin^2\theta - \sin^2\theta = 1 - 1$$

$$\sin^2\theta = 0$$

$$\sin\theta = 0$$

$$\theta = \underline{0^\circ, 180^\circ, 360^\circ}$$

$$(V) \cos 2\theta = 0.4684$$

$$\text{Let } u = 2\theta$$

$$\cos u = 0.4684, 0 \leq u \leq 720^\circ$$

u is in the 1st or 4th quadrant
acute $\angle u = 62^\circ 4'$

$$360^\circ - u = 297^\circ 56'$$

$$u = 62^\circ 4', 297^\circ 56', 422^\circ 4', 657^\circ 56'$$

$$\theta = \frac{u}{2}$$

$$\theta = 31^\circ 2', 148^\circ 58', 211^\circ 2',$$

$$\underline{328^\circ 58'} \quad (4)$$

$$(c) (i) 2 - 2\cos^2\theta$$

$$= 2(1 - \cos^2\theta) \quad (2)$$

$$= 2\sin^2\theta$$


$$(ii) \sec^2\theta - \tan^2\theta$$

$$= 1 + \tan^2\theta - \tan^2\theta$$

$$= 1 \quad (2)$$

$$(d) y = \sin x, -360^\circ \leq x \leq 360^\circ$$

$$\begin{aligned} (e) \text{ LHS} &= 1 - 2\sin^2\theta \\ &= 1 - 2(1 - \cos^2\theta) \\ &= 1 - 2 + 2\cos^2\theta \\ &= 2\cos^2\theta - 1 = \text{RHS} \end{aligned} \quad (3)$$



Question 3 (14 marks)

$$(a) h^2 = 5.7^2 + 5.4^2 - 2 \times 5.7 \times 5.4 \times \cos 83^\circ 19'$$

$$h = \underline{7.4 \text{ cm}} \quad (3)$$

$$(b)(i) \cos \theta = \frac{8.1^2 + 5.9^2 - 7.3^2}{2 \times 8.1 \times 5.9}$$

$$\theta = \underline{60^\circ 27'} \quad (3)$$

$$(ii) \text{Area} = \frac{1}{2} \times 8.1 \times 5.9 \times \sin 60^\circ 27'$$

$$= \underline{20.8 \text{ cm}^2} \quad (3)$$

$$(c)(i) \angle DCA = 180^\circ - 48^\circ$$

$$= 132^\circ$$

$$\angle DAC = 180^\circ - (132^\circ + 27^\circ)$$

$$= 21^\circ$$

By sine rule in $\triangle ACD$

$$\frac{AC}{\sin 27^\circ} = \frac{100}{\sin 21^\circ}$$

$$AC = \frac{100 \times \sin 27^\circ}{\sin 21^\circ} \quad (2)$$

$$(ii) \sin 48^\circ = \frac{AB}{AC}$$

$$AB = AC \sin 48^\circ$$

$$= \frac{100 \sin 27^\circ \sin 48^\circ}{\sin 21^\circ}$$

$$= \underline{94.1 \text{ m}} \quad (3)$$

Question 4 (18 marks)

(a)(i) $|y-8|=20$

$$y-8=20 \quad \text{or} \quad -(y-8)=20$$

$$y-8=20 \quad \text{or} \quad -y+8=20$$

$$\underline{y=28} \quad \text{or} \quad \underline{y=-12} \quad (3)$$

(ii) $|7x-3|=|4x-5|$

$$7x-3=4x-5 \quad \text{or} \quad 7x-3=-(4x-5)$$

$$7x-4x=3-5 \quad \text{or} \quad 7x-3=-4x+5$$

$$3x=-2 \quad \text{or} \quad 11x=8$$

$$\underline{x = \frac{-2}{3}} \quad \text{or} \quad \underline{\frac{8}{11}} \quad (3)$$


(b) $|3x+2|>4$

$$3x+2>4 \quad \text{or} \quad 3x+2<-4$$

$$3x>2 \quad \text{or} \quad 3x<-6$$

$$x>\frac{2}{3} \quad \text{or} \quad x<-\frac{6}{3}$$

$$x>\frac{2}{3} \quad \text{or} \quad x<-2 \quad (3)$$




(c) $2x^2-13x-7<0$

Factorise $2x^2-13x-7=0$

$$(x-7)(2x+1)=0$$

$$x=7 \quad \text{or} \quad x=-\frac{1}{2}$$

page 4



From the graph

$$2x^2-13x-7<0 \quad (3)$$

$$\text{when } \underline{\underline{-\frac{1}{2} < x < 7}}$$

d(i) $144^x=12$

$$(12^2)^x=12$$

$$12^{2x}=12$$

$$2x=1 \quad (3)$$

$$\underline{\underline{x = \frac{1}{2}}}$$

(ii) $\left(\frac{1}{16}\right)^x = \frac{1}{12}$

$$(2^{-4})^x = 2^{-1}$$

$$2^{-4x} = 2^{-1}$$

$$4x=1 \quad (3)$$

$$\underline{\underline{x = \frac{1}{4}}}$$

(d) A. Yes B. Yes C. No

D. No E. Yes F. Yes (6)

Question 6 (12 marks)

(a) $f(x) = \frac{12}{ax+b}$; $f(0) = \frac{12}{b}$

Given $f(0) = 3$

$$\frac{12}{b} = 3 \quad \therefore \underline{\underline{b = 4}}$$

$$f(2) = \frac{12}{2a+b} = \frac{12}{2a+4}$$

Given $f(2) = -3$

$$\frac{12}{2a+4} = -3$$

$$-3(2a+4) = 12$$

$$-6a - 12 = 12 \quad (4)$$

$$a = \frac{-24}{6}$$

$$\underline{\underline{= -4}}$$

(b) $g(-3) + g(1) - g(4)$

$$= 4 + 1 - 2$$

$$\underline{\underline{= 3}} \quad (3)$$

Question 5 (18 marks)

(a) (i) $(x+2)^2 + (y-3)^2 = 144 \quad (2)$

Centre = $(-2, 3)$ radius = 12

(ii) $x^2 + y^2 - 6x + 3y - 1 = 0$

$$x^2 - 6x + y^2 + 3y = 1$$

$$x^2 - 6x + 9 + y^2 + 3y + \left(\frac{3}{2}\right)^2 = 1 + 9 + \frac{9}{4}$$

$$(x-3)^2 + \left(y + \frac{3}{2}\right)^2 = \frac{49}{4}$$

$$(x-3)^2 + \left(y + \frac{3}{2}\right)^2 = \left(\frac{7}{2}\right)^2$$

Centre = $\left(3, -\frac{3}{2}\right) \quad (4)$

radius = $\underline{\underline{\frac{7}{2} \text{ units}}}$

(b) $f(x) = x^2 + 1$

(i) $f(-2) = (-2)^2 + 1 \quad (1)$
 $= 5$

(ii) $f(0) = 1 \quad (1)$

(iii) $f(\sqrt{x}) = (\sqrt{x})^2 + 1 \quad (1)$
 $= x + 1$

(c) $f(x) = \frac{x}{x-1}$

$$f\left(\frac{1}{x}\right) = \frac{\frac{1}{x}}{\frac{1}{x} - 1} = \frac{\frac{1}{x}}{\frac{1-x}{x}} \quad (3)$$

$$= \frac{1}{x} \times \frac{x}{1-x} = \underline{\underline{\frac{1}{1-x}}}$$

$$(1) f(x) = x^3 - 16x$$

$$f(-x) = (-x)^3 - 16(-x)$$

$$= -x^3 + 16x$$

$$= -(x^3 - 16x)$$

$$= -f(x)$$

$\therefore f(x)$ is an odd function


$$f(x) - f(-x) \quad (5)$$

$$= f(x) - (-f(x))$$

$$= f(x) + f(x)$$

$$= \underline{\underline{2f(x)}}$$

Question 7 (26 marks)




(ii) parabola

(iii) D: all real numbers

R: all real numbers, $y \geq 1$

page 6

(3) (i)




(ii) absolute value graph

(iii) D: all real numbers

R: all real numbers, $y \geq -3$

(r) (i)




(ii) exponential graph

(iii) D: all real numbers (4)

R: all real numbers, $y > 0$

(d) (i)



(ii) hyperbola

(iii) D : all real numbers, $x \neq -4$

R : all real numbers, $y \neq 0$


(b) (i) $y = \sqrt{x-5}$

$$x-5 \geq 0$$

$$x \geq 5$$


D : all real numbers, $x \geq 5$

(ii)



D : all real numbers, $-8 \leq x \leq 8$

(c) (i)



(ii) $x+y \geq 0$

$$y \geq -x$$

