

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

2020

Year 12

Mathematics Advanced

Task 2

02/03/20

**General
Instructions:**

- Reading time – 5 minutes
- Working time – 50 minutes
- Write using blue or black pen
- NESA approved calculators may be used
- Show relevant mathematical reasoning and/or calculations

Total Marks:
42

Section I - 3 marks

Allow about 5 minutes for this section

Section II - 38 marks

Allow about 45 minutes for this section

Q	Marks
1	/1
2	/1
3	/1
4	/1
5	/2
6	/2
7	/4
8	/4
9	/3
10	/4
11	/6
12	/4
13	/4
14	/5
Total	/42

This question paper must not be removed from the examination room.

This assessment task constitutes 20% of the course.

BLANK PAGE

Section I

3 marks

Allow about 5 minutes for this section

Use the multiple-choice sheet for Question 1–3

1 How many solutions of the equation $(\sin x + 1)(\tan x - 2) = 0$ lie between 0 and 2π ?

(A) 1

(B) 2

(C) 3

(D) 4

2 The probability of winning a game is $\frac{4}{9}$. Which expression represents the probability of winning two consecutive games?


(A) $\frac{4}{9} \times \frac{1}{2}$

(B) $\frac{4}{9} \times \frac{3}{8}$

(C) $\frac{4}{9} \times \frac{1}{3}$

(D) $\frac{4}{9} \times \frac{4}{9}$

- 3 Which equation could best be represented by the graph below?



- (A) $y = -\ln(-x)$
- (B) $y = \ln(-x)$
- (C) $y = -\ln(x)$
- (D) $y = -e^x$

End of Section I

Section II

38 marks

Allow about 45 minutes for this section

In questions 4-14, your response should include relevant mathematical reasoning and/or calculations.

4. Simplify $5e^{\log_e 2}$

1

.....

.....

.....

.....

.....

5. Solve the equation: $\log(5^x) = \log 5 - \log \sqrt{5}$

2

.....

.....

.....

.....

.....

.....

6. Let $\log_x 4 = m$ and $\log_x 7 = n$.
Find an expression for $\log_x(112x)$ in terms of m and n .

2

.....

.....

.....

.....

.....

.....

.....

.....

.....

7. Differentiate with respect to x and simplify:

(a)

$$(2 + 3e^x)^4$$

2

.....

.....

.....

.....

(b)

$$\frac{e^{bx}}{bx + 1}$$

2

.....

.....


.....

.....

.....

.....

8. Consider the following probability Venn diagram for the events A and B :



- (a) Find $P(A \cup B)$

1

.....

.....

.....

.....

.....

- (b) Find $P(\bar{A} \cap \bar{B})$

1

.....

.....

.....

.....

.....

(c) Find $P(A|\bar{B})$

1

.....

.....

.....

.....

.....

(d) Hence, demonstrate whether A and $\bar{B}$ are independent events.

1

.....

.....


.....

.....

.....

.....

9. Consider the graph of $y = f(x)$ shown below:



- (a) Explain how the above graph can be transformed to produce the graph of: $y = 2f(x + 1)$ 1

.....

.....

.....

.....

- (b) Sketch the graph of $y = 2f(x + 1)$ on the same set of axes. 2

10. Consider the probability distribution for the random variable X shown below.

x	-1	0	1	2
$P(X = x)$	p	$1 - 5p$	$\frac{3p}{2}$	m

- (a) Show that $m = \frac{5p}{2}$

1

.....

.....

.....

.....

.....

.....

- (b) Hence, find an expression for the variance of X in terms of p .

3

.....

.....

.....

.....

.....

.....

.....

.....

11. Zachary has a biased coin that lands on heads 95% of the time.

- (a) What is the chance that he gets 1 head and 1 tail (in any order) when he flips the coin twice? **1**

.....

.....

.....

.....

- (b) What is the chance that he gets at least one tail when he flips the coin three times? **2**

.....

.....

.....

.....

.....

.....

- (c) What is the least number of times Zachary must flip the coin to be 90% certain that he will get at least one tail? **3**

.....

.....

.....

.....


.....

.....

.....

.....

12. The graph of the curve $y = k \sin(a(x + b))$ is given below for the domain $0 \leq x \leq 2\pi$.



- (a) State the amplitude and the period of the curve.

2

.....

.....

.....

- (b) Hence, find the equation of the curve.

2

.....

.....

.....

.....

.....

13. The population of a mob of kangaroos is given by $P(t) = 600 + 80 \cos(\frac{\pi}{6}t)$, where t is in months.

- (i) Find all times during the first 12 months when the population equals 560. 2

.....

.....

.....


.....

.....

.....

.....

- (ii) Sketch the graph of $P(t)$ for $0 \leq t \leq 12$. 2



14. (a) Find the horizontal and vertical asymptote of the graph $y = \frac{x}{x^2-4}$

2

.....

.....


.....

.....

.....

- (b) Without the use of calculus, sketch the graph $y = \frac{x}{x^2-4}$, showing all asymptotes found in part (i).

3



Extra writing space

If you use this space, clearly indicate which question you are answering.

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

Extra writing space

If you use this space, clearly indicate which question you are answering.

[illegible]

BLANK PAGE

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

Mathematics Advanced – Year 12

Section I – Multiple Choice Answer Sheet

Use this multiple-choice answer sheet for questions 1 – 3. Detach this sheet.

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample: $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9
 A ☐ B ☒ C ☐ D ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

A ☒ B ☒ C ☐ D ☐

If you change your mind and have crossed out what you consider to be the correct answer, then indicate the correct answer by writing the word *correct* and drawing an arrow as follows.

A ☒ B ☒ C ☐ D ☐
 correct
 A ☒ B ☒ C ☐ D ☐

Start Here → A ☐ B ☐ C ☐ D ☐

2. A ☐ B ☐ C ☐ D ☐

3. A ☐ B ☐ C ☐ D ☐

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

2020

Year 12

Mathematics Advanced

Task 2

02/03/20

General

Instructions:

- Reading time – 5 minutes
- Working time – 50 minutes
- Write using blue or black pen
- NESA approved calculators may be used
- Show relevant mathematical reasoning and/or calculations

Total Marks:

42

Section I - 3 marks

Allow about 5 minutes for this section

Section II - 38 marks

Allow about 45 minutes for this section

Q	Marks
1	/1
2	/1
3	/1
4	/1
5	/2
6	/2
7	/4
8	/4
9	/4
10	/3
11	/6
12	/4
13	/4
14	/5
Total	/42

This question paper must not be removed from the examination room.

This assessment task constitutes 20% of the course.

BLANK PAGE

Section I

3 marks

Allow about 5 minutes for this section

Use the multiple-choice sheet for Question 1–3

1 How many solutions of the equation $(\sin x + 1)(\tan x - 2) = 0$ lie between 0 and 2π ?

(A) 1

(B) 2

(C) 3

(D) 4

2 The probability of winning a game is $\frac{4}{9}$. Which expression represents the probability of winning two consecutive games?


(A) $\frac{4}{9} \times \frac{1}{2}$

(B) $\frac{4}{9} \times \frac{3}{8}$

(C) $\frac{4}{9} \times \frac{1}{3}$

(D) $\frac{4}{9} \times \frac{4}{9}$

- 3 Which equation could best be represented by the graph below?



- (A) $y = -\ln(-x)$
- (B) $y = \ln(-x)$
- (C) $y = -\ln(x)$
- (D) $y = -e^x$

End of Section I

Section II

38 marks

Allow about 45 minutes for this section

In questions 4-14, your response should include relevant mathematical reasoning and/or calculations.

4. Simplify $5e^{\log_e 2}$

1

$$5 \times 2 = 10$$

5. Solve the equation: $\log(5^x) = \log 5 - \log \sqrt{5}$

2

$$\log 5^x = \log \frac{5}{\sqrt{5}} \quad (1 \text{ mark})$$

$$\log 5^x = \log 5^{\frac{1}{2}} \quad (1 \text{ mark})$$

$$x = \frac{1}{2}$$

6. Let $\log_x 4 = m$ and $\log_x 7 = n$.
Find an expression for $\log_x(112x)$ in terms of m and n .

2

$$\begin{aligned} & \log_x 112x \\ &= \log_x 16 + \log_x 7 + \log_x x \quad (1 \text{ mark}) \end{aligned}$$

$$= \log_x 4^2 + \log_x 7 + \log_x x$$

$$= 2m + n + 1 \quad (1 \text{ mark})$$

7. Differentiate with respect to x and simplify:

(a)

$$(2 + 3e^x)^4$$

2

$$\begin{aligned} & \text{(1 mark)} \quad \text{(1 mark)} \\ y' &= 4(2 + 3e^x)^3 \cdot 3e^x \\ &= 12e^x(2 + 3e^x)^3 \end{aligned}$$

(b)

$$\frac{e^{bx}}{bx + 1}$$

2

$$\begin{aligned} u &= e^{bx} & u' &= be^{bx} \\ v &= bx + 1 & v' &= b \end{aligned}$$

(1 mark)

$$y' = \frac{be^{bx}(bx + 1) - be^{bx}}{(bx + 1)^2}$$

$$= \frac{b^2 x e^{bx}}{(bx + 1)^2} \quad \text{(1 mark)}$$

8. Consider the probability distribution for the random variable X shown below.

$x^2 p(x)$	p	0	$\frac{3p}{2}$	$10p$
x^2	1	0	1	4
x	-1	0	1	2
$P(X = x)$	p	$1 - 5p$	$\frac{3p}{2}$	m
				$\frac{5p}{2}$
$x p(x)$	$-p$	0	$\frac{3p}{2}$	$5p$

- (a) Show that $m = \frac{5p}{2}$

1

$$p + 1 - 5p + \frac{3}{2}p + m = 1$$

$$m = \frac{5p}{2}$$

- (b) Hence, find an expression for the variance of X in terms of p .

3

$$u = E(X)$$

$$= \sum x p(x)$$

$$= -p + 0 + \frac{3p}{2} + 5p$$

$$= \frac{11p}{2} \quad (1 \text{ mark})$$

$$E(X^2) = \sum x^2 p(x)$$

$$= p + \frac{3p}{2} + 10p$$


$$= \frac{25p}{2} \quad (1 \text{ mark})$$

$$\text{Var} = E(X^2) - u^2$$

$$= \frac{25p}{2} - \left(\frac{11p}{2}\right)^2$$

$$= \frac{50p - 121p^2}{4} \quad (1 \text{ mark})$$

9. Consider the following probability Venn diagram for the events A and B :



- (a) Find $P(A \cup B)$

1

$$\begin{aligned} P(A \cup B) &= 0.24 + 0.56 + 0.14 \\ &= 0.94 \end{aligned}$$

- (b) Find $P(\bar{A} \cap \bar{B})$

1

$$\begin{aligned} P(\bar{A} \cap \bar{B}) &= 1 - 0.94 \\ &= 0.06 \end{aligned}$$

(c) Find $P(A|\bar{B})$

1

$$P(A|\bar{B}) = \frac{P(A \cap \bar{B})}{P(\bar{B})}$$

$$= \frac{0.24}{0.3}$$

$$= 0.8$$

(d) Hence, demonstrate whether A and $\bar{B}$ are independent events.

1

$$P(A) = 0.24 + 0.56$$


$$= 0.8$$

$$P(A|\bar{B}) = 0.8$$

$$P(A|\bar{B}) = P(A)$$

$\therefore A$ and $\bar{B}$ are independent events

10. Consider the graph of $y = f(x)$ shown below:



- (a) Explain how the above graph can be transformed to produce the graph of:
 $y = 2f(x + 1)$

1

vertical dilation by scale factor 2

translate 1 unit left

- (b) Sketch the graph of $y = 2f(x + 1)$ on the same set of axes.

2

11. Zachary has a biased coin that lands on heads 95% of the time.

- (a) What is the chance that he gets 1 head and 1 tail (in any order) when he flips the coin twice? 1

$$5\% \times 95\% \times 2 = 0.095$$

- (b) What is the chance that he gets at least one tail when he flips the coin three times? 2

↓ 1 mark

$$1 - (95\%)^3 = 0.142625$$

1 mark for using complementary events

* Alternative method $5\% \times 95\%^2 \times 3 + 5\%^2 \times 95\% \times 3 + 5\%^3 = 0.142625$

working towards the correct answer 1 mark

- (c) What is the least number of times Zachary must flip the coin to be 90% certain that he will get at least one tail? 3

$$1 - (95\%)^n \geq 90\%$$

$$(95\%)^n \leq 10\% \quad (1 \text{ mark})$$

$$n \ln 0.95 \leq \ln 0.1$$


$$n \geq \frac{\ln 0.1}{\ln 0.95} \quad (1 \text{ mark})$$

$$n \geq 44.89$$

at least 45 times (1 mark)

* guess and check 1 mark

12. The graph of the curve $y = k \sin(a(x + b))$ is given below for the domain $0 \leq x \leq 2\pi$.



- (a) State the amplitude and the period of the curve.

2

2 $\frac{2\pi}{3}$

.....

.....

.....

- (b) Hence, find the equation of the curve.

2

$k=2, a=3$

$y = 2 \sin 3(x - \frac{\pi}{6})$

$b = -\frac{\pi}{6}$

.....

$y = 2 \sin 3(x - \frac{\pi}{6})$

$y = 2 \sin (3x - \frac{\pi}{2})$

13. The population of a mob of kangaroos is given by $P(t) = 600 + 80 \cos\left(\frac{\pi}{6}t\right)$, where t is in months.

$$\text{period} = \frac{2\pi}{\frac{\pi}{6}} = 12$$

- (i) Find all times during the first 12 months when the population equals 560. 2

$$P(t) = 600 + 80 \cos\left(\frac{\pi}{6}t\right) = 560$$

$$80 \cos\left(\frac{\pi}{6}t\right) = -40$$


$$\cos\left(\frac{\pi}{6}t\right) = -\frac{1}{2} \quad (1 \text{ mark})$$

$$\frac{\pi}{6}t = \frac{2\pi}{3} \text{ or } \frac{4\pi}{3}$$

$$t = 4 \text{ or } 8 \quad (1 \text{ mark})$$

- (ii) Sketch the graph of $P(t)$ for $0 \leq t \leq 12$. 2

- period
- amplitude correct
- correct cos graph



14. (a) Find the horizontal and vertical asymptote of the graph $y = \frac{x}{x^2-4}$

2

vertical asymptote: $x^2-4=0$

$x=2$ and $x=-2$ (1 mark)


horizontal asymptote: $y = \frac{\frac{1}{x}}{\frac{1}{x^2}} \quad x \rightarrow \infty \quad y \rightarrow 0$

$y=0$ or x -axis (1 mark)

(b) Without the use of calculus, sketch the graph $y = \frac{x}{x^2-4}$, showing all asymptotes found in part (i).

3

- Correct graph for each region
- Label key points $(0,0)$, -2 and 2



Extra writing space

If you use this space, clearly indicate which question you are answering.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Extra writing space

If you use this space, clearly indicate which question you are answering.

[illegible]

BLANK PAGE

--	--	--	--	--

Centre Number

--	--	--	--	--	--	--	--	--

Student Number

Mathematics Advanced – Year 12

Section I – Multiple Choice Answer Sheet

Use this multiple-choice answer sheet for questions 1 – 3. Detach this sheet.

Select the alternative A, B, C or D that best answers the question. Fill in the response oval completely.

Sample: $2 + 4 =$ (A) 2 (B) 6 (C) 8 (D) 9
 A ☐ B ☒ C ☐ D ☐

If you think you have made a mistake, put a cross through the incorrect answer and fill in the new answer.

A ☒ B ☒ C ☐ D ☐

If you change your mind and have crossed out what you consider to be the correct answer, then indicate the correct answer by writing the word *correct* and drawing an arrow as follows.

A ☒ B ☒ C ☐ D ☐
 correct
 A ☒ B ☒ C ☐ D ☐

Start Here → A ☐ B ☐ C ☐ D ☐

2. A ☐ B ☐ C ☐ D ☐

3. A ☐ B ☐ C ☐ D ☐