TITLE: Trần Thị Ngọc Thi

Date:

Bài tập 1:

// Xây dựng lớp cơ sở:

```
public class Person {
    private String name;
    private Date birthday;
    public void setName (String name){
        this. name = name;
    }
    public void setBirthday (Date birthday){
        this. birthday = birthday;
    }
    public String getDetails () {
        return "Name: " + name + ", Birthday: " + birthday;
    }
}
public class Employee extends Person {
    private double salary;
    public void setSalary (double Salary){
        this. Salary = Salary;
    }
    @ Overside
    public String getDetails () {
        return super. getDetails () + ", Salary:" + Salary;
    }
}
public class Manager extends Employee {
    private Employee assistant;
    public void setassistant (Employee assistant){
        this. assistant = assistant;
    }
```

Just write it

Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

Data:

@Override

```
public String getDetails (){
    return super.getDetails() + ", Assistant: " + assistant.getDetails();
}
}

public class Main {
    public static void main (String [] args) {

    Person person1 = new Employee ();
    person1.setName ("Nguyen Van A");
    person1.setBirthday (new Date ());

    Person person2 = new Manager ();
    person2.setName ("Tran Van B");
    person2.setBirthday (new Date ());

    System.out.println ("--- Upcasting Employee ---");
    System.out.println (person1.getDetails ());

    System.out.println ("--- Upcasting Manager ---");
    System.out.println (person2.getDetails ());
    }
}
```


Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

Bài tập 2:




```
public class Bank {
    public float getRateOfInterest () {
        return 0;
    }
}
class SBI extends Bank {
    @Override
    public float getRateOfInterest () {
        return 9.0f
    }
}
class ICICI extends Bank {
    @Override
    public float getRateOfInterest () {
        return 7.0f;
    }
}
class AXIS extends Bank {
    @Override
```

Just write it

Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

Data:

```
public float getRateOfInterest() {
    return 9.0f;
  }
}

public class Main {
    public static void main (String[] args) {
        Bank b;
        b = new SBI ();
        System.out.println ("SBI Rate of Interest:" + b.getRateOfInterest()
                                                    + "% ");
        b = new ICICI ();
        System.out.println ("ICICI Rate of Interest:" + b.getRateOfInterest()
                                                    + "% ");
        b = new AxIS ();
        System.out.println ("AxIS Rate of Interess:" + b.getRateOfInterest()
                                                    + "% ");
    }
}
```

Just write it

Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

Bài tập 3:

```
public class Nhanvien {
    protected string ten;
    protected long luong;
    public ~~void~~ Nhanvien () { }
    public Nhanvien (string ten) {
        this. ten = ten;
    }
    protected string loai Nhanvien () {
        return " ";
    }
    public void tinhluong () { }
    public void xuatThongTin () {
        System. out. println ( " Nhânvien: " + ten + " );
        System. out. println ( " loại nhân viên : " + loai nhanvien () );
        System. out. println ( " lương: " + luong + " VNĐ " );
    }
}
public class Nhanvienfulltime extends Nhanvien {
    private int loaichucvu;
    private int ngaylamthem;
    public NhanvienFullTime (string ten, int Loaichucvu, int Ngaylamthem) {
        Super (ten);
        this. ngaylamthem = ng . . . . . ;
        this. loai chucvu = . . . . . ;
    }
    @Override
    protected string loainhanvien () {
        return (loaichucvu == 1) ? " Full - time (sếp) " : " Full - time (tinh) ";
    }
```

Just write it

Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

```
@Override
public void tinhLuong () {
    long luongcoban = (loaichucvu == 1) ? 20.000000 : 10.000000;
    this.luong = luongcoban + (long) ngaylamthem * 500000; // Giả định ngày làm thêm
}
}

public class NhanvienPartTime extends Nhanvien {
    private int giolamviec;
    public NhanVienPartTime (String ten, int giolamvie) {
        Super (ten);
        this.giolamvie = ....
    }
    @Override
    protected String loaiNhanVien () {
        return "Nhân viên thời vụ";
    }
    @Override
    public void tinhLuong () {
        this.luong = (long) giolamviec * 100000; // Giả định 100 k/giờ
    }
}

public class Main {
    public static void main (String [] args) {
        Nhanvien Ft1 = new NhanVienFullTime ("Nguyễn Văn A", 2, 1);
        Ft1.tinhLuong ();
        Ft1.xuatthongtin ();

        Nhanvien Pt1 = new NhanVienPartTime ("Trần Văn C", 20);
        Pt1.tinhLuong ();
```

Just write it

Scanned with CamScanner

TITLE: Trần Thị Ngọc Thi

```
        Pt1.xuatthongtin();
    }
}
```

Bài tập 4:

```
public class Xe {
    private String soXe;
    private String loai;
    private String ngayDK;
    private boolean tkthai;

    public void nhap() {
        Scanner sc = new Scanner(System.in);
        System.out.print("Nhập số xe: ");
        soXe = sc.nextline();
        System.out.print("Nhập loại xe: ");
        loai = sc.nextline();
        System.out.print("Trạng thái lưu hành (True / False): ");
        tkthai = sc.nextBoolean();
    }
    public void in() {
        System.out.print("Số xe: " + soXe + " | loại: " + loai + " |
                        Ngày ĐK: " + ngayDK + " | Trạng thái:
                        " + (tkthai ? "Được phép":"Dừng
    }
}
```

Just write it