{···}

Grabngo   v1   OAS 3.0

The Grabngo API

<div align="right">

Authorize 🔓

</div>

Client   ⌃

POST   `/api/v1/client`   ⌃

Parameters   **Try it out**

No parameters

Request body required   application/json

Example Value   Schema

```
{
  "name": "string",
  "email": "string",
  "cpf": "string"
}
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*

GET   `/api/v1/client`   ∧

Parameters   Try it out

Name	Description
cpf * required string *(query)*	cpf

Responses

Code	Description	Links
201	Created	*No links*
404	Not found	*No links*

Product   ∧

POST   `/api/v1/product`   🔓   ∧

Parameters   Try it out

No parameters

Request body required   application/json

Example Value   Schema

```
{
  "name": "string",
  "price": 0,
  "description": "string"
}
```

Responses

Code	Description	Links
201	Created	No links
400	Bad request	No links

GET   **/api/v1/product**   ⌄

Parameters   **Try it out**

Name	Description
q * required **string** **(query)**	q

Responses

Code	Description	Links
200		No links

PUT   **/api/v1/product/{id}**   🔓 ⌄

Parameters   **Try it out**

Name	Description
id * required **string** **(path)**	Product id id

Request body required   **application/json**

Example Value   Schema

```
{
  "name": "string",
  "price": 0,
```

```
    "description": "string"
}
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*

DELETE   `/api/v1/product/{id}`   🔓 ∧

Parameters   **Try it out**

Name	Description
id * required **string** *(path)*	Product id [id]

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

Order   ∧

POST   `/api/v1/order`   ∧

Parameters   **Try it out**

No parameters

Request body required   application/json

Example Value   Schema

```
{
  "clientId": "string",
  "items": [
    {
      "productId": "string",
      "quantity": 1,
      "observation": "string"
    }
  ],
  "status": "string"
}
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*

GET   **/api/v1/order**   ∧

Parameters   [Try it out]

Name	Description
page * required **number** *(query)*	Page [page]

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

PUT   **/api/v1/order/{id}**   🔓 ∧

Parameters

<div style="text-align: right">**Try it out**</div>

Name	Description
id * required **string** *(path)*	Order id `id`

Request body required   application/json

Example Value   Schema

```
{
  "status": "string"
}
```

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

POST   `/api/v1/order/item`   ∧

Parameters

<div style="text-align: right">**Try it out**</div>

No parameters

Request body required   application/json

Example Value   Schema

```
{
  "orderId": "string",
  "items": [
    {
      "productId": "string",
      "quantity": 1,
      "observation": "string"
    }
```

```
    ]
  }
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*

PUT	/api/v1/order/{orderId}/item/{id}	∧

Parameters   Try it out

Name	Description

orderId * required
string
(path)

Order id

```
orderId
```

id * required
string
(path)

Order item id

```
id
```

Request body required   application/json

Example Value   Schema

```
{
  "productId": "string",
  "quantity": 0,
  "observation": "string"
}
```

Responses

Code	Description	Links
200	Success	*No links*

Code	Description	Links
400	Bad request	*No links*

DELETE   `/api/v1/order/{orderId}/item/{id}`   ⌃

Parameters   **Try it out**

Name	Description
orderId * required **string** *(path)*	Order id [orderId]
id * required **string** *(path)*	Order item id [id]

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

GET   `/api/v1/order/{id}/checkout`   ⌃

Parameters   **Try it out**

Name	Description
id * required **string** *(path)*	Order id [id]

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

Webhook ⌃

POST	**/api/v1/webhook-payment /{orderId}**	🔓 ⌃

Parameters

<div style="text-align:right">

Try it out

</div>

Name	Description
orderId * required **string** *(path)*	Order id `orderId`

Request body required

application/json

Example Value   Schema

```
{
  "orderId": "string",
  "transactionId": "string",
  "transactionStatus": "string",
  "transactionMethod": "string",
  "transactionGateway": "string",
  "transactionDatetime": "string",
  "amount": 0
}
```

Responses

Code	Description	Links
200	Success	*No links*
400	Bad request	*No links*

Auth ⌄

POST /api/v1/auth/sig-up ⌃

Parameters   [**Try it out**]

No parameters

Request body ^{required}   [application/json]

Example Value   Schema

```
{
  "name": "string",
  "login": "string",
  "password": "string",
  "profile": 0
}
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*

POST /api/v1/auth/sig-in ⌃

Parameters   [**Try it out**]

No parameters

Request body ^{required}   [application/json]

Example Value   Schema

```
{
  "login": "string",
  "password": "string"
}
```

Responses

Code	Description	Links
201	Created	*No links*
400	Bad request	*No links*