

OBS:
Parecido
com
sistema
de portaria

Ou Client
Mesa,
Chamada
ser preen
obrigatori

Cliente	
PK	<u>id: int NOT NULL</u>
	nome: str NOT NULL
	email: str
	cpf: str
	scanFace: hash
	senha: hash
	endereco: str
	fidelidade: float (0,1)

Pedidos	
PK	<u>id: int</u>
FK	filial: int
	status: ENUM (StatusCode)
	tipoPedido: ENUM(TiposPed)
FK	usuario_c: int
FK	cliente (opcional): int
FK	usuario_alter: int
	data: date
	mesa (opcional): int
	itens: Relationship (ItensPed)
	chamada (opcional): int
FK	endereco (opcional): str
	soma_itens: float
	frete: float
	total: float

ItensPed	
PK	<u>id: int NOT NULL</u>
	produto: int
	variacao: int
	quantidade: int

Produto	
PK	<u>id: int NOT NULL</u>
	nome: str
	variacoes: Relationship
	ativo: bool
	valor_uni: float

Variacao	
PK	<u>id: int NOT NULL</u>
	Nome
	ingredientes: Relationship
	ativo: bool

Solicita
1:n
1:1

1:n
Contém
1:1


1:n
Corresponde a
1:1


1:1
Corresponde a
1:1

Deriva
1:1
1:n

Cria


nte, ou
, ou
devem
chidos
amente






PK	i
	r
	c
	t
	f
FK	f

F
F



1põe



a)

