

# Processo seletivo 0.3 OAS3

Exemplo de api para processo seletivo da empresa audax

[Audax - Website](#)

[Send email to Audax](#)

[Proprietary License](#)

## Servers

<https://processoseletivo.audax.mobi> - Produção

## User



**POST**

**/user** Criação de usuário

Rota para criação de usuário

**Parameters**

Try it out

No parameters

**Request body** required

application/json

Json para criação de usuário

**Example Value** Schema

```
{
  "username": "DougWill",
  "password": "6YZ2tWtE"
}
```

## Responses

Code	Description	Links
------	-------------	-------

201	Usuário criado com sucesso	No links
-----	----------------------------	----------

Media type

**application/json**

Controls Accept header.

**Example Value** Schema

```
{
  "uuid": "c7a6586b-90d9-4630-afd1-59e6d52e1b53",
  "username": "DougWill",
  "registeredAt": "2022-10-03T20:57:26-03:00"
}
```

Code	Description	Links
400	Invalid request.	No links
	<div>Media type</div> <div>application/json</div> <div>Examples</div> <div>MultipleValidations</div> <div>Example Value</div> <div>Schema</div> <pre>{   "error": {     "message": "mensagem de error",     "details": {       "field": "nome do campo com mensagem do error"     }   } }</pre>	
500	Unexpected error.	No links
	<div>Media type</div> <div>application/json</div>	
503	Service Unavailable.	No links
	<div>Media type</div> <div>application/json</div>	

**GET** **/user** Obter todos usuários

Rota para obter usuários

## Parameters

[Try it out](#)

No parameters

## Responses

Code	Description	Links
200	<p>Usuários lidos com sucesso.</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>[   {     "uuid": "c7a6586b-90d9-4630-afd1-59e6d52e1b53",     "username": "DougWill",     "registeredAt": "2022-10-03T20:57:26-03:00"   } ]</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links

Code	Description	Links
503	Service Unavailable.	No links
	Media type	
	<div>application/json</div>	

GET	/user/{userId}	Obter usuário
Rota para obter usuário pelo UUID		
Parameters		<div>Try it out</div>
Name	Description	
<b>userId</b> * required	UUID do usuário a devolver	
string(\$uuid)		
(path)	<div>userId - UUID do usuário a devolver</div>	
Responses		
Code	Description	Links

Code	Description	Links
200	<p>Usuário lido com sucesso.</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{  "uuid": "c7a6586b-90d9-4630-afd1-59e6d52e1b53",  "username": "DougWill",  "registeredAt": "2022-10-03T20:57:26-03:00"}}</pre>	No links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p><b>Example Value</b> Schema</p> <pre>{  "error": {    "message": "Recurso não encontrado"  }}</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links

Code	Description	Links
503	Service Unavailable.	No links
	Media type	
	<div>application/json</div>	

PUT	/user/{userId}	Atualizar usuário
Rota para atualizar usuário		
Parameters		<div>Try it out</div>
Name	Description	
<b>userId</b> * required	UUID do usuário a atualizar	
string(\$uuid) (path)	<div>userId - UUID do usuário a atualizar</div>	
Request body required		<div>application/json</div>
Json para atualizar usuário		
Example Value	Schema	

```
{
  "username": "DougWill",
  "password": "6YZ2tWtE"
}
```

## Responses

Code	Description	Links
200	<p>Usuário atualizado com sucesso</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b>   Schema</p> <pre>{   "uuid": "c7a6586b-90d9-4630-afd1-59e6d52e1b53",   "username": "DougWill",   "registeredAt": "2022-10-03T20:57:26-03:00" }</pre>	No links



Code	Description	Links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p>Example Value   Schema</p> <pre>{   "error": {     "message": "Recurso não encontrado"   } }</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links
503	<p>Service Unavailable.</p> <p>Media type</p> <div>application/json</div>	No links

**DELETE**   **/user/{userUuid}**   Apagar usuário

Rota para apagar usuário

Parameters

Try it out

Name	Description
<b>userId</b> * required string(\$uid) (path)	UUID do usuário a apagar
	userId - UUID do usuário a apagar

Responses

Code	Description	Links
204	Usuário apagado com sucesso	No links
	Media type application/json Controls Accept header.	

Code	Description	Links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p>Example Value   Schema</p> <pre>{   "error": {     "message": "Recurso não encontrado"   } }</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links
503	<p>Service Unavailable.</p> <p>Media type</p> <div>application/json</div>	No links

POST

/article Criação de artigo

Rota para criação de artigo

Parameters

Try it out

No parameters

Request body required

application/json

Json para criação de artigo

Example Value Schema

```
{
  "title": "Excepteur sint occaecat cupidatat non proident",
  "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",
  "text": "string",
  "User": {
    "uuid": "c7a6586b-90d9-4630-afd1-59e6d52e1b53",
    "username": "string"
  }
}
```

Responses

Code	Description	Links
------	-------------	-------

Code	Description	Links
201	<p>Artigo criado com sucesso</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p>Example Value   Schema</p> <pre>{   "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",   "title": "Lorem ipsum",   "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",   "text": "A ordem dos tratores não altera o pão duris.",   "slug": "lorem-ipsum",   "registeredAt": "2022-10-03T20:57:26-03:00",   "User": {     "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",     "username": "DougNotFunny"   } }</pre>	No links
400	<p>Invalid request.</p> <p>Media type</p> <div>application/json</div> <p>Examples</p> <div>MultipleValidations</div> <p>Example Value   Schema</p> <pre>{   "error": {     "message": "mensagem de error",     "details": {       "field": "nome do campo com mensagem do error"     }   } }</pre>	No links

Code	Description	Links
500	Unexpected error.	No links
	Media type <div>application/json</div>	
503	Service Unavailable.	No links
	Media type <div>application/json</div>	

GET			/article			Obter todos artigos		
Rota para obter artigos								
Parameters						<div>Try it out</div>		
No parameters								
Responses								
Code			Description				Links	

Code	Description	Links
200	<p>Artigos lidos com sucesso.</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p>Example Value   Schema</p> <pre>[   {     "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",     "title": "Lorem ipsum",     "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",     "text": "A ordem dos tratores não altera o pão duris.",     "slug": "lorem-ipsum",     "registeredAt": "2022-10-03T20:57:26-03:00",     "User": {       "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",       "username": "DougNotFunny"     }   } ]</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links
503	<p>Service Unavailable.</p> <p>Media type</p> <div>application/json</div>	No links

GET

/article/{articleUuid} Obter artigo

Rota para obter artigo pelo UUID

## Parameters

Try it out

### Name

### Description

**articleUuid** \* required

string(\$uuid)

(path)

UUID do artigo a devolver

articleUuid - UUID do artigo a devolver

## Responses

### Code

### Description

### Links



Code	Description	Links
200	<p>Artigo lido com sucesso.</p> <p>Media type</p> <div>application/json</div> <p>Controls Accept header.</p> <p><b>Example Value</b> Schema</p> <pre>{  "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",  "title": "Lorem ipsum",  "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",  "text": "A ordem dos tratores não altera o pão duris.",  "slug": "lorem-ipsum",  "registeredAt": "2022-10-03T20:57:26-03:00",  "User": {    "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",    "username": "DougNotFunny"  }}</pre>	No links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p><b>Example Value</b> Schema</p> <pre>{  "error": {    "message": "Recurso não encontrado"  }}</pre>	No links

Code	Description	Links
500	Unexpected error.  Media type <div>application/json</div>	No links
503	Service Unavailable.  Media type <div>application/json</div>	No links

PUT

/article/{articleUuid}

Atualizar artigo

Rota para atualizar artigo

Parameters

Try it out

Name	Description
<b>articleUuid</b> * required string(\$uuid) (path)	UUID do artigo a atualizar <div>articleUuid - UUID do artigo a atualizar</div>

Request body required

application/json

Json para atualizar artigo

Example Value Schema

```
{
  "title": "Excepteur sint occaecat cupidatat non proident",
  "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",
  "text": "string"
}
```

Responses

Code	Description	Links
200	<div>Usuário atualizado com sucesso</div> <div>Media type<div>application/json</div>Controls Accept header.</div> <div>Example Value Schema<pre>{   "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",   "title": "Lorem ipsum",   "resume": "Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.",   "text": "A ordem dos tratores não altera o pão duris.",   "slug": "lorem-ipsum",   "registeredAt": "2022-10-03T20:57:26-03:00",   "User": {     "uuid": "6434c3cf-bf86-4774-a9cf-ee9fa3867810",     "username": "DougNotFunny"   } }</pre></div>	No links

Code	Description	Links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p>Example Value   Schema</p> <pre>{  "error": {    "message": "Recurso não encontrado"  }}</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links
503	<p>Service Unavailable.</p> <p>Media type</p> <div>application/json</div>	No links

**DELETE**   **/article/{articleUuid}**   Apagar artigo

Rota para apagar artigo

## Parameters

[Try it out](#)

### Name

### Description

**articleUuid** \* required

string(\$uuid)  
(path)

UUID do artigo a apagar

articleUuid - UUID do artigo a apagar

## Responses

### Code

### Description

### Links

204

Artigo apagado com sucesso

No links

Media type

application/json

Controls Accept header.

Code	Description	Links
404	<p>Not found</p> <p>Media type</p> <div>application/json</div> <p><b>Example Value</b> Schema</p> <pre>{  "error": {    "message": "Recurso não encontrado"  }}</pre>	No links
500	<p>Unexpected error.</p> <p>Media type</p> <div>application/json</div>	No links
503	<p>Service Unavailable.</p> <p>Media type</p> <div>application/json</div>	No links

```
userCreateRequest {
  username*      string
                  minLength: 3
                  maxLength: 150
                  example: DougWill

                  Nick do usuário

  password*      string
                  minLength: 8
                  example: 6YZ2tWtE

                  Senha do usuário
}
```

```
userCreateResponse {
  uuid*          string($uuid)
                  example: c7a6586b-90d9-4630-afd1-59e6d52e1b53

                  Identificador do usuário

  username*      string
                  example: DougWill

                  Nick do usuário

  registeredAt*  string($date-time)
                  example: 2022-10-03T20:57:26-03:00

                  Data e hora do registro do usuário no formato ISO8601
}
```

```
userReadResponse {
  uuid*      string($uuid)
              example: c7a6586b-90d9-4630-afd1-59e6d52e1b53

              Identificador do usuário

  username*  string
              example: DougWill

              Nick do usuário

  registeredAt* string($date-time)
              example: 2022-10-03T20:57:26-03:00

              Data e hora do registro do usuário no formato ISO8601
}
```

```
userUpdateRequest {
  username*  string
              minLength: 3
              maxLength: 150
              example: DougWill

              Nick do usuário

  password*  string
              minLength: 8
              example: 6YZ2tWtE

              Senha do usuário
}
```



```
userUpdateResponse {
  uuid*      string($uuid)
              example: c7a6586b-90d9-4630-afd1-59e6d52e1b53

              Identificador do usuário

  username*  string
              example: DougWill

              Nick do usuário

  registeredAt* string($date-time)
              example: 2022-10-03T20:57:26-03:00

              Data e hora do registro do usuário no formato ISO8601
}
```

```
articleCreateRequest {
  title*      string
              minLength: 30
              maxLength: 70
              example: Excepteur sint occaecat cupidatat non proident

              Título do artigo

  resume*     string
              minLength: 50
              maxLength: 100
              example: Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.

              Resumo do artigo

  text*       string
              minLength: 200

              Texto do artigo

  User*       {
    uuid*      string($uuid)
              example: c7a6586b-90d9-4630-afd1-59e6d52e1b53

              Identificador do usuário

    username*  string
  }
}
```

## articleCreateResponse

```
{
  uuid*                string($uuid)
                        example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

                        Identificador do artigo

  title*               string
                        example: Lorem ipsum

                        Título do artigo

  resume*              string
                        example: Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.

                        Resumo do artigo

  text*                string
                        example: A ordem dos tratores não altera o pão duris.

                        Texto do artigo

  slug                 string
                        example: Lorem-ipsum

                        É a parte de uma URL que pode ser legível tanto para humanos quanto para mecanismos de busca.

  registeredAt*         string($date-time)
                        example: 2022-10-03T20:57:26-03:00

                        Data e hora do registro do artigo no formato ISO8601

  User*                {
                        {
                          uuid*                string($uuid)
                                              example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

                                              Identificador do usuário

                          username*             string
                                              example: DougNotFunny

                                              Nick do usuário
                        }
  }
}
```

## articleReadResponse

```
{
  uuid*      string($uuid)
              example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

              Identificador do artigo

  title*     string
              example: Lorem ipsum

              Título do artigo

  resume*    string
              example: Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.

              Resumo do artigo

  text*      string
              example: A ordem dos tratores não altera o pão duris.

              Texto do artigo

  slug       string
              example: Lorem-ipsum

              É a parte de uma URL que pode ser legível tanto para humanos quanto para mecanismos de busca.

  registeredAt* string($date-time)
              example: 2022-10-03T20:57:26-03:00

              Data e hora do registro do artigo no formato ISO8601

  User*      {
                {
                  uuid*      string($uuid)
                              example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

                              Identificador do usuário

                  username*   string
                              example: DougNotFunny

                              Nick do usuário
                }
              }
}
```

```
articleUpdateRequest {
  title      string
             minLength: 30
             maxLength: 70
             example: Excepteur sint occaecat cupidatat non proident

             Título do artigo

  resume     string
             minLength: 50
             maxLength: 100
             example: Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.

             Resumo do artigo

  text       string
             minLength: 200

             Texto do artigo
}
```

```
articleUpdateResponse {
  uuid*          string($uuid)
                  example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

                  Identificador do artigo

  title*         string
                  example: Lorem ipsum

                  Título do artigo

  resume*        string
                  example: Nam vulputate dapibus.Interagi no mé, cursus quis, vehicula ac nisi.

                  Resumo do artigo

  text*          string
                  example: A ordem dos tratores não altera o pão duris.

                  Texto do artigo

  slug           string
                  example: Lorem-ipsum

                  É a parte de uma URL que pode ser legível tanto para humanos quanto para mecanismos de busca.

  registeredAt*  string($date-time)
                  example: 2022-10-03T20:57:26-03:00

                  Data e hora do registro do artigo no formato ISO8601

  User*          {
                    {
                      uuid*          string($uuid)
                                  example: 6434c3cf-bf86-4774-a9cf-ee9fa3867810

                                  Identificador do usuário

                      username*       string
                                  example: DougNotFunny

                                  Nick do usuário
                    }
                  }
}
```

```
MultipleValidations {
  error*
    {
      message*
        string
        A mensagem de erro
      details*
        [...]
    }
}
```

```
MultipleValidationsDetails {
  details
    {
      field*
        string
        example: a mensagem do erro
        O nome do campo inválido
    }
}
```

```
SingleValidation {
  error*
    {
      message*
        string
        A mensagem de erro
    }
}
```