


Building the Headcount & FTE Walk Dashboard in Tableau Public

This guide builds the second dashboard, from [mart_headcount_fte_walk](#) and its five small dimension files. Plan on about two hours. Every step lists what you should see, so you can check as you go.

The finished workbook has four dashboards, one per audience:

Dashboard	Reader	Answers
1. Executive Summary	CHRO, CFO	How much did the workforce grow, and from what?
2. Movement Drivers	HR business partners	Where are hires, leavers and internal moves concentrated?
3. Diagnostics	Analysts	Which slices moved, and does every line reconcile?
4. Methodology	Anyone	How the numbers are defined, and their limits



The workbook uses the Arcadia look shared by all three dashboards: navy header band with the logo, a row of KPI cards, charts on off-white cards, teal for growth, coral for leavers. Install the palettes and get the logo from [docs/brand/](#) before you start.

1. Download the data

From the repository, open each file below and click **Download raw file** (the arrow at the top right). Save all six in one folder, for example Documents/Tableau Public/arcadia-headcount/.

File	Rows	What it is
mart_headcount_fte_walk.csv	292,696	The walk (fact table), codes only, about 15 MB
mart_dim_month.csv	48	Month-ends with fiscal year, quarter, period
mart_dim_department.csv	32	Department, sub-function, function, cost center
mart_dim_country.csv	15	Country and region
mart_dim_job_family.csv	14	Job family names
mart_dim_grade.csv	9	Grade level and career track

Why six files and not one: names repeated on 292,696 rows would make a single file almost four times larger (57 MB). A star schema keeps the export small, and Tableau's relationships put it back together.

2. Connect and relate the tables

1. Open **Tableau Public**. **Connect** → **To a File** → **Text file** → [mart_headcount_fte_walk.csv](#).
2. From the left panel, drag each [mart_dim_*](#) file onto the canvas next to the walk table. Tableau draws a "noodle" (a relationship) to the walk table each time.
3. Click each noodle and check the matching field. Tableau usually finds it on its own, because the column names match:

Dimension file	Related on
mart_dim_month	month_end_date = month_end_date
mart_dim_department	department_id = department_id
mart_dim_country	country_code = country_code
mart_dim_job_family	job_family_code = job_family_code
mart_dim_grade	grade = grade

4. In the data grid, set types by clicking the icon above each column:
 - [month_end_date](#) and [prior_month_end_date](#): **Date**
 - [grade](#): **String** in both the walk and the grade file (it's a label, not a number to sum)
 - [fiscal_year](#): **String**
 - [headcount](#): **Number (whole)**, [fte](#): **Number (decimal)**

Check: on a new sheet, drag `Movement Category` to Rows and `SUM(Headcount)` to Text. Opening and Closing are large positive numbers (each month's levels added up), the four movement categories are signed, and FTE Changes shows 0 headcount.

Relationships, not joins, are the right choice here: each dimension is one row per key, and Tableau only queries the tables a sheet actually uses.

3. Parameters

Create four parameters (right-click the Data pane → **Create Parameter**):

Name	Type	Values	Default
Start Month	Date	List, Add values from <code>month_end_date</code>	2025-07-31
End Month	Date	List, Add values from <code>month_end_date</code>	2026-06-30
Measure	String	List: <code>Headcount</code> , <code>FTE</code>	Headcount
Show Methodology	Boolean	True / False	False

Show the first three as controls on every dashboard (right-click → **Show Parameter**).

4. Calculated fields

Create these in order; later ones use earlier ones. Field names in brackets must match yours exactly.

Core

```
// Selected Value
IF [Measure] = "Headcount" THEN [Headcount] ELSE [Fte] END
```

```
// In Range
[Month End Date] >= [Start Month] AND [Month End Date] <= [End Month]
```

```
// Walk Value
// Opening comes from the first month, Closing from the last, and every
// movement is summed across the months in between. This works because the
// SQL guarantees each month's Closing equals the next month's Opening (test 14).
IF [In Range] THEN
    CASE [Movement Category]
        WHEN "Opening" THEN IIF([Month End Date] = [Start Month], [Selected Value], 0)
        WHEN "Closing" THEN IIF([Month End Date] = [End Month], [Selected Value], 0)
        ELSE [Selected Value]
    END
END
END
```

KPIs

```
// Opening
SUM(IF [In Range] AND [Movement Category] = "Opening" AND [Month End Date] = [Start
Month]
    THEN [Selected Value] END)
```

```
// Closing
SUM(IF [In Range] AND [Movement Category] = "Closing" AND [Month End Date] = [End Month]
    THEN [Selected Value] END)
```

```
// Net Change %
([Closing] - [Opening]) / [Opening]
```

```
// Months in Range
COUNTD(IF [In Range] THEN [Month End Date] END)
```

```
// Average Headcount
// Each month's average is (opening + closing) / 2; this averages those across the range.
SUM(IF [In Range] AND ([Movement Category] = "Opening" OR [Movement Category] =
"Closing")
    THEN [Headcount] END) / 2 / [Months in Range]
```

```
// Hires
SUM(IF [In Range] AND [Movement Category] = "Hires" THEN [Headcount] END)
```

```
// Voluntary Leavers
-SUM(IF [In Range] AND [Movement Category] = "Voluntary Terminations" THEN [Headcount]
END)
```

```
// Involuntary Leavers
-SUM(IF [In Range] AND [Movement Category] = "Involuntary Terminations" THEN [Headcount]
END)
```

```
// Voluntary Turnover (annualized)
ZN([Voluntary Leavers]) / [Average Headcount] * 12 / [Months in Range]
```

```
// Involuntary Turnover (annualized)
ZN([Involuntary Leavers]) / [Average Headcount] * 12 / [Months in Range]
```

```
// Hire Rate (annualized)
ZN([Hires]) / [Average Headcount] * 12 / [Months in Range]
```

```
// Internal Moves
SUM(IF [In Range] AND [Movement Category] = "Internal Moves In" THEN [Headcount] END)
```

Format the three rate fields as **Percentage, 1 decimal**.

Control (shown on the Diagnostics dashboard)

```
// Walk Gap
// Opening + every movement - Closing. Must be 0 for any slice and any range.
SUM([Walk Value]) - 2 * [Closing]
```

SUM([Walk Value]) already includes Closing once, so subtracting twice leaves Opening + movements – Closing.

Small-group rule

```
// Rate Shown
// Rates on fewer than 20 people swing wildly; hide them rather than mislead.
IF [Average Headcount] < 20 THEN NULL ELSE [Voluntary Turnover (annualized)] END
```

Set for comparisons

Right-click Department Name → **Create** → **Set** → name it **Selected Departments**, pick any one department. Then:

```
// Selected vs Rest
IF [Selected Departments] THEN "Selected" ELSE "Rest of company" END
```

Check against these FY26 values (Start Month 2025-07-31, End Month 2026-06-30, Measure Headcount):

Field	Expected
Opening	12,510
Hires	2,354
Voluntary Leavers	1,341
Involuntary Leavers	322
Internal Moves	1,615 (1,038 promotions, 577 transfers)
Closing	13,201
Net Change %	5.5%
Voluntary Turnover (annualized)	10.4%
Walk Gap	0

With Measure = FTE: Opening 12,281.7, Closing 12,940.0, FTE Changes –34.1.

If a number is off, the usual cause is a type (Step 2.4) or a filter left on a sheet.

5. Sheets

Executive Summary

1. **KPI band.** One sheet per KPI (Closing, Net Change %, Hires, Voluntary Turnover, Internal Moves): put the field on **Text**, mark type **Text**, size the font large, and add a smaller line underneath with the comparison (for example *Opening* in the tooltip-style caption).
2. **Headcount waterfall.** This is the main exhibit.
 - Columns: *Movement Category*. Sort it by *Movement Order* (right-click → Sort → Field → Movement Order, Minimum, Ascending).
 - Filter out *Closing*.
 - Rows: `SUM([Walk Value])` → right-click → **Quick Table Calculation** → **Running Total**.
 - Mark type **Gantt Bar**. Create `-SUM([Walk Value])` and drag it to **Size**.
 - **Analysis** → **Totals** → **Show Row Grand Totals**, and rename the total *Closing*.
 - Color: create the calculated field below and drag it to **Color**. In **Edit Colors**, set Level to warm gray #8C8A84, Increase to teal #00938D and Decrease to coral #E4572E. If the grand total bar takes a different color, click it in the color legend and set it to the same gray.

```
// Bar Type
CASE [Movement Category]
  WHEN "Opening" THEN "Level"
  WHEN "Hires" THEN "Increase"
  WHEN "Internal Moves In" THEN "Increase"
  ELSE "Decrease"
END
```

 - Right-click the axis → **Edit Axis** → tick **Include zero**. Bars start at zero so the size of each movement isn't exaggerated (Viz of the Day reviewers check this).
 - Title the sheet with the finding, for example *"FY26: 2,354 hires outpaced 1,663 leavers, adding 691 people"*. Build it as a calculated title from *Hires*, *Voluntary Leavers*, *Involuntary Leavers* and the change in headcount so it updates with the range.
 - **Check:** the grand total equals the *Closing* KPI.
 - At company level Internal Moves In and Out cancel (+1,615 and -1,615). Hide them with a filter on this sheet if you prefer a cleaner company view; they matter on department views.
3. **Headcount trend.** Columns: *Month End Date* (continuous month). Rows: `SUM(IF [Movement Category] = "Closing" THEN [Selected Value] END)`. Don't filter this to the range: show all history, and add a **reference band** from *Start Month* to *End Month* so the selected period stands out. Line in teal #00938D, band in teal at 10% opacity, and label only the last point.

Movement Drivers

4. **Turnover by function.** Rows: Function Name. Columns: Voluntary Turnover (annualized) and Involuntary Turnover (annualized) as a stacked bar (Measure Names on Color: coral #E4572E for voluntary, dark coral #B8401F for involuntary). Sort descending. Label the bar ends with the total rate, and title the sheet with the top function, for example "*Commercial has the highest turnover in FY26*".
5. **Net change heatmap.** Rows: Function Name, Columns: Fiscal Period, Color: SUM(IF [Movement Category] <> "Opening" AND [Movement Category] <> "Closing" THEN [Selected Value] END), palette *Arcadia Coral-Teal Diverging* centered at 0 (coral for shrinking, teal for growing). This shows where growth and shrinkage happened month by month.
6. **Internal moves by reason.** Rows: Movement Reason, filtered to Internal Moves In, bars by Grade Level. Promotions show as a move out of one grade and into the next, so a grade-level view of the walk explains career progression without any extra logic.

Diagnostics

7. **Slice table.** Rows: Function Name → Department Name → Country Name → Grade (build a hierarchy: drag Department onto Function, and so on, so readers can drill with the + icons). Columns: Measure Names with Opening, Hires, Voluntary Leavers, Involuntary Leavers, Internal Moves, Closing, Walk Gap.
8. **Control tile.** A single Text sheet with Walk Gap and the caption "Opening + movements – Closing for every slice in view. 0 means the walk reconciles." This makes data quality visible instead of assumed.

6. Dashboards and actions

Use a fixed size of **1400 × 850** for each dashboard, the same as the workforce map, with the page background stone #F3F3EF.

Every dashboard starts with the same **header band**: a horizontal container with background navy #13233A holding the reverse logo (Image object, docs/brand/arcadia_logo_horizontal_reverse.png), the dashboard title in white with a one-line subtitle, and the parameter controls on the right. Put each chart on its own off-white #FBFBF8 card (a container with a 1px #E4E3DD border) with 12px between cards.

1. **Executive Summary:** header band, KPI cards across the top, waterfall (left, about 60%), and on the right the trend above turnover by function.
2. **Movement Drivers:** turnover by function (left), heatmap (right), internal moves (bottom).
3. **Diagnostics:** control tile top right, slice table filling the rest.
4. **Methodology:** a text object with the definitions from Section 7.

Actions (**Dashboard → Actions**):

- **Filter action:** on Movement Drivers, clicking a function in the turnover chart filters the heatmap and internal moves to that function. Clearing the selection shows all values.

- **Set action:** on Movement Drivers, selecting departments in the heatmap updates **Selected Departments**; add **Selected vs Rest** to the color of the turnover chart so a selection is compared against the rest of the company.
- **Parameter action:** make a small sheet listing **Headcount** and **FTE** (a calculated field "Headcount" and one "FTE", or a two-row text sheet), and add a parameter action that sets **Measure** on click. Readers switch measures by clicking, not through a dropdown.
- **Dynamic zone visibility:** on the Executive Summary, add a container holding a short methodology note, and under **Layout → Control visibility using value** pick **Show Methodology**. A button sheet with a parameter action toggles it.
- **Navigation:** add **Navigation** buttons along the top of each dashboard so all four read as one product.

Tooltips: on the waterfall, use viz-in-tooltip to show the 12-month trend of the hovered category (**Insert → Sheets** in the tooltip editor).

7. Methodology text (paste into dashboard 4)

What this shows. A monthly headcount and FTE walk for Arcadia Systems, a fictional company with synthetic data. For any slice (department, country, job family, grade) and any range of months: $\text{Opening} + \text{Hires} - \text{Terminations} \pm \text{Internal Moves} \pm \text{FTE Changes} = \text{Closing}$.

Definitions. Headcount counts every worker active on the month-end, executive officers included; a part-time worker counts as one. FTE weights each worker by their scheduled fraction. A termination date is the last day worked. Internal moves are changes of department, country, job family or grade between two month-ends; when several change at once, one reason is recorded (department, then country, then grade, then job family). Movers are counted at their prior FTE; a same-month FTE change shows separately. Turnover rates are annualized: $\text{leavers} \div \text{average headcount} \times 12 \div \text{months in range}$.

Controls. Eighteen automated tests run on every build. Among them: every slice reconciles each month; each month's closing equals the next month's opening; opening and closing match an independent count of the month-end snapshot; internal moves net to zero company-wide; hires and leavers match the worker master's dates.

Limits. Someone hired and terminated within one month never appears at a month-end, so a month-end walk can't show them (none occur in this dataset; the model counts them separately). Location changes within the same country don't change a slice, so they aren't moves at this grain.

8. Publish

1. **File → Save to Tableau Public As...** and name it **Arcadia Headcount & FTE Walk**.
2. When it opens in the browser, click **Edit Details** and paste a one-paragraph description plus the GitHub link: <https://github.com/thialp/people-analytics-warehouse>.

3. Under the workbook's settings, allow **Download** of the workbook so reviewers can open your calculated fields.
4. Copy the workbook URL and add it to the README (the "Dashboard" row and Section 9), or send it to me to update.

Before you publish, check: Walk Gap shows 0, the FY26 numbers in Section 4 match, and no sheet still carries a test filter.