

L_0 -Based Sparse Modeling

Dr. Mamadou THIAO

May 26, 2026

Contents

0.1	l_0 quasi-norm	1
0.2	l_0, l_2 combined	1
0.3	l_0 vs l_0, l_2 combined	1
0.4	Questions	2

0.1 l_0 quasi-norm

$\|x\|_0$: the number of nonzero components of the vector $x \in \mathbb{R}^n$.

0.2 l_0, l_2 combined

$$\|x\|_0 + \frac{1}{\delta^2} \|x\|_2^2 \quad (1)$$

$\frac{1}{\delta^2} \|x\|_2^2$: an elastic potential energy? Is there an interpretation? (Bernoulli-gaussian from Soussen and references therein)

0.3 l_0 vs l_0, l_2 combined

$\|x\|_0 + \frac{1}{\delta^2} \|x\|_2^2$ is an upper approximation of $\|x\|_0$ and it converges toward it in some "sense" (Soussen, Bertsimas et al.) when $\delta \rightarrow +\infty$.




Figure 1: $l_0 l_2$ towards l_0 .

0.4 Questions

- Is there cases where sparse modeling with $\|\cdot\|_0 + \frac{1}{\delta^2} \|\cdot\|_2^2$ is "better" or "more appropriate" than $\|\cdot\|_0$ solely? In what sense? Where? When? How?
- Is sparse modeling with $\|\cdot\|_0 + \frac{1}{\delta^2} \|\cdot\|_2^2$ more "tracktable" than $\|\cdot\|_0$ from the point of view of mathematical programming?

References

Bibliography

- [1] Bertsimas, D., & Johnson, N.A.G.: *Compressed sensing: a discrete optimization approach*. Mach Learn (2024), 113, 6725–6764.
- [2] Le Thi, H. A. L., Pham Dinh, T., & Thiao, M.: *Efficient approaches for l_2 - l_0 regularization and applications to feature selection in SVM*. Applied Intelligence (2016), 45:549–565.
- [3] Soussen, C.: *Algorithmes d'approximation parcimonieuse inspirés d'Orthogonal Least Squares pour les problèmes inverses*. Traitement du signal et de l'image. Université de Lorraine, (2013).