

</script>

← → C 🕯 https://developers.google.com/analytics/devguides/collection/analyticsjs/

Google Analytics X Search

Introduction to Analytics.js

Tracking Code Quick Start

<!-- Google Analytics -->

ga('create', 'UA-XXXX-Y');
ga('send', 'pageview');

</script>
<!-- End Google Analytics -->

more flexibility for developers to customize their implementations.

4. Note the instructions on this page. The new

Universal Analytics (analytics.js) and Classic Analytics

(ga.js) can coexist on the same page.

The analytics is JavaScript snippet is a new way to measure how users interact with your website. It is similar to the previous tracking code, ga.js, but offers

The analytics is snippet is part of Universal Analytics, which is currently in public beta. New users should use analytics is. Existing ga.js users should create a new web property for analytics is and dual tag their site. It is perfectly safe to include both ga.js and analytics is snippets on the same page.

To begin tracking a website using analytics.js, paste the following JavaScript snippet into your website template page so that it appears before the closing

When the code runs, it asynchronously loads the Google Analytics Tracking Code onto the page. It then creates a tracker object for the web property you

</head> tag. The UA-XXXX-Y, parameter must be replaced with the Web Property ID for the Google Web Property you wish to track.

 $(function(i,s,o,g,r,a,m)\{i['GoogleAnalyticsObject'] = r;i[r] = i[r] \mid |function()\{i,s,o,g,r,a,m\}| \} = (function(i,s,o,g,r,a,m)\{i['GoogleAnalyticsObject'] = r;i[r] = i[r] \mid |function(i,s,o,g,r,a,m)| \} = (function(i,s,o,g,r,a,m)\{i['GoogleAnalyticsObject'] = r;i[r] = i[r] \mid |function(i,s,o,g,r,a,m)| \} = (function(i,s,o,g,r,a,m),a,m) \} = (function(i,s,o,g,r,a,m),a,m) \} = (function(i,s,o,g,r,a,m),a,m) \} = (function(i,s,o,g,r,a,m),a,m),a,m) \} = (function(i,s,o,g,r,a,m),a,m) \} = (function(i,s,o,g,r,a,m),a,m),a,m) \} = (functi$

})(window,document,'script','//www.google-analytics.com/analytics.js','ga');

5. Go to http://developers.google.com/analytics/

devguides/collection/gajs/asyncTracking to get the

ga.js snippet. Then paste this into your index.html

before the </head> closing tag.

(i[r].q=i[r].q||[]).push(arguments)},i[r].l=1*new Date();a=s.createElement(o), m=s.getElementsByTagName(o)[0];a.async=1;a.src=g;m.parentNode.insertBefore(a,m)

specified in the UA-XXXX-Y parameter. Finally, it records a pageview in Google Analytics for the page that the script was run.

startup.stanford.edu@gmail.com Sign out

Social Settings

Developers

Google Analytics 2 1 55

Learn About the Platform

→ Collection APIs & SDKs

▶ Dev Guide

▶ Measurement Protocol

▶ Legacy Libraries

▶ Configuration APIs

▶ Articles & Solutions

Community & Updates

Developer Program

Tracking Site Activity – Go: ×

Developers Google Analytics X


C fi https://developers.google.com/analytics/devguides/collection/gajs/asyncTracking

▶ Android SDK

▶ iOS SDK

Web Tracking▶ ga.js





with the ga.js code included as well, you should come

back to the Analytics dashboard and see the magic

words "Tracking Installed".

Reporting

Welcome to the new Analytics Administration page. We've given administration a new look, and everything you need

New Analytics Administration

Customization

Bitstarter - http://bitstart.net All Web Site Data

Learn more