Ghi chú: Tự kê y lệnh mấy viên thuốc. Vd: 50 x 3 => captopril 25mg 2v x 3u => tổng liều là 150mg/ngày

| Thuốc | | 2 | THA JNC 8 | | Suy tim ESC18 | | Hẹp 2 lá | NMCT | | Dược động | |
|-------------|-------------------|-----------------------|-------------|------|---------------|----------|----------|-------------|------|---------------------------|-----------------------------|
| Nhóm | Tên thuốc | Biệt dược | Khởi đầu | Ðích | Khởi đầu | Ðích | | Khởi đầu | Ðích | Bắt đầu tác dụng | Thời gian tác dụng |
| ACEi | Captopril | Captopril 25mg | 25x2 | 50x3 | 6.25x3 | 50x3 | | | | | 2-31/d |
| | Lisinopril (thận) | Zestril 10mg | 10 | 40 | 2.5 | 20 | | | | | >7h |
| | Ramipril | | | | 2.5 | 10 | | | | | |
| | Enalapril | 5mg | 5 | 10x2 | 2.5x2 | 10x2 | | | | | 11h |
| | Losartan | | 50 | 100 | 50 | 150 | | | | | 6-9h |
| ARB | Telmisartan | 40mg | 80 | 320 | 80 | 320 | | | | | 24h |
| | Candesartan | | | | 4 | 32 | | | | | |
| | Valsartan | Diovan 80mg | 80 | 320 | 40x2 | 160x2 | | | | | 9h |
| | Amlodipine | Amlor 5mg (10mg) | 2.5 | 10 | | | | | | | 11/d |
| ССВ | Nifedipine | Adalat LA 20mg | 30 | 60 | | | | | | | 21/d |
| | Ditiazem | Ditiazem 60mg | 120 | 360 | | | 60x2 | | | | 3-41/d |
| | Verapamin | | | | | | | | | | 2-31/d |
| | Hcl-Thiazide | HydrochloT 25mg | 25 | 100 | 25 | 12.5-100 | | | | 2h | 12h |
| Lợi tiểu | Indapamide | Natrilix 1.5mg | 1.25 | 2.5 | 2.5 | 5 | | | | 2h | 24h |
| | Furosemide | Agifuros 40mg | 20x2 | 40x2 | 20 | 40 | | | | 30-60' | 6-8h |
| | | A.T furosemid 20mg/ml | | | | | | | | 5' | 2-3h |
| | Spironolactone | Aldactone 25mg | 12.5x2 | 25x2 | 12.5/50 | 50/100 | | | | 1-2ng | 2-3ng |
| | Amiloride | | | | 2.5/5 | 5/10 | | | | | |
| | Triamterene | | | | 25/50 | 100/200 | | | | | |
| | Metoprolol (G) | Betaloc 50mg | 50 | 100 | 12.5 | 200 | 25 | | | | |
| ВВ | Atenolol (T) | 50mg | 25 | 100 | | | 25 | | | | |
| | Bisoprolol (all) | Concor 2.5mg | 5 | 10 | 1.25 | 10 | 1.25 | | | | |
| | Carvedilol (G) | 25mg | 6.125x2 | 25x2 | 3.125x2 | 25x2 | 6.125x2 | | | | |
| | Acebutolol (T) | | 200 | 400 | | | | | | | |
| | Nebivolol | | | | 1.25 | 10 | | | | | |
| MRA | Eplerenone | | | | 25 | 50 | | | | | |
| | Spironolactone | Aldactone 25mg | | | 25 | 50 | | | | | |
| ARNI | Sacubitril/Valsar | Không cần học :v | | | 50x2 | 100x2 | | | | | |
| If | Ivabradine | Procoralan 7.5mg | | | 5x2 | 7.5x2 | | | | | |
| D | Digoxin | Digoxin 0.25mg | | | | | 0.125 | | | | |

Neo

- Lovenox 0,4ml (Enoxaparin): 0,01ml =1mg enoxaparin
 1 ống (TDD)
- Xarelto 15mg (Rivaroxiban) 1v (u)
- **Pradaxa 110mg (Dabigatran)** 1v x 2 (u)
- Sintrom 4mg (Acenocoumarol) 1/2v (u)
- Natrixam 1.5/5 (Indapamide/amlordipine) 1v (u)
- Triplixam 10mg/2.5mg/10mg (Perindopril 6.79mg /Indapamide/Amlordipine)
 1v (u)
- Coveram 15mg (10mg Perindopril /5mg Amlodipine) =>
 ACE + CCB
 1v (u)
- Twinsta 40/5 (Telmisartan/amlodipine) 1v (u)
- Coversyl plus 4mg/1.25mg (Perindopril/Indapaide) 1v (u)

- **Lipanthyl Supra 160mg (Fenofibrate)** 1v (u)
- Glucophage XR 750mg (metformin) 1v (u) trước ăn 30'
- Tormeg 20mg (Atorvastatin) hoặc Lipitor 20mg 1/2v (u)
- **A.T Furosemid 20mg/20ml** 3 ống x 2 TMC
- **Duoplavin 75/100mg (75 Clopidogrel/100 Aspirin)** 1v (u)
- Plavix 75mg (Clopidogrel) 1v (u)
- Imidu 60mg (isosorbide mononitrate) 1v (u)
- Vastarel MR 35mg (Trimetazidine)
 1v x 2 (u)
- **Procoralan 7.5mg (Ivabradine)** 1/2v (u)
- Nitromint 2.6mg (nitroglycerin) 1v (u)

- Augmentin
- Unacil
- Tazoan
- Sulperazone
- Tavanic

Table 4. Evidence-Based Dosing for Antihypertensive Drugs

| Antihypertensive Medication | Initial Daily Dose, mg | Target Dose in RCTs Reviewed, mg | No. of Doses per Day |
|-------------------------------|------------------------|-------------------------------------|----------------------|
| ACE inhibitors | | | |
| Captopril | 50 | 150-200 | 2 |
| Enalapril | 5 | 20 | 1-2 |
| Lisinopril | 10 | 40 | 1 |
| Angiotensin receptor blockers | | | |
| Eprosartan | 400 | 600-800 | 1-2 |
| Candesartan | 4 | 12-32 | 1 |
| Losartan | 50 | 100 | 1-2 |
| Valsartan | 40-80 | 160-320 | 1 |
| Irbesartan | 75 | 300 | 1 |
| β-Blockers | | | |
| Atenolol | 25-50 | 100 | 1 |
| Metoprolol | 50 | 100-200 | 1-2 |
| Calcium channel blockers | | | |
| Amlodipine | 2.5 | 10 | 1 |
| Diltiazem extended release | 120-180 | 360 | 1 |
| Nitrendipine | 10 | 20 | 1-2 |
| Thiazide-type diuretics | | | |
| Bendroflumethiazide | 5 | 10 | 1 |
| Chlorthalidone | 12.5 | 12.5-25 | 1 |
| Hydrochlorothiazide | 12.5-25 | 25-100 ^a | 1-2 |
| Indapamide | 1.25 | 1.25-2.5 | 1 |

Abbreviations: ACE, angiotensin-converting enzyme; RCT, randomized controlled trial.

^aCurrent recommended evidence-based dose that balances efficacy and safety is 25-50 mg daily.