1 Poating # 2 Model (eloquent) 3 Controller 4 Views

Routing: Minh nahia racoié dé don costronq varabsite con vuc: ("url" / (losure)); Roude:: get
post business. patch

Alm vouta chinh: Voutes/122b.80hp Route hasic Route: method. 1 method: and log out tigned get match (['qst', put'],
home, [] put

delete

Routs: vierr ("login", "auch. Bagin");

localhost: 8000/ login -> vierrs/outh/bgin

blade.

Pouda::vadivact ("/","/homa");

tham sã đã dân index. Php: 1000d = a Route: got ('defail / didl', juntion (\$id) return tid; localhost: 8000/ defail/1000 (I) 00

Route: get ("desail/fide/Inone?",

punction (\$id, Iname))

(p).

flightig chon Route: get ("descri)/lid//name?! 4 motion ( \$id, \$name = mull) return tio. "-'. tname; deteul/100/polg >> 100 - polg م >> 100 defin) / NUO

hame cha route.

(bize danh)

rame ("honne")

14/07. "/" < 500 été a route ("home")

Presix = tisaté. Route: get ("defail", [3) -> préfix ("admin): Lord host: 8000/admin/detail Row

Route: group [["presix" -) "admin"], fuction () Route: qet ("doch hoord"); Route: qet ("products");

**)**)