

DocDock AWS S3 Integration Guide

STRICT WRITE-ONLY S3 CONFIGURATION

This guide explains how to set up an Amazon S3 bucket and an IAM user credential scoped strictly to **add data only** (write-only) for DocDock integration.

Configuration Checklist

By following this guide, you will collect and fill in the 4 required variables for your JSON config:

- **bucketName**: The unique identifier of your AWS storage bucket.
- **region**: The AWS physical location identifier (e.g., `us-east-1`).
- **accessKeyId**: The public identifier for your secure IAM user.
- **secretAccessKey**: The private secret used to authenticate uploads.

Step 1: Create the Amazon S3 Bucket

1. Log in to your **AWS Management Console**.
2. Search for and navigate to the **S3** dashboard.
3. Click the **Create bucket** button.
4. **Bucket name**: Enter a unique name. (**Collect as "bucketName"**).
5. **AWS Region**: Choose your preferred location. (**Collect the region string, e.g., `us-east-1`, as "region"**).
6. Leave all other settings (including Block Public Access) at their default, secure settings.
7. Scroll to the bottom and click **Create bucket**.

Step 2: Create the Write-Only IAM Policy

To ensure this integration can *only and only* upload files and cannot read, delete, or list items, apply a strict IAM policy.

1. Search for and open the **IAM** (Identity and Access Management) dashboard.
2. In the left sidebar, click **Policies**, then click **Create policy**.
3. Select the **JSON** tab, delete any placeholder content, and paste the configuration below.

Important: Replace `your-bucket-name-here` with the actual S3 bucket name created in Step 1.

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "DocDockWriteOnlyAssignment",
      "Effect": "Allow",
      "Action": "s3:PutObject",
      "Resource": "arn:aws:s3:::your-bucket-name-here/*"
    }
  ]
}
```

1. Click **Next**.
2. **Policy name:** Enter DocDock-Write-Only-Policy.
3. Click **Create policy**.

Step 3: Create the IAM User & Access Keys

1. In the **IAM** dashboard sidebar, click **Users**, then click **Create user**.
2. **User name:** Enter DocDock-S3-User and click **Next**.
3. Under *Permissions options*, select **Attach policies directly**.
4. Search for your newly created DocDock-Write-Only-Policy, check its box, and click **Next**.
5. Verify the settings and click **Create user**.
6. Click on the newly created user name (DocDock-S3-User) from the list.
7. Go to the **Security credentials** tab, scroll down to *Access keys*, and click **Create access key**.
8. Choose **Application running outside AWS**, then click **Next** and **Create access key**.



CRITICAL SECURITY REMINDER:

Collect your **Access key ID** and **Secret access key** immediately from this screen. The secret key will never be shown to you again.

Step 4: Final DocDock Configuration JSON

Populate your configuration template with the collected values. Due to the strict IAM policy applied, AWS will automatically reject any attempts by DocDock to read, look up, or delete files, ensuring maximum data integrity.

```
{
  "name": "sampleAwsS3",
  "config": {
    "bucketName": "your-bucket-name",
    "region": "your-bucket-region",
    "accessKeyId": "your-access-key-id",
    "secretAccessKey": "your-secret-access-key"
  }
}
```

 **WARNING:** Keep this final JSON configuration strictly confidential. Never commit these credentials to public repositories (like GitHub) or share them in unencrypted channels.