

DocDock Google Cloud Storage Guide

STRICT WRITE-ONLY GCS CONFIGURATION

This guide explains how to set up a Google Cloud Storage (GCS) bucket and create a strictly restricted, write-only Service Account for your DocDock integration.

Configuration Checklist

By following this guide, you will collect and fill in the 3 required variables for your JSON config:

- `bucketName`: The unique name of your Google Cloud Storage bucket.
- `clientEmail`: The unique identity email for the created service account.
- `privateKey`: The secure block generated for your authentication key.

Step 1: Create the Google Cloud Storage Bucket

1. Log in to the **Google Cloud Console** (console.cloud.google.com).
2. Select your project, navigate to the main menu, and go to **Cloud Storage > Buckets**.
3. Click **+ Create**.
4. **Name your bucket**: Enter a globally unique name. (Collect as "`bucketName`").
5. Choose where to store your data (Region or Multi-region) and click **Continue**.
6. Keep the remaining defaults, including keeping "Enforce public access prevention on this bucket" checked.
7. Click **Create**.

Step 2: Create a Write-Only Service Account

To ensure this integration can *only* upload files and is strictly blocked from reading or deleting existing items, we will scope it exclusively as a **Storage Object Creator**.

1. Navigate to **IAM & Admin > Service Accounts** in the Google Cloud console.
2. Click **+ Create Service Account** at the top.
3. **Service account name**: Enter `docdock-ingestion-user` and click **Create and Continue**.
4. **Grant this service account access to project**: Click the *Select a role* dropdown.
5. Search for and select **Cloud Storage > Storage Object Creator**. This role grants `storage.objects.create` permissions natively, with no read, list, or delete capabilities.
6. Click **Continue**, then click **Done**.

Step 3: Generate the Private Authentication Key

1. In the Service Accounts list, locate your newly created account and click its name.
2. Navigate to the **Keys** tab at the top.
3. Click the **Add Key** dropdown and choose **Create new key**.
4. Select **JSON** as the key type and click **Create**.
5. A secure text file will automatically download to your computer. Open this file in a text editor.
6. From the JSON data inside the downloaded file:
 - Collect the value of "client_email". (Collect as "clientEmail").
 - Collect the value of "private_key". (Collect as "privateKey").

Step 4: Final DocDock Configuration JSON

Populate your configuration template with your collected GCS environment parameters:

```
{
  "name": "sampleGoogleGcs",
  "config": {
    "bucketName": "your-bucket-name",
    "clientEmail": "your-client-email@docdock-468303.iam.gserviceaccount.com",
    "privateKey": "-----BEGIN PRIVATE KEY-----\nYOUR-PRIVATE-KEY\n-----END PRIVATE KEY-----\n"
  }
}
```

 **WARNING:** Treat this final JSON and your downloaded private key file with absolute confidentiality. The privateKey grants full programmatic access to authenticate as your service account. Never commit it to GitHub or share it over public communication channels.