

NAME: THIEP DAVID THIEP THIEP
ROLLNO: 92500588042

LAB BOOK UNIT 5

1) Write a trigger to restrict user from accessing the table on weekends.

```
CREATE OR REPLACE TRIGGER trg_restrict_weekend
BEFORE INSERT OR UPDATE OR DELETE ON emp
BEGIN
    IF TO_CHAR(SYSDATE, 'DY', 'NLS_DATE_LANGUAGE=ENGLISH') IN ('SAT',
'SUN') THEN
        RAISE_APPLICATION_ERROR(-20001, 'Table access is not allowed on
weekends.');
```

2) Write a trigger that restricts the entry of record in EMP table if salary is greater than Rs 50000.

```
CREATE OR REPLACE TRIGGER trg_check_salary
BEFORE INSERT ON emp
FOR EACH ROW
BEGIN
    IF :NEW.sal > 50000 THEN
        RAISE_APPLICATION_ERROR(-20002, 'Salary cannot be greater than Rs
50000.');
```

3) Write a trigger to insert the values into the NEWEMP table when the records are inserted into the EMP table.

```
CREATE OR REPLACE TRIGGER trg_insert_newemp

AFTER INSERT ON emp

FOR EACH ROW

BEGIN

    INSERT INTO newemp

    VALUES (:NEW.empno, :NEW.ename, :NEW.job, :NEW.mgr,

            :NEW.hiredate, :NEW.sal, :NEW.comm, :NEW.deptno);

END;

/
```

4) Write a trigger to insert the existing values of the EMP table into NEWEMP table when the record is updated in EMP table.

```
CREATE OR REPLACE TRIGGER trg_update_old_values

BEFORE UPDATE ON emp

FOR EACH ROW

BEGIN

    INSERT INTO newemp

    VALUES (:OLD.empno, :OLD.ename, :OLD.job, :OLD.mgr,

            :OLD.hiredate, :OLD.sal, :OLD.comm, :OLD.deptno);

END;

/
```

5) Write a trigger to insert the existing values of the EMP table into NEWEMP table when the record is deleted from EMP table.

```
CREATE OR REPLACE TRIGGER trg_delete_old_values
BEFORE DELETE ON emp
FOR EACH ROW
BEGIN
    INSERT INTO newemp
    VALUES (:OLD.empno, :OLD.ename, :OLD.job, :OLD.mgr,
            :OLD.hiredate, :OLD.sal, :OLD.comm, :OLD.deptno);
END;
/
```