

ANOTHER PLANET CREATIVE EXPERIENCE / VERSION 2.008 / VARIABLE DISPLAY FONT

Square Bot Sans

ROBOT

WIDTH 80-120

WEIGHT 200-900

ITALIC 0 / 1

IDENTITY / CONCEPT

Squared technical forms for titles, signal, and sci-fi display systems.

SquareBot Sans is a display-first modular sans for cinematic titles, speculative systems, technical signage, and identity-scale typography. Its squared rhythm gives large words a controlled sci-fi voice without leaning on decorative effects.

DESIGNED FOR

Sci-fi display

Title systems, signage, and identity scale

MASTERS

12

Condensed and expanded extremes across three weights and two styles

INSTANCES

49 exporting

Static family map for production delivery

GLYPH SYSTEM

947 glyphs

Latin, symbols, numerals, marks, and technical punctuation

ADMINISTRATIVE DATA CARD

SquareBot Sans / production state

FAMILY

SquareBot Sans

Squared technical sans

VERSION

2.008

UPM 1000

PRODUCTION

49 instances

Active/exporting

DESIGN SPACE

3 axes

wdth / wght / ital

METRICS

729 / 729 / -167

Ascender / cap height / descender

GLYPH SYSTEM

947 total

909 exporting / 38 non-exporting

UNICODE

574 encoded

Latin plus marks and symbols

LAYERS

11,364

947 glyphs x 12 masters

DESIGN SPACE MATRIX

Width and weight system at a glance.

	CONDENSED	REGULAR	EXPANDED
EXTRALIGHT 200	EXTRALIGHT 200 / CONDENSED Aa RO Data	EXTRALIGHT 200 / REGULAR Aa RO Data	EXTRALIGHT 200 / EXPANDED Aa RO Data
REGULAR 400	REGULAR 400 / CONDENSED Aa RO Data	REGULAR 400 / REGULAR Aa RO Data	REGULAR 400 / EXPANDED Aa RO Data
BLACK 900	BLACK 900 / CONDENSED Aa RO Data	BLACK 900 / REGULAR Aa RO Data	BLACK 900 / EXPANDED Aa RO Data

INSTANCE MAP / ROMAN

Roman instances.

Roman instances across condensed, regular, and expanded widths.

CONDENSED WIDTH 80 / ITAL 0	REGULAR WIDTH 100 / ITAL 0	EXPANDED WIDTH 120 / ITAL 0
Condensed ExtraLight ORBIT width 80 / wght 200 / ital 0	ExtraLight ORBIT width 100 / wght 200 / ital 0	Expanded ExtraLight ORBIT width 120 / wght 200 / ital 0
Condensed Light ORBIT width 80 / wght 300 / ital 0	Light ORBIT width 100 / wght 300 / ital 0	Expanded Light ORBIT width 120 / wght 300 / ital 0
Condensed Regular ORBIT width 80 / wght 400 / ital 0	Regular ORBIT width 100 / wght 400 / ital 0	Expanded Regular ORBIT width 120 / wght 400 / ital 0
Condensed Medium ORBIT width 80 / wght 500 / ital 0	Medium ORBIT width 100 / wght 500 / ital 0	Expanded Medium ORBIT width 120 / wght 500 / ital 0
Condensed SemiBold ORBIT width 80 / wght 600 / ital 0 Condensed Bold ORBIT width 80 / wght 700 / ital 0	SemiBold ORBIT width 100 / wght 600 / ital 0 Bold ORBIT width 100 / wght 700 / ital 0	Expanded SemiBold ORBIT width 120 / wght 600 / ital 0 Expanded Bold ORBIT width 120 / wght 700 / ital 0
Condensed ExtraBold ORBIT width 80 / wght 800 / ital 0	ExtraBold ORBIT width 100 / wght 800 / ital 0	Expanded ExtraBold ORBIT width 120 / wght 800 / ital 0
Condensed Black ORBIT width 80 / wght 900 / ital 0	Black ORBIT width 100 / wght 900 / ital 0	Expanded Black ORBIT width 120 / wght 900 / ital 0

INSTANCE MAP / ITALIC

Italic instances.

Italic instances across the same width and weight system.

CONDENSED	WIDTH 80 / ITAL 1	REGULAR	WIDTH 100 / ITAL 1	EXPANDED	WIDTH 120 / ITAL 1
<i>Condensed ExtraLight Italic</i> <i>ORBIT</i> wdth 80 / wght 200 / ital 1		<i>ExtraLight Italic</i> <i>ORBIT</i> wdth 100 / wght 200 / ital 1		<i>Expanded ExtraLight Italic</i> <i>ORBIT</i> wdth 120 / wght 200 / ital 1	
<i>Condensed Light Italic</i> <i>ORBIT</i> wdth 80 / wght 300 / ital 1		<i>Light Italic</i> <i>ORBIT</i> wdth 100 / wght 300 / ital 1		<i>Expanded Light Italic</i> <i>ORBIT</i> wdth 120 / wght 300 / ital 1	
<i>Condensed Italic</i> <i>ORBIT</i> wdth 80 / wght 400 / ital 1		<i>Italic</i> <i>ORBIT</i> wdth 100 / wght 400 / ital 1		<i>Expanded Italic</i> <i>ORBIT</i> wdth 120 / wght 400 / ital 1	
<i>Condensed Medium Italic</i> <i>ORBIT</i> wdth 80 / wght 500 / ital 1		<i>Medium Italic</i> <i>ORBIT</i> wdth 100 / wght 500 / ital 1		<i>Expanded Medium Italic</i> <i>ORBIT</i> wdth 120 / wght 500 / ital 1	
<i>Condensed SemiBold Italic</i> <i>ORBIT</i> wdth 80 / wght 600 / ital 1 <i>Condensed Bold Italic</i> <i>ORBIT</i> wdth 80 / wght 700 / ital 1		<i>SemiBold Italic</i> <i>ORBIT</i> wdth 100 / wght 600 / ital 1 <i>Bold Italic</i> <i>ORBIT</i> wdth 100 / wght 700 / ital 1		<i>Expanded SemiBold Italic</i> <i>ORBIT</i> wdth 120 / wght 600 / ital 1 <i>Expanded Bold Italic</i> <i>ORBIT</i> wdth 120 / wght 700 / ital 1	
<i>Condensed ExtraBold Italic</i> <i>ORBIT</i> wdth 80 / wght 800 / ital 1		<i>ExtraBold Italic</i> <i>ORBIT</i> wdth 100 / wght 800 / ital 1		<i>Expanded ExtraBold Italic</i> <i>ORBIT</i> wdth 120 / wght 800 / ital 1	
<i>Condensed Black Italic</i> <i>ORBIT</i> wdth 80 / wght 900 / ital 1		<i>Black Italic</i> <i>ORBIT</i> wdth 100 / wght 900 / ital 1		<i>Expanded Black Italic</i> <i>ORBIT</i> wdth 120 / wght 900 / ital 1	

AXIS / WIDTH

External width range 80-120.

width 80

CONSTANT WGHT 700

LOW ORBIT RELAY

width 90

CONSTANT WGHT 700

LOW ORBIT RELAY

width 100

CONSTANT WGHT 700

LOW ORBIT RELAY

width 110

CONSTANT WGHT 700

LOW ORBIT RELAY

width 120

CONSTANT WGHT 700

LOW ORBIT RELAY

AXIS / WGHT

Weight range from ExtraLight to Black.

wght 200

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 300

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 400

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 500

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 700

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 900

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

POSITIONS / ITAL

Italic positions: roman and italic.

ital 0

CONSTANT WIDTH 105 /
WGHT 520

Signal crossing sector seven

ital 1

CONSTANT WIDTH 105 /
WGHT 520

Signal crossing sector seven

OPENTYPE FEATURE TAXONOMY

Functional features in the current variable export.

CORE TYPOGRAPHY

kern, liga, case

Implemented in the current export. calt is not present.

NUMERALS

tnum, pnum, zero, frac, numr, dnom, ordn

Implemented numeral features. zero maps zero to zero.slash; lnum and onum are not present in current export.

POSITION

numr, dnom, ordn

Used for fractions and ordinals. sups/subs are not present in current export.

STYLISTIC SETS

ss01-ss04

Functional in the current variable font export.

SYMBOLS

arrows, math, separators, marks

Glyph coverage plus mark/mkmk positioning in GPOS.

NOT PRESENTED AS ACTIVE FEATURES

ss05-ss16 / lnum / onum / sups / subs

These labels appeared in the creative brief, but are not functional tags in the inspected variable WOFF2.

OPENTYPE ON/OFF COMPARISONS

Functional checks for layout engines and buyers.

TNUM Tabular figures	OFF 1,000,000	ON 1,000,000
PNUM Proportional figures	OFF \$1,204.89	ON \$1,204.89
ZERO Slashed zero GSUB maps zero to zero.slash.	OFF 00 1000	ON 0Ø 1Ø0Ø
FRAC Automatic fractions	OFF 5/32 kg	ON ⁵ / ₃₂ kg
CASE Case-sensitive punctuation	OFF {[(HEIGHT)]}	ON {[(HEIGHT)]}
ORDN Ordinal indicators	OFF Station 1a	ON Station 1 ^a
DLIG Discretionary ligatures	OFF <- -> => =< !=	ON ← → → ← ≠

STYLISTIC SETS

Stylistic sets with OFF / ON comparisons.

SS01

Alternate a + rounded punctuation

OFF / DEFAULT A

area grid: [a07]?

ON / SS01 A

area grid: [a07]?

SS02

Alternate l / fl forms

OFF / DEFAULT L

low orbital flight

ON / SS02 L

low orbital flight

SS03

Compact r forms

OFF / DEFAULT R

rare reactor corridor

ON / COMPACT R

rare reactor corridor

SS04

Code zero + technical I/J

OFF / DEFAULT ZERO/I/J

00 I1 / JIG / INDEX

ON / SS04 ZERO/I/J

00 I1 / JIG / INDEX

DEFAULT

Orbital index

SS01 ALT A / ROUND PUNCT.

Area: [a07]?

SS02 ALT L / FL

Low orbital flight

SS03 COMPACT R / SS04 I/J

JIG rare corridor

NUMERAL SYSTEM

Financial, data, and technical samples.

PROPORTIONAL

\$1,204.89 / €8,760.00

TABULAR

\$1,204.89 / €8,760.00

DATE

2026-05-08 / ID 000742

FRACTIONS

$\frac{5}{32}$ $\frac{7}{16}$ $\frac{13}{64}$

CONSTANTS

3.14159 / 2.71828 / 1.61803

SLASHED ZERO

0Ø / 1ØØØ / 2Ø26

NOT IN CURRENT EXPORT

oldstyle figures

onum is not present

GATE 04

SECTION 729

EXPORT READY

LOW ORBIT

TYPE CONTROL

DISPLAY SETTINGS

Title scale, captions, and short technical copy.

8 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

12 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

10 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

16 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

CHARACTER SET OVERVIEW

Grouped coverage for inspection.

UPPERCASE LATIN

A B C D E F G H I J K L M N O P Q R S T U V
W X Y Z

LOWERCASE LATIN

a b c d e f g h i j k l m n o p q r s t u v w x y z

NUMERALS

0 1 2 3 4 5 6 7 8 9 0 0 1 1 2 4 6 8 9 0

PUNCTUATION

.,:;! ? \ / () [] { } - ' "

CURRENCY

\$ € £ ¥ ¢ ₣ ₧ ₨ ₪ ₮

MATH

+ − × ÷ = ≠ < > ≤ ≥ ± ≈ ∞ ∑ Δ √

ARROWS

← ↑ → ↓ ↔ ↕ ↖ ↗ ↘ ↙

SYMBOLS

@ # % & * \$ ¶ © ® ™ ♦ ● ○

DIACRITICS

Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ñ Ò Ó Ô Õ
Ú Û Ü Ý Ž Ž

GLYPH PREVIEW BOARD

Uppercase Latin

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	Q	R	S	T	U	V	W	X	Y	Z	Á	Ă	Â	Ä
P	Q	R	S	T	U	V	W	X	Y	Z	Acute	Abreve	Acircumflex	Adieresis
À	Ā	Ą	Å	Ã	Æ	Ć	Č	Ç	Ĉ	Ċ	Ð	Ď	Đ	É
Agrave	Amacron	Aogonek	Aring	Atilde	AE	Cacute	Ccaron	Coedilla	Ccircumflex	Cdotaccent	Eth	Dcaron	Dcroat	Eacute
Ě	Ê	Ě	Ė	È	Ē	Ę	Ğ	Ĝ	Ġ	Ġ	Ĥ	Ħ	Î	İ
Ecaron	Ecircumflex	Edieresis	Edotaccent	Egrave	Emacron	Eogonek	Gbreve	Gcircumflex	Gcommaaccent	Gdotaccent	Hbar	Hcircumflex	Iacute	Ibreve
Î	Ï	İ	Ì	Ĳ	Ĩ	Į	İ	Ĵ	Ʒ	Í	Ĺ	Ł	Ł	Ń
Icircumflex	Idieresis	Idotaccent	Igrave	Ij	Imacron	Iogonek	Itilde	Jcircumflex	Kcommaaccent	Lacute	Lcaron	Lcommaaccent	Lslash	Nacute
Ň	Ŋ	Ñ	Ŋ	Ó	Ŏ	Ô	Ö	Œ	Ò	Õ	Ō	Ø	Õ	Ŕ
Ncaron	Ncommaaccent	Ntilde	Eng	Oacute	Obreve	Ocircumflex	Odieresis	OE	Ograve	Ohungarumlaut	Omacron	Oslash	Otilde	Racute
Ř	Ŗ	Ś	Š	Ş	Ŝ	Ş	Ț	Ț	Ț	Ț	Þ	Ú	Ů	Û
Rcaron	Rcommaaccent	Sacute	Scaron	Scedilla	Scircumflex	Scommaaccent	Tbar	Tcaron	Tcedilla	Tcommaaccent	Thorn	Uacute	Ubreve	Ucircumflex
Ü	Ù	Ú	Ū	Ů	Ů	Ů	Ŵ	Ŵ	Ŵ	Ý	Ŷ	Ÿ	Ÿ	Ž
Udieresis	Ugrave	Uhungarumlaut	Umacron	Uogonek	Uring	Utilde	Wcircumflex	Wdieresis	Wgrave	Yacute	Ycircumflex	Ydieresis	Ygrave	Zacute
Ž	Ž	Ɓ												
Zcaron	Zdotaccent	Germandbls												

GLYPH PREVIEW BOARD

Lowercase Latin

a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
a	b	c	d	e	f	g	h	i	j	k	l	m	n	o
p	q	r	s	t	u	v	w	x	y	z	á	ă	â	ä
p	q	r	s	t	u	v	w	x	y	z	acute	abreve	acircumflex	adieresis
à	ā	ą	å	ã	æ	ć	č	ç	ĉ	ċ	d'	đ	ð	é
agrave	amacron	ogonek	aring	atilde	ae	ccacute	ccaron	ccedilla	ccircumflex	cdotaccent	dcaron	dcroat	eth	ecute
ě	ê	ë	è	è	ē	ę	ğ	ĝ	ġ	ġ	ĥ	ħ	í	ï
ecaron	ecircumflex	edieresis	edotaccent	egrave	emacron	ogonek	gbreve	gcircumflex	gcommaaccent	gdotaccent	hcircumflex	hbar	iacute	ibreve
î	ï	ı	ì	ij	ī	į	ĩ	ĵ	ķ	ƙ	í	ĺ	ļ	ł
icircumflex	idieresis	idotless	igrave	ij	imacron	ogonek	itilde	jcircumflex	kcommaaccent	kgreenlandic	lacute	lcaron	lcommaaccent	lslash
ń	ň	ŋ	ñ	ŋ	ó	ö	ô	ö	œ	ò	ó	ō	ø	õ
nacute	ncaron	ncommaaccent	ntilde	eng	oacute	obreve	ocircumflex	odieresis	oe	ograve	ohungarumlaut	omacron	oslash	otilde
í	ř	ŕ	ś	š	ş	ș	ş	ß	ţ	ť	ţ	ţ	þ	ú
racute	rcaron	rcommaaccent	sacute	scaron	scedilla	scircumflex	scommaaccent	germandbls	tbar	tcaron	tcedilla	tcommaaccent	thorn	uacute
ů	û	ü	ù	ű	ū	ų	ũ	ũ	ŵ	Ẁ	Ẁ	ý	ÿ	ÿ
ubreve	ucircumflex	udieresis	ugrave	uhungarumlaut	umacron	uogonek	uring	utilde	wcircumflex	wdieresis	wgrave	yacute	ycircumflex	ydieresis
ÿ	ź	ž	ž											
ygrave	zacute	zcaron	zdotaccent											

GLYPH PREVIEW BOARD

Figures, punctuation, symbols

`	´	ˆ	˜	ˇ	¨	–	˘	◊	“	•	,	;	:	.
grave	acute	circumflex	tilde	caron	dieresis	macron	breve	ring	hungarumlaut	dotaccent	comma	semicolon	colon	period
…	-	–	—	_	!	¡	?	¿	’	”	“	”	‘	’
ellipsis	hyphen	endash	emdash	underscore	exclam	exclamdown	question	questiondown	quotesingle	quotedbl	quotedblleft	quotedblright	quoteleft	quoteright
/	\		(	)	[	]	{	}	@	&	#	%	‰	№
slash	backslash	bar	parenleft	parenright	bracketleft	bracketright	braceleft	braceright	at	ampersand	numbersign	percent	perthousand	numero
0	1	2	3	4	5	6	7	8	9	¼	½	¾	⅓	⅔
zero	one	two	three	four	five	six	seven	eight	nine	onequarter	onehalf	threequarters	onethird	twothirds
\$	¢	£	¥	€	₩	₽	₹	₺	₿	©	®	™	§	¶
dollar	cent	sterling	yen	euro	won	ruble	rupee	lira	bitcoin	copyright	registered	trademark	section	paragraph
+	−	×	÷	=	≠	<	>	≤	≥	±	≈	∞	√	Σ
plus	minus	multiply	divide	equal	notequal	less	greater	lessequal	greaterequal	plusminus	approxequal	infinity	radical	summation
Δ	Ω	π	μ	◼	◯	◊	•	*	←	↑	→	↓	↔	↕
increment	Omega	pi	micro	blackcircle	whitecircle	lozenge	bullet	asterisk	leftarrow	uparrow	rightarrow	downarrow	leftrightarrow	updownarrow
↖	↗	↘	↙											
northWestArrow	northEastArrow	southEastArrow	southWestArrow											

OPENTYPE ALTERNATES / SS01

Alternates - Stylistic Set 01

OFF / DEFAULT

a

ON / SS01
ALTERNATE

a.ss01

Ǻ	Â	Ä	Ạ	Ć	Ê	Ě	È	Ę	Ğ	Ĭ	İ	Į	Ł	Ô
unitEB6.ss01	unitEAC.ss01	Adieresis.ss01	unitEAO.ss01	Cdotaccent.ss01	unitEC6.ss01	Edieresis.ss01	Edotaccent.ss01	unitEB8.ss01	Gdotaccent.ss01	Idieresis.ss01	Idotaccent.ss01	unitECA.ss01	Ldot.ss01	unitED8.ss01
Ö	Ọ	Ợ	Q	Ü	Ụ	Ừ	Ẁ	Ỳ	Ỳ	Ž	а	á	ǻ	ǻ
Odieresis.ss01	unitECC.ss01	unitEE2.ss01	Q.ss01	Udieresis.ss01	unitEE4.ss01	unitEFO.ss01	Wdieresis.ss01	Ydieresis.ss01	unitEF4.ss01	Zdotaccent.ss01	a.ss01	aacute.ss01	abreve.ss01	unitEAF.ss01
ǻ	ǻ	ǻ	ǻ	â	ấ	ậ	à	ă	ă	ä	ạ	à	ả	ā
unitEB7.ss01	unitEB1.ss01	unitEB3.ss01	unitEB5.ss01	acircumflex.ss01	unitEA5.ss01	unitEAD.ss01	unitEA7.ss01	unitEA9.ss01	unitEAB.ss01	adieresis.ss01	unitEA1.ss01	agrave.ss01	unitEA3.ss01	amacron.ss01
ą	å	ã	ć	ê	ě	è	ę	ğ	ı	ï	ì	į	ł	ô
aogonek.ss01	aring.ss01	atilde.ss01	cdotaccent.ss01	unitEC7.ss01	edieresis.ss01	edotaccent.ss01	unitEB9.ss01	gdotaccent.ss01	i.ss01	idieresis.ss01	unitECB.ss01	j.ss01	ldot.ss01	unitED9.ss01
ö	ọ	ợ	ü	ụ	ừ	ẁ	Ƴ	ý	ÿ	ÿ	Ƴ	ỳ	ž	.
odieresis.ss01	unitECD.ss01	unitEE3.ss01	udieresis.ss01	unitEE5.ss01	unitEF1.ss01	wdieresis.ss01	y.ss01	yacute.ss01	ycircumflex.ss01	ydieresis.ss01	unitEF5.ss01	ygrave.ss01	zdotaccent.ss01	period.ss01
,	:	;	...	!	¡	?	¿	·	,	”	“	”	‘	’
comma.ss01	colon.ss01	semicolon.ss01	ellipsis.ss01	exclam.ss01	exclamdown.ss01	question.ss01	questiondown.ss01	periodcentered.ss01	quotingsinglbase.ss01	quotedblbase.ss01	quotedblleft.ss01	quotedblright.ss01	quoteleft.ss01	quoteright.ss01
÷														
divide.ss01														

OPENTYPE ALTERNATES / SS02-SS04

Alternates - Stylistic Sets 02-04

Stylistic Set 02

l	í	l'	ł	ḷ	ł	fl	ffl
l.ss02	locute.ss02	lcaron.ss02	uni013C.ss02	ldot.ss02	lslash.ss02	fl.ss02	f_f_liga.ss02

Stylistic Set 03

r	í	ř	ŕ
r.ss03	racute.ss03	rcaron.ss03	uni0157.ss03

Stylistic Set 04

θ	l	ll	í	ř	î	ï	ï	!	ì	í	ĩ
zero.ss04	l.ss04	ll.ss04	Iacute.ss04	Ibreve.ss04	Icircumflex.ss04	Idieresis.ss04	Idotaccent.ss04	uniHECA.ss04	Igrave.ss04	uniHEC8.ss04	Imacron.ss04
l	ĩ										
Iogonek.ss04	Itilde.ss04										

LANGUAGE COVERAGE

Latin language samples covered by the current export.

FRENCH

Énergie orbitale prête

GERMAN

Übergrößen für Städte

SPANISH

Señal rápida año cero

PORTUGUESE

Órbita de ação técnica

ITALIAN

Sistema titolo modulare

DUTCH

IJssel data station

POLISH

Zażółć gęślą jaźń

CZECH

Příliš žluťoučký kůň

TURKISH

Çağrı yönü hazır

DANISH

Rød blå strøm

SWEDISH

Skärgård över månen

NORWEGIAN

Kjølig blå strøm

FINNISH

Yö näkyy äärellä

ROMANIAN


Știință și țară

HUNGARIAN

Árvíztűrő tükörfúrógép

GLYPH CATEGORY DATA

947 glyphs organized by production category.



TECHNICAL SPECIFICATIONS

Square Bot Sans v2.008

**LATIN-ALPHABET
LANGUAGES**

Afrikaans, Albanian, Asturian, Basque, Bosnian, Breton, Catalan, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish, French, Friulian, Galician, German, Greenlandic, Hungarian, Icelandic, Indonesian, Irish, Italian, Javanese, Kurdish, Latvian, Lithuanian, Luxembourgish, Malay, Maltese, Norwegian, Occitan, Polish, Portuguese, Romanian, Romansch, Serbian, Slovak, Slovenian, Spanish, Swahili, Swedish, Turkish, Welsh, Zulu

FILE FORMATS

Desktop: OTF
Web: WOFF2
App: OTF / TTF

DESIGN SPACE

Width 80-120
Weight 200-900
Italic positions 0 / 1
12 masters / 49 exporting instances

METRICS

UPM 1000
Ascender 729 / Cap height 729 / Descender -167
x-height range 515-546

GLYPH PRODUCTION

947 glyphs total
909 exporting / 38 non-exporting
574 Unicode-encoded glyphs
All glyphs include 12 production layers

SIL FONT

SIL Open Font License
ap.cx

ABOUT

Another Planet Creative Experience develops type systems for display typography, interface density, technical signage, and speculative visual identities.

CONTACT

hello@ap.cx

FINAL TECHNICAL / SIL FONT

Square Bot Sans v2.008

FORMATS

Variable TTF / Static OTF / Web WOFF2

LICENSE

SIL Open Font License / ap.cx

EXPORT STATE

12 masters / 49 active instances / 909 exporting glyphs / OpenType features verified against the live Glyphs source.

FOUNDRY

Another Planet Creative Experience

CONTACT

hello@ap.cx

AP.CX