

ANOTHER PLANET CREATIVE EXPERIENCE / VERSION 2.001 / VARIABLE DISPLAY FONT

Square Bot Sans

R2BOT

WIDTH 80-120

WEIGHT 200-900

ITALIC 0 / 1

IDENTITY / CONCEPT

Squared technical forms for titles, signal, and sci-fi display systems.

SquareBot Sans is a display-first modular sans for cinematic titles, speculative systems, technical signage, and identity-scale typography. Its squared rhythm gives large words a controlled sci-fi voice without leaning on decorative effects.

DESIGNED FOR

Sci-fi display

Title systems, signage, and identity scale

MASTERS

12

Condensed and expanded extremes across three weights and two styles

INSTANCES

49 exporting

Static family map for production delivery

GLYPH SYSTEM

937 glyphs

Latin, symbols, numerals, marks, and technical punctuation

ADMINISTRATIVE DATA CARD

SquareBot Sans / production state

FAMILY

SquareBot Sans

Squared technical sans

VERSION

2.001

UPM1000

PRODUCTION

49 instances

Active/exporting

DESIGN SPACE

3 axes

width / wght / ital

METRICS

729 / 729 / -167

Ascender / cap height / descender

GLYPH SYSTEM

937 total

898 exporting / 39 non-exporting

UNICODE

569 encoded

Latin plus marks and symbols

LAYERS

11,244

937 glyphs x 12 masters

DESIGN SPACE MATRIX

Width and weight system at a glance.

EXTRALIGHT 200	CONDENSED EXTRALIGHT 200 / CONDENSED Aa R0 Data	REGULAR EXTRALIGHT 200 / REGULAR Aa R0 Data	EXPANDED EXTRALIGHT 200 / EXPANDED Aa R0 Data
	REGULAR 400 / CONDENSED Aa R0 Data	REGULAR 400 / REGULAR Aa R0 Data	REGULAR 400 / EXPANDED Aa R0 Data
	BLACK 900 / CONDENSED Aa R0 Data	BLACK 900 / REGULAR Aa R0 Data	BLACK 900 / EXPANDED Aa R0 Data

INSTANCE MAP / ROMAN

Roman instances.

Roman instances across condensed, regular, and expanded widths.

CONDENSED	REGULAR	EXPANDED
CONDENSED CONDENSED ExtraLight ORBIT width 80 / wght 200 / ital 0	REGULAR ExtraLight ORBIT width 100 / wght 200 / ital 0	EXPANDED Expanded ExtraLight ORBIT width 120 / wght 200 / ital 0
CONDENSED CONDENSED Light ORBIT width 80 / wght 300 / ital 0	REGULAR Light ORBIT width 100 / wght 300 / ital 0	EXPANDED Expanded Light ORBIT width 120 / wght 300 / ital 0
CONDENSED CONDENSED Regular ORBIT width 80 / wght 400 / ital 0	REGULAR Regular ORBIT width 100 / wght 400 / ital 0	EXPANDED Expanded Regular ORBIT width 120 / wght 400 / ital 0
CONDENSED CONDENSED Medium ORBIT width 80 / wght 500 / ital 0	REGULAR Medium ORBIT width 100 / wght 500 / ital 0	EXPANDED Expanded Medium ORBIT width 120 / wght 500 / ital 0
CONDENSED CONDENSED SemiBold ORBIT width 80 / wght 600 / ital 0	REGULAR SemiBold ORBIT width 100 / wght 600 / ital 0	EXPANDED Expanded SemiBold ORBIT width 120 / wght 600 / ital 0
CONDENSED CONDENSED Bold ORBIT width 80 / wght 700 / ital 0	REGULAR Bold ORBIT width 100 / wght 700 / ital 0	EXPANDED Expanded Bold ORBIT width 120 / wght 700 / ital 0
CONDENSED CONDENSED ExtraBold ORBIT width 80 / wght 800 / ital 0	REGULAR ExtraBold ORBIT width 100 / wght 800 / ital 0	EXPANDED Expanded ExtraBold ORBIT width 120 / wght 800 / ital 0
CONDENSED CONDENSED Black ORBIT width 80 / wght 900 / ital 0	REGULAR Black ORBIT width 100 / wght 900 / ital 0	EXPANDED Expanded Black ORBIT width 120 / wght 900 / ital 0

INSTANCE MAP / ITALIC

Italic instances.

Italic instances across the same width and weight system.

CONDENSED CONDENSED ExtraLight Italic ORBIT width 80 / wght 200 / ital 1	REGULAR REGULAR ExtraLight Italic ORBIT width 100 / wght 200 / ital 1	EXPANDED EXPANDED ExtraLight Italic ORBIT width 120 / wght 200 / ital 1
CONDENSED CONDENSED Light Italic ORBIT width 80 / wght 300 / ital 1	REGULAR REGULAR Light Italic ORBIT width 100 / wght 300 / ital 1	EXPANDED EXPANDED Light Italic ORBIT width 120 / wght 300 / ital 1
CONDENSED CONDENSED Italic ORBIT width 80 / wght 400 / ital 1	REGULAR REGULAR Italic ORBIT width 100 / wght 400 / ital 1	EXPANDED EXPANDED Italic ORBIT width 120 / wght 400 / ital 1
CONDENSED CONDENSED Medium Italic ORBIT width 80 / wght 500 / ital 1	REGULAR REGULAR Medium Italic ORBIT width 100 / wght 500 / ital 1	EXPANDED EXPANDED Medium Italic ORBIT width 120 / wght 500 / ital 1
CONDENSED CONDENSED SemiBold Italic ORBIT width 80 / wght 600 / ital 1	REGULAR REGULAR SemiBold Italic ORBIT width 100 / wght 600 / ital 1	EXPANDED EXPANDED SemiBold Italic ORBIT width 120 / wght 600 / ital 1
CONDENSED CONDENSED Bold Italic ORBIT width 80 / wght 700 / ital 1	REGULAR REGULAR Bold Italic ORBIT width 100 / wght 700 / ital 1	EXPANDED EXPANDED Bold Italic ORBIT width 120 / wght 700 / ital 1
CONDENSED CONDENSED ExtraBold Italic ORBIT width 80 / wght 800 / ital 1	REGULAR REGULAR ExtraBold Italic ORBIT width 100 / wght 800 / ital 1	EXPANDED EXPANDED ExtraBold Italic ORBIT width 120 / wght 800 / ital 1
CONDENSED CONDENSED Black Italic ORBIT width 80 / wght 900 / ital 1	REGULAR REGULAR Black Italic ORBIT width 100 / wght 900 / ital 1	EXPANDED EXPANDED Black Italic ORBIT width 120 / wght 900 / ital 1

AXIS / WIDTH

External width range 80-120.

width 80

CONSTANT WGHT 700

LOW ORBIT RELAY

width 90

CONSTANT WGHT 700

LOW ORBIT RELAY

width 100

CONSTANT WGHT 700

LOW ORBIT RELAY

width 110

CONSTANT WGHT 700

LOW ORBIT RELAY

width 120

CONSTANT WGHT 700

LOW ORBIT RELAY

AXIS / WGHT

Weight range from ExtraLight to Black.

wght 200

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 300

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 400

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 500

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 700

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

wght 900

CONSTANT WIDTH 100

ORBITAL DOCKING VECTOR

POSITIONS / ITAL

Italic positions: roman and italic.

ital 0

CONSTANT WIDTH 105 /
WGHT 520

Signal crossing sector seven

ital 1

CONSTANT WIDTH 105 /
WGHT 520

Signal crossing sector seven

OPENTYPE FEATURE TAXONOMY

Functional features in the current variable export.

CORE TYPOGRAPHY

kern, liga, case

Implemented in the current export. calt is not present.

NUMERALS

tnum, pnum, frac, numr, dnom, ordn

Implemented numeral features. zero, lnum, and onum are not present in current export.

POSITION

numr, dnom, ordn

Used for fractions and ordinals. sups/subs are not present in current export.

STYLISTIC SETS

ss01-ss04

Functional in the current variable font export.

SYMBOLS

arrows, math, separators, marks

Glyph coverage plus mark/mkmk positioning in GPOS.

NOT PRESENTED AS ACTIVE FEATURES

ss05-ss16 / zero / lnum / onum / sups / subs

These labels appeared in the creative brief, but are not functional tags in the inspected variable WOFF2.

OPENTYPE ON/OFF COMPARISONS

Functional checks for layout engines and buyers.

TNUM Tabular figures	OFF 1,000,000	ON 1,000,000
PNUM Proportional figures	OFF \$1,204.89	ON \$1,204.89
FRAC Automatic fractions	OFF 5/32 kg	ON 5/32 kg
CASE Case-sensitive punctuation	OFF {[(HEIGHT)]}	ON {[(HEIGHT)]}
ORDN Ordinal indicators	OFF Station 1a	ON Station 1 ^a
DLIG Discretionary ligatures	OFF <- -> => =< !=	ON ← → => =< !=

STYLISTIC SETS

Stylistic sets with OFF / ON comparisons.

SS01

Rounded punctuation

OFF / SQUARE PUNCTUATION

Data grid, fracture.

ON / ROUNDED PUNCTUATION

Data grid, fracture.

SS02

Alternate lowercase a

OFF / DEFAULT A

analog data / area alarm

ON / ALTERNATE A

analog data / area alarm

SS03

Compact r forms

OFF / DEFAULT R

rare reactor corridor

ON / COMPACT R

rare reactor corridor

SS04

Technical I/J

OFF / DEFAULT I/J

IJ / JIG / INDEX JOIN

ON / TECHNICAL I/J

IJ / JIG / INDEX JOIN

DEFAULT

Orbital index

SS01 ROUNDED PUNCT.

Grid: [07]?

SS02 ALT A

Lunar array

SS03 COMPACT R / SS04 I/J

JIG rare corridor

NUMERAL SYSTEM

Financial, data, and technical samples.

PROPORTIONAL

\$1,204.89 / €8,760.00

TABULAR

\$1,204.89 / €8,760.00

DATE

2026-05-08 / ID 000742

FRACTIONS

$\frac{5}{32}$ $\frac{7}{16}$ $\frac{13}{64}$

CONSTANTS

3.14159 / 2.71828 / 1.61803

UNAVAILABLE

oldstyle / slashed zero

onum and zero tags are not present in the current export

GATE 04

SECTION 729

EXPORT READY

LOW ORBIT

TYPE CONTROL

DISPLAY SETTINGS

Title scale, captions, and short technical copy.

8 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

12 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

18 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

16 PT

SquareBot Sans is intended to lead with title-scale presence. At smaller sizes it can support labels and short captions, but its strongest voice appears in display typography, signage, identity lockups, and sci-fi editorial systems. The family stays engineered and controlled without becoming theatrical.

CHARACTER SET OVERVIEW

Grouped coverage for inspection.

UPPERCASE LATIN

ABCDEFGHIJKLMNOPQRSTUVWXYZ
WXYZ

LOWERCASE LATIN

abcdefghijklmnopqrstuvwxyz

NUMERALS

0123456789 00 11 24 68 90

PUNCTUATION

.,:;!/?\()[]{}-'"

CURRENCY

\$ € £ ¥ ¢ ₪ ₪ ₪ ₪ ₪ ₪ ₪ ₪

MATH

+ - × ÷ = ≠ < > ≤ ≥ ± ≈ ∞ Σ Δ √

ARROWS

← ↑ → ↓ ↔ ↕ ↖ ↗ ↘ ↙

SYMBOLS

@ # % & * \$ ¶ © ® ™ ♦ ● ○

DIACRITICS

Á Â Ã Ä Å Æ Ç È É Ê Ë Ì Í Î Ñ Ó Ô Õ
Ú Û Ü Ý Ž Ž

GLYPH PREVIEW BOARD

Uppercase Latin

A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
P	Q	R	S	T	U	V	W	X	Y	Z	Á	Ă	Â	Ä
P	Q	R	S	T	U	V	W	X	Y	Z	Acute	Abreve	Acircumflex	Adieresis
À	Ā	Ą	Å	Ã	Æ	Ć	Č	Ç	Ĉ	Ċ	Ð	Ď	Đ	É
Agrave	Amacron	Aogonek	Aring	Atilde	AE	Cacute	Ccaron	Ccedilla	Ccircumflex	Cdotaccent	Eth	Dcaron	Dcroat	Eacute
Ě	Ê	Ě	È	È	Ē	Ę	Ğ	Ĝ	Ġ	Ġ	Ĥ	Ĥ	Í	İ
Ecaron	Ecircumflex	Edieresis	Edotaccent	Egrave	Emacron	Eogonek	Gbreve	Gcircumflex	Gcommaaccent	Gdotaccent	Hbar	Hcircumflex	Iacute	Ibreve
Î	Ĭ	İ	Ì	Ĳ	Ī	Į	Ĩ	Ĵ	Ɔ	Í	Ĺ	Ł	Ł	Ń
Icircumflex	Idieresis	Idotaccent	Igrave	IJ	Imacron	Iogonek	Itilde	Jcircumflex	Kcommaaccent	Lacute	Lcaron	Lcommaaccent	Lslash	Nacute
Ň	Ŋ	Ñ	Ŋ	Ó	Ŏ	Ô	Ö	Œ	Ò	Õ	Ō	Ø	Õ	Ŕ
Noaron	Ncommaaccent	Ntilde	Eng	Oacute	Obreve	Ocircumflex	Odieresis	OE	Ograve	Ohungarumlaut	Omacron	Oslash	Otilde	Racute
Ř	Ŗ	Ś	Š	Ş	Ŝ	Ş	Ț	Ț	Ț	Ț	Ț	Ú	Ů	Û
Rcaron	Rcommaaccent	Sacute	Scaron	Scedilla	Scircumflex	Scommaaccent	Tbar	Tcaron	Tcedilla	Tcommaaccent	Thorn	Uacute	Ubreve	Ucircumflex
Ü	Ù	Ú	Ū	Ů	Ů	Ů	Ŵ	Ŵ	Ŵ	Ý	Ŷ	Ÿ	Ÿ	Ž
Udieresis	Ugrave	Uhungarumlaut	Umacron	Uogonek	Uring	Utilde	Wcircumflex	Wdieresis	Wgrave	Yacute	Ycircumflex	Ydieresis	Ygrave	Zacute
Ž	Ž	Ɓ												
Zcaron	Zdotaccent	Germandbls												

Lowercase Latin

ÿ	ž	ž	ž
ygrave	zacute	zaron	zdotaccent

GLYPH PREVIEW BOARD

Figures, punctuation, symbols

`	´	^	~	ˇ	¨	—	˘	°	“	•	,	;	:	.
grave	acute	circumflex	tilde	caron	dieresis	macron	breve	ring	hungarumlaut	dotaccent	comma	semicolon	colon	period
...	-	-	—	_	!	¡	?	¿	'	"	“	”	‘	’
ellipsis	hyphen	endash	emdash	underscore	exclam	exclamdown	question	questiondown	quotesingle	quotedbl	quotedblleft	quotedblright	quoteleft	quoteright
/	\		(	)	[	]	{	}	@	&	#	%	‰	№
slash	backslash	bar	parenleft	parenright	bracketleft	bracketright	braceleft	braceright	at	ampersand	numbersign	percent	perthousand	numero
0	1	2	3	4	5	6	7	8	9	¼	½	¾	⅓	⅔
zero	one	two	three	four	five	six	seven	eight	nine	onequarter	onehalf	threequarters	onethird	twothirds
\$	¢	£	¥	€	₩	₽	₹	₺	₿	©	®	™	§	¶
dollar	cent	sterling	yen	euro	won	ruble	rupee	lira	bitcoin	copyright	registered	trademark	section	paragraph
+	-	×	÷	=	≠	<	>	≤	≥	±	≈	∞	√	Σ
plus	minus	multiply	divide	equal	notequal	less	greater	lessequal	greaterequal	plusminus	approxequal	infinity	radical	summation
Δ	Ω	π	μ	●	○	◊	•	*	←	↑	→	↓	↔	↕
increment	Omega	pi	micro	blackcircle	whitecircle	lozenge	bullet	asterisk	leftarrow	uparrow	rightarrow	downarrow	leftrightarrow	updownarrow
↖	↗	↘	↙											
northwest	northeast	southeast	southwest											

OPENTYPE ALTERNATES / SS01

Alternates - Stylistic Set 01

Ă	Â	Ä	Ạ	Ć	Ê	Ě	È	Ę	Ğ	İ	Í	Ị	Ł	Ô
uni1EB6.ss01	uni1EAC.ss01	Adieresis.ss01	uni1EA8.ss01	Cdotaccent.ss01	uni1EC6.ss01	Edieresis.ss01	Edotaccent.ss01	uni1EB8.ss01	Gdotaccent.ss01	Idieresis.ss01	Idotaccent.ss01	uni1ECA.ss01	Ldot.ss01	uni1ED8.ss01
Ö	Ọ	Ợ	Q	Ü	Ụ	Ừ	Ẁ	Ỳ	Ỳ	Ž	á	á	ă	ă
Odieresis.ss01	uni1ECC.ss01	uni1EE2.ss01	Q.ss01	Udieresis.ss01	uni1EE4.ss01	uni1EF8.ss01	Wdieresis.ss01	Ydieresis.ss01	uni1EF4.ss01	Zdotaccent.ss01	a.ss01	acute.ss01	abreve.ss01	uni1EAF.ss01
ă	ă	ă	ă	â	á	â	à	ă	ă	ä	ạ	à	ả	ā
uni1EB7.ss01	uni1EB1.ss01	uni1EB3.ss01	uni1EB5.ss01	acircumflex.ss01	uni1EA5.ss01	uni1EAD.ss01	uni1EA7.ss01	uni1EA9.ss01	uni1EAB.ss01	adieresis.ss01	uni1EA1.ss01	agrave.ss01	uni1EA3.ss01	amacron.ss01
ą	å	ã	ć	ê	ě	è	ę	ğ	ı	ï	ì	ĵ	ł	ô
ogonek.ss01	aring.ss01	atilde.ss01	cdotaccent.ss01	uni1EC7.ss01	edieresis.ss01	edotaccent.ss01	uni1EB9.ss01	gdotaccent.ss01	i.ss01	idieresis.ss01	uni1ECB.ss01	j.ss01	ldot.ss01	uni1ED9.ss01
ö	ọ	ợ	ü	ụ	ừ	ẁ	Ƴ	ý	ÿ	ÿ	Ƴ	ỳ	ž	.
odieresis.ss01	uni1ECD.ss01	uni1EE3.ss01	udieresis.ss01	uni1EE5.ss01	uni1EF1.ss01	wdieresis.ss01	y.ss01	yacute.ss01	ycircumflex.ss01	ydieresis.ss01	uni1EF5.ss01	ygrave.ss01	zdotaccent.ss01	period.ss01
,	:	;	...	!	ı	?	¿	·	,	”	“	”	‘	’
comma.ss01	colon.ss01	semicolon.ss01	ellipsis.ss01	exclam.ss01	exclamdown.ss01	question.ss01	questiondown.ss01	periodcentered.ss01	quotingslbase.ss01	quotedblbase.ss01	quotedblleft.ss01	quotedblright.ss01	quoteleft.ss01	quoteright.ss01
÷														
divide.ss01														

OPENTYPE ALTERNATES / SS02-SS04

Alternates - Stylistic Sets 02-04

Stylistic Set 02

l	í	l'	l,	ḷ	ł	fl	ffl	
l.ss02	locute.ss02	lcaron.ss02	uni013C.ss02	ldot.ss02	lslash.ss02	fl.ss02	f_f_liga.ss02	

Stylistic Set 03

r	í	ř	ŕ	
r.ss03	racute.ss03	rcaron.ss03	uni0157.ss03	

Stylistic Set 04

I	IJ	í	ï	î	ï	ï	!	ì	ï	ĩ	ı
I.ss04	IJ.ss04	Iacute.ss04	Ibreve.ss04	Icircumflex.ss04	Idieresis.ss04	Idotaccent.ss04	uni1ECA.ss04	Igrave.ss04	uni1EC8.ss04	Imacron.ss04	Iogonek.ss04
ĩ											
Itilde.ss04											

LANGUAGE COVERAGE

Latin language samples covered by the current export.

FRENCH

Énergie orbitale prête

GERMAN

Übergrößen für Städte

SPANISH

Señal rápida año cero

PORTUGUESE

Órbita de ação técnica

ITALIAN

Sistema titolo modulare

DUTCH

IJssel data station

POLISH

Zażółć gęślą jaźń

CZECH

Příliš žluťoučký kůň

TURKISH

Çağrı yönü hazır

DANISH

Rød blå strøm

SWEDISH

Skärgård över månen

NORWEGIAN

Kjølig blå strøm

FINNISH

Yö näkyy äärellä

ROMANIAN


Știință și țară

HUNGARIAN

Árvíztűrő tükörfúrógép

GLYPH CATEGORY DATA

937 glyphs organized by production category.



TECHNICAL SPECIFICATIONS

Square Bot Sans v2.001

**LATIN-ALPHABET
LANGUAGES**

Afrikaans, Albanian, Asturian, Basque, Bosnian, Breton, Catalan, Croatian, Czech, Danish, Dutch, English, Esperanto, Estonian, Faroese, Finnish, French, Friulian, Galician, German, Greenlandic, Hungarian, Icelandic, Indonesian, Irish, Italian, Javanese, Kurdish, Latvian, Lithuanian, Luxembourgish, Malay, Maltese, Norwegian, Occitan, Polish, Portuguese, Romanian, Romansch, Serbian, Slovak, Slovenian, Spanish, Swahili, Swedish, Turkish, Welsh, Zulu

FILE FORMATS

Desktop: OTF
Web: WOFF2
App: OTF / TTF

DESIGN SPACE

Width 80-120
Weight 200-900
Italic positions 0 / 1
12 masters / 49 exporting instances

METRICS

UPM 1000
Ascender 729 / Cap height 729 / Descender -167
x-height range 515-546

GLYPH PRODUCTION

937 glyphs total
898 exporting / 39 non-exporting
569 Unicode-encoded glyphs
All glyphs include 12 production layers

LICENSING

Desktop
Web
App
Logo
Trial

ABOUT

Another Planet Creative Experience develops type systems for display typography, interface density, technical signage, and speculative visual identities.

CONTACT

@ap.cx
ap.cx

FINAL TECHNICAL / LICENSING

Square Bot Sans v2.001

FORMATS

Variable TTF / Static OTF / Web WOFF2

USE

Desktop / Web / App / Logo / Trial

EXPORT STATE

12 masters / 49 active instances / 901 exporting glyphs / OpenType features verified against the live Glyphs source.

FOUNDRY

Another Planet Creative Experience

CONTACT

@ap.cx / ap.cx

AP.CX