
1. Index Page

```
<html>
   <head>
       <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.m
in.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
       <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.
js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
<link rel="stylesheet" href="global.css"></link>
<link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
</head>
   <body>
     <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <img src="./libra-icon.jpg" style="width: 100;height:</pre>
60;">
           <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
            <a class="nav-link" href="#">Home <span class="sr-</pre>
only">(current)</span></a>
              <a class="nav-link" href="#">About Library</a>
              <a class="nav-link" href="#">Rules &
Regulations</a>
                <a class="nav-link" href="#">Price Card</a>
```

```
<form class="form-inline my-2 my-lg-0">
                <button type="submit" class="btn btn-warning btn-lg</pre>
logbutton">Login</putton>
              </form>
            </div>
            </div>
          </nav>
          <div class="container">
              <div class="row">
                <div class="col-4">
                </div>
                <div class="col-4" style="padding-left: 75;">
                  <label><h1>Sign Up</h1></label>
                </div>
                </div>
                <div class="row">
                <div class="col-4">
                </div>
                <div class="col-4">
                  <form>
                    <div class="form-group">
                      </div>
                      <div class="form-group">
                          <label>First Name</label>
                          <input type="text" class="form-control"</pre>
id="firstName" placeholder="Enter first name">
                        </div>
                        <div class="form-group">
                          <label>Last Name
                          <input type="text" class="form-control"</pre>
id="lastName" placeholder="Enter last name">
                        </div>
                      <div class="form-group">
                        <label>Email address</label>
                        <input type="email" class="form-control"</pre>
id="email" placeholder="Enter email">
                      </div>
                      <div class="form-group">
                        <label>Password</label>
```






2. Login page

```
<html>
    <head>
        <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.m
in.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
        <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.
js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
<link rel="stylesheet" href="global.css"></link>
<link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
</head>
    <body>
        <div class="container bgimg">
              <div class="row">
                <div class="col-4">
                </div>
                <div class="col-4 logform">
                      <div class="row">
                          <div class="col-4">
                                     <div><img src="./LMS-books.jpg"</pre>
style="width: 90; height: 100;"> </div>
                          </div>
                          <div class="col-4">
                                   <h1>LIBRARY</h1>
                                   <h6>MANAGEMENT SYSTEM</h6>
                          </div>
                       </div>
                    <form class="form-inline">
                         <div class="form-group row">
                                     <label style="width: 150px;"</pre>
for="validationCustomUsername">User Name</label>
                            <div class="input-group">
```

```
<div class="input-group-prepend">
                                        <span class="input-group-text"</pre>
id="inputGroupPrepend"><i class="fa fa-user" aria-
hidden="true"></i></span>
                                  </div>
                                      <input type="text" class="form-</pre>
control" id="validationCustomUsername" aria-
describedby="inputGroupPrepend" required style="width: 170px;">
                                      <div class="invalid-feedback">
                                          Please choose a username.
                                         </div>
                             </div>
                       </div>
                       <div class="form-group row" style="margin-top:</pre>
20;">
                         <label style="width: 150px;">Password</label>
                         <div class="input-group">
                         <div class="input-group-prepend">
                             <span class="input-group-text"</pre>
id="inputGroupPrepend"><i class="fa fa-key" aria-
hidden="true"></i></span>
                         </div>
                         <input type="password" class="form-control"</pre>
id="password" style="width: 170px;">
                         </div>
                       </div>
                       <div class="form-group row">
                         <div class="col-sm-10" style="padding-left:</pre>
150;margin-top: 50;">
                           <button type="submit" class="btn btn-warning</pre>
logform">Login</button>
                         </div>
                       </div>
                     </form>
                       <div class="col-4">
                     </div>
            </div>
        </div>
    </body>
```




3. Search Books page

```
<html>
   <head>
       <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.m
in.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
       <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.
is" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
<link rel="stylesheet" href="global.css"></link>
<link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
</head>
   <body>
     <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <img src="./libra-icon.jpg" style="width: 100;height: 60;">
           <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent">
            <a class="nav-link" href="#">Home <span class="sr-</pre>
only">(current)</span></a>
              <a class="nav-link" href="#">About Library</a>
              <a class="nav-link" href="#">Rules &
Regulations</a>
                <a class="nav-link" href="#">Price Card</a>
```

```
<form class="form-inline my-2 my-lg-0">
             <button type="submit" class="btn btn-warning btn-lg</pre>
logbutton">Search</button>
           </form>
         </div>
        </nav>
        <div class="container-fluid">
         <div class="row">
           <div class="col-12">
              <form>
                <div><label><h1>Search Book</h1></label></div>
                <div class="form-group row">
                 <label for="booktitle" class="col-sm-2 col-form-</pre>
label">Book Title:</label>
                 <div class="col-sm-10">
                   <input type="text" class="form-control"</pre>
id="booktitle" style="width: 50%;" >
                 </div>
                </div>
                 <button type="submit" class="btn btn-warning</pre>
subbutton" style="margin-left: 200px;">Search</button>
                </form>
           </div>
         </div>
         <div class="row">
            <div class="col-12">
              Book ID
                     Book Name
                     Book Description
                     Author
                     Number of books
available
                     Purchase
                   </thead>
                 1101
                     Web Designing
                     Intro to HTML,XML & javascrit
                     J S Tomasi
                     25
                     <a href="#" class="link-
primary">Purchase</a>
```

```
1102
               Operating system
               Introduction to OS
               Gilsberg
               10
               <a href="#" class="link-
primary">Purchase</a>
              1103
               python
               Intro to python
               Armond james
               15
               <a href="#" class="link-
primary">Purchase</a>
              1104
               Java
               Intro to core java
               stroustrup
               25
               <a href="#" class="link-
primary">Purchase</a>
              1105
               Software Engineering
               Process in software engg
               philippe kruchten
               15
               <a href="#" class="link-
primary">Purchase</a>
              </div>
      </div>
    </div>
  </body>
</html>
```






4. About page

```
<html>
   <head>
       <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.m
in.css" integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
       <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"</pre>
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCkRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.
js" integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.
js" integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
<link rel="stylesheet" href="global.css"></link>
<link rel="stylesheet" href="./font-awesome/css/font-awesome.min.css">
</head>
   <body>
     <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
       <img src="./libra-icon.jpg" style="width: 100;height: 60;">
           <div class="collapse navbar-collapse"</pre>
id="navbarSupportedContent" style="width: 600%;">
            <a class="nav-link" href="#">Home <span class="sr-</pre>
only">(current)</span></a>
              orange;">
                <a class="nav-link" href="#">About Library</a>
              <a class="nav-link" href="#">Rules &
Regulations</a>
                <a class="nav-link" href="#">Price Card</a>
```

```
</div>
              <div class="container" >
              <form class="form-inline my-2 my-lg-0">
                <button type="submit" class="btn btn-dark btn-lg</pre>
logbutton">Login</button>
              </form>
            </div>
          </nav>
          <div class="container">
            <div class="row img-about">
              <div class="col" style="text-align: ju;border: 1px solid</pre>
gray;">
                <div style="padding-top: 80;"><h1>Welcome to</h1></div>
                <div><h1>Library Management System</h1></div>
              </div>
            </div>
            </div>
            <div class="container"></div>
            <div class="row">
                <div class="col" style="padding: 50;text-align:</pre>
ju;border: 1px solid gray;">
                  <div><h4>Online library management project in spring
spring and hibernate is
                      complete solution for all the manual problem that
we face during the library
                      management. Mainly there are 2 main actor of the
application that going to operate
                      the application <b>1)Admin/ Librarian and 2)
User/Students.</b><br/>
                      Book or Digital books is the main module of the
library management
                      system. Book are assets that we are storing in
the database with some
                      details like name, author name and version and a
PDF format. So admin
                      can perform crud operation and issued the booked
to users</h4></div>
                </div>
              </div>
        </div>
    </body>
/html>
```



Online library management project in spring spring and hibernate is complete solution for all the manual problem that we face during the library management. Mainly there are 2 main actor of the application that going to operate the application 1)Admin/ Librarian and 2) User/Students.

Book or Digital books is the main module of the library management system. Book are assets that we are storing in the database with some details like name, author name and version and a PDF format. So admin can perform crud operation and issued the booked to users



Global.css

```
.navbar-collapse{
   font-size: 20;
   font-weight: bolder;
   padding-left: 60px;
.logbutton{
   font-weight: 200;
   color: white;
.subbutton{
   font-weight: 200;
   color: white;
   border-radius: 20px;
   margin-left: 100px;
   width: 150px;
.form-group{
   font-size: larger;
   font-weight: 20;
   font-family: Verdana, Geneva, Tahoma, sans-serif;
.navbar-brand {
font-size: 60;
BORDER: 10PX SOLID WHITE;
.signup{
   padding-left: 75;
   font-family: Verdana, Geneva, Tahoma, sans-serif;
.bgimg{
    background-image: url("./libra.jpg");
   width: 200%;
   height: 150%;
 background-position: center;
 background-size: cover;
 position: relative;
.logform{
    color: rgba(226, 90, 11, 0.863);
   font-family: Verdana, Geneva, Tahoma, sans-serif;
```

```
font-size: 10;
  padding-top: 10;
  margin-top: 20%;
  width: 600px;
  height: 350px;
  background-color: rgb(255, 246, 240);
}
.img-about
{
  background-image: url("./libra.jpg");
  padding-left: 1px;
  width:1200px;
  height:300px;
  color: white;
}
```