## Overview

	Passed	Failed	Known	Undefined	Total	%Passed
Features	1	2	0	0	3	33.33
Scenarios	3	2	0	0	5	60.00
Steps	19	2	0	2	23	82.61

Overall Duration: 0h 01m 34s

## **Table of Contents**

1.	Login to loval page	. 1
	1. Test login	
	2. Test login	
	3. Test login	. 2
2.	Regiter Client	. 2
	1. Create new parent	. 2
3.	Dashboard testing	. 4
	1. pet tracking board	. 4

## **Detailed Results Report**


ssed: 3 Failed: 0			Undefined: 0		Duration: 29.20s	
Scenario Outlin	ne: Test logi	n				
Passed: 2		Failed: 0		Undefined: 0		<b>Duration:</b>
Before						6.45s
Given I fill t	the "test123"	' and ''pas	s123" in the fie	elds to logged in	to the application	13.19s
usernam	option Eler Name TEX Name TEX	KT				
<u> </u>			tton to login to	the "Loyal page	e''	1.36s
Element .account	option _btn csssele					
After						0.01s
Back to Table of C	Contents					
Scenario Outli	ne: Test logi	n				
Passed: 2		Failed: 0		Undefined: 0		Duration:
Before						0.00s
Given I fill to logged in			@eight25media	a.com'' and ''pa	ss1234" in the fields	3.41s
	option Eler e Name TEX					

	password Name TEX	XT				
	And I should click the "	'Login'' butto	on to login to t	he ''Loyal page''		1.20s
	<b>Element</b> option	1				
	.accountbtn csssele	ector				
Af	ter					0.01s
Ba	ck to Table of Contents					·
Sc	enario Outline: Test logi	in				
	ssed: 2	Failed: 0		Undefined: 0		Duration:
Be	fore					0.00s
	Given I fill the "e25med to logged into the application Element option Element username Name TEX	cation mentType	eight25media	.com" and "Test1234" i	n the fiel	ds 2.36s
	password Name TEX And I should click the '	XT 'Login'' butto	on to login to t	he ''Loyal page''		1.20s
	Element option account_btn csssele ter					0.01s
Ba	ck to Table of Contents					
'eatu	re: Regiter Client					
assed	: 0 Failed: 1	Ī	Undefined: 0	Duration:	49.24s	
Sc	enario: Create new pare	nt				
Pag	sed: 12	Failed: 1		Undefined: 2		Duration:
Be						
	fore					0.00s
	fore Given I Should see the l	Loyal login pa	age loaded suc	cessfullyy		0.00s 1.16s
	Given I Should see the I And I should click on "I Element option .lnr-user cssselector	Register clien	nt" button on l	left side menu		1.16s
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect to	Register clien	er Client page	left side menu successfullyy		1.16s 6.29s 2.06s
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect t And I fill the "Find par	Register clien	er Client page	left side menu successfullyy		1.16s 6.29s 2.06s 0.72s
	Given I Should see the I And I should click on "I Element option .lnr-user cssselector Then I should redirect t And I fill the "Find par Element	Register clien to the Registe ent'' details to	er Client page	successfullyy  v Parent	value	1.16s 6.29s 2.06s
	Given I Should see the I And I should click on "I Element option .lnr-user cssselector Then I should redirect t And I fill the "Find par Element //*[contains(concat(""))]	Register clien to the Registe ent" details t	er Client page o create a new	successfullyy v Parent ' '', ''form-control'', ''	Henrry	1.16s 6.29s  2.06s 0.72s option Element xpath Textbox
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect t And I fill the "Find par Element //*[contains(concat(""))] Then I should see the no	Register client to the Registe ent'' details to '' '', @class, ''	er Client page o create a new ' '' ), concat( '	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l	Henrry	2.06s 0.72s option Element xpath Textbox side 0.00s
	Given I Should see the I And I should click on "I Element option .lnr-user cssselector Then I should redirect t And I fill the "Find par Element //*[contains(concat(""))]	Register client to the Registe ent'' details to '' '', @class, ''	er Client page o create a new ' '' ), concat( '	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l	Henrry	1.16s 6.29s  2.06s 0.72s option Element xpath Textbox
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect that I fill the "Find pare Element  [""" [contains(concat(""""))] Then I should see the new And I click on the "Add Element option I caction cssselector	Register client to the Registe ent'' details to the registe ent'' ', @class, '' '', @class, '' ewly enabled I new Parent'	er Client page o create a new ' '' ), concat( '	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l	Henrry	2.06s 0.72s option Element xpath Textbox side 0.00s 6.22s
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect that I fill the "Find pare Element  [""" [contains(concat(""""))] Then I should see the new And I click on the "Add Element option I caction cssselector	Register clien to the Registe ent" details t " ", @class, " ewly enabled I new Parent"	er Client page o create a new ' '' ), concat( ' ''No parent ro '' button to ad	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l d a new parent	Henrry	2.06s 0.72s option Element xpath Textbox side 0.00s 6.22s
	Given I Should see the I And I should click on "I Element option .lnr-user cssselector Then I should redirect to the I fill the "Find pare Element (""))] Then I should see the note that I click on the "Add Element option action cssselector Then "Register new pare	Register clien to the Registe ent" details to " ", @class, " ewly enabled I new Parent" rent" Tab sho	er Client page o create a new ' '' ), concat( ' ''No parent ro '' button to ad ould enable af gisterClient'' lementType	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l d a new parent	Henrry	1.16s   6.29s
	Given I Should see the I And I should click on "I Element option Inr-user cssselector Then I should redirect to And I fill the "Find pare Element  [""" [contains(concat("""))] Then I should see the new And I click on the "Add Element option I caction cssselector Then "Register new pare And I should see the exception of the "Add Element option"  ["" [Contains(concat(""))]  [" [" [" [" [" [" [" [" [" [" [" [" [" [	Register clien to the Registe ent'' details to '' '', @class, '' ewly enabled I new Parent' rent'' Tab sho cel data ''Reg option E ne name T	er Client page o create a new ' '' ), concat( ' ''No parent ro '' button to ad ould enable af gisterClient'' lementType	successfullyy y Parent ' '', ''form-control'', '' ecord found?'' label on l d a new parent	Henrry	1.16s   6.29s

And I click on the "Add New Pet" to create a pet to the pare	nt				6.31s			
<b>Element</b> option								
.add-new-top-panel-button cssselector								
And I should see the "Register New Pet" tab after clicking the button 2.11s								
And I fill the "Register New Pet" details from excel data "RegisterClient" 0.40								
Element	value option		Eler	mentType				
name	Pet Na			Tex	tbox			
species	Specie		id,index	_	pdown			
//div[@class='Select-placeholder selectorgadget_selected']								
gender	Gende	Gender id, value dro			pdown			
And I click on the "Save" button to create a new parent					6.27s			
<b>Element</b> option								
//button[@class='btn loyal-btn-save-update'] xpath								
And I should see the "Parent successfully saved and invited" created successfully	' confir	m tl	ne parent		13.06s			
Element	option	Vali	dation mess	age				
//p[contains(text(),'Parent successfully saved and invited')]	enarn	Parent successfully sav			aved and			
/no_such_element.html Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System in host: 'THILINA-MOBILE', ip: '169.254.93.131', os.name: 'Windows 10', os.arch: 'amd64', os.vers '10.0', java.version: '1.8.0_202' Driver info: org.openqa.selenium.chrome.ChromeDriver Capabilit [{applicationCacheEnabled=false, rotatable=false, mobileEmulationEnabled=false, networkConnectionEnabled=false, chrome={chromedriverVersion=2.38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), userDataDir=C: UsersTHILIN~1AppDataLocalTempscoped_dir14132_24089}, takesHeapSnapshot=true, pageLoadStrategy=normal, databaseEnabled=false, handlesAlerts=true, hasTouchScreen=false, version=74.0.3729.157, platform=XP, browserConnectionEnabled=false, nativeEvents=true, acceptSslCerts=false, acceptInsecureCerts=false, locationContextEnabled=true, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, cssSelectorsEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=}] Session ID: d306e4796ddd4e8ae8c75c4b2c972904 *** Element info: {Using=xpath, value=//p[contains(text(), 'Parent successfully saved and invited')]} at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java: at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java: at java.lang.reflect.Constructor.newInstance(Constructor.java:423)								
at org.openqa.selenium.remote.ErrorHandler.createThrowal at org.openqa.selenium.remote.ErrorHandler.throwIfRespon at org.openqa.selenium.remote.RemoteWebDriver.execute(Rat org.openqa.selenium.remote.RemoteWebDriver.findElemoteWebDriver.find	ble(Eri nseFail Remote	rorE led(I Web	ErrorHandle Driver.java	er.ja :671	va:167)			

	rg.openqa.seleniun					(RemoteWeb	Driver.java:
	rg.openqa.seleniun rg.openqa.seleniun					WahDrivar id	wo.402)
	rg.openqa.seiemun om.cucumber.comi						iva:404)
	om.cucumber.defin					<b>.j</b> u (u(1200)	
	ould_see_the_conf	-		•	_		
	And I should see the Register Client. feat		ccessfully save	ed and invite	d'' confirm	the parent c	reated sucess
	I click on the ok b		'Parent succe	sefully caved	and invite	d'' validation	
			1 archi succe				0.00s
E	Clement					option	
//	/*[contains(concat(	" ", @class,	" " ), concat(	'' '', ''btn-se	condary'',	'' '' ))] xpath	
And	I should click the	''Pet tracking	g board'' butt	on on the lef	t menu bar		0.00s
E	Element					op	tion
//	/*[contains(concat(	"", @class,	" " ), concat(	'' '', ''sideba	rlink-titl	le", " " ))] xpa	ath
	O LOYAL						
	<b>©</b>						
	_	egister Clients					
Weld	come, Genny	Find Parent			earch by*		
	inistrator	No parent record found	d?		Henrry		
	Logout	Add New Parent					
<b>■</b> R	Pet Tracking Board	Register New Parent	t				
Ð	Create Appointment	Ω	First Name *	Last Name *		Email or Phone No. * e25mediatest+668@eight	25media.com
8	Register Clients		3600	30113		czomediatest 600@cigne	zomediacom
	Manage Pets						
0	FAQ	Registered Pets					Add Now Bot
After							0.40s
Back to '	Table of Contents						
eature: <mark>I</mark>	Dashboard testing						
assed: 0	Failed: 1	<u> </u>	Undefined: 0		Duratio	n: 16.54s	
	io: pet tracking bo	ard					
Passed: 1	1	Failed: 1		Undefined: 0			Duration: 1
Before							0.00s
	en I Should see the	• •					1.08s
And	I should see the po	et appoinmen	t ''' in the ba	shboard			15.09s
	openqa.selenium.N		-				
	ethod":"css selecto > div > div.card > o			0			-
	> div > div.card > 0 > div > article > div				-		
	omedriver=2.38.552						

10.0.17763 x86\_64) (WARNING: The server did not provide any stacktrace information) Comman duration or timeout: 10.06 seconds For documentation on this error, please visit: http://seleniumho org/exceptions/no such element.html Build info: version: '3.4.0', revision: 'unknown', time: 'unknown' System info: host: 'THILINA-MOBILE', ip: '169.254.93.131', os.name: 'Windows 10', arch: 'amd64', os.version: '10.0', java.version: '1.8.0\_202' Driver info: org.openqa.selenium.chrom ChromeDriver Capabilities [{applicationCacheEnabled=false, rotatable=false, mobileEmulationEnabled=false, networkConnectionEnabled=false, chrome={chromedriverVersio 38.552522 (437e6fbedfa8762dec75e2c5b3ddb86763dc9dcb), userDataDir=C: UsersTHILIN~1AppDataLocalTempscoped\_dir14132\_24089}, takesHeapSnapshot=true, pageLoadStrategy=normal, databaseEnabled=false, handlesAlerts=true, hasTouchScreen=false, version=74.0.3729.157, platform=XP, browserConnectionEnabled=false, nativeEvents=true, acceptSslCerts=false, acceptInsecureCerts=false, locationContextEnabled=true, webStorageEnabled=true, browserName=chrome, takesScreenshot=true, javascriptEnabled=true, cssSelectorsEnabled=true, setWindowRect=true, unexpectedAlertBehaviour=}] Session ID: d306e4796ddd4e8ae8c75c4b2c972904 \*\*\* Element info: {Using=css selector, value=#root > div.the light > div > main > div.container\_wrap > div > div > div.card > div > div.board.minimize > div > div > div > span:nth-child(1) > section > div > div > div > article > div > div.nameat sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun. reflect. Native Constructor Accessor Impl. new Instance (Native Constructor Accessor Impl. java:at sun. reflect. Delegating Constructor Accessor Impl. new Instance (Delegating Constructor Accessor Incomplete Construction Construciava:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openga.selenium.remote.ErrorHandler.createThrowable(ErrorHandler.java:215) at org.openga.selenium.remote.ErrorHandler.throwIfResponseFailed(ErrorHandler.java:167) at org.openga.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:671) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:410)  $at\ org. open qa. selenium. remote. Remote Web Driver. find Element By Css Selector (Remote Web Driver.$ java:501) at org.openga.selenium.By\$ByCssSelector.findElement(By.java:430) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:402) at com.cucumber.definition.admin.Dashboard.i\_should\_see\_the\_pet\_appoinment\_in\_the\_bashboa (Dashboard.java:41) at .And I should see the pet appoinment "" in the bashboard(C\_Dashboard.feature:5)



**Back to Table of Contents**